



**Occupied Bandwidth
Results:**

ATEMC000043 – Annex 2

Applicant:

**Arrista Technologies Inc.
5-55 Henlow Bay
Winnipeg, MB, CA
R3Y 1G4**

Equipment Under Test (EUT):

**AMPS / TDMA / CDMA
Bi-Directional Cellular Signal Amplifier**

MODEL:

CR100

FCC ID:

P35UTHNEXW9

IN ACCORDANCE WITH:

**FCC PART 2,
FCC PART 22, SUBPART H
CELLULAR BAND REPEATERS**


1. EMISSIONS LIMITATIONS FOR CELLULAR

1.1. PLOT DATA


As can be seen from the following plots, the EUT has not distorted the input signal, and the measured emissions are in accordance with section 22.917 (d) (1), (2), (3).

1.1.1. AMPS/TDMA VALIDATION

AMPS/TDMA Input Signal (Agilent E4432B Generator)



AMPS/TDMA Output; Up-Link Primary Port; 825.0 MHz




Applicant: Arrista Technologies Inc.


Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

AMPS/TDMA Output; Up-Link Primary Port; 837.0 MHz




AMPS/TDMA Output; Up-Link Primary Port; 848.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

AMPS/TDMA Output; Down-Link; 870.0 MHz




AMPS/TDMA Output; Down-Link; 881.0 MHz



Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier


Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

AMPS/TDMA Output; Down-Link; 892.0 MHz



1.1.2. NADC (DIGITAL CELLULAR) VALIDATION


NADC (Digital Cellular) Output; Up-Link; 825.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

NADC (Digital Cellular) Output; Up-Link; 837.0 MHz




NADC (Digital Cellular) Output; Up-Link; 848.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

NADC (Digital Cellular) Output; Down-Link; 870.0 MHz




NADC (Digital Cellular) Output; Down-Link; 881.0 MHz



Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier


Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

NADC (Digital Cellular) Output; Down-Link; 892.0 MHz



1.1.3. CDMA VALIDATION


CDMA Input Signal (Agilent E4432B Generator)




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

CDMA Output; Up-Link; 825.0 MHz




CDMA Output; Up-Link; 837.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

CDMA Output; Up-Link; 848.0 MHz




CDMA Output; Down-Link; 870.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

CDMA Output; Down-Link; 881.0 MHz



CDMA Output; Down-Link; 892.0 MHz




1.1.4. GSM VALIDATION


Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
 This document contains confidential information.

GSM Output; Up-Link; 825.0 MHz




GSM Output; Up-Link; 837.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

GSM Output; Up-Link; 848.0 MHz




GSM Output; Down-Link; 870.0 MHz




Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.

GSM Output; Down-Link; 881.0 MHz



GSM Output; Down-Link; 892.0 MHz



Applicant: Arrista Technologies Inc.
Equipment: CR100 Bi-Directional Cellular Signal Amplifier

Copyright © 2004 Arrista Technologies Inc.
This document contains confidential information.