


Annex C. Photographs

Radiated Test Setup:



Sample #01 – Smartphone



Sample #02 – Smartphone



Battery	
 A photograph of a rectangular UMX battery placed next to a black ruler with white markings. The ruler shows centimeters from 0 to 100. The battery label includes the following text: UMX PIN: U307TG 3.7 V Li-ion Battery Standard Capacity: 1350mAh, 4.995Wh Battery Manufactured by FH Cell Manufactured in China Battery Manufactured in China Caution: Do not expose to high temperature (140°F/60°C). Do not disassemble. Do not allow metal objects to contact or short circuit the battery terminals. Do not incinerate or expose to fire. Dispose of properly. (Ex: Recycling number 1-800-822-8837) SN: FH6A53300382	 A photograph of the same UMX battery placed next to a black ruler with white markings. The ruler shows centimeters from 0 to 100. The battery is connected to two red wires with gold-colored connectors. The label on the battery includes the following text: UMX PIN: U307TG 3.7 V Li-ion Battery Standard Capacity: 1350mAh, 4.995Wh Battery Manufactured by FH Cell Manufactured in China Battery Manufactured in China Caution: Do not expose to high temperature (140°F/60°C). Do not disassemble. Do not allow metal objects to contact or short circuit the battery terminals. Do not incinerate or expose to fire. Dispose of properly. (Ex: Recycling number 1-800-822-8837) SN: FH6A53300382
USB cable	
 A photograph of a black USB cable placed next to a black ruler with white markings. The ruler shows centimeters from 0 to 100. The cable has a standard USB-A connector on one end and a smaller connector on the other.	