


OSCILLOSCOPE PRESENTATION
WESTEL, DRB-25
2003-JUL-21, 10:53, MON

POWER: HIGH
MODULATION: Ref Gen=12.5 kHz Deviation
REMARK: CARRIER OFF




Main	Timebase 8.00 ms/div	Delay/Pos 40.0000 ms	Reference Right	Mode Realtime (EXTENDED)
Channel 1	Sensitivity 120 mV/div	Offset 0.00000 V	Probe 1.000 :1	Coupling dc (1M ohm)

Trigger mode : Edge
On Positive Edge Of Chan2
Trigger Level
Chan2 = -224.000 mV (noise reject ON)
Holdoff = 40.000 ns

$E_3 = 10 \text{ ns}$

OSCILLOSCOPE PRESENTATION
WESTEL, DRB-25
2003-JUL-21, 10:50, MON

POWER: HIGH
MODULATION: Ref Gen=25 kHz Deviation
REMARK: CARRIER ON




Main Timebase 8.00 ms/div Delay/Pos -40.0000 ms Reference Left Mode Realtime (EXTENDED)
Channel 1 Sensitivity 120 mV/div Offset 0.00000 U Probe 1.000 :1 Coupling dc (1M ohm)
Trigger mode : Edge
On Negative Edge Of Chan2
Trigger Level
Chan2 = -224.000 mV (noise reject ON)
Holdoff = 40.000 ns

$t_1 = 10ms$
 $t_2 = 25ms$

OSCILLOSCOPE PRESENTATION
WESTEL, DRB-25
2003-JUL-21, 10:50, MON

POWER: HIGH
MODULATION: Ref Gen=12.5 kHz Deviation
REMARK: CARRIER ON




Main	Timebase 8.00 ms/div	Delay/Pos -40.0000 ms	Reference Left	Mode Realtime (EXTENDED)
Channel 1	Sensitivity 120 mV/div	Offset 0.00000 U	Probe 1.000 :1	Coupling dc (1M ohm)

Trigger mode : Edge
On Negative Edge Of Chan2
Trigger Level
Chan2 = -224.000 mV (noise reject ON)
Holdoff = 40.000 ns

$t_1 = 10\text{ ms}$
 $t_2 = 25\text{ ms}$

OSCILLOSCOPE PRESENTATION
WESTEL, DRB-25
2003-JUL-21, 10:53, MON

POWER: HIGH
MODULATION: Ref Gen=25 kHz Deviation
REMARK: CARRIER OFF



Main Timebase 8.00 ms/div Delay/Pas 40.0000 ms Reference Right Mode Realtime (EXTENDED)
Channel 1 Sensitivity 120 mV/div Offset 0.00000 V Probe 1.000 :1 Coupling dc (1M ohm)
Trigger mode : Edge
On Positive Edge Of Chan2
Trigger Level
Chan2 = -224.000 mV (noise reject ON)
Holdoff = 40.000 ns

$t_3 = 10ms$