



ELECTROMAGNETIC EMISSION COMPLIANCE REPORT FOR FCC CLASS B CERTIFICATION

Test report file number : E028R-051

Applicant : DIASONIC TECHNOLOGY CO., LTD.

Address : 321-43, Suksu-Dong, Manan-Ku, Anyang-City, Kyungki-Do, Korea

Manufacturer : DIASONIC TECHNOLOGY CO., LTD.

Address : 321-43, Suksu-Dong, Manan-Ku, Anyang-City, Kyungki-Do, Korea

Type of Equipment : MP3 PLAYER (Class B Computing Device Peripheral)

FCC ID : P7KDMP100R

Model Name : DMP-100R

Multiple Model Name : DMP-100, DMP-110R, DMP-110

Serial number : N/A

Total page of Report : 12 pages (including this page)

Date of Incoming : June 05, 2002

Date of Issuing : August 26, 2002

SUMMARY

The equipment complies with the requirements of **FCC CFR 47 PART 15 SUBPART B, Class B.**

This test report contains only the results of a single test of the sample supplied for the examination. It is not a general valid assessment of the features of the respective products of the mass-production.

Prepared by: G. W. Lee
G. W. Lee/ Assistant Chief Engineer

Reviewed by: Y. K. Kwon
Y. K. Kwon/ Chief Engineer

This report shall not be reproduced except in full without our written approval.

FCC-003 (Rev.0)

HEAD OFFICE : #505 SK APT. Factory 223-28, Sangdaewon 1 Dong, Jungwon-Gu, Seongnam-City, Kyunggi-Do, 462-121, Korea
(TEL: +82-31-746-8500, FAX: +82-31-746-8700)

EMC Testing Dept : 426-1 Daeangryong-Ri ChongMyun-Kwangju-City, Kyunggi-Do 464-860 Korea (TEL: +82-31-765-8288, FAX: +82-31-766-2904)

Unknown document property name.

EMC Div.
ONETECH Corp.

EMC Div.
ONETECH Corp.



CONTENTS

	Page
1. VERIFICATION OF COMPLIANCE	4
2. GENERAL INFORMATION	5
2.1 PRODUCT DESCRIPTION	5
2.2 RELATED SUBMITTAL(S) / GRANT(S)	5
2.3 TEST SYSTEM DETAILS	5
2.4 TEST METHODOLOGY	5
2.5 TEST FACILITY	7
3. SYSTEM TEST CONFIGURATION.....	8
3.1 JUSTIFICATION	8
3.2 EUT EXERCISE SOFTWARE	8
3.3 CABLE DESCRIPTION	8
3.4 NOISE SUPPRESSION PARTS ON CABLE	9
3.5 EQUIPMENT MODIFICATIONS	8
3.6 CONFIGURATION OF TEST SYSTEM	9
4. PRELIMINARY TEST.....	10
4.1 AC POWER LINE CONDUCTED EMISSION TEST	10
4.2 RADIATED EMISSION TEST	10
5. FINAL RESULT OF MEASUREMENT	11
5.1 CONDUCTED EMISSION TEST.....	11
5.2 RADIATED EMISSION TEST	13
6. FIELD STRENGTH CALCULATION.....	15
7. LIST OF TEST EQUIPMENT	16

Unknown document property name.

1. VERIFICATION OF COMPLIANCE

-. APPLICANT : DIASONIC TECHNOLOGY CO., LTD.
 -. ADDRESS : 321-43, Suksu-Dong, Manan-Ku, Anyang-City, Kyungki-Do, Korea
 -. CONTACT PERSON : Mr. Hwan-Min, Kim / Manager
 -. TELEPHONE NO : +82-31-474-0852
 -. FCC ID : P7KDMP100R
 -. MODEL NO/NAME : DMP-100R
 -. SERIAL NUMBER : N/A
 -. DATE : August 26, 2002

DEVICE TYPE	Peripheral Device for Class B Computing Device - Unintentional Radiator
E.U.T. DESCRIPTION	MP3 PLAYER
THIS REPORT CONCERNS	ORIGINAL GRANT
MEASUREMENT PROCEDURES	ANSI C63.4/1992
TYPE OF EQUIPMENT TESTED	PRE-PRODUCTION
KIND OF EQUIPMENT AUTHORIZATION REQUESTED	CERTIFICATION
EQUIPMENT WILL BE OPERATED UNDER FCC RULES PART(S)	FCC PART 15, SECTION 15.101
MODIFICATIONS ON THE EQUIPMENT TO ACHIEVE COMPLIANCE	No
FINAL TEST WAS CONDUCTED ON	3 METER OPEN AREA TEST SITE

The above equipment was tested by ONETECH Corp. for compliance with the requirement set forth in the FCC Rules and Regulations. This said equipment in the configuration described in this report, shows the maximum emission levels emanating from equipment are within the compliance requirements.

Unknown document property name.

2. GENERAL INFORMATION

2.1 Product Description

The DIASONIC TECHNOLOGY CO., LTD., Model DMP-100R (referred to as the EUT in this report) is a MP3 Player that is a personal computer peripheral with USB standard port and has functions of voice recorder and FM broadcast receiver. Product specification described herein was obtained from product data sheet or user's manual.

CHASSIS TYPE	Plastic
LIST OF EACH OSC. OR CRY. FREQ.(FREQ.>=1MHz)	30 MHz
MULTI-FUNCTION	MP3 Player, Voice Recorder, FM Broadcast Receiver
FM TUNER MODULE MFR./MODEL NAME	A&T Solution Co./ATM-330
NUMBER OF LAYERS	4 Layers
EXTERNAL CONNECTOR	Audio Line In (Ext. MIC), Earphone, USB

Model Differences:

-. The following lists consist of the added model and their differences. The added models are identical to the basic model except for below model difference only.

	Model Name	Model Difference
Basic Model	DMP-100R	
Added Model	DMP-110R	Only type designation because enclosure changes.
	DMP-100	Only type designation because that the function for FM receiver delete from basic model.
	DMP-110	Only type designation because enclosure changes from DMP-100.

2.2 Related Submittal(s) / Grant(s)

Original submittal only

2.3 Test System Details

Defined as equipment needed for correct operation of the EUT, but not considered as tested:

Model	Manufacturer	FCC ID	Description	Connected to
DMP-100R	DIASONIC TECHNOLOGY CO., LTD.	P7KDMP100R	MP3 Player (EUT)	NOTEBOOK PC
-	-	N/A	EXTERNAL MIC.	EUT
-	-	N/A	EARPHONE	EUT
S690	Samsung Elect.	DOC	NOTEBOOK PC	-



Unknown document property name.

AD-6019(V)	Samsung Elect.	N/A	AC/DC ADAPTER	NOTEBOOK PC
M-SAS51	Logitech	JNZ211167	MOUSE	NOTEBOOK PC
2225C	HP	DSI6XU2225	PRINTER	NOTEBOOK PC

Unknown document property name.

2.4 Test Methodology

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4/1992. Radiated testing was performed at a distance of 3 meters from EUT to the antenna.

2.5 Test Facility

The open area test site and conducted measurement facilities are located on at 426-1 Daessangryung-Ri, Chowol-Myun, Kwangju-Kun, Kyunggi-Do 464-080 Korea. Description details of test facilities were submitted to the Commission on January 18, 2002. (Registration Number: 92819)

Unknown document property name.

3. SYSTEM TEST CONFIGURATION

3.1 Justification

This device was configured for testing in a typical way as a normal customer is supposed to be used. During the test, the following components were installed inside of the EUT.

DEVICE TYPE	MANUFACTURER	MODEL/PART NUMBER	FCC ID
MAIN B'D	DIASONIC TECHNOLOGY	N/A	N/A
SUB B'D	DIASONIC TECHNOLOGY	N/A	N/A

3.2 EUT exercise Software

- Play mode and Recording mode
- After connecting the EUT to USB port of a notebook PC, data were continuously uploading and downloading from HDD of the notebook PC to the EUT.
- FM receiving mode
- The EUT was tested on up/downloading mode as the worst case.

3.3 Cable Description

	Power Cord Shielded (Y/N)	I/O cable Shielded (Y/N)	Length (M)
MP3 PLAYER (EUT)	N/A	Y	1.2 (D)
EXTERNAL MIC.	N/A	N	1.2 (D)
EARPHONE	N/A	N	1.2 (D)
NOTEBOOK PC	N	-	1.5 (P)
AC/DC ADAPTER	N	N	1.2(P), 1.0(D)
MOUSE	N/A	N	1.2(D)
PRINTER	N	Y	1.5(P), 1.5(D)

* The marked "(P)" means the Power Cable and "D" means the I/O Cable.

Unknown document property name.

3.4 Noise Suppression Parts on Cable

	Ferrite Bead (Y/N)	Location	Metal Hood (Y/N)	Location
MP3 PLAYER (EUT)	Y	EUT END	Y	BOTH END
EXTERNAL MIC.	N	N/A	Y	EUT END
EARPHONE	N	N/A	Y	EUT END
NOTEBOOK PC	-	-	-	-
AC/DC ADAPTER	Y	Notebook PC END	Y	Notebook PC END
MOUSE	N	N/A	Y	Notebook PC END
PRINTER	N	N/A	Y	BOTH END

3.5 Equipment Modifications

To achieve compliance to CLASS B levels, the following change(s) was made by ONETECH Corp. during compliance testing:

“There were no Modified items during EMI test”

3.6 Configuration of Test System

Line Conducted Test : The EUT was connected to PC and the power line of PC was connected to LISN. All supporting equipments were connected to another LISN. Preliminary Power line Conducted Emission test was performed by using the procedure in ANSI C63.4/1992 7.2.3 to determine the worse operating conditions.

Radiated Emission Test : Preliminary radiated emission test was conducted using the procedure in ANSI C63.4/1992 8.3.1.1 to determine the worse operating conditions. Final radiated emission test was conducted at 3 meters open area test site.

Unknown document property name.

4. PRELIMINARY TEST

4.1 AC Power line Conducted Emission Test

During Preliminary Test, the following operating mode was investigated

Operation Mode	The Worse operating condition (Please check one only)
Play mode	
Recoding mode	
FM Receiving mode	
Files Up/Downloading mode	X

4.2 Radiated Emission Test

During Preliminary Test, the following operating mode was investigated

Operation Mode	The Worse operating condition (Please check one only)
Play mode	
Recoding mode	
FM Receiving mode	
Files Up/Downloading mode	X



Unknown document property name.

5. FINAL RESULT OF MEASUREMENT

Preliminary test was done in normal operation mode. And the final measurement was selected for the maximized emission level

5.1 Conducted Emission Test

Humidity Level : 53 % Temperature : 22 °C
Limits apply to : FCC CFR 47, PART 15, SUBPART B, SECTION 15.107
Type of Test : CLASS B
Result : PASSED BY -4.40 dB at 0.85 MHz

EUT : MP3 PLAYER Date: June 19, 2002
Operating Condition : Files Up/Downloading mode
Detector : CISPR Quasi-Peak (6 dB Bandwidth: 9 kHz)


Power Line Conducted Emission			FCC CLASS B	
Frequency (MHz)	Amplitude (dBuV)	Conductor	Limit (dBuV)	Margin (dB)
0.46	39.46	HOT	48.00	-8.54
0.72	39.42	HOT	48.00	-8.58
0.85	43.60	HOT	48.00	-4.40
0.92	39.38	HOT	48.00	-8.62
0.98	35.06	NEUTRAL	48.00	-12.94
7.86	35.35	NEUTRAL	48.00	-12.65

Line Conducted Emission Tabulated Data


Tested by: Sue-Yong, Lee / Test Engineer



Unknown document property name.



HOT LINE



NEUTRAL LINE

This report shall not be reproduced except in full without our written approval.

FCC-003 (Rev.0)

HEAD OFFICE : #505 SK APT. Factory 223-28, Sangdaewon 1 Dong, Jungwon-Gu, Seongnam-City, Kyunggi-Do, 462-121, Korea
(TEL: +82-31-746-8500, FAX: +82-31-746-8700)

EMC Testing Dept : 426-1 Daeangryong-Ri Chong-Myun Kwangju-City, Kyunggi-Do 464-860 Korea (TEL: +82-31-765-8288, FAX: +82-31-766-2904)



Unknown document property name.

5.2 Radiated Emission Test

The following table shows the highest levels of radiated emission on both polarizations of horizontal and vertical.

Humidity Level : 54 % Temperature : 24 °C
Limits apply to : FCC CFR 47, PART 15, SUBPART B, SECTION 15.109
Type of Test : CLASS B
Result : PASSED BY -4.11 dB at 84.00 MHz

EUT : MP3 PLAYER Date: June 11, 2002
Operating Condition : Files Up/Downloading mode
Detector : CISPR Quasi-Peak (6 dB Bandwidth: 120 kHz)
Distance : 3 Meter

Radiated Emissions		Ant	Correction Factors		Total	FCC CLASS B	
Freq. (MHz)	Amp. (dBuV)	Pol.	Ant. (dBuV/m)	Cable (dB)	Amp. (dBuV/m)	Limit (dBuV/m)	Margin (dB)
48.00	20.00	H	10.80	0.91	31.71	40.00	-8.29
60.00	24.00	V	9.41	0.98	34.39	40.00	-5.61
72.00	23.60	V	7.39	1.00	31.99	40.00	-8.01
84.00	27.50	V	7.31	1.08	35.89	40.00	-4.11
144.00	16.40	V	12.93	1.33	30.66	43.50	-12.84
168.00	12.50	V	15.75	1.42	29.67	43.50	-13.83
180.00	15.70	V	16.12	1.45	33.27	43.50	-10.23
208.60	20.70	H	10.93	1.61	33.24	43.50	-10.26
215.40	22.20	H	10.93	1.65	34.78	43.50	-8.72
225.40	23.50	H	10.95	1.70	36.15	46.00	-9.85
227.60	19.40	H	11.05	1.71	32.16	46.00	-13.84
260.40	19.60	H	12.42	1.85	33.87	46.00	-12.13
349.80	14.50	H	14.46	2.28	31.24	46.00	-14.76
383.20	16.80	H	14.80	2.40	34.00	46.00	-12.00
415.60	20.60	H	15.54	2.46	38.60	46.00	-7.40
449.00	16.10	H	16.28	2.55	34.93	46.00	-11.07

Radiated Emissions Tabulated Data



ONETECH

ONETECH Testing & Evaluation Lab.
Unknown document property name.

Page 14 of 12

FCC ID. : Error!

File No. Error!

21/4/06

Unknown document property name.

Tested by: Sue-Yong, Lee / Test Engineer

Unknown document property name.

6. FIELD STRENGTH CALCULATION

Meter readings are compared to the specification limit correcting for antenna and cable losses

+ Meter reading (dBuV)

+ Cable Loss (dB)

+ Antenna Factor (Loss) (dB/meter)

= Corrected Reading (dBuV/meter)

- Specification Limit (dBuV/meter)

= dB Relative to Spec (+/- dB)



Unknown document property name.

7. LIST OF TEST EQUIPMENT

No.	EQUIPMENTS	MFR.	MODEL	SER. NO.	LAST CAL	DUE CAL	USE
1.	Test receiver	R/S	ESVS 10	827864/005	OCT/01	12MONTH	■
2.	Test receiver	R/S	ESHS 10	834467/007	APR/02	12MONTH	■
3.	Spectrum analyzer	HP	8568B	3109A05456	APR/02	12MONTH	■
4.	RF preselector	HP	85685A	3107A01264	APR/02	12MONTH	■
5.	Quasi-Peak Adapter	HP	85650A	3107A01542	APR/02	12MONTH	■
6.	Biconical antenna	EMCO	3104C	9109-4441 9109-4443 9109-4444	APR/02	12MONTH	■
7.	Log Periodic antenna	EMCO	3146	9109-3213 9109-3214 9109-3217	APR/02	12MONTH	■
8.	LISN	EMCO	3825/2	9109-1867 9109-1869	AUG/02	12MONTH	■
9.	Computer System	HP	98581C	98543A	N/A	N/A	■
	Hard disk drive		9153C	CMC762Z9153	N/A	N/A	■
10.	Position Controller	EMCO	1090	9107-1038	N/A	N/A	■
11.	Turn Table	EMCO	1080-1.21	9109-1576	N/A	N/A	■
12.	Antenna Master	EMCO	1070-1	9109-1624	N/A	N/A	■