



Annex F. Photographs

F.1 Test Sample

NGW Module Front : 210209-01.S02



NGW Module Back: 210209-01.S02






Platform Extender: 210611-03.S27





Laptop : 200611-01.S18



F.2 Test positions


Top Edge 8mm	Bottom Edge 8mm
	
Left Edge 8mm	Right Edge 8mm
	
Front Face 8mm	Back Face 8mm
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 A photograph of the antenna's front view. A black ruler with white markings in centimeters is placed above the antenna. The antenna is a rectangular blue PCB with a yellow gold-plated edge on the left. It features the 'SkyCross' logo in orange and black. Printed text on the antenna includes: 'Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch', 'Antenna Type: WIMAX / WLAN', 'Date:', and 'TEL: +86-21-6434 8850 EXT.101'.	 A diagram of the antenna showing its orientation and edges. The antenna is a rectangular blue PCB with the 'SkyCross' logo and the same text as the front view. Red arrows point to the 'BACK FACE' (top right) and 'FRONT FACE' (bottom right). The edges are labeled: 'TOP EDGE' (top), 'BOTTOM EDGE' (bottom), 'LEFT EDGE' (left), and 'RIGHT EDGE' (right).
General Setup	
 A photograph of the general setup for the antenna test. A black antenna is mounted on a yellow rectangular block, which is placed on a black metal frame. A red cable is connected to the antenna. To the right, a green PCB with various components is mounted on a red surface. The setup is in a laboratory environment with white walls and a black table.	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -1-180206-04



End of the report

This page is intentionally left blank and marks the last page of the test report.