




Annex F. Photographs



F.1 Test Sample

NGW Module: (Front) 220225-01.S10 	NGW Module: (Back) 220225-01.S10 
Platform Extender: 210611-02.S32 	Laptop PC Host: 170000-01.S12 

F.2 Test positions


Top Edge 14mm	Bottom Edge 14mm
Left Edge 14mm	Right Edge 14mm
Front Face 14mm	Back Face 14mm

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 A photograph of the antenna's front view. A ruler is placed above the antenna for scale. The antenna is a rectangular circuit board with a yellow component at the top left. It features the 'SkyCross' logo and the following text: 'Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch', 'Antenna Type: WIMAX / WLAN', 'Date:', and 'TEL: +86-21-6434 8850 EXT.101'.	 A photograph of the antenna with labels for its edges and faces. The labels are: 'TOP EDGE' at the top, 'BOTTOM EDGE' at the bottom, 'LEFT EDGE' on the left, and 'RIGHT EDGE' on the right. The 'BACK FACE' is indicated by a red arrow pointing to the top right corner, and the 'FRONT FACE' is indicated by a red arrow pointing to the bottom right corner. The antenna has the 'SkyCross' logo and the same text as the front view.
General Setup	
 A photograph showing the general setup of the antenna. The antenna is mounted on a black stand with a yellow box on top. A green circuit board is visible on a red surface to the right. A red cable is connected to the antenna.	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 160630-1



End of the report

This page is intentionally left blank and marks the last page of the test report.