



3. Block Diagrams & Circuit Schematics

3.1 Baseband Logic & Audio Part of Cellular Module



[illegible]

Inductor Type & Vendor, mm (mm) (mm)	Capacitor Type & Size, mm (mm) (mm)
@ : 2520 size (1008), Wire-wound type, COILCRAFT	@ : "B" type Tantal
S : 2012 size (0805), Wire-wound type, COILCRAFT	S : "A" type Tantal
A : 1608 size (0603), Wire-wound type, COILCRAFT	S : 1015 size (1206), Tantal or MLCC
* : 1005 size (0402), ferrite type, TOKO, TDK	% : 2012 size (0805), Tantal or MLCC
% : 1608 size (0603), ferrite type, TOKO, TDK	A : 1608 size (0603), MLCC
% : 2012 size (0805), ferrite type, TOKO, TDK	Not otherwise noted, 1000 size (0402) MLCC


Cap, int res, Q
dode:, ic,

Cyberbank Co., Ltd..			
Mobile Computer ; CDMA Phone Part			
Title			
CDMA Cellular & PCS ; Logic & Audio Option 1			
Size	Document Number		Rev
	<Doc>		1.0
Date	Monday, November 20, 2000		Sheet 1 of 3

D :C D M A
A :A M P S

CDM A /AM PS Dual Mode

RF Block Diagram



Revised date :
2000.01.11
Revised by :
NaBoqyu

