


ADDITIONAL ANALYZER PLOTS TABLE OF CONTENTS

RF POWER OUTPUT	2
RF Power: 2 Watts.....	3
Bandwidth: 6.0 MHz	3
Bandwidth: 5.5 MHz	5
RF Power: 1 Milliwatt	7
Bandwidth: 6.0 MHz	7
Bandwidth: 5.5 MHz	9
OCCUPIED/EMISSION BANDWIDTH.....	11
Occupied BW	12
RF Power: 2 Watts.....	12
Bandwidth: 6.0 MHz	12
Bandwidth: 5.5 MHz	14
Emission BW	16
RF Power: 2 Watts.....	16
Bandwidth: 6.0 MHz	16
Bandwidth: 5.5 MHz	18
TRANSMIT SPURIOUS EMISSIONS	20
RF Power: 2W.....	21
Freq Range: 9 kHz - 150 kHz.....	21
Freq Range: 150 kHz – 30 MHz.....	23
Freq Range: 30 MHz – 1 GHz.....	25
Freq Range: 1 GHz – 2.48 GHz	27
Freq Range: 2.7 GHz – 26.5 GHz	29
3 rd Harmonic	31
4th Harmonic	32
5th Harmonic	33
6th Harmonic	34
7th Harmonic	35
8th Harmonic	36
9th Harmonic	37
10th Harmonic	38


NOTE: To display the plots for a particular item, simply click it.


RF POWER OUTPUT




ADDITIONAL ANALYZER PLOTS



RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
Agilent 15:43:55 Mar 24, 2006 Ch Freq 2.499 GHz Channel Power Trig Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density 32.56 dBm /5.6900 MHz -34.99 dBm/Hz Copyright 2000-2004 Agilent Technologies		
2499 MHz		
Agilent 15:45:59 Mar 24, 2006 Ch Freq 2.593 GHz Channel Power Trig Center 2.593000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density 32.49 dBm /5.6900 MHz -35.06 dBm/Hz Copyright 2000-2004 Agilent Technologies		
2593 MHz		
Agilent 15:47:24 Mar 24, 2006 Ch Freq 2.687 GHz Channel Power Trig Center 2.687000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density 31.79 dBm /5.6900 MHz -35.77 dBm/Hz Copyright 2000-2004 Agilent Technologies		
2687 MHz		





RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 16 QAM
Agilent 09:05:17 Mar 27, 2006 Ch Freq 2.499 GHz Trig Channel Power Center 2.499000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB  Center 2.499 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power 0.62 dBm /5.6900 MHz Power Spectral Density -66.93 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49600000 GHz Stop Freq 2.50200000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2499 MHz		
Agilent 09:09:41 Mar 27, 2006 Ch Freq 2.593 GHz Trig Channel Power Center 2.593000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB  Center 2.593 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power -0.04 dBm /5.6900 MHz Power Spectral Density -67.60 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2593 MHz		
Agilent 09:11:48 Mar 27, 2006 Ch Freq 2.687 GHz Trig Channel Power Center 2.687000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB  Center 2.687 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power -0.57 dBm /5.6900 MHz Power Spectral Density -68.12 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2687 MHz		

RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 64 QAM
Agilent 09:07:54 Mar 27, 2006 Ch Freq 2.499 GHz Trig Channel Power Center 2.499000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/Offst 30.1 dB Center 2.499 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power 0.59 dBm /5.6900 MHz Power Spectral Density -66.96 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49600000 GHz Stop Freq 2.50200000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.0000000 Hz Signal Track On Off		
2499 MHz		
Agilent 09:09:10 Mar 27, 2006 Ch Freq 2.593 GHz Trig Channel Power Center 2.593000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/Offst 30.1 dB Center 2.593 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power -0.04 dBm /5.6900 MHz Power Spectral Density -67.59 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.0000000 Hz Signal Track On Off		
2593 MHz		
Agilent 09:12:18 Mar 27, 2006 Ch Freq 2.687 GHz Trig Channel Power Center 2.687000000 GHz Ref 33 dBm Atten 20 dB *Avg Log 10 dB/Offst 30.1 dB Center 2.687 000 GHz Span 6 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 500 ms (601 pts) Channel Power -0.57 dBm /5.6900 MHz Power Spectral Density -68.12 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.0000000 Hz Signal Track On Off		
2687 MHz		




RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 16 QAM
Agilent 09:13:50 Mar 27, 2006 Ch Freq 2.499 GHz Trig Channel Power Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz *Res BW 56 kHz *VBW 560 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density 0.62 dBm /5.1400 MHz -66.48 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49625000 GHz Stop Freq 2.50175000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2499 MHz		
Agilent 09:16:15 Mar 27, 2006 Ch Freq 2.593 GHz Trig Channel Power Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz *Res BW 56 kHz *VBW 560 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density -0.03 dBm /5.1400 MHz -67.14 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59025000 GHz Stop Freq 2.59575000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2593 MHz		
Agilent 09:17:25 Mar 27, 2006 Ch Freq 2.687 GHz Trig Channel Power Ref 33 dBm Atten 20 dB *Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz *Res BW 56 kHz *VBW 560 kHz *Sweep 500 ms (601 pts) Channel Power Power Spectral Density -0.54 dBm /5.1400 MHz -67.65 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68425000 GHz Stop Freq 2.68975000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2687 MHz		

RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 64 QAM
Agilent 09:14:09 Mar 27, 2006 Ch Freq 2.499 GHz Trig Channel Power Channel Power Power Spectral Density 0.63 dBm /5.1400 MHz -66.48 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49625000 GHz Stop Freq 2.50175000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2499 MHz		
Agilent 09:16:36 Mar 27, 2006 Ch Freq 2.593 GHz Trig Channel Power Center 2.593000000 GHz Channel Power Power Spectral Density -0.04 dBm /5.1400 MHz -67.15 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59025000 GHz Stop Freq 2.59575000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2593 MHz		
Agilent 09:18:04 Mar 27, 2006 Ch Freq 2.687 GHz Trig Channel Power Channel Power Power Spectral Density -0.54 dBm /5.1400 MHz -67.65 dBm/Hz Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68425000 GHz Stop Freq 2.68975000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off		
2687 MHz		

OCCUPIED/EMISSION BANDWIDTH


ADDITIONAL ANALYZER PLOTS

Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
Agilent 10:16:13 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Center 2.499000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/Offst 30.1 dB Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4781 MHz Transmit Freq Error 5.181 kHz x dB Bandwidth 5.656 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49575000 GHz Stop Freq 2.50225000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2499 MHz			
Agilent 10:20:04 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Center 2.593000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/Offst 30.1 dB Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4803 MHz Transmit Freq Error 6.528 kHz x dB Bandwidth 5.661 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.58975000 GHz Stop Freq 2.59625000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:21:12 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Center 2.687000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/Offst 30.1 dB Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4807 MHz Transmit Freq Error 5.554 kHz x dB Bandwidth 5.659 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68375000 GHz Stop Freq 2.69025000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			


Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
Agilent 10:19:08 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Center 2.499000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4803 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB Transmit Freq Error 5.165 kHz x dB Bandwidth 5.658 MHz* Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49575000 GHz Stop Freq 2.50225000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2499 MHz			
Agilent 10:20:22 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Center 2.593000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4802 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB Transmit Freq Error 5.189 kHz x dB Bandwidth 5.659 MHz* Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.58975000 GHz Stop Freq 2.59625000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:21:32 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Center 2.687000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.4794 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB Transmit Freq Error 6.177 kHz x dB Bandwidth 5.660 MHz* Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68375000 GHz Stop Freq 2.69025000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			

Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
Agilent 10:26:54 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9575 MHz Transmit Freq Error 5.329 kHz x dB Bandwidth 5.122 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49600000 GHz Stop Freq 2.50200000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2499 MHz			
Agilent 10:28:14 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9582 MHz Transmit Freq Error 4.971 kHz x dB Bandwidth 5.122 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:29:29 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9594 MHz Transmit Freq Error 5.516 kHz x dB Bandwidth 5.123 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			


Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
Agilent 10:27:17 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9596 MHz Transmit Freq Error 6.285 kHz x dB Bandwidth 5.121 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49600000 GHz Stop Freq 2.50200000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2499 MHz			
Agilent 10:28:34 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9603 MHz Transmit Freq Error 6.485 kHz x dB Bandwidth 5.124 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:29:49 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 4.9549 MHz Transmit Freq Error 5.836 kHz x dB Bandwidth 5.121 MHz* Occ BW % Pwr 99.00 % x dB -20.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			

Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
Agilent 10:40:57 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth  Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.5466 MHz Transmit Freq Error 7.244 kHz x dB Bandwidth 5.685 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies		Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49575000 GHz Stop Freq 2.50225000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off	

2499 MHz

Agilent 10:42:18 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth  Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.5491 MHz Transmit Freq Error 6.471 kHz x dB Bandwidth 5.688 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies		Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.58975000 GHz Stop Freq 2.59625000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off
--	--	---




2593 MHz

Agilent 10:44:08 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth  Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.5485 MHz Transmit Freq Error 6.573 kHz x dB Bandwidth 5.686 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies		Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68375000 GHz Stop Freq 2.69025000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off
---	--	---

2687 MHz

Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
Agilent 10:41:19 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.5490 MHz Transmit Freq Error 7.495 kHz x dB Bandwidth 5.690 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.49900000 GHz Start Freq 2.49575000 GHz Stop Freq 2.50225000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2499 MHz			
Agilent 10:42:51 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.5496 MHz Transmit Freq Error 6.963 kHz x dB Bandwidth 5.685 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.58975000 GHz Stop Freq 2.59625000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:44:28 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts) Occupied Bandwidth 5.5460 MHz Transmit Freq Error 7.258 kHz x dB Bandwidth 5.688 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68375000 GHz Stop Freq 2.69025000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			

Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
Agilent 10:34:08 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0223 MHz Transmit Freq Error 6.724 kHz x dB Bandwidth 5.148 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Sweep Sweep Time 500.0 ms Auto Man Sweep Single Cont Auto Sweep Time Norm Accy Gate On Off Gate Setup Points 601			
2499 MHz			
Agilent 10:36:24 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Center 2.593000000 GHz Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0213 MHz Transmit Freq Error 6.339 kHz x dB Bandwidth 5.145 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2593 MHz			
Agilent 10:37:58 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0217 MHz Transmit Freq Error 6.001 kHz x dB Bandwidth 5.147 MHz* Occ BW % Pwr 99.75 % x dB -26.00 dB Copyright 2000-2004 Agilent Technologies Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off			
2687 MHz			

Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
Agilent 10:34:27 Mar 27, 2006 Ch Freq 2.499 GHz Trig Occupied Bandwidth		Sweep Sweep Time 500.0 ms Auto Man Sweep Single Cont Auto Sweep Time Norm Accy Gate On Off Gate Setup Points 601	
Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0201 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB Transmit Freq Error 6.451 kHz x dB Bandwidth 5.149 MHz* Copyright 2000-2004 Agilent Technologies			
2499 MHz			
Agilent 10:36:47 Mar 27, 2006 Ch Freq 2.593 GHz Trig Occupied Bandwidth Center 2.593000000 GHz		Freq/Channel Center Freq 2.59300000 GHz Start Freq 2.59000000 GHz Stop Freq 2.59600000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off	
Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0216 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB Transmit Freq Error 7.970 kHz x dB Bandwidth 5.148 MHz* Copyright 2000-2004 Agilent Technologies			
2593 MHz			
Agilent 10:38:19 Mar 27, 2006 Ch Freq 2.687 GHz Trig Occupied Bandwidth		Freq/Channel Center Freq 2.68700000 GHz Start Freq 2.68400000 GHz Stop Freq 2.69000000 GHz CF Step 94.0000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off	
Ref 33 dBm Atten 20 dB #Avg Log 10 dB/ Offst 30.1 dB  Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz *Sweep 500 ms (601 pts) Occupied Bandwidth 5.0193 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB Transmit Freq Error 6.871 kHz x dB Bandwidth 5.145 MHz* Copyright 2000-2004 Agilent Technologies			
2687 MHz			

TRANSMIT SPURIOUS EMISSIONS

ADDITIONAL ANALYZER PLOTS

