



Band2-9400-2-0.009~0.15MHz



Band2-9400-2-10000~20000MHz



Band2-9400-3-30~1000MHz



Band2-9400-3-0.009~0.15MHz



Band2-9400-3-1000~3000MHz



Band2-9400-3-3000~10000MHz




Band2-9400-3-10000~20000MHz



Band2-9400-3-0.15~30MHz



Band2-9400-4-0.15~30MHz



Band2-9400-4-10000~20000MHz



Band2-9400-4-3000~10000MHz



Band2-9400-4-30~1000MHz



Band2-9400-4-0.009~0.15MHz



Band2-9400-4-1000~3000MHz



Band2-9400-5-10000~20000MHz



Band2-9400-5-0.15~30MHz



Band2-9400-5-30~1000MHz



Band2-9400-5-1000~3000MHz



Band2-9400-5-3000~10000MHz



Band2-9400-5-0.009~0.15MHz



Band2-9538-1-0.009~0.15MHz



Band2-9538-1-0.15~30MHz



Band2-9538-1-30~1000MHz



Band2-9538-1-1000~3000MHz



Band2-9538-1-3000~10000MHz



Band2-9538-1-10000~20000MHz



Band2-9538-2-1000~3000MHz



Band2-9538-2-10000~20000MHz



Band2-9538-2-3000~10000MHz



Band2-9538-2-30~1000MHz



Band2-9538-2-0.15~30MHz



Band2-9538-2-0.009~0.15MHz



Band2-9538-3-3000~10000MHz



Band2-9538-3-0.15~30MHz



Band2-9538-3-10000~20000MHz



Band2-9538-3-30~1000MHz



Band2-9538-3-1000~3000MHz



Band2-9538-3-0.009~0.15MHz



Band2-9538-4-0.009~0.15MHz



Band2-9538-4-10000~20000MHz



Band2-9538-4-3000~10000MHz




Band2-9538-4-1000~3000MHz



Band2-9538-4-0.15~30MHz



Band2-9538-4-30~1000MHz



Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz



Band2-9538-5-0.15~30MHz



Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	-1.68	-0.000907	±2.5	PASS
Band2	9262	VN	NT	-2.57	-0.001387	±2.5	PASS
Band2	9262	VH	NT	-1.72	-0.000929	±2.5	PASS
Band2	9400	VL	NT	2.88	0.001532	±2.5	PASS
Band2	9400	VN	NT	1.46	0.000777	±2.5	PASS
Band2	9400	VH	NT	2.61	0.001388	±2.5	PASS
Band2	9538	VL	NT	-1.82	-0.000954	±2.5	PASS
Band2	9538	VN	NT	0.90	0.000472	±2.5	PASS
Band2	9538	VH	NT	-4.30	-0.002254	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-5.23	-0.002823	±2.5	PASS
Band2	9262	NV	-20	-2.42	-0.001306	±2.5	PASS
Band2	9262	NV	-10	-3.15	-0.001700	±2.5	PASS
Band2	9262	NV	0	0.86	0.000464	±2.5	PASS
Band2	9262	NV	10	-3.63	-0.001960	±2.5	PASS
Band2	9262	NV	20	-1.19	-0.000642	±2.5	PASS
Band2	9262	NV	30	-3.14	-0.001695	±2.5	PASS
Band2	9262	NV	40	-5.54	-0.002991	±2.5	PASS
Band2	9262	NV	50	-10.60	-0.005722	±2.5	PASS
Band2	9400	NV	-30	-1.73	-0.000920	±2.5	PASS
Band2	9400	NV	-20	2.53	0.001346	±2.5	PASS
Band2	9400	NV	-10	-6.53	-0.003473	±2.5	PASS
Band2	9400	NV	0	-0.72	-0.000383	±2.5	PASS
Band2	9400	NV	10	-5.77	-0.003069	±2.5	PASS
Band2	9400	NV	20	-1.05	-0.000559	±2.5	PASS
Band2	9400	NV	30	-6.37	-0.003388	±2.5	PASS
Band2	9400	NV	40	0.53	0.000282	±2.5	PASS
Band2	9400	NV	50	-0.11	-0.000059	±2.5	PASS

Band2	9538	NV	-30	-1.13	-0.000592	±2.5	PASS
Band2	9538	NV	-20	0.77	0.000404	±2.5	PASS
Band2	9538	NV	-10	3.56	0.001866	±2.5	PASS
Band2	9538	NV	0	-4.11	-0.002155	±2.5	PASS
Band2	9538	NV	10	-1.21	-0.000634	±2.5	PASS
Band2	9538	NV	20	-1.33	-0.000697	±2.5	PASS
Band2	9538	NV	30	-4.73	-0.002480	±2.5	PASS
Band2	9538	NV	40	1.59	0.000834	±2.5	PASS
Band2	9538	NV	50	-1.56	-0.000818	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-2.00	-0.001080	±2.5	PASS
Band2	9262	1	VN	NT	-5.88	-0.003174	±2.5	PASS
Band2	9262	1	VH	NT	-2.21	-0.001193	±2.5	PASS
Band2	9262	2	VL	NT	-2.02	-0.001090	±2.5	PASS
Band2	9262	2	VN	NT	-4.29	-0.002316	±2.5	PASS
Band2	9262	2	VH	NT	-1.78	-0.000961	±2.5	PASS
Band2	9262	3	VL	NT	-1.49	-0.000804	±2.5	PASS
Band2	9262	3	VN	NT	2.70	0.001458	±2.5	PASS
Band2	9262	3	VH	NT	-6.60	-0.003563	±2.5	PASS
Band2	9262	4	VL	NT	-3.95	-0.002132	±2.5	PASS
Band2	9262	4	VN	NT	-1.13	-0.000610	±2.5	PASS
Band2	9262	4	VH	NT	3.46	0.001868	±2.5	PASS
Band2	9400	1	VL	NT	2.20	0.001170	±2.5	PASS
Band2	9400	1	VN	NT	-3.98	-0.002117	±2.5	PASS
Band2	9400	1	VH	NT	-3.39	-0.001803	±2.5	PASS
Band2	9400	2	VL	NT	-1.31	-0.000697	±2.5	PASS
Band2	9400	2	VN	NT	-3.88	-0.002064	±2.5	PASS
Band2	9400	2	VH	NT	0.31	0.000165	±2.5	PASS
Band2	9400	3	VL	NT	-1.02	-0.000543	±2.5	PASS
Band2	9400	3	VN	NT	-2.25	-0.001197	±2.5	PASS
Band2	9400	3	VH	NT	-0.88	-0.000468	±2.5	PASS
Band2	9400	4	VL	NT	-5.76	-0.003064	±2.5	PASS
Band2	9400	4	VN	NT	0.70	0.000372	±2.5	PASS
Band2	9400	4	VH	NT	-5.17	-0.002750	±2.5	PASS
Band2	9538	1	VL	NT	1.32	0.000692	±2.5	PASS
Band2	9538	1	VN	NT	-1.51	-0.000792	±2.5	PASS
Band2	9538	1	VH	NT	0.01	0.000005	±2.5	PASS
Band2	9538	2	VL	NT	-1.91	-0.001001	±2.5	PASS
Band2	9538	2	VN	NT	2.03	0.001064	±2.5	PASS
Band2	9538	2	VH	NT	-4.81	-0.002521	±2.5	PASS
Band2	9538	3	VL	NT	-2.49	-0.001305	±2.5	PASS
Band2	9538	3	VN	NT	-2.18	-0.001143	±2.5	PASS
Band2	9538	3	VH	NT	-3.78	-0.001982	±2.5	PASS

Band2	9538	4	VL	NT	-5.45	-0.002857	±2.5	PASS
Band2	9538	4	VN	NT	3.05	0.001599	±2.5	PASS
Band2	9538	4	VH	NT	-1.30	-0.000681	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-2.40	-0.001296	±2.5	PASS
Band2	9262	1	NV	-20	-3.76	-0.002030	±2.5	PASS
Band2	9262	1	NV	-10	0.70	0.000378	±2.5	PASS
Band2	9262	1	NV	0	-1.54	-0.000831	±2.5	PASS
Band2	9262	1	NV	10	-5.64	-0.003045	±2.5	PASS
Band2	9262	1	NV	20	-0.52	-0.000281	±2.5	PASS
Band2	9262	1	NV	30	-2.29	-0.001236	±2.5	PASS
Band2	9262	1	NV	40	-4.84	-0.002613	±2.5	PASS
Band2	9262	1	NV	50	-0.58	-0.000313	±2.5	PASS
Band2	9262	2	NV	-30	-1.15	-0.000621	±2.5	PASS
Band2	9262	2	NV	-20	-1.16	-0.000626	±2.5	PASS
Band2	9262	2	NV	-10	0.27	0.000146	±2.5	PASS
Band2	9262	2	NV	0	-0.96	-0.000518	±2.5	PASS
Band2	9262	2	NV	10	3.76	0.002030	±2.5	PASS
Band2	9262	2	NV	20	-3.75	-0.002024	±2.5	PASS
Band2	9262	2	NV	30	-1.08	-0.000583	±2.5	PASS
Band2	9262	2	NV	40	-3.86	-0.002084	±2.5	PASS
Band2	9262	2	NV	50	0.21	0.000113	±2.5	PASS
Band2	9262	3	NV	-30	-3.23	-0.001744	±2.5	PASS
Band2	9262	3	NV	-20	-4.11	-0.002219	±2.5	PASS
Band2	9262	3	NV	-10	-2.22	-0.001198	±2.5	PASS
Band2	9262	3	NV	0	-3.33	-0.001798	±2.5	PASS
Band2	9262	3	NV	10	-6.10	-0.003293	±2.5	PASS
Band2	9262	3	NV	20	-1.60	-0.000864	±2.5	PASS
Band2	9262	3	NV	30	0.26	0.000140	±2.5	PASS
Band2	9262	3	NV	40	-6.82	-0.003682	±2.5	PASS
Band2	9262	3	NV	50	-0.46	-0.000248	±2.5	PASS
Band2	9262	4	NV	-30	-5.80	-0.003131	±2.5	PASS
Band2	9262	4	NV	-20	-1.96	-0.001058	±2.5	PASS

Band2	9262	4	NV	-10	0.01	0.000005	±2.5	PASS
Band2	9262	4	NV	0	-4.03	-0.002176	±2.5	PASS
Band2	9262	4	NV	10	-2.54	-0.001371	±2.5	PASS
Band2	9262	4	NV	20	-3.45	-0.001862	±2.5	PASS
Band2	9262	4	NV	30	-6.71	-0.003622	±2.5	PASS
Band2	9262	4	NV	40	-2.25	-0.001215	±2.5	PASS
Band2	9262	4	NV	50	-2.15	-0.001161	±2.5	PASS
Band2	9400	1	NV	-30	0.54	0.000287	±2.5	PASS
Band2	9400	1	NV	-20	-0.14	-0.000074	±2.5	PASS
Band2	9400	1	NV	-10	-6.49	-0.003452	±2.5	PASS
Band2	9400	1	NV	0	-1.91	-0.001016	±2.5	PASS
Band2	9400	1	NV	10	-2.35	-0.001250	±2.5	PASS
Band2	9400	1	NV	20	-5.14	-0.002734	±2.5	PASS
Band2	9400	1	NV	30	-4.66	-0.002479	±2.5	PASS
Band2	9400	1	NV	40	-3.43	-0.001824	±2.5	PASS
Band2	9400	1	NV	50	-3.81	-0.002027	±2.5	PASS
Band2	9400	2	NV	-30	1.02	0.000543	±2.5	PASS
Band2	9400	2	NV	-20	1.17	0.000622	±2.5	PASS
Band2	9400	2	NV	-10	-1.44	-0.000766	±2.5	PASS
Band2	9400	2	NV	0	-0.61	-0.000324	±2.5	PASS
Band2	9400	2	NV	10	-7.19	-0.003824	±2.5	PASS
Band2	9400	2	NV	20	-4.96	-0.002638	±2.5	PASS
Band2	9400	2	NV	30	0.72	0.000383	±2.5	PASS
Band2	9400	2	NV	40	-1.90	-0.001011	±2.5	PASS
Band2	9400	2	NV	50	4.38	0.002330	±2.5	PASS
Band2	9400	3	NV	-30	-0.94	-0.000500	±2.5	PASS
Band2	9400	3	NV	-20	-2.85	-0.001516	±2.5	PASS
Band2	9400	3	NV	-10	-2.96	-0.001574	±2.5	PASS
Band2	9400	3	NV	0	-3.72	-0.001979	±2.5	PASS
Band2	9400	3	NV	10	-4.24	-0.002255	±2.5	PASS
Band2	9400	3	NV	20	-3.38	-0.001798	±2.5	PASS
Band2	9400	3	NV	30	-0.92	-0.000489	±2.5	PASS
Band2	9400	3	NV	40	-2.45	-0.001303	±2.5	PASS
Band2	9400	3	NV	50	3.82	0.002032	±2.5	PASS
Band2	9400	4	NV	-30	-3.49	-0.001856	±2.5	PASS
Band2	9400	4	NV	-20	-5.68	-0.003021	±2.5	PASS

Band2	9400	4	NV	-10	0.36	0.000191	±2.5	PASS
Band2	9400	4	NV	0	-1.75	-0.000931	±2.5	PASS
Band2	9400	4	NV	10	-2.12	-0.001128	±2.5	PASS
Band2	9400	4	NV	20	0.11	0.000059	±2.5	PASS
Band2	9400	4	NV	30	0.68	0.000362	±2.5	PASS
Band2	9400	4	NV	40	0.18	0.000096	±2.5	PASS
Band2	9400	4	NV	50	2.98	0.001585	±2.5	PASS
Band2	9538	1	NV	-30	1.60	0.000839	±2.5	PASS
Band2	9538	1	NV	-20	-7.65	-0.004010	±2.5	PASS
Band2	9538	1	NV	-10	-2.52	-0.001321	±2.5	PASS
Band2	9538	1	NV	0	-1.77	-0.000928	±2.5	PASS
Band2	9538	1	NV	10	-0.74	-0.000388	±2.5	PASS
Band2	9538	1	NV	20	-0.73	-0.000383	±2.5	PASS
Band2	9538	1	NV	30	-0.60	-0.000315	±2.5	PASS
Band2	9538	1	NV	40	-1.81	-0.000949	±2.5	PASS
Band2	9538	1	NV	50	2.40	0.001258	±2.5	PASS
Band2	9538	2	NV	-30	-4.91	-0.002574	±2.5	PASS
Band2	9538	2	NV	-20	-4.25	-0.002228	±2.5	PASS
Band2	9538	2	NV	-10	0.11	0.000058	±2.5	PASS
Band2	9538	2	NV	0	-1.78	-0.000933	±2.5	PASS
Band2	9538	2	NV	10	-5.69	-0.002983	±2.5	PASS
Band2	9538	2	NV	20	-2.36	-0.001237	±2.5	PASS
Band2	9538	2	NV	30	-2.37	-0.001242	±2.5	PASS
Band2	9538	2	NV	40	-5.91	-0.003098	±2.5	PASS
Band2	9538	2	NV	50	3.08	0.001615	±2.5	PASS
Band2	9538	3	NV	-30	-1.85	-0.000970	±2.5	PASS
Band2	9538	3	NV	-20	-1.60	-0.000839	±2.5	PASS
Band2	9538	3	NV	-10	-4.79	-0.002511	±2.5	PASS
Band2	9538	3	NV	0	0.72	0.000377	±2.5	PASS
Band2	9538	3	NV	10	3.87	0.002029	±2.5	PASS
Band2	9538	3	NV	20	-0.95	-0.000498	±2.5	PASS
Band2	9538	3	NV	30	-0.65	-0.000341	±2.5	PASS
Band2	9538	3	NV	40	2.53	0.001326	±2.5	PASS
Band2	9538	3	NV	50	-1.04	-0.000545	±2.5	PASS
Band2	9538	4	NV	-30	-4.06	-0.002128	±2.5	PASS
Band2	9538	4	NV	-20	-7.79	-0.004084	±2.5	PASS

Band2	9538	4	NV	-10	-2.78	-0.001457	±2.5	PASS
Band2	9538	4	NV	0	-2.88	-0.001510	±2.5	PASS
Band2	9538	4	NV	10	-2.84	-0.001489	±2.5	PASS
Band2	9538	4	NV	20	-5.29	-0.002773	±2.5	PASS
Band2	9538	4	NV	30	-0.70	-0.000367	±2.5	PASS
Band2	9538	4	NV	40	-3.36	-0.001761	±2.5	PASS
Band2	9538	4	NV	50	-8.37	-0.004388	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-4.51	-0.002435	±2.5	PASS
Band2	9262	1	VN	NT	-2.06	-0.001112	±2.5	PASS
Band2	9262	1	VH	NT	-3.01	-0.001625	±2.5	PASS
Band2	9262	2	VL	NT	-3.62	-0.001954	±2.5	PASS
Band2	9262	2	VN	NT	-4.16	-0.002246	±2.5	PASS
Band2	9262	2	VH	NT	-4.52	-0.002440	±2.5	PASS
Band2	9262	3	VL	NT	-3.58	-0.001933	±2.5	PASS
Band2	9262	3	VN	NT	-1.71	-0.000923	±2.5	PASS
Band2	9262	3	VH	NT	-1.16	-0.000626	±2.5	PASS
Band2	9262	4	VL	NT	0.44	0.000238	±2.5	PASS
Band2	9262	4	VN	NT	-1.85	-0.000999	±2.5	PASS
Band2	9262	4	VH	NT	-3.27	-0.001765	±2.5	PASS
Band2	9262	5	VL	NT	-1.37	-0.000740	±2.5	PASS
Band2	9262	5	VN	NT	-2.60	-0.001404	±2.5	PASS
Band2	9262	5	VH	NT	-1.21	-0.000653	±2.5	PASS
Band2	9400	1	VL	NT	-2.30	-0.001223	±2.5	PASS
Band2	9400	1	VN	NT	-0.85	-0.000452	±2.5	PASS
Band2	9400	1	VH	NT	-2.91	-0.001548	±2.5	PASS
Band2	9400	2	VL	NT	-2.13	-0.001133	±2.5	PASS
Band2	9400	2	VN	NT	-1.60	-0.000851	±2.5	PASS
Band2	9400	2	VH	NT	-2.43	-0.001293	±2.5	PASS
Band2	9400	3	VL	NT	-1.73	-0.000920	±2.5	PASS
Band2	9400	3	VN	NT	-2.14	-0.001138	±2.5	PASS
Band2	9400	3	VH	NT	-0.43	-0.000229	±2.5	PASS
Band2	9400	4	VL	NT	-1.42	-0.000755	±2.5	PASS
Band2	9400	4	VN	NT	-4.73	-0.002516	±2.5	PASS
Band2	9400	4	VH	NT	-1.26	-0.000670	±2.5	PASS
Band2	9400	5	VL	NT	-1.21	-0.000644	±2.5	PASS
Band2	9400	5	VN	NT	-1.38	-0.000734	±2.5	PASS
Band2	9400	5	VH	NT	-1.49	-0.000793	±2.5	PASS
Band2	9538	1	VL	NT	-1.68	-0.000881	±2.5	PASS
Band2	9538	1	VN	NT	-3.83	-0.002008	±2.5	PASS
Band2	9538	1	VH	NT	-2.12	-0.001111	±2.5	PASS

Band2	9538	2	VL	NT	-1.94	-0.001017	±2.5	PASS
Band2	9538	2	VN	NT	-1.52	-0.000797	±2.5	PASS
Band2	9538	2	VH	NT	-3.65	-0.001913	±2.5	PASS
Band2	9538	3	VL	NT	-1.10	-0.000577	±2.5	PASS
Band2	9538	3	VN	NT	-2.05	-0.001075	±2.5	PASS
Band2	9538	3	VH	NT	0.49	0.000257	±2.5	PASS
Band2	9538	4	VL	NT	-1.50	-0.000786	±2.5	PASS
Band2	9538	4	VN	NT	-1.10	-0.000577	±2.5	PASS
Band2	9538	4	VH	NT	-1.62	-0.000849	±2.5	PASS
Band2	9538	5	VL	NT	0.19	0.000100	±2.5	PASS
Band2	9538	5	VN	NT	-1.69	-0.000886	±2.5	PASS
Band2	9538	5	VH	NT	-1.72	-0.000902	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-1.47	-0.000794	±2.5	PASS
Band2	9262	1	NV	-20	-2.15	-0.001161	±2.5	PASS
Band2	9262	1	NV	-10	-1.77	-0.000956	±2.5	PASS
Band2	9262	1	NV	0	-3.45	-0.001862	±2.5	PASS
Band2	9262	1	NV	10	0.64	0.000345	±2.5	PASS
Band2	9262	1	NV	20	-3.10	-0.001674	±2.5	PASS
Band2	9262	1	NV	30	-1.70	-0.000918	±2.5	PASS
Band2	9262	1	NV	40	-1.77	-0.000956	±2.5	PASS
Band2	9262	1	NV	50	-1.62	-0.000875	±2.5	PASS
Band2	9262	2	NV	-30	-0.55	-0.000297	±2.5	PASS
Band2	9262	2	NV	-20	-1.61	-0.000869	±2.5	PASS
Band2	9262	2	NV	-10	-1.63	-0.000880	±2.5	PASS
Band2	9262	2	NV	0	-0.76	-0.000410	±2.5	PASS
Band2	9262	2	NV	10	-2.62	-0.001414	±2.5	PASS
Band2	9262	2	NV	20	-2.43	-0.001312	±2.5	PASS
Band2	9262	2	NV	30	-1.26	-0.000680	±2.5	PASS
Band2	9262	2	NV	40	-2.08	-0.001123	±2.5	PASS
Band2	9262	2	NV	50	-1.49	-0.000804	±2.5	PASS
Band2	9262	3	NV	-30	-2.27	-0.001225	±2.5	PASS
Band2	9262	3	NV	-20	-2.50	-0.001350	±2.5	PASS

Band2	9262	3	NV	-10	-2.23	-0.001204	±2.5	PASS
Band2	9262	3	NV	0	-0.47	-0.000254	±2.5	PASS
Band2	9262	3	NV	10	-1.22	-0.000659	±2.5	PASS
Band2	9262	3	NV	20	-1.61	-0.000869	±2.5	PASS
Band2	9262	3	NV	30	-2.01	-0.001085	±2.5	PASS
Band2	9262	3	NV	40	-0.69	-0.000372	±2.5	PASS
Band2	9262	3	NV	50	-2.24	-0.001209	±2.5	PASS
Band2	9262	4	NV	-30	-1.30	-0.000702	±2.5	PASS
Band2	9262	4	NV	-20	-0.61	-0.000329	±2.5	PASS
Band2	9262	4	NV	-10	-2.51	-0.001355	±2.5	PASS
Band2	9262	4	NV	0	0.36	0.000194	±2.5	PASS
Band2	9262	4	NV	10	-1.34	-0.000723	±2.5	PASS
Band2	9262	4	NV	20	-1.48	-0.000799	±2.5	PASS
Band2	9262	4	NV	30	-3.37	-0.001819	±2.5	PASS
Band2	9262	4	NV	40	-3.05	-0.001647	±2.5	PASS
Band2	9262	4	NV	50	-1.31	-0.000707	±2.5	PASS
Band2	9262	5	NV	-30	-2.35	-0.001269	±2.5	PASS
Band2	9262	5	NV	-20	-2.17	-0.001171	±2.5	PASS
Band2	9262	5	NV	-10	-2.27	-0.001225	±2.5	PASS
Band2	9262	5	NV	0	-1.87	-0.001010	±2.5	PASS
Band2	9262	5	NV	10	-2.50	-0.001350	±2.5	PASS
Band2	9262	5	NV	20	-1.71	-0.000923	±2.5	PASS
Band2	9262	5	NV	30	-2.52	-0.001360	±2.5	PASS
Band2	9262	5	NV	40	-2.05	-0.001107	±2.5	PASS
Band2	9262	5	NV	50	-2.00	-0.001080	±2.5	PASS
Band2	9400	1	NV	-30	-0.13	-0.000069	±2.5	PASS
Band2	9400	1	NV	-20	-1.80	-0.000957	±2.5	PASS
Band2	9400	1	NV	-10	-0.21	-0.000112	±2.5	PASS
Band2	9400	1	NV	0	-2.49	-0.001324	±2.5	PASS
Band2	9400	1	NV	10	-1.54	-0.000819	±2.5	PASS
Band2	9400	1	NV	20	-1.24	-0.000660	±2.5	PASS
Band2	9400	1	NV	30	-2.89	-0.001537	±2.5	PASS
Band2	9400	1	NV	40	-3.06	-0.001628	±2.5	PASS
Band2	9400	1	NV	50	-2.52	-0.001340	±2.5	PASS
Band2	9400	2	NV	-30	-2.30	-0.001223	±2.5	PASS
Band2	9400	2	NV	-20	0.54	0.000287	±2.5	PASS

Band2	9400	2	NV	-10	-2.19	-0.001165	±2.5	PASS
Band2	9400	2	NV	0	-0.42	-0.000223	±2.5	PASS
Band2	9400	2	NV	10	-0.32	-0.000170	±2.5	PASS
Band2	9400	2	NV	20	-0.98	-0.000521	±2.5	PASS
Band2	9400	2	NV	30	-2.74	-0.001457	±2.5	PASS
Band2	9400	2	NV	40	-2.46	-0.001309	±2.5	PASS
Band2	9400	2	NV	50	-2.95	-0.001569	±2.5	PASS
Band2	9400	3	NV	-30	-4.39	-0.002335	±2.5	PASS
Band2	9400	3	NV	-20	-2.34	-0.001245	±2.5	PASS
Band2	9400	3	NV	-10	-2.73	-0.001452	±2.5	PASS
Band2	9400	3	NV	0	-2.64	-0.001404	±2.5	PASS
Band2	9400	3	NV	10	-2.16	-0.001149	±2.5	PASS
Band2	9400	3	NV	20	-1.88	-0.001000	±2.5	PASS
Band2	9400	3	NV	30	-3.31	-0.001761	±2.5	PASS
Band2	9400	3	NV	40	-1.29	-0.000686	±2.5	PASS
Band2	9400	3	NV	50	-2.59	-0.001378	±2.5	PASS
Band2	9400	4	NV	-30	-4.03	-0.002144	±2.5	PASS
Band2	9400	4	NV	-20	-0.49	-0.000261	±2.5	PASS
Band2	9400	4	NV	-10	-2.34	-0.001245	±2.5	PASS
Band2	9400	4	NV	0	-3.66	-0.001947	±2.5	PASS
Band2	9400	4	NV	10	-2.85	-0.001516	±2.5	PASS
Band2	9400	4	NV	20	-2.13	-0.001133	±2.5	PASS
Band2	9400	4	NV	30	-2.36	-0.001255	±2.5	PASS
Band2	9400	4	NV	40	-2.00	-0.001064	±2.5	PASS
Band2	9400	4	NV	50	-1.58	-0.000840	±2.5	PASS
Band2	9400	5	NV	-30	-2.42	-0.001287	±2.5	PASS
Band2	9400	5	NV	-20	-0.93	-0.000495	±2.5	PASS
Band2	9400	5	NV	-10	-2.08	-0.001106	±2.5	PASS
Band2	9400	5	NV	0	-2.40	-0.001277	±2.5	PASS
Band2	9400	5	NV	10	0.28	0.000149	±2.5	PASS
Band2	9400	5	NV	20	-2.94	-0.001564	±2.5	PASS
Band2	9400	5	NV	30	-0.69	-0.000367	±2.5	PASS
Band2	9400	5	NV	40	-1.19	-0.000633	±2.5	PASS
Band2	9400	5	NV	50	-1.77	-0.000941	±2.5	PASS
Band2	9538	1	NV	-30	-2.39	-0.001253	±2.5	PASS
Band2	9538	1	NV	-20	-1.70	-0.000891	±2.5	PASS

Band2	9538	1	NV	-10	-0.36	-0.000189	±2.5	PASS
Band2	9538	1	NV	0	-3.17	-0.001662	±2.5	PASS
Band2	9538	1	NV	10	-2.36	-0.001237	±2.5	PASS
Band2	9538	1	NV	20	-3.07	-0.001609	±2.5	PASS
Band2	9538	1	NV	30	-2.34	-0.001227	±2.5	PASS
Band2	9538	1	NV	40	-2.85	-0.001494	±2.5	PASS
Band2	9538	1	NV	50	-0.91	-0.000477	±2.5	PASS
Band2	9538	2	NV	-30	-2.60	-0.001363	±2.5	PASS
Band2	9538	2	NV	-20	-2.97	-0.001557	±2.5	PASS
Band2	9538	2	NV	-10	-2.51	-0.001316	±2.5	PASS
Band2	9538	2	NV	0	-1.30	-0.000681	±2.5	PASS
Band2	9538	2	NV	10	-1.83	-0.000959	±2.5	PASS
Band2	9538	2	NV	20	-0.84	-0.000440	±2.5	PASS
Band2	9538	2	NV	30	-2.37	-0.001242	±2.5	PASS
Band2	9538	2	NV	40	-1.54	-0.000807	±2.5	PASS
Band2	9538	2	NV	50	-2.27	-0.001190	±2.5	PASS
Band2	9538	3	NV	-30	-0.06	-0.000031	±2.5	PASS
Band2	9538	3	NV	-20	-0.74	-0.000388	±2.5	PASS
Band2	9538	3	NV	-10	0.59	0.000309	±2.5	PASS
Band2	9538	3	NV	0	-0.92	-0.000482	±2.5	PASS
Band2	9538	3	NV	10	-0.87	-0.000456	±2.5	PASS
Band2	9538	3	NV	20	-2.13	-0.001117	±2.5	PASS
Band2	9538	3	NV	30	-2.35	-0.001232	±2.5	PASS
Band2	9538	3	NV	40	-1.41	-0.000739	±2.5	PASS
Band2	9538	3	NV	50	-2.71	-0.001421	±2.5	PASS
Band2	9538	4	NV	-30	-4.15	-0.002176	±2.5	PASS
Band2	9538	4	NV	-20	-2.52	-0.001321	±2.5	PASS
Band2	9538	4	NV	-10	-0.76	-0.000398	±2.5	PASS
Band2	9538	4	NV	0	-0.94	-0.000493	±2.5	PASS
Band2	9538	4	NV	10	-0.67	-0.000351	±2.5	PASS
Band2	9538	4	NV	20	-1.09	-0.000571	±2.5	PASS
Band2	9538	4	NV	30	-0.37	-0.000194	±2.5	PASS
Band2	9538	4	NV	40	-1.12	-0.000587	±2.5	PASS
Band2	9538	4	NV	50	0.04	0.000021	±2.5	PASS
Band2	9538	5	NV	-30	-2.44	-0.001279	±2.5	PASS
Band2	9538	5	NV	-20	-2.73	-0.001431	±2.5	PASS

Band2	9538	5	NV	-10	-2.09	-0.001096	±2.5	PASS
Band2	9538	5	NV	0	-0.23	-0.000121	±2.5	PASS
Band2	9538	5	NV	10	-1.29	-0.000676	±2.5	PASS
Band2	9538	5	NV	20	1.13	0.000592	±2.5	PASS
Band2	9538	5	NV	30	-0.41	-0.000215	±2.5	PASS
Band2	9538	5	NV	40	-2.94	-0.001541	±2.5	PASS
Band2	9538	5	NV	50	-0.54	-0.000283	±2.5	PASS

