
MAY 29, 2003
Federal Communications Commission
Equipment Approval Services
7435 Oakland Mills Road
Columbia, MD 21046

SUBJECT : ImageQuest Co., Ltd.
FCC ID: PJIL19A0D061
FCC Part 15 Subpart B Certification

Gentlemen:

Transmitted herewith, on behalf of ImageQuest Co., Ltd. is an application for a FCC Part 15 Subpart B Certification of the following 19-inch LCD Monitor:

FCC ID : PJIL19A0D061
Model : L19A0D061

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Block & Circuit Diagram and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.



KI SOO KIM
EMC MAMAGER

cc: Mr. HEE JUNG KIM ----- R & D CENTER / MANAGER

• Solution for EMI

We, ImageQuest CO.,LTD. , announce that all modifications will be incorporated into each unit sold in the U.S.

- 1. Attach a aluminum foil LCD panel Bottom**
- 2. Attach a gasket on the Main Board and Main Frame to contact a LCD panel**
- 3. Attach a gasket on the Audio PCB to contact a stand**
- 4. Attach a aluminum foil between Main Frame and LCD panel**
- 5. Apply a ferrite Core to the Audio Cable, Multi cable and OSD board signal cable**

(Please refer to next page of the photographs for Solution for EMI)


ImageQuest CO.,LTD.

2003.6.3



**R & D CENTER / MANAGER
HEE JUNG KIM**




1. Attach a aluminum foil LCD panel Bottom




2. Attach a gasket on the Main Board and Main Frame to contact a LCD panel




3. Attach a gasket on the Audio PCB to contact a stand



4. Attach a aluminum foil between Main Frame and LCD panel



5. Apply a ferrite Core cable



6. The wires which connected MCU and video decoder chip, will be modified with PCB pattern artwork

