


1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5240 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1431.800000  | 32.0            | 74.0           | 42.0        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2404.200000  | 36.3            | 74.0           | 37.7        | 27.3            | 59.5        | 2.8         | H    |
| 3    | 3965.650000  | 39.6            | 74.0           | 34.4        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6771.500000  | 47.2            | 74.0           | 26.8        | 35.8            | 58.4        | 4.3         | H    |
| 5    | 11439.700000 | 49.1            | 74.0           | 24.9        | 39.1            | 61.0        | 5.8         | H    |
| 6    | 17687.200000 | 55.1            | 74.0           | 18.9        | 40.4            | 57.9        | 7.0         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1431.800000  | 23.8            | 54.0           | 30.2        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2404.200000  | 26.8            | 54.0           | 27.2        | 27.3            | 59.5        | 2.8         | H    |
| 3    | 3965.650000  | 31.4            | 54.0           | 22.6        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6771.500000  | 36.8            | 54.0           | 17.2        | 35.8            | 58.4        | 4.3         | H    |
| 5    | 11439.700000 | 41.4            | 54.0           | 12.6        | 39.1            | 61.0        | 5.8         | H    |
| 6    | 17687.200000 | 45.5            | 54.0           | 8.5         | 40.4            | 57.9        | 7.0         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5240 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 38.683874  | 20.8          | 40.0          | 19.2       | 13.9           | 32.3       | 0.8        | V    |
| 2    | 69.114058  | 17.2          | 40.0          | 22.8       | 11.0           | 32.8       | 0.8        | V    |
| 3    | 98.314078  | 21.0          | 43.5          | 22.5       | 10.0           | 32.9       | 1.3        | V    |
| 4    | 184.166657 | 15.1          | 43.5          | 28.4       | 11.2           | 32.8       | 2.0        | V    |
| 5    | 311.086653 | 18.1          | 46.0          | 27.9       | 13.0           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.2          | 46.0          | 9.8        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5240 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1222.700000  | 32.7            | 74.0           | 41.3        | 25.7            | 60.9        | 2.3         | V    |
| 2    | 1927.350000  | 32.6            | 74.0           | 41.4        | 25.9            | 60.9        | 2.6         | V    |
| 3    | 3127.550000  | 38.2            | 74.0           | 35.8        | 29.7            | 58.6        | 3.0         | V    |
| 4    | 5522.000000  | 44.1            | 74.0           | 29.9        | 32.8            | 58.1        | 4.0         | V    |
| 5    | 9272.200000  | 49.1            | 74.0           | 24.9        | 38.4            | 59.5        | 5.4         | V    |
| 6    | 17585.200000 | 55.6            | 74.0           | 18.4        | 39.8            | 58.1        | 6.9         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1222.700000  | 24.3            | 54.0           | 29.7        | 25.7            | 60.9        | 2.3         | V    |
| 2    | 1927.350000  | 22.8            | 54.0           | 31.2        | 25.9            | 60.9        | 2.6         | V    |
| 3    | 3127.550000  | 28.9            | 54.0           | 25.1        | 29.7            | 58.6        | 3.0         | V    |
| 4    | 5522.000000  | 35.1            | 54.0           | 18.9        | 32.8            | 58.1        | 4.0         | V    |
| 5    | 9272.200000  | 40.9            | 54.0           | 13.1        | 38.4            | 59.5        | 5.4         | V    |
| 6    | 17585.200000 | 46.6            | 54.0           | 7.4         | 39.8            | 58.1        | 6.9         | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5190 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.599954  | 15.3          | 40.0          | 24.7       | 13.9           | 32.4       | 0.8        | H    |
| 2    | 75.050579  | 20.4          | 40.0          | 19.6       | 10.0           | 32.9       | 0.9        | H    |
| 3    | 121.548576 | 17.7          | 43.5          | 25.8       | 12.3           | 32.9       | 1.4        | H    |
| 4    | 199.635245 | 25.5          | 43.5          | 18.0       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 334.272302 | 19.1          | 46.0          | 26.9       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.2          | 46.0          | 5.8        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5190 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1410.550000  | 32.1            | 74.0           | 41.9        | 25.6            | 61.4        | 2.4         | H    |
| 2    | 2434.800000  | 50.5            | 74.0           | 23.5        | 27.5            | 59.3        | 2.8         | H    |
| 3    | 3855.150000  | 40.6            | 74.0           | 33.4        | 30.6            | 58.7        | 3.2         | H    |
| 4    | 6148.450000  | 44.6            | 74.0           | 29.4        | 34.0            | 58.0        | 4.1         | H    |
| 5    | 10800.500000 | 50.6            | 74.0           | 23.4        | 38.9            | 61.1        | 5.6         | H    |
| 6    | 17796.000000 | 54.7            | 74.0           | 19.3        | 41.1            | 57.8        | 7.0         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1410.550000  | 23.0            | 54.0           | 31.0        | 25.6            | 61.4        | 2.4         | H    |
| 2    | 2434.800000  | 46.2            | 54.0           | 7.8         | 27.5            | 59.3        | 2.8         | H    |
| 3    | 3855.150000  | 30.7            | 54.0           | 23.3        | 30.6            | 58.7        | 3.2         | H    |
| 4    | 6148.450000  | 36.6            | 54.0           | 17.4        | 34.0            | 58.0        | 4.1         | H    |
| 5    | 10800.500000 | 41.6            | 54.0           | 12.4        | 38.9            | 61.1        | 5.6         | H    |
| 6    | 17796.000000 | 46.1            | 54.0           | 7.9         | 41.1            | 57.8        | 7.0         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5190 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.080322  | 21.3          | 40.0          | 18.7       | 14.0           | 32.4       | 0.8        | V    |
| 2    | 72.591655  | 18.7          | 40.0          | 21.3       | 10.4           | 32.8       | 0.9        | V    |
| 3    | 98.832556  | 21.7          | 43.5          | 21.8       | 10.1           | 32.9       | 1.4        | V    |
| 4    | 176.887808 | 16.2          | 43.5          | 27.3       | 12.1           | 32.8       | 1.9        | V    |
| 5    | 308.912598 | 17.4          | 46.0          | 28.6       | 13.0           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.1          | 46.0          | 9.9        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5190 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1407.150000  | 32.2            | 74.0           | 41.8        | 25.6            | 61.4        | 2.4         | V    |
| 2    | 2311.550000  | 34.8            | 74.0           | 39.2        | 27.2            | 59.9        | 2.8         | V    |
| 3    | 3682.600000  | 37.1            | 74.0           | 36.9        | 29.8            | 59.0        | 3.2         | V    |
| 4    | 6245.350000  | 45.4            | 74.0           | 28.6        | 34.2            | 58.0        | 4.2         | V    |
| 5    | 10638.150000 | 50.6            | 74.0           | 23.4        | 38.9            | 61.1        | 5.6         | V    |
| 6    | 17890.350000 | 54.9            | 74.0           | 19.1        | 41.7            | 57.7        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1407.150000  | 23.2            | 54.0           | 30.8        | 25.6            | 61.4        | 2.4         | V    |
| 2    | 2311.550000  | 26.2            | 54.0           | 27.8        | 27.2            | 59.9        | 2.8         | V    |
| 3    | 3682.600000  | 28.3            | 54.0           | 25.7        | 29.8            | 59.0        | 3.2         | V    |
| 4    | 6245.350000  | 37.5            | 54.0           | 16.5        | 34.2            | 58.0        | 4.2         | V    |
| 5    | 10638.150000 | 41.9            | 54.0           | 12.1        | 38.9            | 61.1        | 5.6         | V    |
| 6    | 17890.350000 | 46.8            | 54.0           | 7.2         | 41.7            | 57.7        | 7.0         | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5230 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 39.230286  | 14.4          | 40.0          | 25.6       | 14.0           | 32.4       | 0.8        | H    |
| 2    | 78.001995  | 20.8          | 40.0          | 19.2       | 9.6            | 32.9       | 0.9        | H    |
| 3    | 118.186220 | 16.0          | 43.5          | 27.5       | 12.0           | 32.9       | 1.4        | H    |
| 4    | 199.635245 | 25.6          | 43.5          | 17.9       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 17.2          | 46.0          | 28.8       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.1          | 46.0          | 5.9        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5190 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1425.850000  | 32.0            | 74.0           | 42.0        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2439.050000  | 45.8            | 74.0           | 28.2        | 27.5            | 59.2        | 2.8         | H    |
| 3    | 4171.350000  | 40.0            | 74.0           | 34.0        | 30.9            | 58.2        | 3.4         | H    |
| 4    | 7394.550000  | 48.7            | 74.0           | 25.3        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11781.400000 | 49.4            | 74.0           | 24.6        | 39.0            | 60.2        | 5.8         | H    |
| 6    | 17687.200000 | 54.3            | 74.0           | 19.7        | 40.4            | 57.9        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1425.850000  | 23.5            | 54.0           | 30.5        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2439.050000  | 25.8            | 54.0           | 28.2        | 27.5            | 59.2        | 2.8         | H    |
| 3    | 4171.350000  | 30.2            | 54.0           | 23.8        | 30.9            | 58.2        | 3.4         | H    |
| 4    | 7394.550000  | 40.0            | 54.0           | 14.0        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11781.400000 | 40.5            | 54.0           | 13.5        | 39.0            | 60.2        | 5.8         | H    |
| 6    | 17687.200000 | 46.0            | 54.0           | 8.0         | 40.4            | 57.9        | 6.9         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5230 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 40.630322  | 20.7          | 40.0          | 19.3       | 14.0           | 32.4       | 0.8        | V    |
| 2    | 67.202181  | 18.5          | 40.0          | 21.5       | 11.4           | 32.8       | 0.8        | V    |
| 3    | 108.456682 | 21.0          | 43.5          | 22.5       | 11.0           | 32.9       | 1.4        | V    |
| 4    | 190.405002 | 14.5          | 43.5          | 29.0       | 10.4           | 32.8       | 2.2        | V    |
| 5    | 309.454683 | 19.0          | 46.0          | 27.0       | 13.0           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.1          | 46.0          | 9.9        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5230 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1336.600000  | 33.4            | 74.0           | 40.6        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2239.300000  | 34.8            | 74.0           | 39.2        | 27.2            | 60.3        | 2.8         | V    |
| 3    | 3740.400000  | 38.5            | 74.0           | 35.5        | 30.1            | 58.9        | 3.2         | V    |
| 4    | 6156.100000  | 45.5            | 74.0           | 28.5        | 34.0            | 58.0        | 4.2         | V    |
| 5    | 9961.550000  | 51.3            | 74.0           | 22.7        | 38.5            | 60.0        | 5.4         | V    |
| 6    | 17791.750000 | 54.7            | 74.0           | 19.3        | 41.1            | 57.8        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1336.600000  | 23.9            | 54.0           | 30.1        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2239.300000  | 26.1            | 54.0           | 27.9        | 27.2            | 60.3        | 2.8         | V    |
| 3    | 3740.400000  | 30.1            | 54.0           | 23.9        | 30.1            | 58.9        | 3.2         | V    |
| 4    | 6156.100000  | 36.9            | 54.0           | 17.1        | 34.0            | 58.0        | 4.2         | V    |
| 5    | 9961.550000  | 41.4            | 54.0           | 12.6        | 38.5            | 60.0        | 5.4         | V    |
| 6    | 17791.750000 | 46.5            | 54.0           | 7.5         | 41.1            | 57.8        | 7.0         | V    |

30MHz - 1GHz

|               |            |                    |            |
|---------------|------------|--------------------|------------|
| Temperature:  | 23.0℃      | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V     | Phase:             | Horizontal |
| Test Mode:    | 802.11ac80 |                    |            |

5210 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 43.505724  | 16.1          | 40.0          | 23.9       | 13.9           | 32.5       | 0.8        | H    |
| 2    | 78.413354  | 19.7          | 40.0          | 20.3       | 9.5            | 32.9       | 0.9        | H    |
| 3    | 138.630193 | 18.5          | 43.5          | 25.0       | 13.4           | 32.9       | 1.4        | H    |
| 4    | 199.635245 | 26.8          | 43.5          | 16.7       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 334.272302 | 15.7          | 46.0          | 30.3       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 39.8          | 46.0          | 6.2        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |            |                    |            |
|---------------|------------|--------------------|------------|
| Temperature:  | 23.0℃      | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V     | Phase:             | Horizontal |
| Test Mode:    | 802.11ac80 |                    |            |

5210 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1532.950000  | 31.6            | 74.0           | 42.4        | 25.4            | 61.3        | 2.5         | H    |
| 2    | 2467.950000  | 44.5            | 74.0           | 29.5        | 27.6            | 59.0        | 2.8         | H    |
| 3    | 3964.800000  | 39.9            | 74.0           | 34.1        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 7399.650000  | 48.2            | 74.0           | 25.8        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11263.750000 | 50.4            | 74.0           | 23.6        | 39.0            | 61.1        | 5.7         | H    |
| 6    | 17582.650000 | 54.7            | 74.0           | 19.3        | 39.8            | 58.1        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1532.950000  | 23.1            | 54.0           | 30.9        | 25.4            | 61.3        | 2.5         | H    |
| 2    | 2467.950000  | 37.6            | 54.0           | 16.4        | 27.6            | 59.0        | 2.8         | H    |
| 3    | 3964.800000  | 31.6            | 54.0           | 22.4        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 7399.650000  | 40.3            | 54.0           | 13.7        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11263.750000 | 41.5            | 54.0           | 12.5        | 39.0            | 61.1        | 5.7         | H    |
| 6    | 17582.650000 | 46.3            | 54.0           | 7.7         | 39.8            | 58.1        | 6.9         | H    |

30MHz - 1GHz

|               |            |                    |          |
|---------------|------------|--------------------|----------|
| Temperature:  | 23.0℃      | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V     | Phase:             | Vertical |
| Test Mode:    | 802.11ac80 |                    |          |

5210 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 39.714725  | 21.0          | 40.0          | 19.0       | 14.0           | 32.4       | 0.8        | V    |
| 2    | 67.793891  | 17.8          | 40.0          | 22.2       | 11.2           | 32.8       | 0.8        | V    |
| 3    | 101.644307 | 20.5          | 43.5          | 23.0       | 10.3           | 32.9       | 1.4        | V    |
| 4    | 188.082452 | 15.7          | 43.5          | 27.8       | 10.7           | 32.8       | 2.1        | V    |
| 5    | 318.817043 | 18.4          | 46.0          | 27.6       | 13.2           | 32.6       | 2.7        | V    |
| 6    | 559.710646 | 35.9          | 46.0          | 10.1       | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |            |                    |          |
|---------------|------------|--------------------|----------|
| Temperature:  | 23.0℃      | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V     | Phase:             | Vertical |
| Test Mode:    | 802.11ac80 |                    |          |

5210 Vertical




| Mk.  | Freq.(MHz)   | Level<br>(dBuV<br>/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Ant.F/G.<br>(dB/m) | Amp.G.<br>(dB) | Cbl.L.<br>(dB) | Pol. |
|------|--------------|-----------------------|-------------------|----------------|--------------------|----------------|----------------|------|
| Peak |              |                       |                   |                |                    |                |                |      |
| 1    | 1436.050000  | 32.4                  | 74.0              | 41.6           | 25.5               | 61.4           | 2.4            | V    |
| 2    | 2238.450000  | 34.4                  | 74.0              | 39.6           | 27.2               | 60.3           | 2.8            | V    |
| 3    | 3750.600000  | 38.4                  | 74.0              | 35.6           | 30.2               | 58.9           | 3.2            | V    |
| 4    | 6037.100000  | 45.1                  | 74.0              | 28.9           | 34.0               | 58.0           | 4.1            | V    |
| 5    | 9052.900000  | 49.3                  | 74.0              | 24.7           | 38.2               | 59.5           | 5.4            | V    |
| 6    | 17789.200000 | 54.9                  | 74.0              | 19.1           | 41.0               | 57.8           | 7.0            | V    |
| Avg  |              |                       |                   |                |                    |                |                |      |
| 1    | 1436.050000  | 24.1                  | 54.0              | 29.9           | 25.5               | 61.4           | 2.4            | V    |
| 2    | 2238.450000  | 26.9                  | 54.0              | 27.1           | 27.2               | 60.3           | 2.8            | V    |
| 3    | 3750.600000  | 30.0                  | 54.0              | 24.0           | 30.2               | 58.9           | 3.2            | V    |
| 4    | 6037.100000  | 37.0                  | 54.0              | 17.0           | 34.0               | 58.0           | 4.1            | V    |
| 5    | 9052.900000  | 40.2                  | 54.0              | 13.8           | 38.2               | 59.5           | 5.4            | V    |
| 6    | 17789.200000 | 45.5                  | 54.0              | 8.5            | 41.0               | 57.8           | 7.0            | V    |

30MHz - 1GHz

|               |             |                    |            |
|---------------|-------------|--------------------|------------|
| Temperature:  | 23.0℃       | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V      | Phase:             | Horizontal |
| Test Mode:    | 802.11ax160 |                    |            |

5250 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.599954  | 16.8          | 40.0          | 23.2       | 13.9           | 32.4       | 0.8        | H    |
| 2    | 76.512057  | 19.8          | 40.0          | 20.2       | 9.8            | 32.9       | 0.9        | H    |
| 3    | 120.065933 | 17.2          | 43.5          | 26.3       | 12.2           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 25.1          | 43.5          | 18.4       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 17.5          | 46.0          | 28.5       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.5          | 46.0          | 5.5        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |             |                    |            |
|---------------|-------------|--------------------|------------|
| Temperature:  | 23.0℃       | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V      | Phase:             | Horizontal |
| Test Mode:    | 802.11ax160 |                    |            |

5250 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1252.450000  | 34.4            | 74.0           | 39.6        | 25.8            | 61.0        | 2.3         | H    |
| 2    | 2190.850000  | 36.8            | 74.0           | 37.2        | 27.2            | 60.6        | 2.7         | H    |
| 3    | 3847.500000  | 40.0            | 74.0           | 34.0        | 30.6            | 58.8        | 3.2         | H    |
| 4    | 5941.900000  | 45.5            | 74.0           | 28.5        | 34.0            | 58.0        | 4.1         | H    |
| 5    | 10500.450000 | 51.9            | 74.0           | 22.1        | 38.9            | 61.2        | 5.5         | H    |
| 6    | 17810.450000 | 56.5            | 74.0           | 17.5        | 41.2            | 57.8        | 7.0         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1252.450000  | 23.6            | 54.0           | 30.4        | 25.8            | 61.0        | 2.3         | H    |
| 2    | 2190.850000  | 26.8            | 54.0           | 27.2        | 27.2            | 60.6        | 2.7         | H    |
| 3    | 3847.500000  | 31.5            | 54.0           | 22.5        | 30.6            | 58.8        | 3.2         | H    |
| 4    | 5941.900000  | 37.7            | 54.0           | 16.3        | 34.0            | 58.0        | 4.1         | H    |
| 5    | 10500.450000 | 43.2            | 54.0           | 10.8        | 38.9            | 61.2        | 5.5         | H    |
| 6    | 17810.450000 | 48.4            | 54.0           | 5.6         | 41.2            | 57.8        | 7.0         | H    |

30MHz - 1GHz

|               |             |                    |          |
|---------------|-------------|--------------------|----------|
| Temperature:  | 23.0℃       | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V      | Phase:             | Vertical |
| Test Mode:    | 802.11ax160 |                    |          |

5250 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 40.134716  | 21.5          | 40.0          | 18.5       | 14.1           | 32.4       | 0.8        | V    |
| 2    | 70.213294  | 17.8          | 40.0          | 22.2       | 10.8           | 32.8       | 0.8        | V    |
| 3    | 104.170131 | 20.1          | 43.5          | 23.4       | 10.6           | 32.9       | 1.4        | V    |
| 4    | 187.424085 | 15.2          | 43.5          | 28.3       | 10.8           | 32.8       | 2.1        | V    |
| 5    | 351.091807 | 15.9          | 46.0          | 30.1       | 13.8           | 32.5       | 2.7        | V    |
| 6    | 559.710646 | 36.2          | 46.0          | 9.8        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |             |                    |          |
|---------------|-------------|--------------------|----------|
| Temperature:  | 23.0℃       | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V      | Phase:             | Vertical |
| Test Mode:    | 802.11ax160 |                    |          |

5250 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1400.350000  | 33.0            | 74.0           | 41.0        | 25.6            | 61.4        | 2.4         | V    |
| 2    | 2263.950000  | 35.5            | 74.0           | 38.5        | 27.2            | 60.2        | 2.8         | V    |
| 3    | 3739.550000  | 39.9            | 74.0           | 34.1        | 30.1            | 58.9        | 3.2         | V    |
| 4    | 6136.550000  | 46.7            | 74.0           | 27.3        | 34.0            | 58.0        | 4.1         | V    |
| 5    | 9598.600000  | 51.6            | 74.0           | 22.4        | 38.5            | 58.8        | 5.4         | V    |
| 6    | 17802.800000 | 56.0            | 74.0           | 18.0        | 41.1            | 57.8        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1400.350000  | 23.1            | 54.0           | 30.9        | 25.6            | 61.4        | 2.4         | V    |
| 2    | 2263.950000  | 26.0            | 54.0           | 28.0        | 27.2            | 60.2        | 2.8         | V    |
| 3    | 3739.550000  | 29.9            | 54.0           | 24.1        | 30.1            | 58.9        | 3.2         | V    |
| 4    | 6136.550000  | 37.4            | 54.0           | 16.6        | 34.0            | 58.0        | 4.1         | V    |
| 5    | 9598.600000  | 42.7            | 54.0           | 11.3        | 38.5            | 58.8        | 5.4         | V    |
| 6    | 17802.800000 | 47.3            | 54.0           | 6.7         | 41.1            | 57.8        | 7.0         | V    |

30MHz - 1GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5250MHz-5350MHz

5260MHz




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 37.745902  | 13.8          | 40.0          | 26.2       | 13.8           | 32.3       | 0.8        | H    |
| 2    | 78.001995  | 19.7          | 40.0          | 20.3       | 9.6            | 32.9       | 0.9        | H    |
| 3    | 121.975541 | 16.7          | 43.5          | 26.8       | 12.3           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 25.6          | 43.5          | 17.9       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 17.7          | 46.0          | 28.3       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.1          | 46.0          | 5.9        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5260 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1300.900000  | 33.1            | 74.0           | 40.9        | 25.8            | 61.1        | 2.3         | H    |
| 2    | 2063.350000  | 34.7            | 74.0           | 39.3        | 26.9            | 60.9        | 2.7         | H    |
| 3    | 3341.750000  | 37.9            | 74.0           | 36.1        | 29.5            | 58.2        | 3.1         | H    |
| 4    | 5436.150000  | 43.8            | 74.0           | 30.2        | 32.8            | 58.0        | 3.9         | H    |
| 5    | 8856.550000  | 50.2            | 74.0           | 23.8        | 38.1            | 58.7        | 5.3         | H    |
| 6    | 17584.350000 | 55.5            | 74.0           | 18.5        | 39.8            | 58.1        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1300.900000  | 25.0            | 54.0           | 29.0        | 25.8            | 61.1        | 2.3         | H    |
| 2    | 2063.350000  | 26.4            | 54.0           | 27.6        | 26.9            | 60.9        | 2.7         | H    |
| 3    | 3341.750000  | 30.1            | 54.0           | 23.9        | 29.5            | 58.2        | 3.1         | H    |
| 4    | 5436.150000  | 34.1            | 54.0           | 19.9        | 32.8            | 58.0        | 3.9         | H    |
| 5    | 8856.550000  | 42.2            | 54.0           | 11.8        | 38.1            | 58.7        | 5.3         | H    |
| 6    | 17584.350000 | 47.2            | 54.0           | 6.8         | 39.8            | 58.1        | 6.9         | H    |

30MHz - 1GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5260 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 34.821189  | 21.8          | 40.0          | 18.2       | 13.4           | 32.2       | 0.8        | V    |
| 2    | 68.992988  | 17.5          | 40.0          | 22.5       | 11.0           | 32.8       | 0.8        | V    |
| 3    | 99.702770  | 21.5          | 43.5          | 22.0       | 10.1           | 32.9       | 1.4        | V    |
| 4    | 182.239439 | 16.1          | 43.5          | 27.4       | 11.4           | 32.8       | 2.0        | V    |
| 5    | 316.034381 | 17.9          | 46.0          | 28.1       | 13.1           | 32.6       | 2.7        | V    |
| 6    | 559.710646 | 36.3          | 46.0          | 9.7        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0°C  | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5260 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1533.800000  | 33.1            | 74.0           | 40.9        | 25.4            | 61.3        | 2.5         | V    |
| 2    | 2459.450000  | 43.6            | 74.0           | 30.4        | 27.6            | 59.1        | 2.8         | V    |
| 3    | 4049.800000  | 40.4            | 74.0           | 33.6        | 30.8            | 58.3        | 3.3         | V    |
| 4    | 6661.850000  | 46.7            | 74.0           | 27.3        | 35.7            | 58.1        | 4.3         | V    |
| 5    | 10741.850000 | 52.3            | 74.0           | 21.7        | 38.9            | 61.1        | 5.6         | V    |
| 6    | 17806.200000 | 55.8            | 74.0           | 18.2        | 41.2            | 57.8        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1533.800000  | 24.2            | 54.0           | 29.8        | 25.4            | 61.3        | 2.5         | V    |
| 2    | 2459.450000  | 38.0            | 54.0           | 16.0        | 27.6            | 59.1        | 2.8         | V    |
| 3    | 4049.800000  | 31.3            | 54.0           | 22.7        | 30.8            | 58.3        | 3.3         | V    |
| 4    | 6661.850000  | 38.0            | 54.0           | 16.0        | 35.7            | 58.1        | 4.3         | V    |
| 5    | 10741.850000 | 43.3            | 54.0           | 10.7        | 38.9            | 61.1        | 5.6         | V    |
| 6    | 17806.200000 | 47.4            | 54.0           | 6.6         | 41.2            | 57.8        | 7.0         | V    |

30MHz - 1GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5300 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.599954  | 16.1          | 40.0          | 23.9       | 13.9           | 32.4       | 0.8        | H    |
| 2    | 85.148633  | 21.3          | 40.0          | 18.7       | 9.4            | 32.9       | 1.0        | H    |
| 3    | 129.240983 | 17.9          | 43.5          | 25.6       | 12.7           | 32.9       | 1.4        | H    |
| 4    | 199.635245 | 26.3          | 43.5          | 17.2       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 16.4          | 46.0          | 29.6       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.3          | 46.0          | 5.7        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5300 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1548.250000  | 32.7            | 74.0           | 41.3        | 25.3            | 61.3        | 2.5         | H    |
| 2    | 2589.500000  | 36.8            | 74.0           | 37.2        | 28.0            | 59.0        | 2.9         | H    |
| 3    | 4377.050000  | 41.9            | 74.0           | 32.1        | 31.5            | 58.1        | 3.5         | H    |
| 4    | 7397.950000  | 49.4            | 74.0           | 24.6        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11452.450000 | 49.9            | 74.0           | 24.1        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17879.300000 | 55.4            | 74.0           | 18.6        | 41.6            | 57.7        | 7.0         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1548.250000  | 23.6            | 54.0           | 30.4        | 25.3            | 61.3        | 2.5         | H    |
| 2    | 2589.500000  | 28.2            | 54.0           | 25.8        | 28.0            | 59.0        | 2.9         | H    |
| 3    | 4377.050000  | 32.8            | 54.0           | 21.2        | 31.5            | 58.1        | 3.5         | H    |
| 4    | 7397.950000  | 41.3            | 54.0           | 12.7        | 36.5            | 57.5        | 4.6         | H    |
| 5    | 11452.450000 | 41.9            | 54.0           | 12.1        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17879.300000 | 47.4            | 54.0           | 6.6         | 41.6            | 57.7        | 7.0         | H    |

30MHz - 1GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5300 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 40.630322  | 20.8          | 40.0          | 19.2       | 14.0           | 32.4       | 0.8        | V    |
| 2    | 71.706186  | 18.3          | 40.0          | 21.7       | 10.6           | 32.8       | 0.8        | V    |
| 3    | 104.170131 | 21.5          | 43.5          | 22.0       | 10.6           | 32.9       | 1.4        | V    |
| 4    | 191.409140 | 14.9          | 43.5          | 28.6       | 10.4           | 32.8       | 2.2        | V    |
| 5    | 359.186005 | 16.1          | 46.0          | 29.9       | 14.0           | 32.5       | 2.7        | V    |
| 6    | 559.710646 | 36.6          | 46.0          | 9.4        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5300 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1345.100000  | 32.5            | 74.0           | 41.5        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2120.300000  | 35.0            | 74.0           | 39.0        | 27.2            | 60.8        | 2.7         | V    |
| 3    | 3529.600000  | 39.6            | 74.0           | 34.4        | 29.5            | 59.0        | 3.1         | V    |
| 4    | 5626.550000  | 44.0            | 74.0           | 30.0        | 33.1            | 58.1        | 4.0         | V    |
| 5    | 9159.150000  | 49.4            | 74.0           | 24.6        | 38.3            | 59.6        | 5.4         | V    |
| 6    | 17807.900000 | 55.7            | 74.0           | 18.3        | 41.2            | 57.8        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1345.100000  | 23.5            | 54.0           | 30.5        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2120.300000  | 25.6            | 54.0           | 28.4        | 27.2            | 60.8        | 2.7         | V    |
| 3    | 3529.600000  | 29.0            | 54.0           | 25.0        | 29.5            | 59.0        | 3.1         | V    |
| 4    | 5626.550000  | 36.1            | 54.0           | 17.9        | 33.1            | 58.1        | 4.0         | V    |
| 5    | 9159.150000  | 40.7            | 54.0           | 13.3        | 38.3            | 59.6        | 5.4         | V    |
| 6    | 17807.900000 | 47.3            | 54.0           | 6.7         | 41.2            | 57.8        | 7.0         | V    |

30MHz - 1GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5320 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.599954  | 16.8          | 40.0          | 23.2       | 13.9           | 32.4       | 0.8        | H    |
| 2    | 76.915558  | 20.7          | 40.0          | 19.3       | 9.8            | 32.9       | 0.9        | H    |
| 3    | 121.548576 | 16.6          | 43.5          | 26.9       | 12.3           | 32.9       | 1.4        | H    |
| 4    | 199.635245 | 26.2          | 43.5          | 17.3       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 17.1          | 46.0          | 28.9       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.3          | 46.0          | 5.7        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |         |                    |            |
|---------------|---------|--------------------|------------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V  | Phase:             | Horizontal |
| Test Mode:    | 802.11a |                    |            |

5320 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1440.300000  | 32.1            | 74.0           | 41.9        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2490.050000  | 37.1            | 74.0           | 36.9        | 27.7            | 58.9        | 2.8         | H    |
| 3    | 3966.500000  | 40.3            | 74.0           | 33.7        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6461.250000  | 46.2            | 74.0           | 27.8        | 34.9            | 58.0        | 4.2         | H    |
| 5    | 11433.750000 | 50.5            | 74.0           | 23.5        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17689.750000 | 55.0            | 74.0           | 19.0        | 40.4            | 57.9        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1440.300000  | 24.5            | 54.0           | 29.5        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2490.050000  | 27.4            | 54.0           | 26.6        | 27.7            | 58.9        | 2.8         | H    |
| 3    | 3966.500000  | 30.5            | 54.0           | 23.5        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6461.250000  | 37.3            | 54.0           | 16.7        | 34.9            | 58.0        | 4.2         | H    |
| 5    | 11433.750000 | 40.9            | 54.0           | 13.1        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17689.750000 | 46.2            | 54.0           | 7.8         | 40.4            | 57.9        | 6.9         | H    |

30MHz - 1GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5320 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 43.505724  | 20.6          | 40.0          | 19.4       | 13.9           | 32.5       | 0.8        | V    |
| 2    | 69.114058  | 17.6          | 40.0          | 22.4       | 11.0           | 32.8       | 0.8        | V    |
| 3    | 96.436153  | 20.1          | 43.5          | 23.4       | 9.9            | 32.9       | 1.3        | V    |
| 4    | 177.820660 | 16.8          | 43.5          | 26.7       | 12.0           | 32.8       | 1.9        | V    |
| 5    | 351.091807 | 16.0          | 46.0          | 30.0       | 13.8           | 32.5       | 2.7        | V    |
| 6    | 559.710646 | 36.4          | 46.0          | 9.6        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |         |                    |          |
|---------------|---------|--------------------|----------|
| Temperature:  | 23.0℃   | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V  | Phase:             | Vertical |
| Test Mode:    | 802.11a |                    |          |

5320 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1461.550000  | 31.9            | 74.0           | 42.1        | 25.5            | 61.4        | 2.4         | V    |
| 2    | 2453.500000  | 42.9            | 74.0           | 31.1        | 27.5            | 59.1        | 2.8         | V    |
| 3    | 4496.900000  | 43.2            | 74.0           | 30.8        | 31.6            | 58.0        | 3.5         | V    |
| 4    | 8326.150000  | 50.1            | 74.0           | 23.9        | 37.2            | 56.7        | 5.0         | V    |
| 5    | 12081.450000 | 50.9            | 74.0           | 23.1        | 39.0            | 59.4        | 5.9         | V    |
| 6    | 17884.400000 | 56.0            | 74.0           | 18.0        | 41.6            | 57.7        | 7.0         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1461.550000  | 23.2            | 54.0           | 30.8        | 25.5            | 61.4        | 2.4         | V    |
| 2    | 2453.500000  | 38.3            | 54.0           | 15.7        | 27.5            | 59.1        | 2.8         | V    |
| 3    | 4496.900000  | 32.9            | 54.0           | 21.1        | 31.6            | 58.0        | 3.5         | V    |
| 4    | 8326.150000  | 41.9            | 54.0           | 12.1        | 37.2            | 56.7        | 5.0         | V    |
| 5    | 12081.450000 | 42.2            | 54.0           | 11.8        | 39.0            | 59.4        | 5.9         | V    |
| 6    | 17884.400000 | 46.9            | 54.0           | 7.1         | 41.6            | 57.7        | 7.0         | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5260 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 43.050457  | 17.0          | 40.0          | 23.0       | 13.9           | 32.5       | 0.8        | H    |
| 2    | 78.001995  | 20.0          | 40.0          | 20.0       | 9.6            | 32.9       | 0.9        | H    |
| 3    | 121.548576 | 16.4          | 43.5          | 27.1       | 12.3           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 25.4          | 43.5          | 18.1       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 333.686743 | 16.0          | 46.0          | 30.0       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.2          | 46.0          | 5.8        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0°C    | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5260 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1423.300000  | 32.2            | 74.0           | 41.8        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2303.050000  | 34.6            | 74.0           | 39.4        | 27.2            | 59.9        | 2.8         | H    |
| 3    | 3959.700000  | 39.8            | 74.0           | 34.2        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6439.150000  | 45.6            | 74.0           | 28.4        | 34.8            | 58.0        | 4.2         | H    |
| 5    | 11364.050000 | 51.2            | 74.0           | 22.8        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17684.650000 | 55.4            | 74.0           | 18.6        | 40.4            | 57.9        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1423.300000  | 23.5            | 54.0           | 30.5        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2303.050000  | 25.8            | 54.0           | 28.2        | 27.2            | 59.9        | 2.8         | H    |
| 3    | 3959.700000  | 31.8            | 54.0           | 22.2        | 30.8            | 58.5        | 3.3         | H    |
| 4    | 6439.150000  | 36.9            | 54.0           | 17.1        | 34.8            | 58.0        | 4.2         | H    |
| 5    | 11364.050000 | 43.1            | 54.0           | 10.9        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17684.650000 | 46.3            | 54.0           | 7.7         | 40.4            | 57.9        | 6.9         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5260 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 35.251181  | 21.9          | 40.0          | 18.1       | 13.4           | 32.2       | 0.8        | V    |
| 2    | 65.343191  | 17.3          | 40.0          | 22.7       | 11.7           | 32.8       | 0.8        | V    |
| 3    | 105.087342 | 20.4          | 43.5          | 23.1       | 10.6           | 32.9       | 1.4        | V    |
| 4    | 185.137896 | 14.5          | 43.5          | 29.0       | 11.1           | 32.8       | 2.0        | V    |
| 5    | 303.011972 | 20.0          | 46.0          | 26.0       | 12.9           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.1          | 46.0          | 9.9        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5260 Vertical




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1350.200000  | 33.2            | 74.0           | 40.8        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2309.000000  | 35.4            | 74.0           | 38.6        | 27.2            | 59.9        | 2.8         | V    |
| 3    | 3837.300000  | 39.8            | 74.0           | 34.2        | 30.5            | 58.8        | 3.2         | V    |
| 4    | 6865.850000  | 46.6            | 74.0           | 27.4        | 35.8            | 58.6        | 4.3         | V    |
| 5    | 10311.750000 | 51.4            | 74.0           | 22.6        | 38.8            | 60.8        | 5.5         | V    |
| 6    | 17681.250000 | 55.6            | 74.0           | 18.4        | 40.4            | 57.9        | 6.9         | V    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1350.200000  | 23.6            | 54.0           | 30.4        | 25.7            | 61.2        | 2.3         | V    |
| 2    | 2309.000000  | 26.5            | 54.0           | 27.5        | 27.2            | 59.9        | 2.8         | V    |
| 3    | 3837.300000  | 29.1            | 54.0           | 24.9        | 30.5            | 58.8        | 3.2         | V    |
| 4    | 6865.850000  | 37.6            | 54.0           | 16.4        | 35.8            | 58.6        | 4.3         | V    |
| 5    | 10311.750000 | 42.8            | 54.0           | 11.2        | 38.8            | 60.8        | 5.5         | V    |
| 6    | 17681.250000 | 46.3            | 54.0           | 7.7         | 40.4            | 57.9        | 6.9         | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5300 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 39.645155  | 13.0          | 40.0          | 27.0       | 14.0           | 32.4       | 0.8        | H    |
| 2    | 75.977347  | 20.3          | 40.0          | 19.7       | 9.9            | 32.9       | 0.9        | H    |
| 3    | 118.186220 | 15.6          | 43.5          | 27.9       | 12.0           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 25.7          | 43.5          | 17.8       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 343.782228 | 14.8          | 46.0          | 31.2       | 13.4           | 32.5       | 2.7        | H    |
| 6    | 559.710646 | 40.3          | 46.0          | 5.7        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0°C    | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5300 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1498.100000  | 32.1            | 74.0           | 41.9        | 25.4            | 61.4        | 2.4         | H    |
| 2    | 2428.000000  | 43.6            | 74.0           | 30.4        | 27.4            | 59.3        | 2.8         | H    |
| 3    | 4269.950000  | 41.0            | 74.0           | 33.0        | 31.2            | 58.2        | 3.4         | H    |
| 4    | 7384.350000  | 49.2            | 74.0           | 24.8        | 36.6            | 57.5        | 4.6         | H    |
| 5    | 11144.750000 | 50.6            | 74.0           | 23.4        | 39.0            | 61.1        | 5.7         | H    |
| 6    | 17580.100000 | 55.1            | 74.0           | 18.9        | 39.7            | 58.1        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1498.100000  | 22.8            | 54.0           | 31.2        | 25.4            | 61.4        | 2.4         | H    |
| 2    | 2428.000000  | 36.5            | 54.0           | 17.5        | 27.4            | 59.3        | 2.8         | H    |
| 3    | 4269.950000  | 31.5            | 54.0           | 22.5        | 31.2            | 58.2        | 3.4         | H    |
| 4    | 7384.350000  | 39.5            | 54.0           | 14.5        | 36.6            | 57.5        | 4.6         | H    |
| 5    | 11144.750000 | 43.2            | 54.0           | 10.8        | 39.0            | 61.1        | 5.7         | H    |
| 6    | 17580.100000 | 46.6            | 54.0           | 7.4         | 39.7            | 58.1        | 6.9         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5300 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 34.821189  | 21.8          | 40.0          | 18.2       | 13.4           | 32.2       | 0.8        | V    |
| 2    | 66.849636  | 18.9          | 40.0          | 21.1       | 11.4           | 32.8       | 0.8        | V    |
| 3    | 104.170131 | 20.6          | 43.5          | 22.9       | 10.6           | 32.9       | 1.4        | V    |
| 4    | 178.132703 | 15.7          | 43.5          | 27.8       | 12.0           | 32.8       | 1.9        | V    |
| 5    | 299.315848 | 18.4          | 46.0          | 27.6       | 12.8           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.4          | 46.0          | 9.6        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5300 Vertical




| Mk.  | Freq.(MHz)   | Level<br>(dBuV<br>/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Ant.F/G.<br>(dB/m) | Amp.G.<br>(dB) | Cbl.L.<br>(dB) | Pol. |
|------|--------------|-----------------------|-------------------|----------------|--------------------|----------------|----------------|------|
| Peak |              |                       |                   |                |                    |                |                |      |
| 1    | 1430.950000  | 33.2                  | 74.0              | 40.8           | 25.5               | 61.4           | 2.4            | V    |
| 2    | 2391.450000  | 35.0                  | 74.0              | 39.0           | 27.3               | 59.6           | 2.8            | V    |
| 3    | 4056.600000  | 40.1                  | 74.0              | 33.9           | 30.8               | 58.3           | 3.3            | V    |
| 4    | 6670.350000  | 46.1                  | 74.0              | 27.9           | 35.7               | 58.1           | 4.3            | V    |
| 5    | 11017.250000 | 50.6                  | 74.0              | 23.4           | 38.9               | 61.1           | 5.7            | V    |
| 6    | 17802.800000 | 55.3                  | 74.0              | 18.7           | 41.1               | 57.8           | 7.0            | V    |
| Avg  |              |                       |                   |                |                    |                |                |      |
| 1    | 1430.950000  | 23.2                  | 54.0              | 30.8           | 25.5               | 61.4           | 2.4            | V    |
| 2    | 2391.450000  | 26.2                  | 54.0              | 27.8           | 27.3               | 59.6           | 2.8            | V    |
| 3    | 4056.600000  | 31.7                  | 54.0              | 22.3           | 30.8               | 58.3           | 3.3            | V    |
| 4    | 6670.350000  | 37.8                  | 54.0              | 16.2           | 35.7               | 58.1           | 4.3            | V    |
| 5    | 11017.250000 | 41.0                  | 54.0              | 13.0           | 38.9               | 61.1           | 5.7            | V    |
| 6    | 17802.800000 | 47.0                  | 54.0              | 7.0            | 41.1               | 57.8           | 7.0            | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5320 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 40.134716  | 13.8          | 40.0          | 26.2       | 14.1           | 32.4       | 0.8        | H    |
| 2    | 78.413354  | 20.6          | 40.0          | 19.4       | 9.5            | 32.9       | 0.9        | H    |
| 3    | 118.186220 | 16.8          | 43.5          | 26.7       | 12.0           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 24.5          | 43.5          | 19.0       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 381.917698 | 16.6          | 46.0          | 29.4       | 13.7           | 32.4       | 2.7        | H    |
| 6    | 559.710646 | 40.0          | 46.0          | 6.0        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n20 |                    |            |

5320 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1413.100000  | 31.6            | 74.0           | 42.4        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2151.750000  | 35.1            | 74.0           | 38.9        | 27.2            | 60.7        | 2.7         | H    |
| 3    | 3343.450000  | 37.7            | 74.0           | 36.3        | 29.5            | 58.2        | 3.1         | H    |
| 4    | 5539.000000  | 43.8            | 74.0           | 30.2        | 32.8            | 58.1        | 4.0         | H    |
| 5    | 8947.500000  | 51.2            | 74.0           | 22.8        | 38.2            | 59.2        | 5.3         | H    |
| 6    | 17801.100000 | 55.1            | 74.0           | 18.9        | 41.1            | 57.8        | 7.0         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1413.100000  | 23.2            | 54.0           | 30.8        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2151.750000  | 26.1            | 54.0           | 27.9        | 27.2            | 60.7        | 2.7         | H    |
| 3    | 3343.450000  | 30.0            | 54.0           | 24.0        | 29.5            | 58.2        | 3.1         | H    |
| 4    | 5539.000000  | 35.1            | 54.0           | 18.9        | 32.8            | 58.1        | 4.0         | H    |
| 5    | 8947.500000  | 41.9            | 54.0           | 12.1        | 38.2            | 59.2        | 5.3         | H    |
| 6    | 17801.100000 | 47.2            | 54.0           | 6.8         | 41.1            | 57.8        | 7.0         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5320 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 42.080322  | 21.0          | 40.0          | 19.0       | 14.0           | 32.4       | 0.8        | V    |
| 2    | 72.084342  | 18.8          | 40.0          | 21.2       | 10.5           | 32.8       | 0.8        | V    |
| 3    | 111.346842 | 20.5          | 43.5          | 23.0       | 11.3           | 32.9       | 1.4        | V    |
| 4    | 177.820660 | 16.3          | 43.5          | 27.2       | 12.0           | 32.8       | 1.9        | V    |
| 5    | 308.912598 | 19.5          | 46.0          | 26.5       | 13.0           | 32.7       | 2.7        | V    |
| 6    | 559.710646 | 36.6          | 46.0          | 9.4        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n20 |                    |          |

5320 Vertical




| Mk.  | Freq.(MHz)   | Level<br>(dBuV<br>/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Ant.F/G.<br>(dB/m) | Amp.G.<br>(dB) | Cbl.L.<br>(dB) | Pol. |
|------|--------------|-----------------------|-------------------|----------------|--------------------|----------------|----------------|------|
| Peak |              |                       |                   |                |                    |                |                |      |
| 1    | 1549.100000  | 32.4                  | 74.0              | 41.6           | 25.3               | 61.3           | 2.5            | V    |
| 2    | 2453.500000  | 43.2                  | 74.0              | 30.8           | 27.5               | 59.1           | 2.8            | V    |
| 3    | 4473.100000  | 41.0                  | 74.0              | 33.0           | 31.6               | 58.0           | 3.5            | V    |
| 4    | 7410.700000  | 48.6                  | 74.0              | 25.4           | 36.5               | 57.5           | 4.6            | V    |
| 5    | 11233.150000 | 50.1                  | 74.0              | 23.9           | 39.0               | 61.1           | 5.7            | V    |
| 6    | 17884.400000 | 55.5                  | 74.0              | 18.5           | 41.6               | 57.7           | 7.0            | V    |
| Avg  |              |                       |                   |                |                    |                |                |      |
| 1    | 1549.100000  | 24.4                  | 54.0              | 29.6           | 25.3               | 61.3           | 2.5            | V    |
| 2    | 2453.500000  | 37.9                  | 54.0              | 16.1           | 27.5               | 59.1           | 2.8            | V    |
| 3    | 4473.100000  | 32.1                  | 54.0              | 21.9           | 31.6               | 58.0           | 3.5            | V    |
| 4    | 7410.700000  | 39.5                  | 54.0              | 14.5           | 36.5               | 57.5           | 4.6            | V    |
| 5    | 11233.150000 | 41.9                  | 54.0              | 12.1           | 39.0               | 61.1           | 5.7            | V    |
| 6    | 17884.400000 | 47.0                  | 54.0              | 7.0            | 41.6               | 57.7           | 7.0            | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5270 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 43.505724  | 15.0          | 40.0          | 25.0       | 13.9           | 32.5       | 0.8        | H    |
| 2    | 73.102538  | 18.8          | 40.0          | 21.2       | 10.3           | 32.8       | 0.9        | H    |
| 3    | 125.006589 | 15.2          | 43.5          | 28.3       | 12.5           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 24.6          | 43.5          | 18.9       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 388.672826 | 15.4          | 46.0          | 30.6       | 13.7           | 32.4       | 2.7        | H    |
| 6    | 559.710646 | 31.5          | 46.0          | 14.5       | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5270 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1522.750000  | 32.3            | 74.0           | 41.7        | 25.4            | 61.3        | 2.5         | H    |
| 2    | 2427.150000  | 43.4            | 74.0           | 30.6        | 27.4            | 59.3        | 2.8         | H    |
| 3    | 4380.450000  | 41.5            | 74.0           | 32.5        | 31.5            | 58.1        | 3.5         | H    |
| 4    | 6266.600000  | 45.9            | 74.0           | 28.1        | 34.2            | 58.0        | 4.2         | H    |
| 5    | 11364.050000 | 50.6            | 74.0           | 23.4        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17675.300000 | 55.3            | 74.0           | 18.7        | 40.3            | 58.0        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1522.750000  | 23.3            | 54.0           | 30.7        | 25.4            | 61.3        | 2.5         | H    |
| 2    | 2427.150000  | 37.7            | 54.0           | 16.3        | 27.4            | 59.3        | 2.8         | H    |
| 3    | 4380.450000  | 32.0            | 54.0           | 22.0        | 31.5            | 58.1        | 3.5         | H    |
| 4    | 6266.600000  | 37.3            | 54.0           | 16.7        | 34.2            | 58.0        | 4.2         | H    |
| 5    | 11364.050000 | 42.1            | 54.0           | 11.9        | 39.1            | 61.1        | 5.8         | H    |
| 6    | 17675.300000 | 46.0            | 54.0           | 8.0         | 40.3            | 58.0        | 6.9         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5270 Vertical




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 34.821189  | 21.6          | 40.0          | 18.4       | 13.4           | 32.2       | 0.8        | V    |
| 2    | 67.320108  | 18.5          | 40.0          | 21.5       | 11.3           | 32.8       | 0.8        | V    |
| 3    | 104.536051 | 21.2          | 43.5          | 22.3       | 10.6           | 32.9       | 1.4        | V    |
| 4    | 190.739128 | 14.4          | 43.5          | 29.1       | 10.4           | 32.8       | 2.2        | V    |
| 5    | 399.730428 | 21.2          | 46.0          | 24.8       | 14.7           | 32.3       | 2.7        | V    |
| 6    | 559.710646 | 36.8          | 46.0          | 9.2        | 17.6           | 32.4       | 3.1        | V    |

1GHz - 18GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5270 Vertical




| Mk.  | Freq.(MHz)   | Level<br>(dBuV<br>/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Ant.F/G.<br>(dB/m) | Amp.G.<br>(dB) | Cbl.L.<br>(dB) | Pol. |
|------|--------------|-----------------------|-------------------|----------------|--------------------|----------------|----------------|------|
| Peak |              |                       |                   |                |                    |                |                |      |
| 1    | 1549.950000  | 32.9                  | 74.0              | 41.1           | 25.3               | 61.3           | 2.5            | V    |
| 2    | 2590.350000  | 37.9                  | 74.0              | 36.1           | 28.0               | 59.0           | 2.9            | V    |
| 3    | 4590.400000  | 41.8                  | 74.0              | 32.2           | 31.6               | 57.9           | 3.6            | V    |
| 4    | 7592.600000  | 48.1                  | 74.0              | 25.9           | 36.3               | 57.7           | 4.7            | V    |
| 5    | 11463.500000 | 50.2                  | 74.0              | 23.8           | 39.1               | 61.1           | 5.8            | V    |
| 6    | 17887.800000 | 55.7                  | 74.0              | 18.3           | 41.7               | 57.7           | 7.0            | V    |
| Avg  |              |                       |                   |                |                    |                |                |      |
| 1    | 1549.950000  | 24.1                  | 54.0              | 29.9           | 25.3               | 61.3           | 2.5            | V    |
| 2    | 2590.350000  | 27.8                  | 54.0              | 26.2           | 28.0               | 59.0           | 2.9            | V    |
| 3    | 4590.400000  | 33.5                  | 54.0              | 20.5           | 31.6               | 57.9           | 3.6            | V    |
| 4    | 7592.600000  | 38.9                  | 54.0              | 15.1           | 36.3               | 57.7           | 4.7            | V    |
| 5    | 11463.500000 | 41.8                  | 54.0              | 12.2           | 39.1               | 61.1           | 5.8            | V    |
| 6    | 17887.800000 | 47.8                  | 54.0              | 6.2            | 41.7               | 57.7           | 7.0            | V    |

30MHz - 1GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5310 Horizontal




| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 48.842895  | 19.8          | 40.0          | 20.2       | 13.6           | 32.6       | 0.8        | H    |
| 2    | 81.783290  | 18.2          | 40.0          | 21.8       | 9.3            | 32.9       | 1.0        | H    |
| 3    | 139.117161 | 18.4          | 43.5          | 25.1       | 13.4           | 32.9       | 1.4        | H    |
| 4    | 199.985568 | 25.4          | 43.5          | 18.1       | 9.9            | 32.8       | 2.3        | H    |
| 5    | 334.272302 | 17.8          | 46.0          | 28.2       | 13.2           | 32.6       | 2.7        | H    |
| 6    | 559.710646 | 40.4          | 46.0          | 5.6        | 15.5           | 32.4       | 3.1        | H    |

1GHz - 18GHz

|               |           |                    |            |
|---------------|-----------|--------------------|------------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH      |
| Test Voltage: | AC120V    | Phase:             | Horizontal |
| Test Mode:    | 802.11n40 |                    |            |

5310 Horizontal




| Mk.  | Freq.(MHz)   | Level (dBuV /m) | Limit (dBuV/m) | Margin (dB) | Ant.F/G. (dB/m) | Amp.G. (dB) | Cbl.L. (dB) | Pol. |
|------|--------------|-----------------|----------------|-------------|-----------------|-------------|-------------|------|
| Peak |              |                 |                |             |                 |             |             |      |
| 1    | 1425.000000  | 32.5            | 74.0           | 41.5        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2500.250000  | 37.5            | 74.0           | 36.5        | 27.7            | 58.8        | 2.8         | H    |
| 3    | 4268.250000  | 40.3            | 74.0           | 33.7        | 31.2            | 58.2        | 3.4         | H    |
| 4    | 7199.050000  | 47.7            | 74.0           | 26.3        | 36.7            | 57.9        | 4.5         | H    |
| 5    | 11861.300000 | 50.1            | 74.0           | 23.9        | 39.0            | 60.0        | 5.9         | H    |
| 6    | 17677.000000 | 54.8            | 74.0           | 19.2        | 40.3            | 57.9        | 6.9         | H    |
| Avg  |              |                 |                |             |                 |             |             |      |
| 1    | 1425.000000  | 23.2            | 54.0           | 30.8        | 25.5            | 61.4        | 2.4         | H    |
| 2    | 2500.250000  | 28.6            | 54.0           | 25.4        | 27.7            | 58.8        | 2.8         | H    |
| 3    | 4268.250000  | 31.8            | 54.0           | 22.2        | 31.2            | 58.2        | 3.4         | H    |
| 4    | 7199.050000  | 38.9            | 54.0           | 15.1        | 36.7            | 57.9        | 4.5         | H    |
| 5    | 11861.300000 | 41.5            | 54.0           | 12.5        | 39.0            | 60.0        | 5.9         | H    |
| 6    | 17677.000000 | 46.1            | 54.0           | 7.9         | 40.3            | 57.9        | 6.9         | H    |

30MHz - 1GHz

|               |           |                    |          |
|---------------|-----------|--------------------|----------|
| Temperature:  | 23.0℃     | Relative Humidity: | 59%RH    |
| Test Voltage: | AC120V    | Phase:             | Vertical |
| Test Mode:    | 802.11n40 |                    |          |

5310 Vertical



| Mk.  | Freq.(MHz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Ant.F/G.(dB/m) | Amp.G.(dB) | Cbl.L.(dB) | Pol. |
|------|------------|---------------|---------------|------------|----------------|------------|------------|------|
| Peak |            |               |               |            |                |            |            |      |
| 1    | 34.821189  | 22.0          | 40.0          | 18.0       | 13.4           | 32.2       | 0.8        | V    |
| 2    | 68.751484  | 18.1          | 40.0          | 21.9       | 11.1           | 32.8       | 0.8        | V    |
| 3    | 98.832556  | 21.7          | 43.5          | 21.8       | 10.1           | 32.9       | 1.4        | V    |
| 4    | 188.082452 | 14.2          | 43.5          | 29.3       | 10.7           | 32.8       | 2.1        | V    |
| 5    | 353.562708 | 15.2          | 46.0          | 30.8       | 13.9           | 32.5       | 2.7        | V    |
| 6    | 559.710646 | 36.3          | 46.0          | 9.7        | 17.6           | 32.4       | 3.1        | V    |