


1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5310 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1430.950000	32.4	74.0	41.6	25.5	61.4	2.4	V
2	2323.450000	35.3	74.0	38.7	27.2	59.9	2.8	V
3	3650.300000	37.4	74.0	36.6	29.7	59.0	3.2	V
4	5831.400000	44.3	74.0	29.7	33.9	58.1	4.1	V
5	9993.000000	51.3	74.0	22.7	38.6	60.2	5.4	V
6	17688.900000	54.8	74.0	19.2	40.4	57.9	6.9	V
Avg								
1	1430.950000	23.8	54.0	30.2	25.5	61.4	2.4	V
2	2323.450000	26.1	54.0	27.9	27.2	59.9	2.8	V
3	3650.300000	28.7	54.0	25.3	29.7	59.0	3.2	V
4	5831.400000	36.5	54.0	17.5	33.9	58.1	4.1	V
5	9993.000000	43.0	54.0	11.0	38.6	60.2	5.4	V
6	17688.900000	47.0	54.0	7.0	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5290 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	31.898601	13.7	40.0	26.3	13.3	32.2	0.8	H
2	85.148633	21.3	40.0	18.7	9.4	32.9	1.0	H
3	121.548576	18.4	43.5	25.1	12.3	32.9	1.4	H
4	199.635245	26.1	43.5	17.4	9.9	32.8	2.3	H
5	333.686743	18.3	46.0	27.7	13.2	32.6	2.7	H
6	559.710646	40.8	46.0	5.2	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5290 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1436.050000	32.8	74.0	41.2	25.5	61.4	2.4	H
2	2482.400000	37.0	74.0	37.0	27.7	58.9	2.8	H
3	4473.950000	41.0	74.0	33.0	31.6	58.0	3.5	H
4	7705.650000	47.0	74.0	27.0	36.5	57.7	4.8	H
5	11876.600000	50.2	74.0	23.8	39.0	60.0	5.9	H
6	17866.550000	55.3	74.0	18.7	41.5	57.7	7.0	H
Avg								
1	1436.050000	23.9	54.0	30.1	25.5	61.4	2.4	H
2	2482.400000	26.8	54.0	27.2	27.7	58.9	2.8	H
3	4473.950000	32.0	54.0	22.0	31.6	58.0	3.5	H
4	7705.650000	37.7	54.0	16.3	36.5	57.7	4.8	H
5	11876.600000	42.1	54.0	11.9	39.0	60.0	5.9	H
6	17866.550000	46.9	54.0	7.1	41.5	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5290 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	51.300512	30.6	40.0	9.4	13.4	32.7	0.8	V
2	78.413354	19.8	40.0	20.2	9.5	32.9	0.9	V
3	104.536051	21.9	43.5	21.6	10.6	32.9	1.4	V
4	179.701149	17.3	43.5	26.2	11.7	32.8	1.9	V
5	364.259529	20.5	46.0	25.5	14.1	32.5	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5290 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1495.550000	32.4	74.0	41.6	25.4	61.4	2.4	V
2	2512.150000	37.3	74.0	36.7	27.8	58.8	2.8	V
3	4383.000000	40.6	74.0	33.4	31.5	58.1	3.5	V
4	7590.900000	47.2	74.0	26.8	36.3	57.7	4.7	V
5	11536.600000	50.1	74.0	23.9	39.1	60.9	5.8	V
6	17894.600000	55.1	74.0	18.9	41.7	57.7	7.0	V
Avg								
1	1495.550000	23.2	54.0	30.8	25.4	61.4	2.4	V
2	2512.150000	27.9	54.0	26.1	27.8	58.8	2.8	V
3	4383.000000	32.3	54.0	21.7	31.5	58.1	3.5	V
4	7590.900000	38.8	54.0	15.2	36.3	57.7	4.7	V
5	11536.600000	40.3	54.0	13.7	39.1	60.9	5.8	V
6	17894.600000	46.4	54.0	7.60	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5250 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	14.2	40.0	25.8	14.1	32.4	0.8	H
2	84.701941	21.6	40.0	18.4	9.4	32.9	1.0	H
3	137.179492	18.8	43.5	24.7	13.3	32.9	1.4	H
4	202.100455	25.7	43.5	17.8	10.0	32.8	2.4	H
5	333.686743	17.6	46.0	28.4	13.2	32.6	2.7	H
6	559.710646	40.8	46.0	5.2	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5250 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1428.400000	32.2	74.0	41.8	25.5	61.4	2.4	H
2	2518.100000	36.5	74.0	37.5	27.8	58.8	2.8	H
3	4061.700000	39.8	74.0	34.2	30.8	58.3	3.3	H
4	5826.300000	53.1	74.0	20.9	33.9	58.1	4.1	H
5	10299.850000	52.0	74.0	22.0	38.8	60.8	5.5	H
6	17797.700000	55.1	74.0	18.9	41.1	57.8	7.0	H
Avg								
1	1428.400000	24.0	54.0	30.0	25.5	61.4	2.4	H
2	2518.100000	28.2	54.0	25.8	27.8	58.8	2.8	H
3	4061.700000	31.4	54.0	22.6	30.8	58.3	3.3	H
4	5826.300000	46.2	54.0	7.8	33.9	58.1	4.1	H
5	10299.850000	43.6	54.0	10.4	38.8	60.8	5.5	H
6	17797.700000	47.3	54.0	6.7	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5250 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	22.3	40.0	17.7	13.4	32.2	0.8	V
2	74.005250	18.5	40.0	21.5	10.2	32.9	0.9	V
3	97.285267	20.9	43.5	22.6	10.0	32.9	1.3	V
4	191.409140	14.6	43.5	28.9	10.4	32.8	2.2	V
5	340.781669	17.1	46.0	28.9	13.6	32.5	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5250 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1423.300000	32.9	74.0	41.1	25.5	61.4	2.4	V
2	2317.500000	36.3	74.0	37.7	27.2	59.9	2.8	V
3	3851.750000	38.9	74.0	35.1	30.6	58.8	3.2	V
4	6360.100000	45.8	74.0	28.2	34.5	58.0	4.2	V
5	10625.400000	51.2	74.0	22.8	38.9	61.1	5.6	V
6	17891.200000	55.9	74.0	18.1	41.7	57.7	7.0	V
Avg								
1	1423.300000	22.9	54.0	31.1	25.5	61.4	2.4	V
2	2317.500000	26.3	54.0	27.7	27.2	59.9	2.8	V
3	3851.750000	31.6	54.0	22.4	30.6	58.8	3.2	V
4	6360.100000	37.3	54.0	16.7	34.5	58.0	4.2	V
5	10625.400000	43.5	54.0	10.5	38.9	61.1	5.6	V
6	17891.200000	46.6	54.0	7.4	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5470MHz-5725MHz

5500 MHz




Mk.	Freq.(MHz)	Level(d BuV/m)	Limit(dBu V/m)	Margin(d B)	Ant.F/G.(d B/m)	Amp.G.(dB)	Cbl.L. (dB)	Pol.
Peak								
1	43.050457	16.7	40.0	23.3	13.9	32.5	0.8	H
2	78.001995	20.1	40.0	19.9	9.6	32.9	0.9	H
3	137.179492	18.7	43.5	24.8	13.3	32.9	1.4	H
4	199.985568	24.8	43.5	18.7	9.9	32.8	2.3	H
5	333.686743	15.9	46.0	30.1	13.2	32.6	2.7	H
6	559.710646	40.8	46.0	5.2	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5500 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1422.450000	32.9	74.0	41.1	25.5	61.4	2.4	H
2	2455.200000	45.3	74.0	28.7	27.6	59.1	2.8	H
3	4081.250000	40.3	74.0	33.7	30.8	58.3	3.3	H
4	6462.100000	46.9	74.0	27.1	34.9	58.0	4.2	H
5	10736.750000	52.1	74.0	21.9	38.9	61.1	5.6	H
6	17800.250000	57.1	74.0	16.9	41.1	57.8	7.0	H
Avg								
1	1422.450000	24.1	54.0	29.9	25.5	61.4	2.4	H
2	2455.200000	38.7	54.0	15.3	27.6	59.1	2.8	H
3	4081.250000	32.2	54.0	21.8	30.8	58.3	3.3	H
4	6462.100000	39.0	54.0	15.0	34.9	58.0	4.2	H
5	10736.750000	44.6	54.0	9.4	38.9	61.1	5.6	H
6	17800.250000	48.9	54.0	5.1	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5500 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	22.2	40.0	17.8	14.0	32.4	0.8	V
2	68.271009	18.9	40.0	21.1	11.2	32.8	0.8	V
3	106.012629	21.0	43.5	22.5	10.7	32.9	1.4	V
4	202.810376	16.8	43.5	26.7	10.0	32.8	2.4	V
5	399.730428	21.9	46.0	24.1	14.7	32.3	2.7	V
6	559.710646	36.9	46.0	9.1	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5500 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1470.900000	33.3	74.0	40.7	25.5	61.4	2.4	V
2	2448.400000	44.3	74.0	29.7	27.5	59.2	2.8	V
3	3943.550000	40.7	74.0	33.3	30.8	58.5	3.2	V
4	6573.450000	47.8	74.0	26.2	35.3	58.1	4.2	V
5	11262.900000	51.6	74.0	22.4	39.0	61.1	5.7	V
6	17797.700000	56.4	74.0	17.6	41.1	57.8	7.0	V
Avg								
1	1470.900000	24.0	54.0	30.0	25.5	61.4	2.4	V
2	2448.400000	39.8	54.0	14.2	27.5	59.2	2.8	V
3	3943.550000	31.7	54.0	22.3	30.8	58.5	3.2	V
4	6573.450000	39.1	54.0	14.9	35.3	58.1	4.2	V
5	11262.900000	43.4	54.0	10.6	39.0	61.1	5.7	V
6	17797.700000	48.6	54.0	5.4	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5580 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	20.2	40.0	19.8	13.6	32.6	0.8	H
2	82.793197	18.8	40.0	21.2	9.3	32.9	1.0	H
3	126.994777	18.0	43.5	25.5	12.6	32.9	1.4	H
4	166.068049	24.8	43.5	18.7	13.6	32.9	1.7	H
5	333.686743	19.4	46.0	26.6	13.2	32.6	2.7	H
6	559.710646	40.7	46.0	5.3	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5580 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1442.850000	32.7	74.0	41.3	25.5	61.4	2.4	H
2	2286.050000	36.4	74.0	37.6	27.2	60.0	2.8	H
3	3743.800000	38.9	74.0	35.1	30.1	58.9	3.2	H
4	6355.000000	46.3	74.0	27.7	34.5	58.0	4.2	H
5	9878.250000	51.9	74.0	22.1	38.3	59.7	5.4	H
6	17803.650000	55.8	74.0	18.2	41.1	57.8	7.0	H
Avg								
1	1442.850000	24.9	54.0	29.1	25.5	61.4	2.4	H
2	2286.050000	26.8	54.0	27.2	27.2	60.0	2.8	H
3	3743.800000	29.7	54.0	24.3	30.1	58.9	3.2	H
4	6355.000000	38.2	54.0	15.8	34.5	58.0	4.2	H
5	9878.250000	44.1	54.0	9.9	38.3	59.7	5.4	H
6	17803.650000	48.2	54.0	5.8	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5580 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.505724	22.2	40.0	17.8	13.9	32.5	0.8	V
2	72.084342	18.6	40.0	21.4	10.5	32.8	0.8	V
3	98.314078	21.3	43.5	22.2	10.0	32.9	1.3	V
4	179.072120	17.5	43.5	26.0	11.8	32.8	1.9	V
5	399.730428	22.4	46.0	23.6	14.7	32.3	2.7	V
6	559.710646	37.3	46.0	8.7	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5580 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1340.850000	33.6	74.0	40.4	25.7	61.2	2.3	V
2	2161.100000	35.0	74.0	39.0	27.2	60.7	2.7	V
3	3267.800000	38.0	74.0	36.0	29.6	58.3	3.1	V
4	5324.800000	44.4	74.0	29.6	32.8	57.8	3.9	V
5	9372.500000	51.3	74.0	22.7	38.6	59.3	5.4	V
6	17597.100000	56.2	74.0	17.8	39.8	58.0	6.9	V
Avg								
1	1340.850000	24.6	54.0	29.4	25.7	61.2	2.3	V
2	2161.100000	26.3	54.0	27.7	27.2	60.7	2.7	V
3	3267.800000	28.7	54.0	25.3	29.6	58.3	3.1	V
4	5324.800000	34.9	54.0	19.1	32.8	57.8	3.9	V
5	9372.500000	44.4	54.0	9.6	38.6	59.3	5.4	V
6	17597.100000	47.0	54.0	7.0	39.8	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5700 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	37.745902	13.1	40.0	26.9	13.8	32.3	0.8	H
2	75.578767	19.7	40.0	20.3	10.0	32.9	0.9	H
3	120.065933	20.0	43.5	23.5	12.2	32.9	1.4	H
4	199.985568	25.8	43.5	17.7	9.9	32.8	2.3	H
5	383.931815	17.3	46.0	28.7	13.7	32.4	2.7	H
6	559.710646	40.7	46.0	5.3	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5700 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1323.850000	32.7	74.0	41.3	25.8	61.1	2.3	H
2	2082.050000	35.1	74.0	38.9	27.0	60.9	2.7	H
3	3541.500000	38.2	74.0	35.8	29.5	59.0	3.1	H
4	6035.400000	46.0	74.0	28.0	34.0	58.0	4.1	H
5	10723.150000	51.6	74.0	22.4	38.9	61.1	5.6	H
6	17783.250000	56.6	74.0	17.4	41.0	57.8	7.0	H
Avg								
1	1323.850000	24.1	54.0	29.9	25.8	61.1	2.3	H
2	2082.050000	26.0	54.0	28.0	27.0	60.9	2.7	H
3	3541.500000	29.7	54.0	24.3	29.5	59.0	3.1	H
4	6035.400000	38.2	54.0	15.8	34.0	58.0	4.1	H
5	10723.150000	43.5	54.0	10.5	38.9	61.1	5.6	H
6	17783.250000	46.7	54.0	7.3	41.0	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5700 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	21.5	40.0	18.5	14.1	32.4	0.8	V
2	69.722603	17.5	40.0	22.5	10.9	32.8	0.8	V
3	105.087342	21.3	43.5	22.2	10.6	32.9	1.4	V
4	183.200514	16.1	43.5	27.4	11.3	32.8	2.0	V
5	343.782228	16.4	46.0	29.6	13.7	32.5	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5700 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1436.900000	33.3	74.0	40.7	25.5	61.4	2.4	V
2	2504.500000	36.8	74.0	37.2	27.7	58.8	2.8	V
3	4052.350000	39.9	74.0	34.1	30.8	58.3	3.3	V
4	6863.300000	47.0	74.0	27.0	35.8	58.6	4.3	V
5	11781.400000	50.6	74.0	23.4	39.0	60.2	5.8	V
6	17809.600000	56.5	74.0	17.5	41.2	57.8	7.0	V
Avg								
1	1436.900000	24.4	54.0	29.6	25.5	61.4	2.4	V
2	2504.500000	28.6	54.0	25.4	27.7	58.8	2.8	V
3	4052.350000	30.9	54.0	23.1	30.8	58.3	3.3	V
4	6863.300000	37.9	54.0	16.1	35.8	58.6	4.3	V
5	11781.400000	42.1	54.0	11.9	39.0	60.2	5.8	V
6	17809.600000	47.1	54.0	6.9	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5500 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.050457	16.7	40.0	23.3	13.9	32.5	0.8	H
2	75.050579	20.4	40.0	19.6	10.0	32.9	0.9	H
3	138.630193	19.0	43.5	24.5	13.4	32.9	1.4	H
4	199.635245	25.2	43.5	18.3	9.9	32.8	2.3	H
5	334.272302	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.8	46.0	5.2	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5500 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1422.450000	32.9	74.0	41.1	25.5	61.4	2.4	H
2	2455.200000	45.3	74.0	28.7	27.6	59.1	2.8	H
3	4081.250000	40.3	74.0	33.7	30.8	58.3	3.3	H
4	6462.100000	46.9	74.0	27.1	34.9	58.0	4.2	H
5	10736.750000	52.1	74.0	21.9	38.9	61.1	5.6	H
6	17800.250000	57.1	74.0	16.9	41.1	57.8	7.0	H
Avg								
1	1422.450000	24.1	54.0	29.9	25.5	61.4	2.4	H
2	2455.200000	38.7	54.0	15.3	27.6	59.1	2.8	H
3	4081.250000	32.2	54.0	21.8	30.8	58.3	3.3	H
4	6462.100000	39.0	54.0	15.0	34.9	58.0	4.2	H
5	10736.750000	44.6	54.0	9.4	38.9	61.1	5.6	H
6	17800.250000	48.9	54.0	5.1	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5500 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	35.313041	22.4	40.0	17.6	13.4	32.3	0.8	V
2	65.803061	18.1	40.0	21.9	11.6	32.8	0.8	V
3	100.228572	22.6	43.5	20.9	10.2	32.9	1.4	V
4	179.701149	16.1	43.5	27.4	11.7	32.8	1.9	V
5	316.588964	17.7	46.0	28.3	13.1	32.6	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5500 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1429.250000	33.0	74.0	41.0	25.5	61.4	2.4	V
2	2158.550000	34.8	74.0	39.2	27.2	60.7	2.7	V
3	3470.100000	38.0	74.0	36.0	29.5	58.7	3.1	V
4	6046.450000	45.8	74.0	28.2	34.0	58.0	4.1	V
5	11155.800000	51.3	74.0	22.7	39.0	61.1	5.7	V
6	17801.100000	56.1	74.0	17.9	41.1	57.8	7.0	V
Avg								
1	1429.250000	24.2	54.0	29.8	25.5	61.4	2.4	V
2	2158.550000	25.7	54.0	28.3	27.2	60.7	2.7	V
3	3470.100000	28.1	54.0	25.9	29.5	58.7	3.1	V
4	6046.450000	36.6	54.0	17.4	34.0	58.0	4.1	V
5	11155.800000	43.0	54.0	11.0	39.0	61.1	5.7	V
6	17801.100000	47.4	54.0	6.6	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5580 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.599954	16.1	40.0	23.9	13.9	32.4	0.8	H
2	79.381647	20.6	40.0	19.4	9.4	32.9	0.9	H
3	128.337772	16.8	43.5	26.7	12.7	32.9	1.4	H
4	199.635245	26.1	43.5	17.4	9.9	32.8	2.3	H
5	334.272302	17.1	46.0	28.9	13.2	32.6	2.7	H
6	559.710646	40.8	46.0	5.2	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5580 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1557.600000	33.1	74.0	40.9	25.3	61.3	2.5	H
2	2410.150000	42.6	74.0	31.4	27.4	59.4	2.8	H
3	4281.000000	41.0	74.0	33.0	31.3	58.2	3.4	H
4	6879.450000	46.7	74.0	27.3	35.8	58.6	4.3	H
5	11547.650000	50.8	74.0	23.2	39.1	60.9	5.8	H
6	17689.750000	56.1	74.0	17.9	40.4	57.9	6.9	H
Avg								
1	1557.600000	23.2	54.0	30.8	25.3	61.3	2.5	H
2	2410.150000	36.4	54.0	17.6	27.4	59.4	2.8	H
3	4281.000000	31.5	54.0	22.5	31.3	58.2	3.4	H
4	6879.450000	38.2	54.0	15.8	35.8	58.6	4.3	H
5	11547.650000	40.9	54.0	13.1	39.1	60.9	5.8	H
6	17689.750000	47.3	54.0	6.7	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5580 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	20.4	40.0	19.6	13.9	32.3	0.8	V
2	71.080328	18.6	40.0	21.4	10.7	32.8	0.8	V
3	98.832556	21.2	43.5	22.3	10.1	32.9	1.4	V
4	180.332388	16.2	43.5	27.3	11.6	32.8	2.0	V
5	305.679971	18.5	46.0	27.5	12.9	32.7	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5580 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1350.200000	32.6	74.0	41.4	25.7	61.2	2.3	V
2	2356.600000	34.7	74.0	39.3	27.3	59.7	2.8	V
3	3965.650000	40.3	74.0	33.7	30.8	58.5	3.3	V
4	6462.950000	46.3	74.0	27.7	34.9	58.0	4.2	V
5	10306.650000	51.9	74.0	22.1	38.8	60.8	5.5	V
6	17799.400000	56.0	74.0	18.0	41.1	57.8	7.0	V
Avg								
1	1350.200000	24.4	54.0	29.6	25.7	61.2	2.3	V
2	2356.600000	26.8	54.0	27.2	27.3	59.7	2.8	V
3	3965.650000	31.2	54.0	22.8	30.8	58.5	3.3	V
4	6462.950000	38.4	54.0	15.6	34.9	58.0	4.2	V
5	10306.650000	43.9	54.0	10.1	38.8	60.8	5.5	V
6	17799.400000	47.6	54.0	6.4	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5700 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	14.0	40.0	26.0	14.1	32.4	0.8	H
2	70.707439	20.7	40.0	19.3	10.7	32.8	0.8	H
3	121.548576	16.4	43.5	27.1	12.3	32.9	1.4	H
4	202.100455	25.1	43.5	18.4	10.0	32.8	2.4	H
5	341.379678	15.8	46.0	30.2	13.3	32.5	2.7	H
6	559.710646	40.7	46.0	5.3	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5700 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1433.500000	32.2	74.0	41.8	25.5	61.4	2.4	H
2	2196.800000	35.5	74.0	38.5	27.2	60.5	2.7	H
3	3740.400000	39.2	74.0	34.8	30.1	58.9	3.2	H
4	6048.150000	46.0	74.0	28.0	34.0	58.0	4.1	H
5	10621.150000	51.9	74.0	22.1	38.9	61.1	5.6	H
6	17778.150000	56.6	74.0	17.4	41.0	57.8	7.0	H
Avg								
1	1433.500000	23.9	54.0	30.1	25.5	61.4	2.4	H
2	2196.800000	25.7	54.0	28.3	27.2	60.5	2.7	H
3	3740.400000	29.7	54.0	24.3	30.1	58.9	3.2	H
4	6048.150000	36.9	54.0	17.1	34.0	58.0	4.1	H
5	10621.150000	42.4	54.0	11.6	38.9	61.1	5.6	H
6	17778.150000	45.4	54.0	8.6	41.0	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5700 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.760192	21.8	40.0	18.2	13.4	32.2	0.8	V
2	68.271009	17.8	40.0	22.2	11.2	32.8	0.8	V
3	100.228572	22.6	43.5	20.9	10.2	32.9	1.4	V
4	199.985568	17.7	43.5	25.8	9.9	32.8	2.3	V
5	352.943357	15.5	46.0	30.5	13.9	32.5	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5700 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1542.300000	33.0	74.0	41.0	25.4	61.3	2.5	V
2	2504.500000	37.5	74.0	36.5	27.7	58.8	2.8	V
3	4366.850000	40.6	74.0	33.4	31.5	58.1	3.5	V
4	6768.100000	47.7	74.0	26.3	35.8	58.4	4.3	V
5	11460.100000	49.7	74.0	24.3	39.1	61.1	5.8	V
6	17692.300000	55.6	74.0	18.4	40.4	57.9	6.9	V
Avg								
1	1542.300000	24.3	54.0	29.7	25.4	61.3	2.5	V
2	2504.500000	27.8	54.0	26.2	27.7	58.8	2.8	V
3	4366.850000	32.6	54.0	21.4	31.5	58.1	3.5	V
4	6768.100000	39.4	54.0	14.6	35.8	58.4	4.3	V
5	11460.100000	40.9	54.0	13.1	39.1	61.1	5.8	V
6	17692.300000	47.7	54.0	6.3	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5510 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.050457	16.7	40.0	23.3	13.9	32.5	0.8	H
2	76.512057	21.6	40.0	18.4	9.8	32.9	0.9	H
3	121.548576	17.6	43.5	25.9	12.3	32.9	1.4	H
4	199.985568	24.9	43.5	18.6	9.9	32.8	2.3	H
5	381.917698	17.8	46.0	28.2	13.7	32.4	2.7	H
6	559.710646	40.5	46.0	5.5	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5510 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1443.700000	33.2	74.0	40.8	25.5	61.4	2.4	H
2	2363.400000	34.7	74.0	39.3	27.3	59.7	2.8	H
3	3961.400000	40.1	74.0	33.9	30.8	58.5	3.3	H
4	6766.400000	46.4	74.0	27.6	35.8	58.4	4.3	H
5	11333.450000	50.8	74.0	23.2	39.1	61.1	5.8	H
6	17588.600000	56.2	74.0	17.8	39.8	58.0	6.9	H
Avg								
1	1443.700000	24.8	54.0	29.2	25.5	61.4	2.4	H
2	2363.400000	26.8	54.0	27.2	27.3	59.7	2.8	H
3	3961.400000	31.7	54.0	22.3	30.8	58.5	3.3	H
4	6766.400000	38.8	54.0	15.2	35.8	58.4	4.3	H
5	11333.450000	42.3	54.0	11.7	39.1	61.1	5.8	H
6	17588.600000	47.8	54.0	6.2	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5510 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	21.3	40.0	18.7	14.0	32.4	0.8	V
2	64.886534	18.0	40.0	22.0	11.8	32.8	0.8	V
3	100.228572	21.0	43.5	22.5	10.2	32.9	1.4	V
4	187.424085	17.0	43.5	26.5	10.8	32.8	2.1	V
5	333.686743	22.8	46.0	23.2	13.5	32.6	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5510 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1426.700000	32.8	74.0	41.2	25.5	61.4	2.4	V
2	2276.700000	35.8	74.0	38.2	27.2	60.1	2.8	V
3	3760.800000	39.4	74.0	34.6	30.2	58.9	3.2	V
4	5226.200000	51.4	74.0	22.6	32.9	57.6	3.8	V
5	9364.850000	51.8	74.0	22.2	38.6	59.3	5.4	V
6	17682.950000	56.2	74.0	17.8	40.4	57.9	6.9	V
Avg								
1	1426.700000	24.7	54.0	29.3	25.5	61.4	2.4	V
2	2276.700000	27.0	54.0	27.0	27.2	60.1	2.8	V
3	3760.800000	30.6	54.0	23.4	30.2	58.9	3.2	V
4	5226.200000	41.4	54.0	12.6	32.9	57.6	3.8	V
5	9364.850000	43.4	54.0	10.6	38.6	59.3	5.4	V
6	17682.950000	47.7	54.0	6.3	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5550 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	14.2	40.0	25.8	13.9	32.3	0.8	H
2	76.512057	19.9	40.0	20.1	9.8	32.9	0.9	H
3	118.186220	17.4	43.5	26.1	12.0	32.9	1.4	H
4	166.651398	25.6	43.5	17.9	13.5	32.9	1.7	H
5	333.686743	15.7	46.0	30.3	13.2	32.6	2.7	H
6	559.710646	40.6	46.0	5.4	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5550 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1341.700000	33.4	74.0	40.6	25.7	61.2	2.3	H
2	2072.700000	34.3	74.0	39.7	27.0	60.9	2.7	H
3	3441.200000	37.7	74.0	36.3	29.5	58.5	3.1	H
4	6035.400000	45.9	74.0	28.1	34.0	58.0	4.1	H
5	10709.550000	51.9	74.0	22.1	38.9	61.1	5.6	H
6	17577.550000	56.3	74.0	17.7	39.7	58.1	6.9	H
Avg								
1	1341.700000	23.9	54.0	30.1	25.7	61.2	2.3	H
2	2072.700000	27.0	54.0	27.0	27.0	60.9	2.7	H
3	3441.200000	29.2	54.0	24.8	29.5	58.5	3.1	H
4	6035.400000	37.5	54.0	16.5	34.0	58.0	4.1	H
5	10709.550000	42.8	54.0	11.2	38.9	61.1	5.6	H
6	17577.550000	47.9	54.0	6.1	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5550 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.575706	21.3	40.0	18.7	14.0	32.4	0.8	V
2	68.271009	17.4	40.0	22.6	11.2	32.8	0.8	V
3	104.536051	20.8	43.5	22.7	10.6	32.9	1.4	V
4	201.040231	17.0	43.5	26.5	9.9	32.8	2.4	V
5	352.943357	16.3	46.0	29.7	13.9	32.5	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5550 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1434.350000	32.7	74.0	41.3	25.5	61.4	2.4	V
2	2382.950000	36.1	74.0	37.9	27.3	59.6	2.8	V
3	4385.550000	41.6	74.0	32.4	31.5	58.1	3.5	V
4	7394.550000	49.4	74.0	24.6	36.5	57.5	4.6	V
5	11830.700000	50.7	74.0	23.3	39.0	60.1	5.9	V
6	17790.900000	55.9	74.0	18.1	41.1	57.8	7.0	V
Avg								
1	1434.350000	24.1	54.0	29.9	25.5	61.4	2.4	V
2	2382.950000	26.1	54.0	27.9	27.3	59.6	2.8	V
3	4385.550000	32.9	54.0	21.1	31.5	58.1	3.5	V
4	7394.550000	41.0	54.0	13.0	36.5	57.5	4.6	V
5	11830.700000	41.2	54.0	12.8	39.0	60.1	5.9	V
6	17790.900000	47.8	54.0	6.2	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5670 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	13.2	40.0	26.8	13.9	32.3	0.8	H
2	77.456872	20.4	40.0	19.6	9.7	32.9	0.9	H
3	125.006589	21.7	43.5	21.8	12.5	32.9	1.4	H
4	202.810376	26.2	43.5	17.3	10.0	32.8	2.4	H
5	381.917698	17.2	46.0	28.8	13.7	32.4	2.7	H
6	559.710646	40.7	46.0	5.3	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5670 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1446.250000	33.0	74.0	41.0	25.5	61.4	2.4	H
2	2427.150000	47.6	74.0	26.4	27.4	59.3	2.8	H
3	4377.050000	41.7	74.0	32.3	31.5	58.1	3.5	H
4	7394.550000	50.0	74.0	24.0	36.5	57.5	4.6	H
5	11852.800000	51.1	74.0	22.9	39.0	60.0	5.9	H
6	17803.650000	55.8	74.0	18.2	41.1	57.8	7.0	H
Avg								
1	1446.250000	22.9	54.0	31.1	25.5	61.4	2.4	H
2	2427.150000	42.9	54.0	11.1	27.4	59.3	2.8	H
3	4377.050000	33.3	54.0	20.7	31.5	58.1	3.5	H
4	7394.550000	42.0	54.0	12.0	36.5	57.5	4.6	H
5	11852.800000	41.9	54.0	12.1	39.0	60.0	5.9	H
6	17803.650000	47.4	54.0	6.6	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5670 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	21.4	40.0	18.6	14.0	32.4	0.8	V
2	65.803061	17.7	40.0	22.3	11.6	32.8	0.8	V
3	104.536051	22.6	43.5	20.9	10.6	32.9	1.4	V
4	176.268627	17.2	43.5	26.3	12.2	32.8	1.9	V
5	333.686743	24.3	46.0	21.7	13.5	32.6	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5670 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1429.250000	32.8	74.0	41.2	25.5	61.4	2.4	V
2	2432.250000	52.1	74.0	21.9	27.5	59.3	2.8	V
3	3632.450000	38.2	74.0	35.8	29.7	59.0	3.2	V
4	5235.550000	47.8	74.0	26.2	32.9	57.7	3.8	V
5	8741.800000	50.8	74.0	23.2	38.1	57.9	5.2	V
6	17796.850000	55.8	74.0	18.2	41.1	57.8	7.0	V
Avg								
1	1429.250000	25.0	54.0	29.0	25.5	61.4	2.4	V
2	2432.250000	47.2	54.0	6.8	27.5	59.3	2.8	V
3	3632.450000	29.4	54.0	24.6	29.7	59.0	3.2	V
4	5235.550000	37.0	54.0	17.0	32.9	57.7	3.8	V
5	8741.800000	41.8	54.0	12.2	38.1	57.9	5.2	V
6	17796.850000	48.1	54.0	5.9	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5530 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	13.4	40.0	26.6	14.1	32.4	0.8	H
2	78.001995	19.7	40.0	20.3	9.6	32.9	0.9	H
3	126.994777	17.4	43.5	26.1	12.6	32.9	1.4	H
4	199.985568	25.5	43.5	18.0	9.9	32.8	2.3	H
5	334.272302	16.6	46.0	29.4	13.2	32.6	2.7	H
6	559.710646	40.5	46.0	5.5	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5530 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1515.100000	32.7	74.0	41.3	25.4	61.4	2.5	H
2	2445.000000	41.3	74.0	32.7	27.5	59.2	2.8	H
3	4582.750000	43.2	74.0	30.8	31.6	57.9	3.6	H
4	8231.800000	50.7	74.0	23.3	37.1	56.8	5.0	H
5	11567.200000	50.1	74.0	23.9	39.1	60.9	5.8	H
6	17680.400000	55.5	74.0	18.5	40.4	57.9	6.9	H
Avg								
1	1515.100000	24.1	54.0	29.9	25.4	61.4	2.5	H
2	2445.000000	26.5	54.0	27.5	27.5	59.2	2.8	H
3	4582.750000	34.4	54.0	19.6	31.6	57.9	3.6	H
4	8231.800000	41.3	54.0	12.7	37.1	56.8	5.0	H
5	11567.200000	41.4	54.0	12.6	39.1	60.9	5.8	H
6	17680.400000	46.8	54.0	7.2	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5530 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	22.6	40.0	17.4	13.4	32.2	0.8	V
2	58.612615	20.5	40.0	19.5	12.9	32.7	0.8	V
3	104.536051	21.0	43.5	22.5	10.6	32.9	1.4	V
4	187.095766	16.5	43.5	27.0	10.8	32.8	2.1	V
5	308.912598	18.4	46.0	27.6	13.0	32.7	2.7	V
6	559.710646	36.4	46.0	9.6	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5530 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1317.050000	32.7	74.0	41.3	25.8	61.1	2.3	V
2	2270.750000	35.2	74.0	38.8	27.2	60.1	2.8	V
3	3856.850000	39.9	74.0	34.1	30.6	58.7	3.2	V
4	6667.800000	46.4	74.0	27.6	35.7	58.1	4.3	V
5	10101.800000	51.2	74.0	22.8	38.6	60.4	5.4	V
6	17794.300000	55.9	74.0	18.1	41.1	57.8	7.0	V
Avg								
1	1317.050000	23.8	54.0	30.2	25.8	61.1	2.3	V
2	2270.750000	26.7	54.0	27.3	27.2	60.1	2.8	V
3	3856.850000	31.6	54.0	22.4	30.6	58.7	3.2	V
4	6667.800000	38.1	54.0	15.9	35.7	58.1	4.3	V
5	10101.800000	43.8	54.0	10.2	38.6	60.4	5.4	V
6	17794.300000	47.4	54.0	6.6	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5610 Horizontal



Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	13.7	40.0	26.3	13.9	32.3	0.8	H
2	79.381647	20.6	40.0	19.4	9.4	32.9	0.9	H
3	139.850822	18.6	43.5	24.9	13.5	32.9	1.4	H
4	199.635245	26.6	43.5	16.9	9.9	32.8	2.3	H
5	333.686743	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.4	46.0	5.6	15.5	32.4	3.1	H