



正面



背面



Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

9.0 mm

Model: 6519-W1-NA
This device complies with Part 15 & Part 68 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

36.0 mm

