



NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 30 MHz

CH 502200 (2511 MHz) QPSK

1 RB




FULL RB




CH 534996 (2674.98 MHz) QPSK

1 RB



FULL RB



NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 40 MHz



CH 503202 (2516.01 MHz)



CH 518598 (2592.99 MHz)




CH 534000 (2670 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 40 MHz

CH 503202 (2516.01 MHz) QPSK



CH 534000 (2670 MHz) QPSK



[RBW = 200 kHz / Reference RBW = 820 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(820/200)

To compensate for this integration before comparison to the limit, 6.13 dB was added to Ref Lvl Offset.

i.e. 15 dB CF + 6.13 dB integration compensation factor = 21.13 dB Ref Lvl Offset

NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 50 MHz



CH 504204 (2521.02 MHz)



CH 518598 (2592.99 MHz)



CH 532998 (2664.99 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 50 MHz

CH 504204 (2521.02 MHz) QPSK



CH 532998 (2664.99 MHz) QPSK




[RBW = 200 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(1000/200)

To compensate for this integration before comparison to the limit, 6.99 dB was added to Ref Lvl Offset.

i.e. 15 dB CF + 6.99 dB integration compensation factor = 21.99 dB Ref Lvl Offset

NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 60 MHz



CH 505200 (2526 MHz)



CH 518598 (2592.99 MHz)



CH 531996 (2659.98 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC3, Channel Bandwidth: 60 MHz




[RBW = 200 kHz / Reference RBW = 620 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(620/200)

To compensate for this integration before comparison to the limit, 4.91 dB was added to Ref Lvl Offset.

i.e. 15 dB CF + 4.91 dB integration compensation factor = 19.91 dB Ref Lvl Offset

CH 531996 (2659.98 MHz) QPSK



[RBW = 200 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(1000/200)

To compensate for this integration before comparison to the limit, 6.99 dB was added to Ref Lvl Offset.

i.e. 15 dB CF + 6.99 dB integration compensation factor = 21.99 dB Ref Lvl Offset

