




NR n2 SCS 15 kHz, Channel Bandwidth: 15 MHz



CH 371500 (1857.5 MHz)




CH 376000 (1880 MHz)




CH 380500 (1902.5 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n2 SCS 15 kHz, Channel Bandwidth: 15 MHz




NR n2 SCS 15 kHz, Channel Bandwidth: 20 MHz



CH 372000 (1860 MHz)



CH 376000 (1880 MHz)




CH 380000 (1900 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n2 SCS 15 kHz, Channel Bandwidth: 20 MHz


CH 372000 (1860MHz)




CH 380000 (1900 MHz)




NR n2 SCS 15 kHz, Channel Bandwidth: 25 MHz



CH 372500 (1862.5 MHz)




CH 376000 (1880 MHz)




CH 379500 (1897.5 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n2 SCS 15 kHz, Channel Bandwidth: 25 MHz




NR n2 SCS 15 kHz, Channel Bandwidth: 30 MHz



CH 373000 (1865 MHz)



CH 376000 (1880 MHz)




CH 379000 (1895 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n2 SCS 15 kHz, Channel Bandwidth: 30 MHz


CH 373000 (1865MHz)




CH 379000 (1895 MHz)




NR n2 SCS 15 kHz, Channel Bandwidth: 40 MHz



CH 374000 (1870 MHz)



CH 376000 (1880 MHz)




CH 378000 (1890 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n2 SCS 15 kHz, Channel Bandwidth: 40 MHz

CH 374000 (1870MHz)



[RBW = 200 kHz / Reference RBW = 430 kHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(430/200)

To compensate for this integration before comparison to the limit, 3.32 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 3.32 dB integration compensation factor = 18.32 dB Ref Lvl Offset

CH 378000 (1890 MHz)

1 RB



FULL RB



[RBW = 200 kHz / Reference RBW = 430 kHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=200kHz] + 10log(430/200)

To compensate for this integration before comparison to the limit, 3.32 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 3.32 dB integration compensation factor = 18.32 dB Ref Lvl Offset

7.5.2 NR n5 SCS 15 kHz


NR n5 SCS 15 kHz, Channel Bandwidth: 5 MHz




Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n5 SCS 15 kHz, Channel Bandwidth: 5 MHz


CH 165300 (826.5 MHz)




CH 169300 (846.5 MHz)




NR n5 SCS 15 kHz, Channel Bandwidth: 10 MHz



CH 165800 (829 MHz)



CH 167300 (836.5 MHz)




CH 168800 (844 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n5 SCS 15 kHz, Channel Bandwidth: 10 MHz

CH 165800 (829 MHz)

1 RB



FULL RB



CH 168800 (844 MHz)


1 RB




FULL RB




NR n5 SCS 15 kHz, Channel Bandwidth: 15 MHz



CH 166300 (831.5 MHz)



CH 167300 (836.5 MHz)




CH 168300 (841.5 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n5 SCS 15 kHz, Channel Bandwidth: 15 MHz


CH 166300 (831.5 MHz)




CH 168300 (841.5 MHz)



NR n5 SCS 15 kHz, Channel Bandwidth: 20 MHz



CH 166800 (834 MHz)



CH 167300 (836.5 MHz)



CH 167800 (839 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.