


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 80 MHz

CH 507204 (2536.02 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 529998 (2649.99 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 90 MHz



Channel 508200 (2541 MHz)



Channel 518598 (2592.99 MHz)




Channel 528996 (2644.98 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 90 MHz

CH 508200 (2541 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 528996 (2644.98 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 100 MHz



Channel 509202 (2546.01 MHz)



Channel 518598 (2592.99 MHz)



Channel 528000 (2640 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 100 MHz

CH 509202 (2546.01 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 528000 (2640 MHz)

1 RB



FULL RB



[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset