




NR n25 SCS 15 kHz, SISO, Channel Bandwidth: 40 MHz



Channel 374000 (1870 MHz)



Channel 376500 (1882.5 MHz)




Channel 379000 (1895 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n25 SCS 15 kHz, SISO, Channel Bandwidth: 40 MHz

CH 374000 (1870 MHz)




CH 37900 (1895 MHz)



7.5.2 NR n41 SCS 30 kHz - SISO

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 20 MHz




Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 20 MHz

CH 501204 (2506.02 MHz)

1 RB




FULL RB




CH 535998 (2679.99 MHz)


1 RB




FULL RB




NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 30 MHz



Channel 502200 (2511 MHz)



Channel 518598 (2592.99 MHz)




Channel 534996 (2674.98 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 30 MHz


CH 502200 (2511 MHz)




CH 534996 (2674.98 MHz)




NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 40 MHz



Channel 503202 (2516.01 MHz)



Channel 518598 (2592.99 MHz)




Channel 534000 (2670 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 40 MHz

CH 503202 (2516.01 MHz)



[RBW = 100 kHz / Reference RBW = 820 kHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(820/100)

To compensate for this integration before comparison to the limit, 9.13 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 9.13 dB integration compensation factor = 24.13 dB Ref Lvl Offset

CH 534000 (2670 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 820 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(820/100)


To compensate for this integration before comparison to the limit, 9.13 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 9.13 dB integration compensation factor = 24.13 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 50 MHz



Channel 504204 (2521.02 MHz)



Channel 518598 (2592.99 MHz)



Channel 532998 (2664.99 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.