


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 50 MHz

CH 504204 (2521.02 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 532998 (2664.99 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 60 MHz



Channel 505200 (2526 MHz)



Channel 518598 (2592.99 MHz)



Channel 531996 (2659.98 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 60 MHz

CH 505200 (2526 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 531996 (2659.98 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 70 MHz



Channel 506202 (2531.01 MHz)



Channel 518598 (2592.99 MHz)




Channel 531000 (2655 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 70 MHz

CH 506202 (2531.01 MHz)



[RBW = 100 kHz / Reference RBW = 1 MHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)

To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.


i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset

CH 531000 (2655 MHz)

1 RB



FULL RB




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 100 kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10.00 dB was added to Ref Lvl Offset.

i.e. 15.00 dB CF + 10.00 dB integration compensation factor = 25.00 dB Ref Lvl Offset


NR n41 SCS 30 kHz, SISO, Channel Bandwidth: 80 MHz



Channel 507204 (2536.02 MHz)



Channel 518598 (2592.99 MHz)



Channel 529998 (2649.99 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.