



1	2	3	4	5	6	7	8																																																				
THIRD ANGLE PROJECTION		DO NOT SCALE			REVISION HISTORY <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>ISSUE</th> <th>DATE</th> <th>MOD. NO.</th> <th>APPD.</th> </tr> <tr> <td>FIRST ISSUE</td> <td>A</td> <td>-</td> <td>-</td> </tr> <tr> <td>LABEL INCREASED IN SIZE ALLROUND</td> <td>1</td> <td>08-11-02</td> <td>-</td> </tr> <tr> <td>MATERIAL ADDED.</td> <td>2</td> <td>05-12-02</td> <td>-</td> </tr> <tr> <td>65.5 WAS 65, 41.8 WAS 41, R1.5 WAS R1.</td> <td>3</td> <td>12-06-03</td> <td>-</td> </tr> <tr> <td>GRAPHICS ADDED</td> <td>4</td> <td>03-07-03</td> <td>-</td> </tr> <tr> <td>NOTES AMENDED. TABLE AMENDED.</td> <td>5</td> <td>17-10-03</td> <td>-</td> </tr> <tr> <td>2010 - APPROVALS & MERGED DRAWING</td> <td>6</td> <td>24-11-03</td> <td>-</td> </tr> <tr> <td>Sheet 2 'FCC ID' added</td> <td>7</td> <td>08-04-04</td> <td>-</td> </tr> <tr> <td>SHEET 6 ADDED FOR 3400 - 3615 Mhz</td> <td>8</td> <td>18-10-04</td> <td>-</td> </tr> <tr> <td>MODEL NO. WAS FD, SHEET 6</td> <td>9</td> <td>04-11-04</td> <td>-</td> </tr> <tr> <td>Updates & corrections to model nos</td> <td>10</td> <td>09-02-05</td> <td>-</td> </tr> <tr> <td>FCC ID update to sheet 2 only</td> <td>11</td> <td>12-04-05</td> <td>-</td> </tr> </table>		ISSUE	DATE	MOD. NO.	APPD.	FIRST ISSUE	A	-	-	LABEL INCREASED IN SIZE ALLROUND	1	08-11-02	-	MATERIAL ADDED.	2	05-12-02	-	65.5 WAS 65, 41.8 WAS 41, R1.5 WAS R1.	3	12-06-03	-	GRAPHICS ADDED	4	03-07-03	-	NOTES AMENDED. TABLE AMENDED.	5	17-10-03	-	2010 - APPROVALS & MERGED DRAWING	6	24-11-03	-	Sheet 2 'FCC ID' added	7	08-04-04	-	SHEET 6 ADDED FOR 3400 - 3615 Mhz	8	18-10-04	-	MODEL NO. WAS FD, SHEET 6	9	04-11-04	-	Updates & corrections to model nos	10	09-02-05	-	FCC ID update to sheet 2 only	11	12-04-05	-	
ISSUE	DATE	MOD. NO.	APPD.																																																								
FIRST ISSUE	A	-	-																																																								
LABEL INCREASED IN SIZE ALLROUND	1	08-11-02	-																																																								
MATERIAL ADDED.	2	05-12-02	-																																																								
65.5 WAS 65, 41.8 WAS 41, R1.5 WAS R1.	3	12-06-03	-																																																								
GRAPHICS ADDED	4	03-07-03	-																																																								
NOTES AMENDED. TABLE AMENDED.	5	17-10-03	-																																																								
2010 - APPROVALS & MERGED DRAWING	6	24-11-03	-																																																								
Sheet 2 'FCC ID' added	7	08-04-04	-																																																								
SHEET 6 ADDED FOR 3400 - 3615 Mhz	8	18-10-04	-																																																								
MODEL NO. WAS FD, SHEET 6	9	04-11-04	-																																																								
Updates & corrections to model nos	10	09-02-05	-																																																								
FCC ID update to sheet 2 only	11	12-04-05	-																																																								
SPACE FOR FREQUENCY VALUES ARE INDICATIVE ONLY. SEE TABLE 'A' FOR ACTUAL VALUES.		SPACE FOR UNIT NUMBER. SPECIFIED BY IPWIRELESS			SPACE FOR CODE 128 SERIAL NUMBER BARCODE.																																																						
SPACE FOR SERIAL NUMBER. SEE TABLE 'A' FOR FIRST TWO CHARACTERS.		SPACE FOR IMEI NUMBER. SPECIFIED BY IPWIRELESS			SPACE FOR CODE 128 IMEI NUMBER BARCODE.																																																						
UE PCMCIA V1 Country of Origin UK Model No: _____ Rating: 3.3V DC/1.0A S/N: _____ IMEI: _____ This equipment will not transmit without network coverage. Use with IPWireless approved accessories only.																																																											
NOTES: 1. LABEL MATERIAL, ADHESIVE & PRINT TO BE UL 'HB' APPROVED. 2. PSA SELF ADHESIVE BACKING TO BE APPLIED TO OPPOSITE SIDE TO PRINTING. 3. ARTWORK TO BE APPROVED BY IPWIRELESS PRIOR TO PRODUCTION. 4. TEXT COLOUR - BLACK ON WHITE BACKGROUND. 5. LABELS ARE PRINTED ON DEMAND AT PRODUCTION FACILITY-PURCHASED BLANK. 6. PRINT & GRAPHICS ARE SPECIFIED ON SHEET 2 TO 5, REFER TO TABLE FOR VARIANT DATA. 7. USE THE GRAPHICS ON SHEET 1 FOR AGENCY UNAPPROVED UNITS. 8. TEXT FONT TO BE 'ARIAL', FONT SIZES TO BE DETERMINED BY LABEL MANUFACTURER. 9. LABEL BLANK TO BE 26mm x 44mm WITH R1 CORNERS. 10. SHEET 1 IS FOR GENERIC LABEL SPECIFICATION, THE SPECIFIC GRAPHICS REQUIRED FOR EACH MODEL NO IS SPECIFIED ON THE SPECIFIC SHEET SEE TABLE A																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <caption>TABLE A</caption> <thead> <tr> <th>SHEET No.</th> <th>PART NUMBER</th> <th>FREQUENCY</th> <th>UNIT MODEL NUMBER</th> <th>PCB PRODUCT CODE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Not applicable</td> <td>General Information</td> <td>Not applicable</td> <td>Not applicable</td> </tr> <tr> <td>2</td> <td>IPW-0234-002</td> <td>2500 - 2686 Mhz</td> <td>FD</td> <td>EX</td> </tr> <tr> <td>3</td> <td>IPW-0234-003</td> <td>1900 - 1920 Mhz</td> <td>FE</td> <td>EY</td> </tr> <tr> <td>4</td> <td>IPW-0234-004</td> <td>2053 - 2082 Mhz</td> <td>FF</td> <td>EZ</td> </tr> <tr> <td>5</td> <td>IPW-0234-005</td> <td>2010 - 2025 Mhz</td> <td>JE</td> <td>JD</td> </tr> <tr> <td>NOT AVAILABLE</td> <td>IPW-0234-006</td> <td>1880 - 1900 Mhz</td> <td>JS</td> <td>JO</td> </tr> <tr> <td>NOT AVAILABLE</td> <td>IPW-0234-007</td> <td>1850 - 1910 Mhz</td> <td>JT</td> <td>JR</td> </tr> <tr> <td>6</td> <td>IPW-0234-008</td> <td>3400 - 3615 Mhz</td> <td>PG</td> <td>PD</td> </tr> </tbody> </table>								SHEET No.	PART NUMBER	FREQUENCY	UNIT MODEL NUMBER	PCB PRODUCT CODE	1	Not applicable	General Information	Not applicable	Not applicable	2	IPW-0234-002	2500 - 2686 Mhz	FD	EX	3	IPW-0234-003	1900 - 1920 Mhz	FE	EY	4	IPW-0234-004	2053 - 2082 Mhz	FF	EZ	5	IPW-0234-005	2010 - 2025 Mhz	JE	JD	NOT AVAILABLE	IPW-0234-006	1880 - 1900 Mhz	JS	JO	NOT AVAILABLE	IPW-0234-007	1850 - 1910 Mhz	JT	JR	6	IPW-0234-008	3400 - 3615 Mhz	PG	PD							
SHEET No.	PART NUMBER	FREQUENCY	UNIT MODEL NUMBER	PCB PRODUCT CODE																																																							
1	Not applicable	General Information	Not applicable	Not applicable																																																							
2	IPW-0234-002	2500 - 2686 Mhz	FD	EX																																																							
3	IPW-0234-003	1900 - 1920 Mhz	FE	EY																																																							
4	IPW-0234-004	2053 - 2082 Mhz	FF	EZ																																																							
5	IPW-0234-005	2010 - 2025 Mhz	JE	JD																																																							
NOT AVAILABLE	IPW-0234-006	1880 - 1900 Mhz	JS	JO																																																							
NOT AVAILABLE	IPW-0234-007	1850 - 1910 Mhz	JT	JR																																																							
6	IPW-0234-008	3400 - 3615 Mhz	PG	PD																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">DRAWN</td> <td style="width:10%;">MJH</td> <td style="width:10%;">09-08-02</td> <td style="width:30%;">MATERIAL: INFO-MARK 330-J1 OR EQUIVALENT UL RATING HB OR HIGHER MATERIAL THICKNESS TO BE 0.048mm INCL. ADHESIVE</td> <td style="width:15%; text-align: center;"></td> <td style="width:15%;">SCALE: 2:1 UNLESS OTHERWISE STATED</td> <td colspan="2" style="width:10%;">TITLE BOTTOM COVER LABEL</td> </tr> <tr> <td>CHECKED</td> <td>CROCHFORD</td> <td>22-07-03</td> <td rowspan="3">FINISH: MATT WHITE</td> <td rowspan="3" style="text-align: center;">TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.2 ANGLES ± N/A</td> <td rowspan="3" style="text-align: center;">DIMENSIONS IN MM</td> <td colspan="2" rowspan="3">DRAWING NUMBER IPW-0234 A3</td> </tr> <tr> <td>ENGINEER</td> <td>CROCHFORD</td> <td>09-08-02</td> </tr> <tr> <td>APPROVAL</td> <td>ATB</td> <td>22-07-03</td> </tr> </table>								DRAWN	MJH	09-08-02	MATERIAL: INFO-MARK 330-J1 OR EQUIVALENT UL RATING HB OR HIGHER MATERIAL THICKNESS TO BE 0.048mm INCL. ADHESIVE		SCALE: 2:1 UNLESS OTHERWISE STATED	TITLE BOTTOM COVER LABEL		CHECKED	CROCHFORD	22-07-03	FINISH: MATT WHITE	TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.2 ANGLES ± N/A	DIMENSIONS IN MM	DRAWING NUMBER IPW-0234 A3		ENGINEER	CROCHFORD	09-08-02	APPROVAL	ATB	22-07-03																														
DRAWN	MJH	09-08-02	MATERIAL: INFO-MARK 330-J1 OR EQUIVALENT UL RATING HB OR HIGHER MATERIAL THICKNESS TO BE 0.048mm INCL. ADHESIVE		SCALE: 2:1 UNLESS OTHERWISE STATED	TITLE BOTTOM COVER LABEL																																																					
CHECKED	CROCHFORD	22-07-03	FINISH: MATT WHITE	TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.2 ANGLES ± N/A	DIMENSIONS IN MM	DRAWING NUMBER IPW-0234 A3																																																					
ENGINEER	CROCHFORD	09-08-02																																																									
APPROVAL	ATB	22-07-03																																																									
1	2	3	4	5	6	7	8																																																				

1	2	3	4	5	6	7	8																						
THIRD ANGLE PROJECTION 		DO NOT SCALE					<table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>ISSUE</th><th>DATE</th><th>MOD. NO.</th><th>APPD.</th></tr><tr><td>11</td><td>12-04-05</td><td>-</td><td>-</td></tr></table>	ISSUE	DATE	MOD. NO.	APPD.	11	12-04-05	-	-														
ISSUE	DATE	MOD. NO.	APPD.																										
11	12-04-05	-	-																										
 UNIT NUMBER. STANDARD 3GPP LOGO STANDARD 'UL' SYMBOL 'C-UL-US' TYPE STANDARD 'FCC' SYMBOL SOLID BLACK FILL CE MARK SOLID BLACK FILL CODE 128 SERIAL NUMBER BARCODE. CODE 128 IMEI NUMBER BARCODE. IMEI NUMBER. FREQUENCY VALUES ARE INDICATIVE ONLY. SEE TABLE FOR ACTUAL VALUES. SERIAL NUMBER. SEE TABLE FOR FIRST TWO CHARACTERS.																													
NOTES: 1. IMAGE SHOWN IS LABEL BLANK AS PURCHASED. 2. GRAPHICS FOR 3GPP, FCC LOGOS & CE MARK TO BE SUPPLIED BY IPWIRELESS 3. TEXT COLOUR - BLACK ON WHITE BACKGROUND.																													
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>DRAWN</td><td>MJH</td><td>09-08-02</td></tr><tr><td>CHECKED</td><td>CROCHFORD</td><td>22-07-03</td></tr><tr><td>ENGINEER</td><td>CROCHFORD</td><td>09-08-02</td></tr><tr><td>APPROVAL</td><td>ATB</td><td>22-07-03</td></tr></table>		DRAWN	MJH	09-08-02	CHECKED	CROCHFORD	22-07-03	ENGINEER	CROCHFORD	09-08-02	APPROVAL	ATB	22-07-03	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>MATERIAL: SEE SHEET 1</td></tr><tr><td>FINISH: SEE SHEET 1</td></tr></table>		MATERIAL: SEE SHEET 1	FINISH: SEE SHEET 1	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="text-align: center;"></td></tr><tr><td>TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.00 N/A ANGLES ± N/A</td></tr></table>			TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.00 N/A ANGLES ± N/A	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>SCALE: 2:1 UNLESS OTHERWISE STATED</td></tr><tr><td>DIMENSIONS IN MM</td></tr></table>		SCALE: 2:1 UNLESS OTHERWISE STATED	DIMENSIONS IN MM	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>TITLE BOTTOM COVER LABEL</td></tr><tr><td>DRAWING NUMBER IPW-0234 A3</td></tr><tr><td>SHEET 2 OF 6</td></tr></table>	TITLE BOTTOM COVER LABEL	DRAWING NUMBER IPW-0234 A3	SHEET 2 OF 6
DRAWN	MJH	09-08-02																											
CHECKED	CROCHFORD	22-07-03																											
ENGINEER	CROCHFORD	09-08-02																											
APPROVAL	ATB	22-07-03																											
MATERIAL: SEE SHEET 1																													
FINISH: SEE SHEET 1																													
																													
TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.00 N/A ANGLES ± N/A																													
SCALE: 2:1 UNLESS OTHERWISE STATED																													
DIMENSIONS IN MM																													
TITLE BOTTOM COVER LABEL																													
DRAWING NUMBER IPW-0234 A3																													
SHEET 2 OF 6																													
1	2	3	4	5	6	7	8																						

1	2	3	4	5	6	7	8								
THIRD ANGLE PROJECTION		DO NOT SCALE					<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:12.5%;">ISSUE</th> <th style="width:12.5%;">DATE</th> <th style="width:12.5%;">MOD. NO.</th> <th style="width:12.5%;">APPD.</th> </tr> <tr> <td style="text-align: center;">11</td> <td style="text-align: center;">12-04-05</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> </tr> </table>	ISSUE	DATE	MOD. NO.	APPD.	11	12-04-05	-	-
ISSUE	DATE	MOD. NO.	APPD.												
11	12-04-05	-	-												
H							H								
G							G								
F							F								
E							E								
D							D								
C							C								
B							B								
A							A								

IPWireless
 UE PCMCIA V1
 Country of Origin: UK
 Model No: FE
 1900-1920MHz
 Rating: 3.3V DC/1.0A
 S/N: FEXXXXXXXXXX
 IMEI: 351153/XX/XXXXXX
 This equipment will not transmit without network coverage. Use with IPWireless approved accessories only.
 CE 0889

FREQUENCY VALUES ARE INDICATIVE ONLY. SEE TABLE FOR ACTUAL VALUES.

UNIT NUMBER.

STANDARD 3GPP LOGO

CE MARK

CODE 128 SERIAL NUMBER BARCODE.


CODE 128 IMEI NUMBER BARCODE

SERIAL NUMBER. SEE TABLE FOR FIRST TWO CHARACTERS.

8 POINT ARIAL IMEI NUMBER.

NOTES:
 1. IMAGE SHOWN IS LABEL BLANK AS PURCHASED.
 2. GRAPHICS FOR 3GPP LOGO & CE MARK TO BE SUPPLIED BY IPWIRELESS
 3. TEXT COLOUR - BLACK ON WHITE BACKGROUND.

DRAWN	MJH	09-08-02	MATERIAL: SEE SHEET 1		SCALE: 2:1 UNLESS OTHERWISE STATED	TITLE BOTTOM COVER LABEL
CHECKED	CROCHFORD	22-07-03				
ENGINEER	CROCHFORD	09-08-02	FINISH: SEE SHEET 1	TOLERANCES UNLESS OTHERWISE STATED: LINEAR 0.0 ± 0.00 N/A ANGLES ± N/A	DIMENSIONS IN MM	DRAWING NUMBER IPW-0234
APPROVAL	ATB	22-07-03				A3 SHEET 3 OF 6

1	2	3	4	5	6	7	8																						
THIRD ANGLE PROJECTION 		DO NOT SCALE					<table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>ISSUE</th><th>DATE</th><th>MOD. NO.</th><th>APPD.</th></tr><tr><td>11</td><td>12-04-05</td><td>-</td><td>-</td></tr></table>	ISSUE	DATE	MOD. NO.	APPD.	11	12-04-05	-	-														
ISSUE	DATE	MOD. NO.	APPD.																										
11	12-04-05	-	-																										
IPWireless UE PCMCIA V1 Country of Origin: UK Model No: [FF] 2053-2082MHz Rating: 3.3V DC/1.0A S/N [XXXXXXXXXXXX] IMEI [351154/XX/XXXXXX] This equipment will not transmit without network coverage. Use with IPWireless approved accessories only. UNIT NUMBER. STANDARD 3GPP LOGO FREQUENCY VALUES ARE INDICATIVE ONLY. SEE TABLE FOR ACTUAL VALUES. SERIAL NUMBER. SEE TABLE FOR FIRST TWO CHARACTERS. CODE 128 IMEI NUMBER BARCODE. CODE 128 SERIAL NUMBER BARCODE. IMEI NUMBER.																													
NOTES: 1. IMAGE SHOWN IS LABEL BLANK AS PURCHASED. 2. GRAPHICS FOR 3GPP LOGO TO BE SUPPLIED BY IPWIRELESS 3. TEXT COLOUR - BLACK ON WHITE BACKGROUND.																													
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="width: 10%;">DRAWN</td><td style="width: 10%;">MJH</td><td style="width: 10%;">09-08-02</td><td style="width: 30%;">MATERIAL: SEE SHEET 1</td></tr><tr><td>CHECKED</td><td>CROCHFORD</td><td>22-07-03</td><td></td></tr><tr><td>ENGINEER</td><td>CROCHFORD</td><td>09-08-02</td><td>FINISH: SEE SHEET 1</td></tr><tr><td>APPROVAL</td><td>ATB</td><td>22-07-03</td><td></td></tr></table>		DRAWN	MJH	09-08-02	MATERIAL: SEE SHEET 1	CHECKED	CROCHFORD	22-07-03		ENGINEER	CROCHFORD	09-08-02	FINISH: SEE SHEET 1	APPROVAL	ATB	22-07-03				<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="width: 30%;">SCALE: 2:1 UNLESS OTHERWISE STATED</td><td style="width: 40%;">DIMENSIONS IN MM</td></tr></table>		SCALE: 2:1 UNLESS OTHERWISE STATED	DIMENSIONS IN MM	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="width: 50%;">TITLE BOTTOM COVER LABEL</td><td style="width: 50%;">DRAWING NUMBER IPW-0234</td></tr><tr><td colspan="2" style="text-align: right;">SHEET 4 OF 6</td></tr></table>		TITLE BOTTOM COVER LABEL	DRAWING NUMBER IPW-0234	SHEET 4 OF 6	
DRAWN	MJH	09-08-02	MATERIAL: SEE SHEET 1																										
CHECKED	CROCHFORD	22-07-03																											
ENGINEER	CROCHFORD	09-08-02	FINISH: SEE SHEET 1																										
APPROVAL	ATB	22-07-03																											
SCALE: 2:1 UNLESS OTHERWISE STATED	DIMENSIONS IN MM																												
TITLE BOTTOM COVER LABEL	DRAWING NUMBER IPW-0234																												
SHEET 4 OF 6																													

1	2	3	4	5	6	7	8								
THIRD ANGLE PROJECTION		DO NOT SCALE					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center;">ISSUE</th> <th style="text-align: center;">DATE</th> <th style="text-align: center;">MOD. NO.</th> <th style="text-align: center;">APPD.</th> </tr> <tr> <td style="text-align: center;">11</td> <td style="text-align: center;">12-04-05</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> </tr> </table>	ISSUE	DATE	MOD. NO.	APPD.	11	12-04-05	-	-
ISSUE	DATE	MOD. NO.	APPD.												
11	12-04-05	-	-												
H							H								
G							G								
F							F								
E							E								
D							D								
C							C								
B							B								
A							A								

UNIT NUMBER

STANDARD 3GPP LOGO

FREQUENCY VALUES ARE INDICATIVE ONLY. SEE TABLE FOR ACTUAL VALUES.

CE APPROVAL MARK

SERIAL NUMBER. SEE TABLE FOR FIRST TWO CHARACTERS.

CODE 128 SERIAL NUMBER BARCODE.

CODE 128 IMEI NUMBER BARCODE.

IMEI NUMBER.

IPWireless 3GPP

UE PCMCIA V1

Country of Origin: UK

Model No: JE

2010-2025MHz

Rating: 3.3V DC/1.0A

S/N [REDACTED] This equipment will not transmit without network coverage. Use with IPWireless approved accessories only.

IMEI [REDACTED]

351784/XX/XXXXXX/

CE 0889

NOTES:

1. IMAGE SHOWN IS LABEL BLANK AS PURCHASED.
2. GRAPHICS FOR 3GPP LOGO TO BE SUPPLIED BY IPWIRELESS
3. TEXT COLOUR - BLACK ON WHITE BACKGROUND.

DRAWN	MJH	09-08-02	MATERIAL: SEE SHEET 1		SCALE: 2:1 UNLESS OTHERWISE STATED	TITLE BOTTOM COVER LABEL
CHECKED	CROCHFORD	22-07-03				
ENGINEER	CROCHFORD	09-08-02	FINISH: SEE SHEET 1	TOLERANCES UNLESS OTHERWISE STATED:	DIMENSIONS IN MM	DRAWING NUMBER
APPROVAL	ATB	22-07-03		LINEAR 0.0 ± 0.00 ± N/A ANGLES ± N/A		IPW-0234 A3

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

1	2	3	4	5	6	7	8								
THIRD ANGLE PROJECTION		DO NOT SCALE				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center;">ISSUE</th> <th style="text-align: center;">DATE</th> <th style="text-align: center;">MOD. NO.</th> <th style="text-align: center;">APPD.</th> </tr> <tr> <td style="text-align: center;">11</td> <td style="text-align: center;">12-04-05</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> </tr> </table>		ISSUE	DATE	MOD. NO.	APPD.	11	12-04-05	-	-
ISSUE	DATE	MOD. NO.	APPD.												
11	12-04-05	-	-												
H							H								
G							G								
F							F								
E							E								
D							D								
C							C								
B							B								
A							A								

MODEL TYPE 'V2'

UNIT NUMBER.

STANDARD
3GPP LOGO

FREQUENCY VALUES
ARE INDICATIVE ONLY.
SEE TABLE FOR
ACTUAL VALUES.

CE MARK
SOLID BLACK FILL

SERIAL NUMBER.
SEE TABLE FOR FIRST
TWO CHARACTERS.

CODE 128
SERIAL NUMBER BARCODE.

CODE 128
IMEI NUMBER BARCODE.

IMEI NUMBER.
NEW SERIES ASSIGNED

IPWireless
UE PCMCIA V2
Country of Origin: UK
Model No: PG
3400-3615MHz
Rating: 3.3V DC/1.0A
S/N PGXXXXXXXXXX
IMEI 355433/XX/XXXXXX/X
0889

This equipment will not transmit without network coverage. Use with IPWireless approved accessories only.

NOTES:

1. IMAGE SHOWN IS LABEL BLANK AS PURCHASED.
2. GRAPHICS FOR 3GPP, FCC LOGOS & CE MARK TO BE SUPPLIED BY IPWIRELESS
3. TEXT COLOUR - BLACK ON WHITE BACKGROUND.

DRAWN	MJH	09-08-02	MATERIAL: SEE SHEET 1		SCALE: 2:1 UNLESS OTHERWISE STATED	TITLE	BOTTOM COVER LABEL	
CHECKED	CROCHFORD	22-07-03						
ENGINEER	CROCHFORD	09-08-02	FINISH: SEE SHEET 1	TOLERANCES UNLESS OTHERWISE STATED:		DRAWING NUMBER		
APPROVAL	ATB	22-07-03		LINEAR 0.0 ± 0.00 N/A	ANGLES $\pm$ N/A		IPW-0234	A3
							SHEET 6 OF 6	