

SPECIFICATION SHEET



CUSTOMER: Zhongli Guanda (shenzhen) Intelligent Technology CO., Ltd

DESCRIPTION: -Apple Watch Coil(length of lead :31mm)

CUSTOMER P/N: ZLGD-A1-0285

PART NUMBER: _____

DATE: 2024-3-26

ACCEPTANCE STAMP


PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun

History For Revised Specification	CUSTOMER P/N :	
	PART NUMBER :	ZLGD-A1-0285

Rev.	DESCRIPTION (Content Or Reason For Changed)	Date	Revisor
A.0	The first Release version	2024-3-26	Chen Jun

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun

Specification	CUSTOMER P/N :	
	PART NUMBER :	ZLGD-A1-0285

1. DIMENSIONS: (Unit: mm)

A	B	C	D	E	F	G		
21max	14 ± 0.5	7.5 ± 0.5	31 ± 1	1.5 ± 0.5	4 ± 0.1	2.8Max		

1. Magnet specifications : $\phi 7.5\text{mm} \times 4\text{mm}$ 4600GS
2. Add two black heat-shrink tubes
3. Magnet installation is not required

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun

ADDRESS: 3rd Floor, No. 181, Mingyue 2nd Road, Shiwan Town, Boluo County, Huizhou city

TEL: 0752-6668681

E-MAIL: 839689578@qq.com

2. WINDING DETAILS

Turns	Wire Dia	Wdg. Type (Spred/Close)	Wdg.Direction	Intersect (Yes/No)
14 TS	0.08*24P(Hot air self-adhesive wire)	Close	Anticlockwise	Yes

3. ELECTRICAL CHARACTERISTICS

- TEMPERATURE:25±10℃
- RELATIVE HUMIDITY:65±10%

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1.	IND	S-F	7.8μh±0.3	100kHz/V	UC2906A
2.	Q	S-F	25Min	100kHz/V	UC2906A
3.	DCR	S-F	135mΩMax	100kHz/V	UC2906A

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun