

A4130-E

AXIS A4130-E
P/N: 03424-001-01
S/N: E82725000002

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

Engineered in Sweden
Country Of Origin: POLAND



AXIS A4130-E
P/N: 03424-001-01
S/N: E82725000002

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

Engineered in Sweden
Country Of Origin: POLAND




AXIS A4130-E
P/N: 03424-001-01
S/N: E82725000002

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

Engineered in Sweden
Country Of Origin: POLAND



U/A: 3235028 ID: U
DCIN: 12VDC / ≡ consumption max 1.5W
IC: 3919A-AXISA413XE
FCC ID: PNB-AXISA413X-E



P/N: 03424-001-01
S/N: E82725000002

A4131-E

AXIS A4131-E
P/N: 03425-001-01
S/N: E82725000003

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

Engineered in Sweden
Country Of Origin: POLAND



AXIS A4131-E
P/N: 03425-001-01
S/N: E82725000003

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

Engineered in Sweden
Country Of Origin: POLAND



AXIS A4131-E
P/N: 03425-001-01
S/N: E82725000003

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN


Engineered in Sweden
Country Of Origin: POLAND



U/A: 3292511 ID: U
DCIN: 12VDC / ≡ consumption max 1.6W
IC: 3919A-AXISA413XE
FCC ID: PNB-AXISA413X-E



P/N: 03425-001-01
S/N: E82725000003



U/A: 3235028 ID: U
DCIN: 12Vdc, consumption max 1.5W
IC: 3919A-A4130-E
FCC ID: PNB-AXISA4130-E
IFT: AXAXAX22-26070
ANATEL
12611-21-05509

AXIS A4130-E
P/N: 03424-001-01
S/N: 3411424r3
Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN
Engineered in Sweden
Country Of Origin: POLAND
ETB
VCCI
CE

AXIS A4130-E
P/N: 03424-001-01
S/N: E82725000002

Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN

 X-0000   3411424r3

Engineered in Sweden
Country Of Origin: POLAND

30x14.5mm

U/A: 3235028 ID: U
DCIN: 12VDC / consumption max 1.5W
IC: 3919A-AXISA413XE
FCC ID: PNB-AXISA413X-E

  D3B924
RoHS

3411424r4

30x14.5mm

SAFETY
US-CA-EU-JP-AU-NZ
E482555

 **CERTIFIED** 3521736r1

ID: U
Kit No: 3521735

15x13mm

A4130-E Placement




U/A: 3292511 ID: U
DCIN: 12Vdc, consumption max 1.5W
IC: 3919A-A4131-E
FCC ID: PNB-AXISA4131-E
IFT: AXAXAX22-26070
ANATEL
12611-21-05509

AXIS A4131-E
P/N: 03425-001-01
S/N: 3413090r3
Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN
Engineered in Sweden
Country Of Origin: POLAND
ETB
VCCI
CE
3413090r1

AXIS A4131-E
P/N: 03425-001-01
S/N: E82725000003



Axis Communications AB
Gränden 1, SE-22369 Lund
SWEDEN



Engineered in Sweden
Country Of Origin: POLAND

30x14.5mm

U/A: 3292511 ID: U
DCIN: 12VDC / consumption max 1.6W
IC: 3919A-AXISA413XE
FCC ID: PNB-AXISA413X-E

3413090r5



30x14.5mm

SAFETY
US-CA-EU-JP-AU-NZ
E482555
UL
CERTIFIED
ID: U
Kit No: 3521735
3521736r1

15x13mm

A4131-E Placement