


Intertek Testing Services RF Voltage

EUT: AV-T2G4B
Manuf: ELANSat Technologies Inc.
Op Cond: LISN-L
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 high channel
120V 60Hz 24°C 62%RH (ow)
Date: 19. Jul 02 17:27

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF Voltage

EUT: AV-T2G4B
Manuf: ELANsat Technologies Inc.
Op Cond: LISN-N
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 low channel1
120V 60Hz 24°C 62%RH
Date: 19. Jul 02 17:36

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services RF Voltage

EUT: AV-T2G4B
Manuf: ELANSat Technologies Inc.
Op Cond: LISN-L
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 middle channel
120V 60Hz 24'C 62%RH
Date: 19. Jul 02 17:53

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF Voltage

EUT: AV-T2G4B
Manuf: ELANSat Technologies Inc.
Op Cond: LISN-N
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 middle channel
120V 60Hz 24°C 62%RH
Date: 19. Jul 02 17:45

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF Voltage

EUT: AV-T2G4B
Manuf: ELANSat Technologies Inc.
Op Cond: LISN-L
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 high channel
120V 60Hz 24'C 62%RH
Date: 19. Jul 02 18:00

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services
RF Voltage

EUT: AV-T2G4B
Manuf: ELANSat Technologies Inc.
Op Cond: LISN-N
Operator: elton
Test Spec: FCC15 Class B
Comment: EMI RCV:825788/014 high channel
120V 60Hz 24°C 62%RH
Date: 19. Jul 02 18:08

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s

