

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.654 mW/g, SAR (10g): 0.360 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna In

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

## MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.432 mW/g, SAR (10g): 0.258 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.663 mW/g, SAR (10g): 0.372 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);  
Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.554 mW/g, SAR (10g): 0.328 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C  
Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out  
Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.562 mW/g, SAR (10g): 0.301 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek Touch position; Antenna In

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.394 mW/g, SAR (10g): 0.231 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.08 mW/g, SAR (10g): 0.581 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);  
Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.690 mW/g, SAR (10g): 0.408 mW/g

Modottel PCS CDMA Phone Model : WTE-320  
PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C  
Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out  
Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.16 mW/g, SAR (10g): 0.626 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

### MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);  
Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.906 mW/g, SAR (10g): 0.527 mW/g

Modotitel PCS CDMA Phone Model : WTE-320  
PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C  
Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out  
Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.792 mW/g, SAR (10g): 0.420 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Head SAR)

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.37$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.666 mW/g, SAR (10g): 0.381 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 11 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.898 mW/g, SAR (10g): 0.494 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.994 mW/g, SAR (10g): 0.580 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.19 mW/g, SAR (10g): 0.647 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.00 mW/g, SAR (10g): 0.583 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.01 mW/g, SAR (10g): 0.540 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.660 mW/g, SAR (10g): 0.374 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.11 mW/g, SAR (10g): 0.582 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.982 mW/g, SAR (10g): 0.575 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.19 mW/g, SAR (10g): 0.624 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.20 mW/g, SAR (10g): 0.679 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.794 mW/g, SAR (10g): 0.413 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR<sub>Tot</sub> [mW/g]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.702 mW/g, SAR (10g): 0.401 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.433 mW/g, SAR (10g): 0.251 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 21℃  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.385 mW/g, SAR (10g): 0.229 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.241 mW/g, SAR (10g): 0.141 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5 °C/Meas. Tissue Temp. = 21 °C  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.517 mW/g, SAR (10g): 0.304 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5 °C/Meas. Tissue Temp. = 21 °C  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.145 mW/g, SAR (10g): 0.0817 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;  
SAR (1g): 0.428 mW/g, SAR (10g): 0.242 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C  
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out  
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);  
Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

Modottel PCS CDMA Phone Model : WTE-320  
PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C  
Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In  
Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);  
Med. parameter 1900 MHz Brain:  $\sigma = 1.39$  mho/m  $\epsilon_r = 38.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

Modottel PCS CDMA Phone Model : WTE-320  
PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C  
Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out  
Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**

# MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR )


SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);  
Med. parameter 1900 MHz Muscle:  $\sigma = 1.57$  mho/m  $\epsilon_r = 53.3$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

**FCC ID : POQWTE-320**