

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.969 mW/g, SAR (10g): 0.564 mW/g

Modottel Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.29 mW/g, SAR (10g): 0.723 mW/g

Modottel Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.817 mW/g, SAR (10g): 0.483 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.899 mW/g, SAR (10g): 0.557 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.893 mW/g, SAR (10g): 0.604 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.891 mW/g, SAR (10g): 0.600 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.871 mW/g, SAR (10g): 0.532 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.11 mW/g, SAR (10g): 0.665 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom,15° Degree Tilt position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.763 mW/g, SAR (10g): 0.459 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.874 mW/g, SAR (10g): 0.528 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.865 mW/g, SAR (10g): 0.488 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.09 mW/g, SAR (10g): 0.654 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃

Conducted Power = 25dbm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.968 mW/g, SAR (10g): 0.657 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21°C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.21 mW/g, SAR (10g): 0.781 mW/g

Modottel Phone Model : WTE-320


CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21°C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.725 mW/g, SAR (10g): 0.471 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21°C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.963 mW/g, SAR (10g): 0.598 mW/g

Modottel Phone Model : WTE-320


CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.905 mW/g, SAR (10g): 0.610 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21°C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.28 mW/g, SAR (10g): 0.853 mW/g

Modottel Phone Model : WTE-320


AMPS Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 22.5°C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.05 mW/g, SAR (10g): 0.608 mW/g

Modotell Phone Model : WTE-320

AMPS Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 22.5℃/Meas. Tissue Temp. = 21℃

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.32 mW/g, SAR (10g): 0.760 mW/g

Modotell Phone Model : WTE-320


CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 22.5℃/Meas. Tissue Temp. = 21℃

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.845 mW/g, SAR (10g): 0.512 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 22.5 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.890 mW/g, SAR (10g): 0.542 mW/g

Modotell Phone Model : WTE-320


CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 22.5 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.955 mW/g, SAR (10g): 0.544 mW/g

Modotell Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 22.5 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.31 mW/g, SAR (10g): 0.761 mW/g

Modotell Phone Model : WTE-320


CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 22.5 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.666 mW/g, SAR (10g): 0.468 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.740 mW/g, SAR (10g): 0.515 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.586 mW/g, SAR (10g): 0.402 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.711 mW/g, SAR (10g): 0.498 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.697 mW/g, SAR (10g): 0.483 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.719 mW/g, SAR (10g): 0.485 mW/g

MODOTTEL Phone Model : WTE-320

CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Modotell Phone Model : WTE-320

CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 22℃
Conducted Power = 25dbm; Right Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Head SAR)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 40.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Modotell Phone Model : WTE-320

PCS CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 22.5℃/Meas. Tissue Temp. = 21℃

Conducted Power = 24.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 04 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone CDMA Body SAR)

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 53.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Phone Model : WTE-320
CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 21℃
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320