

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.654 mW/g, SAR (10g): 0.360 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna In

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.450 mW/g, SAR (10g): 0.270 mW/g *

Modottel PCS CDMA Phone Model : WCE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.545 mW/g, SAR (10g): 0.324 mW/g

Modottel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.465 mW/g, SAR (10g): 0.280 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.663 mW/g, SAR (10g): 0.372 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.505 mW/g, SAR (10g): 0.301 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.536 mW/g, SAR (10g): 0.323 mW/g

Modottel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.476 mW/g, SAR (10g): 0.288 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.562 mW/g, SAR (10g): 0.301 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek Touch position; Antenna In

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.397 mW/g, SAR (10g): 0.234 mW/g

Modottel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.410 mW/g, SAR (10g): 0.240 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.399 mW/g, SAR (10g): 0.238 mW/g

Modottel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.11751908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.08 mW/g, SAR (10g): 0.581 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.732 mW/g, SAR (10g): 0.420 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom,15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.16 mW/g, SAR (10g): 0.626 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.953 mW/g, SAR (10g): 0.555 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.838 mW/g, SAR (10g): 0.485 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.717 mW/g, SAR (10g): 0.423 mW/g

Modotitel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.792 mW/g, SAR (10g): 0.420 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.623 mW/g, SAR (10g): 0.340 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.523 mW/g, SAR (10g): 0.287 mW/g

Modottel PCS CDMA Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.476 mW/g, SAR (10g): 0.266 mW/g

Modottel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 17 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.898 mW/g, SAR (10g): 0.494 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.994 mW/g, SAR (10g): 0.580 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.19 mW/g, SAR (10g): 0.647 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.00 mW/g, SAR (10g): 0.583 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.01 mW/g, SAR (10g): 0.540 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.660 mW/g, SAR (10g): 0.374 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.11 mW/g, SAR (10g): 0.582 mW/g

Modottel Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.982 mW/g, SAR (10g): 0.575 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.25[1851.25MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.19 mW/g, SAR (10g): 0.624 mW/g

Modotitel PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.20 mW/g, SAR (10g): 0.679 mW/g

Modotell PCS CDMA Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.794 mW/g, SAR (10g): 0.413 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.702 mW/g, SAR (10g): 0.401 mW/g

Modottel Phone Model : WTE-320


PCS CDMA Mode, Ch.1175[1908.75MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.433 mW/g, SAR (10g): 0.251 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23.5℃/Meas. Tissue Temp. = 21℃
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.385 mW/g, SAR (10g): 0.229 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.241 mW/g, SAR (10g): 0.141 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.517 mW/g, SAR (10g): 0.304 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.145 mW/g, SAR (10g): 0.0817 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.428 mW/g, SAR (10g): 0.242 mW/g

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);
Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Modottel PCS CDMA Phone Model : WTE-320
PCS CDMA Mode, Ch.600[1880MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);
Med. parameter 1900 MHz Brain: $\sigma = 1.39$ mho/m $\epsilon_r = 38.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Modottel PCS CDMA Phone Model : WTE-320
PCS CDMA Mode, Ch.600[1880.00MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWTE-320

MODOTTEL -- WTE-320(Trimode Phone PCS Hesd SAR)

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Phone Model : WTE-320

PCS CDMA Mode, Ch.600[1880MHz]; Standard Battery; Ambient Temp = 23.5°C/Meas. Tissue Temp. = 21°C
Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 09 / 08 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWTE-320