

MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.583 mW/g, SAR (10g): 0.383 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.685 mW/g, SAR (10g): 0.456 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.813 mW/g, SAR (10g): 0.539 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.29 mW/g, SAR (10g): 0.888 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.761 mW/g, SAR (10g): 0.510 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.06 mW/g, SAR (10g): 0.704 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 --Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.324 mW/g, SAR (10g): 0.221 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.550 mW/g, SAR (10g): 0.356 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.541 mW/g, SAR (10g): 0.324 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.08 mW/g, SAR (10g): 0.666 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.417 mW/g, SAR (10g): 0.276 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.913 mW/g, SAR (10g): 0.570 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.726 mW/g, SAR (10g): 0.483 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.698 mW/g, SAR (10g): 0.478 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.23 mW/g, SAR (10g): 0.793 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.31 mW/g, SAR (10g): 0.887 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]

