This document visualizes 3 examples of different Type Labels which are applied to the housing of the corresponding NB1601 variant. Identical Type Label is applied on carton packaging.

Order Code is defined as: **NB1601-[Options]** e.g.
- **NB1601-LWWtSc-G**
- **NB1601-LSc**
- **NB1601-R**

[Options] → Order Codes by functionality:

L	Cellular Module "LTE Cat. 4"
W	WLAN (combo module WLAN+BT)
Wt	Bluetooth (combo module WLAN+BT)
Sc	Extension, COM_IO PCBA
G	GNSS

NB1601-LWWtSc-G (DUT, fully populated)
→ "LWWtSc-G" populated



NB1601-LSc (depopulated DUT)
→ "LSc" LTE + COM_IO populated
→ "WWt" WLAN + BT depopulated
→ "G" GNSS depopulated



NB1601-R (depopulated DUT)
→ No wireless modules populated
→ "WWt" WLAN + BT depopulated
→ "Sc" COM_IO depopulated
→ "G" GNSS depopulated



Dimensions Label: 76 x 51 mm
Height Logos (CE, UKCA, cRUus): 5.08 mm



TypeLabel_NB1601_FCC

This document visualizes 3 examples of different Type Labels which are applied to the housing of the corresponding NB1601 variant. Identical Type Label is applied on carton packaging.

Order Code is defined as: **NG800-[Options]** e.g.
- **NG800-LWWtSc-G**

[Options] → Order Codes by functionality:

L	Cellular Module "LTE Cat. 4"
W	WLAN (combo module WLAN+BT)
Wt	Bluetooth (combo module WLAN+BT)
Gd	GNSS
2Br	Extension,
2Cm	Extension, CAN

NG800-LWWtGd2Br2Cm (DUT, fully populated)
→ "LWWtGd2Br2Cm" populated



Dimensions Label: 76 x 51 mm
Height Logos (CE, UKCA, cRUus): 5.08 mm

TypeLabel_NG800_FCC

This document visualizes 3 examples of different Type Labels which are applied to the housing of the corresponding NB1601 variant. Identical Type Label is applied on carton packaging.

Order Code is defined as: **NB800-[Options]** e.g.
- **NB800-LWWtSc-G**
- **NB800-LSc**
- **NB800-R**

[Options] → Order Codes by functionality:

L	Cellular Module "LTE Cat. 4"
W	WLAN (combo module WLAN+BT)
Wt	Bluetooth (combo module WLAN+BT)
Sc	Extension, COM_IO PCBA
G	GNSS

NB800-LWWtSc-G (DUT, fully populated)
→ "LWWtSc-G" populated



NB800-LSc (depopulated DUT)
→ "LSc" LTE + COM_IO populated
→ "WWt" WLAN + BT depopulated
→ "G" GNSS depopulated



NB800-R (depopulated DUT)
→ No wireless modules populated
→ "WWt" WLAN + BT depopulated
→ "Sc" COM_IO depopulated
→ "G" GNSS depopulated

Dimensions Label: 76 x 51 mm
Height Logos (CE, UKCA, cRUus): 5.08 mm



TypeLabel_NB800_FCC