

GA-400B(Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 8.0; Body 835 MHz: $\sigma = 0.96 \text{ mho/m}$ $\epsilon_r = 55.9$ $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 0.251 mW/g, SAR(10g): 0.177 mW/g

Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Body / Antenna: Fixed

Mode: GSM850 / Channel: 251

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$ $\epsilon_r = 40.2$

$\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 1.17 mW/g, SAR (10g): 0.664 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$

$\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.825 mW/g, SAR (10g): 0.470 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.20 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$ $\epsilon_r = 40.2$ $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.724 mW/g, SAR (10g): 0.405 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 810

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 40.2$ $\rho =$

1.00 g/cm³

Cube 5x5x7: SAR (1g): 1.25 mW/g, SAR (10g): 0.707 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 1.09 mW/g, SAR(10g): 0.604 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.02 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.924 mW/g, SAR (10g): 0.510 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.00 dB

Comment:

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 810

Liquid Temperature: 21.2°C

Date Tested: April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 1.22 mW/g, SAR(10g): 0.653 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.02 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 1.00 mW/g, SAR(10g): 0.530 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.07 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$ $\epsilon_r = 40.2$ $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.884 mW/g, SAR (10g): 0.468 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.00 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Left / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 810

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 1.02 mW/g, SAR(10g): 0.563 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.00 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$ $\epsilon_r = 40.2$ $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 0.876 mW/g, SAR(10g): 0.482 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.24 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$ $\epsilon_r = 40.2$

$\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.782 mW/g, SAR (10g): 0.424 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.02 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Right / Tilt 15 / Antenna: Fixed

Mode: GSM1900 / Channel: 810

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B(Body)

SAM II Phantom, Flat Section, Position: (90°, 90°), Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69, 4.69, 4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.58 \text{ mho/m}$, $\epsilon_r = 53.3$

$\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.184 mW/g, SAR (10g): 0.113 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B(Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.58 \text{ mho/m}$, $\epsilon_r = 53.3$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.187 mW/g, SAR (10g): 0.115 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.02 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B(Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.58 \text{ mho/m}$, $\epsilon_r = 53.3$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 0.172 mW/g, SAR(10g): 0.105 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.00 dB

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel: 810

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B(Body)

SAM II Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69, 4.69, 4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.58 \text{ mho/m}$ $\epsilon_r = 53.3$ $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR(1g): 0.187 mW/g, SAR(10g): 0.115 mW/g

Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B


Company: Curitel Communications, Inc.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel: 661

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004



GA-400B

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.41 \text{ mho/m}$, $\epsilon_r = 40.2$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 1.25 mW/g, SAR (10g): 0.707 mW/g

Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment :

FCC ID: R3GGA-400B / MODEL: GA-400B

Company: Curitel Communications, Inc.

Test Position: Right / Touch / Antenna: Fixed

Mode: GSM1900 / Channel: 512

Liquid Temperature: 21.2°C

Date Tested : April 23, 2004

