





◆ MAIN FUNCTIONAL CHARACTERISTIC

◆ MAIN FUNCTIONAL CHARACTERISTIC
(Proof of Process Capability Required)**Work Label****Layout
2:1****Type Label****Artwork for production (pcx-file)**

1:1

**Artwork**

1:1

**CONNECTION TO PDMS**

Following items are printed from PDMS database


-IMEI "XXXXXXXXXXXX0"
-Product Code "XXXXXX"

Blank label material: To be printed in NMP production using (600dpi) Thermal Transfer Printer


Place tolerance of printing +/-0.3

Preliminary

4	PRINTING FILE	1	P07779XXdpi300.pcx	XX = Doc. Version Number				
3	PRINTING FILE	1	P07779XXdpi600.pcx	XX = Doc. Version Number				
2	Thermal Transfer Ribbon R-7963	1	See Data sheet	NMP CODE: 9730082				
1	Combined Blank Type Label Roll	1	DMC07127	NMP CODE: 9381484				
No.	Part name	Qty	Drw no.	Note				
Material See table.			Original Designer Hansen 210703					
		Sheet 1 of 1	Original Scale 1:1	0.1		D.Braig 210703		
			Original Size A4	0.2		D.Braig 221003		
			NMP Code	0.3		D.Braig 181104		
				0.4		D.Braig 110304		
				Item Name HDJ12 TYPE LABEL RH-37, General		Document Number DMP07779	Doc. Vers. 0.5	Tool Vers.



1.



32,5x13 metal.

NOKIA

NOKIA MOBILE PHONES

Lise-Meitner-Strasse 11

D-89081 Ulm, Germany

+49(0)731-1754-0

+49(0)731-1754-68 00

06/07/2004

Federal Communications Commission
Authorization & Evaluation Division,
7435 Oakland Mills Road,
Columbia, MD. 21046

Attention: Equipment Authorization Branch

COMPLIANCE STATEMENT OF PPIRH-37

The compliance statement can be seen in User Guide of PPIRH-37 because the size of the handportable PPIRH-37 and its identification label are so small that the compliance statement cannot be printed large enough to be visible.

NOKIA MOBILE PHONES



Jens Brüning
Product Program Manager, Ulm

9-jun-04