

字體:Adobe Hebrew 3.8pt - 5.3pt

條碼類型: code 128 (高度:4.5mm)
條碼顯示內容:O-90-N120

60mm

60mm



Ethernet MAC 由業務提供
(Ethernet 0欄位)

條碼類型為: code 128 B (條碼高度:6mm)

S/N 編碼原則:

條碼顯示內容 : 001174 XXXXXX

↓
固定碼

↓
同MAC Address 後6碼

(客戶): AirTight

(局部空白 LABEL 料號): 509120124827

(材質): 50# 啞銀龍PET

(背膠): 壓花底背膠

(顏色): Black


(尺寸): 60x60mm

(公差): ±0.3mm

※ 要不易掉色且不易脫落




LIMITS UNLESS OTHERWISE NOTED	
X. ±	X. ° ±
.X ±	.X ° ±
.XX ±	.XX ° ±
.XXX ±	.XXX ° ±

A4	UNIT	SCALE	SHEET	MODEL No.	WP939i-RJIO(O-90-N120)			
	MM	NON	1(1)	PART NAME	Product Unit label			
APPROVED	CHECKED	DESIGNED		PART No.	MM125301807	REV	A0	
		謝秋霞 qiuqiaxie 2016.4.19		LITEON 光寶科技股份有限公司 LITE-ON TECHNOLOGY CORP.				

字體:Adobe Hebrew 3.8pt - 5.3pt

條碼類型: code 128 (高度:4.5mm)
條碼顯示內容:O-90-N30



Ethernet MAC 由業務提供
(Ethernet 0欄位)

條碼類型為: code 128 B (條碼高度:6mm) 字體:Adobe Hebrew 3.8pt 5.3pt

S/N 編碼原則:

條碼顯示內容 : 001174 XXXXXX

固定碼

同MAC Address 後6碼

(客戶): AirTight

(局部空白LABEL 料號): 509120124827

(材質): 50# 啞銀龍PET

(背膠): 壓花底背膠

(顏色): Black


(尺寸): 60x60mm


(公差): $\pm 0.3\text{mm}$

※ 要不易掉色且不易脫落



LIMITS UNLESS OTHERWISE NOTED	
X. $\pm$	X. $\circ$ $\pm$
.X $\pm$	.X $\circ$ $\pm$
.XX $\pm$	.XX $\circ$ $\pm$
.XXX $\pm$	.XXX $\circ$ $\pm$

A4	UNIT	SCALE	SHEET	MODEL No.	WP939i-RJIO(O-90-N30)		
	MM	NON	1(1)	PART NAME	Product Unit label		
APPROVED	CHECKED	DESIGNED	PART No.		MM125301707	REV	A0
		李平峰 Blue 2015.06.06	LITEON 光寶科技股份有限公司 LITE-ON TECHNOLOGY CORP.				



Label Here