


11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92394G	47.51	54.00	-6.49	5.18	3	Horizontal	152	1.48	-	42.33	31.10	8.33	34.25
AV	7.3851G	36.58	54.00	-17.42	11.60	3	Horizontal	153	2.52	-	24.98	36.13	10.05	34.58
PK	4.924G	50.37	74.00	-23.63	5.18	3	Horizontal	152	1.48	-	45.19	31.10	8.33	34.25
PK	7.39218G	50.37	74.00	-23.63	11.59	3	Horizontal	153	2.52	-	38.78	36.12	10.05	34.58

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.41	54.00	-3.59	33.57	3	Vertical	242	1.78	-	16.84	27.62	5.95	-
AV	2.4136G	111.67	Inf	-Inf	33.53	3	Vertical	242	1.78	-	78.14	27.55	5.98	-
AV	2.4835G	47.66	54.00	-6.34	33.46	3	Vertical	242	1.78	-	14.20	27.40	6.06	-
PK	2.3872G	66.32	74.00	-7.68	33.58	3	Vertical	242	1.78	-	32.74	27.63	5.95	-
PK	2.4112G	122.39	Inf	-Inf	33.53	3	Vertical	242	1.78	-	88.86	27.56	5.97	-
PK	2.4844G	61.06	74.00	-12.94	33.46	3	Vertical	242	1.78	-	27.60	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.26	54.00	-3.74	33.57	3	Horizontal	92	1.05	-	16.69	27.62	5.95	-
AV	2.4136G	108.45	Inf	-Inf	33.53	3	Horizontal	92	1.05	-	74.92	27.55	5.98	-
AV	2.4848G	47.21	54.00	-6.79	33.46	3	Horizontal	92	1.05	-	13.75	27.40	6.06	-
PK	2.3892G	66.56	74.00	-7.44	33.57	3	Horizontal	92	1.05	-	32.99	27.62	5.95	-
PK	2.414G	119.05	Inf	-Inf	33.52	3	Horizontal	92	1.05	-	85.53	27.54	5.98	-
PK	2.4835G	59.71	74.00	-14.29	33.46	3	Horizontal	92	1.05	-	26.25	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82466G	42.79	54.00	-11.21	4.99	3	Vertical	124	2.58	-	37.80	31.00	8.27	34.28
PK	4.82836G	55.50	74.00	-18.50	5.00	3	Vertical	124	2.58	-	50.50	31.01	8.27	34.28

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82472G	39.82	54.00	-14.18	4.99	3	Horizontal	139	1.19	-	34.83	31.00	8.27	34.28
PK	4.8259G	52.10	74.00	-21.90	4.99	3	Horizontal	139	1.19	-	47.11	31.00	8.27	34.28

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.24	54.00	-4.76	33.57	3	Vertical	286	1.49	-	15.67	27.62	5.95	-
AV	2.419G	112.10	Inf	-Inf	33.50	3	Vertical	286	1.49	-	78.60	27.52	5.98	-
AV	2.4835G	47.30	54.00	-6.70	33.46	3	Vertical	286	1.49	-	13.84	27.40	6.06	-
PK	2.389G	66.33	74.00	-7.67	33.57	3	Vertical	286	1.49	-	32.76	27.62	5.95	-
PK	2.419G	122.77	Inf	-Inf	33.50	3	Vertical	286	1.49	-	89.27	27.52	5.98	-
PK	2.4842G	62.05	74.00	-11.95	33.46	3	Vertical	286	1.49	-	28.59	27.40	6.06	-

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3186G	46.38	54.00	-7.62	33.73	3	Horizontal	62	1.61	-	12.65	27.83	5.90	-
AV	2.419G	104.12	Inf	-Inf	33.50	3	Horizontal	62	1.61	-	70.62	27.52	5.98	-
AV	2.4838G	46.05	54.00	-7.95	33.46	3	Horizontal	62	1.61	-	12.59	27.40	6.06	-
PK	2.3882G	57.97	74.00	-16.03	33.57	3	Horizontal	62	1.61	-	24.40	27.62	5.95	-
PK	2.4166G	114.49	Inf	-Inf	33.51	3	Horizontal	62	1.61	-	80.98	27.53	5.98	-
PK	2.4858G	57.81	74.00	-16.19	33.46	3	Horizontal	62	1.61	-	24.35	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.58	54.00	-7.42	33.57	3	Vertical	249	1.39	-	13.01	27.62	5.95	-
AV	2.4386G	112.01	Inf	-Inf	33.46	3	Vertical	249	1.39	-	78.55	27.45	6.01	-
AV	2.4835G	48.11	54.00	-5.89	33.46	3	Vertical	249	1.39	-	14.65	27.40	6.06	-
PK	2.3634G	57.47	74.00	-16.53	33.60	3	Vertical	249	1.39	-	23.87	27.67	5.93	-
PK	2.4374G	122.82	Inf	-Inf	33.45	3	Vertical	249	1.39	-	89.37	27.45	6.00	-
PK	2.4846G	59.22	74.00	-14.78	33.46	3	Vertical	249	1.39	-	25.76	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	46.03	54.00	-7.97	33.57	3	Horizontal	182	1.50	-	12.46	27.62	5.95	-
AV	2.4366G	110.87	Inf	-Inf	33.45	3	Horizontal	182	1.50	-	77.42	27.45	6.00	-
AV	2.4835G	47.24	54.00	-6.76	33.46	3	Horizontal	182	1.50	-	13.78	27.40	6.06	-
PK	2.3418G	57.17	74.00	-16.83	33.65	3	Horizontal	182	1.50	-	23.52	27.73	5.92	-
PK	2.4366G	121.14	Inf	-Inf	33.45	3	Horizontal	182	1.50	-	87.69	27.45	6.00	-
PK	2.4838G	59.64	74.00	-14.36	33.46	3	Horizontal	182	1.50	-	26.18	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87494G	41.70	54.00	-12.30	5.09	3	Vertical	140	1.96	-	36.61	31.05	8.30	34.26
AV	7.3122G	49.62	54.00	-4.38	11.81	3	Vertical	191	1.72	-	37.81	36.35	10.03	34.57
PK	4.87724G	55.51	74.00	-18.49	5.09	3	Vertical	140	1.96	-	50.42	31.05	8.30	34.26
PK	7.31232G	63.10	74.00	-10.90	11.81	3	Vertical	191	1.72	-	51.29	36.35	10.03	34.57

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8749G	42.13	54.00	-11.87	5.09	3	Horizontal	173	1.00	-	37.04	31.05	8.30	34.26
AV	7.3123G	44.50	54.00	-9.50	11.81	3	Horizontal	64	1.17	-	32.69	36.35	10.03	34.57
PK	4.87472G	55.29	74.00	-18.71	5.09	3	Horizontal	173	1.00	-	50.20	31.05	8.30	34.26
PK	7.3148G	57.58	74.00	-16.42	11.80	3	Horizontal	64	1.17	-	45.78	36.34	10.03	34.57

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.59	54.00	-7.41	33.57	3	Vertical	296	1.56	-	13.02	27.62	5.95	-
AV	2.459G	115.46	Inf	-Inf	33.43	3	Vertical	296	1.56	-	82.03	27.40	6.03	-
AV	2.4838G	50.92	54.00	-3.08	33.46	3	Vertical	296	1.56	-	17.46	27.40	6.06	-
PK	2.3894G	58.00	74.00	-16.00	33.57	3	Vertical	296	1.56	-	24.43	27.62	5.95	-
PK	2.4558G	127.11	Inf	-Inf	33.43	3	Vertical	296	1.56	-	93.68	27.40	6.03	-
PK	2.4842G	65.77	74.00	-8.23	33.46	3	Vertical	296	1.56	-	32.31	27.40	6.06	-

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.13	54.00	-7.87	33.57	3	Horizontal	191	1.00	-	12.56	27.62	5.95	-
AV	2.4582G	108.76	Inf	-Inf	33.43	3	Horizontal	191	1.00	-	75.33	27.40	6.03	-
AV	2.4835G	48.17	54.00	-5.83	33.46	3	Horizontal	191	1.00	-	14.71	27.40	6.06	-
PK	2.379G	57.59	74.00	-16.41	33.58	3	Horizontal	191	1.00	-	24.01	27.64	5.94	-
PK	2.4582G	118.19	Inf	-Inf	33.43	3	Horizontal	191	1.00	-	84.76	27.40	6.03	-
PK	2.4842G	61.34	74.00	-12.66	33.46	3	Horizontal	191	1.00	-	27.88	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.37	54.00	-7.63	33.57	3	Vertical	284	1.60	-	12.80	27.62	5.95	-
AV	2.462G	114.81	Inf	-Inf	33.43	3	Vertical	284	1.60	-	81.38	27.40	6.03	-
AV	2.4835G	49.66	54.00	-4.34	33.46	3	Vertical	284	1.60	-	16.20	27.40	6.06	-
PK	2.3888G	57.74	74.00	-16.26	33.57	3	Vertical	284	1.60	-	24.17	27.62	5.95	-
PK	2.4636G	127.13	Inf	-Inf	33.44	3	Vertical	284	1.60	-	93.69	27.40	6.04	-
PK	2.4835G	67.14	74.00	-6.86	33.46	3	Vertical	284	1.60	-	33.68	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	45.94	54.00	-8.06	33.61	3	Horizontal	192	1.00	-	12.33	27.68	5.93	-
AV	2.4612G	108.13	Inf	-Inf	33.43	3	Horizontal	192	1.00	-	74.70	27.40	6.03	-
AV	2.4835G	47.81	54.00	-6.19	33.46	3	Horizontal	192	1.00	-	14.35	27.40	6.06	-
PK	2.3796G	56.55	74.00	-17.45	33.58	3	Horizontal	192	1.00	-	22.97	27.64	5.94	-
PK	2.4628G	118.70	Inf	-Inf	33.44	3	Horizontal	192	1.00	-	85.26	27.40	6.04	-
PK	2.486G	63.21	74.00	-10.79	33.46	3	Horizontal	192	1.00	-	29.75	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92478G	42.39	54.00	-11.61	5.18	3	Vertical	102	1.16	-	37.21	31.10	8.33	34.25
AV	7.3872G	42.02	54.00	-11.98	11.60	3	Vertical	190	2.94	-	30.42	36.13	10.05	34.58
PK	4.92604G	54.01	74.00	-19.99	5.18	3	Vertical	102	1.16	-	48.83	31.10	8.33	34.25
PK	7.38864G	57.00	74.00	-17.00	11.59	3	Vertical	190	2.94	-	45.41	36.12	10.05	34.58

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92478G	39.23	54.00	-14.77	5.18	3	Horizontal	149	1.50	-	34.05	31.10	8.33	34.25
AV	7.38798G	39.43	54.00	-14.57	11.59	3	Horizontal	154	1.02	-	27.84	36.12	10.05	34.58
PK	4.92502G	51.04	74.00	-22.96	5.18	3	Horizontal	149	1.50	-	45.86	31.10	8.33	34.25
PK	7.38492G	54.23	74.00	-19.77	11.60	3	Horizontal	154	1.02	-	42.63	36.13	10.05	34.58

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.68	54.00	-3.32	33.57	3	Vertical	283	1.38	-	17.11	27.62	5.95	-
AV	2.4152G	110.00	Inf	-Inf	33.52	3	Vertical	283	1.38	-	76.48	27.54	5.98	-
AV	2.4835G	46.93	54.00	-7.07	33.46	3	Vertical	283	1.38	-	13.47	27.40	6.06	-
PK	2.3896G	69.60	74.00	-4.40	33.57	3	Vertical	283	1.38	-	36.03	27.62	5.95	-
PK	2.4152G	120.61	Inf	-Inf	33.52	3	Vertical	283	1.38	-	87.09	27.54	5.98	-
PK	2.4852G	61.55	74.00	-12.45	33.46	3	Vertical	283	1.38	-	28.09	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.05	54.00	-6.95	33.57	3	Horizontal	62	1.19	-	13.48	27.62	5.95	-
AV	2.4148G	101.95	Inf	-Inf	33.52	3	Horizontal	62	1.19	-	68.43	27.54	5.98	-
AV	2.4835G	45.98	54.00	-8.02	33.46	3	Horizontal	62	1.19	-	12.52	27.40	6.06	-
PK	2.3896G	61.67	74.00	-12.33	33.57	3	Horizontal	62	1.19	-	28.10	27.62	5.95	-
PK	2.4152G	111.96	Inf	-Inf	33.52	3	Horizontal	62	1.19	-	78.44	27.54	5.98	-
PK	2.4852G	57.17	74.00	-16.83	33.46	3	Horizontal	62	1.19	-	23.71	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82604G	38.88	54.00	-15.12	4.99	3	Vertical	100	1.18	-	33.89	31.00	8.27	34.28
PK	4.82585G	51.75	74.00	-22.25	4.99	3	Vertical	100	1.18	-	46.76	31.00	8.27	34.28

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82392G	39.02	54.00	-14.98	4.99	3	Horizontal	164	1.15	-	34.03	31.00	8.27	34.28
PK	4.82384G	49.85	74.00	-24.15	4.99	3	Horizontal	164	1.15	-	44.86	31.00	8.27	34.28

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.57	54.00	-3.43	33.57	3	Vertical	285	1.37	-	17.00	27.62	5.95	-
AV	2.4202G	111.50	Inf	-Inf	33.50	3	Vertical	285	1.37	-	78.00	27.52	5.98	-
AV	2.4835G	47.74	54.00	-6.26	33.46	3	Vertical	285	1.37	-	14.28	27.40	6.06	-
PK	2.3898G	68.56	74.00	-5.44	33.57	3	Vertical	285	1.37	-	34.99	27.62	5.95	-
PK	2.4178G	121.81	Inf	-Inf	33.51	3	Vertical	285	1.37	-	88.30	27.53	5.98	-
PK	2.4835G	62.63	74.00	-11.37	33.46	3	Vertical	285	1.37	-	29.17	27.40	6.06	-

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.07	54.00	-6.93	33.57	3	Horizontal	62	1.19	-	13.50	27.62	5.95	-
AV	2.4198G	103.43	Inf	-Inf	33.50	3	Horizontal	62	1.19	-	69.93	27.52	5.98	-
AV	2.4835G	46.24	54.00	-7.76	33.46	3	Horizontal	62	1.19	-	12.78	27.40	6.06	-
PK	2.3894G	61.27	74.00	-12.73	33.57	3	Horizontal	62	1.19	-	27.70	27.62	5.95	-
PK	2.4198G	112.56	Inf	-Inf	33.50	3	Horizontal	62	1.19	-	79.06	27.52	5.98	-
PK	2.4846G	59.53	74.00	-14.47	33.46	3	Horizontal	62	1.19	-	26.07	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.76	54.00	-6.24	33.57	3	Vertical	286	1.50	-	14.19	27.62	5.95	-
AV	2.4354G	113.22	Inf	-Inf	33.46	3	Vertical	286	1.50	-	79.76	27.46	6.00	-
AV	2.4838G	50.25	54.00	-3.75	33.46	3	Vertical	286	1.50	-	16.79	27.40	6.06	-
PK	2.3898G	59.26	74.00	-14.74	33.57	3	Vertical	286	1.50	-	25.69	27.62	5.95	-
PK	2.4358G	123.71	Inf	-Inf	33.46	3	Vertical	286	1.50	-	90.25	27.46	6.00	-
PK	2.4838G	62.03	74.00	-11.97	33.46	3	Vertical	286	1.50	-	28.57	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3878G	46.08	54.00	-7.92	33.57	3	Horizontal	191	1.00	-	12.51	27.62	5.95	-
AV	2.4354G	105.94	Inf	-Inf	33.46	3	Horizontal	191	1.00	-	72.48	27.46	6.00	-
AV	2.4838G	47.11	54.00	-6.89	33.46	3	Horizontal	191	1.00	-	13.65	27.40	6.06	-
PK	2.3394G	57.55	74.00	-16.45	33.65	3	Horizontal	191	1.00	-	23.90	27.74	5.91	-
PK	2.4358G	116.80	Inf	-Inf	33.46	3	Horizontal	191	1.00	-	83.34	27.46	6.00	-
PK	2.4842G	58.38	74.00	-15.62	33.46	3	Horizontal	191	1.00	-	24.92	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	38.24	54.00	-15.76	5.09	3	Vertical	157	2.43	-	33.15	31.05	8.30	34.26
AV	7.31046G	43.52	54.00	-10.48	11.82	3	Vertical	187	3.00	-	31.70	36.36	10.03	34.57
PK	4.8719G	52.53	74.00	-21.47	5.10	3	Vertical	157	2.43	-	47.43	31.06	8.30	34.26
PK	7.31034G	56.83	74.00	-17.17	11.82	3	Vertical	187	3.00	-	45.01	36.36	10.03	34.57

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87394G	40.52	54.00	-13.48	5.09	3	Horizontal	165	1.10	-	35.43	31.05	8.30	34.26
AV	7.3107G	40.28	54.00	-13.72	11.82	3	Horizontal	149	1.16	-	28.46	36.36	10.03	34.57
PK	4.87398G	48.85	74.00	-25.15	5.09	3	Horizontal	165	1.10	-	43.76	31.05	8.30	34.26
PK	7.31058G	54.58	74.00	-19.42	11.82	3	Horizontal	149	1.16	-	42.76	36.36	10.03	34.57

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.37	54.00	-7.63	33.57	3	Vertical	284	1.54	-	12.80	27.62	5.95	-
AV	2.4594G	113.20	Inf	-Inf	33.43	3	Vertical	284	1.54	-	79.77	27.40	6.03	-
AV	2.4835G	50.55	54.00	-3.45	33.46	3	Vertical	284	1.54	-	17.09	27.40	6.06	-
PK	2.3894G	59.65	74.00	-14.35	33.57	3	Vertical	284	1.54	-	26.08	27.62	5.95	-
PK	2.4586G	124.10	Inf	-Inf	33.43	3	Vertical	284	1.54	-	90.67	27.40	6.03	-
PK	2.4838G	66.92	74.00	-7.08	33.46	3	Vertical	284	1.54	-	33.46	27.40	6.06	-

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3586G	45.94	54.00	-8.06	33.61	3	Horizontal	191	1.00	-	12.33	27.68	5.93	-
AV	2.4598G	105.93	Inf	-Inf	33.43	3	Horizontal	191	1.00	-	72.50	27.40	6.03	-
AV	2.4835G	47.27	54.00	-6.73	33.46	3	Horizontal	191	1.00	-	13.81	27.40	6.06	-
PK	2.3742G	56.56	74.00	-17.44	33.59	3	Horizontal	191	1.00	-	22.97	27.65	5.94	-
PK	2.4594G	116.38	Inf	-Inf	33.43	3	Horizontal	191	1.00	-	82.95	27.40	6.03	-
PK	2.4854G	60.52	74.00	-13.48	33.46	3	Horizontal	191	1.00	-	27.06	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.34	54.00	-7.66	33.57	3	Vertical	286	1.58	-	12.77	27.62	5.95	-
AV	2.4632G	113.48	Inf	-Inf	33.44	3	Vertical	286	1.58	-	80.04	27.40	6.04	-
AV	2.4835G	50.83	54.00	-3.17	33.46	3	Vertical	286	1.58	-	17.37	27.40	6.06	-
PK	2.3892G	57.37	74.00	-16.63	33.57	3	Vertical	286	1.58	-	23.80	27.62	5.95	-
PK	2.4608G	123.98	Inf	-Inf	33.43	3	Vertical	286	1.58	-	90.55	27.40	6.03	-
PK	2.4835G	66.29	74.00	-7.71	33.46	3	Vertical	286	1.58	-	32.83	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	45.99	54.00	-8.01	33.61	3	Horizontal	191	1.00	-	12.38	27.68	5.93	-
AV	2.4632G	106.16	Inf	-Inf	33.44	3	Horizontal	191	1.00	-	72.72	27.40	6.04	-
AV	2.4835G	47.84	54.00	-6.16	33.46	3	Horizontal	191	1.00	-	14.38	27.40	6.06	-
PK	2.388G	57.30	74.00	-16.70	33.57	3	Horizontal	191	1.00	-	23.73	27.62	5.95	-
PK	2.4596G	116.70	Inf	-Inf	33.43	3	Horizontal	191	1.00	-	83.27	27.40	6.03	-
PK	2.486G	62.25	74.00	-11.75	33.46	3	Horizontal	191	1.00	-	28.79	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	41.09	54.00	-12.91	5.18	3	Vertical	101	2.15	-	35.91	31.10	8.33	34.25
AV	7.38528G	40.59	54.00	-13.41	11.60	3	Vertical	184	2.94	-	28.99	36.13	10.05	34.58
PK	4.92401G	53.83	74.00	-20.17	5.18	3	Vertical	101	2.15	-	48.65	31.10	8.33	34.25
PK	7.38354G	54.80	74.00	-19.20	11.60	3	Vertical	184	2.94	-	43.20	36.13	10.05	34.58

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	38.30	54.00	-15.70	5.18	3	Horizontal	166	1.48	-	33.12	31.10	8.33	34.25
AV	7.38438G	38.40	54.00	-15.60	11.60	3	Horizontal	150	1.00	-	26.80	36.13	10.05	34.58
PK	4.92396G	46.17	74.00	-27.83	5.18	3	Horizontal	166	1.48	-	40.99	31.10	8.33	34.25
PK	7.38462G	52.09	74.00	-21.91	11.60	3	Horizontal	150	1.00	-	40.49	36.13	10.05	34.58

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.69	54.00	-3.31	33.57	3	Vertical	322	1.53	-	17.12	27.62	5.95	-
AV	2.4164G	102.98	Inf	-Inf	33.51	3	Vertical	322	1.53	-	69.47	27.53	5.98	-
AV	2.4856G	46.20	54.00	-7.80	33.46	3	Vertical	322	1.53	-	12.74	27.40	6.06	-
PK	2.39G	63.15	74.00	-10.85	33.57	3	Vertical	322	1.53	-	29.58	27.62	5.95	-
PK	2.4168G	111.56	Inf	-Inf	33.51	3	Vertical	322	1.53	-	78.05	27.53	5.98	-
PK	2.486G	57.24	74.00	-16.76	33.46	3	Vertical	322	1.53	-	23.78	27.40	6.06	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.46	54.00	-6.54	33.57	3	Horizontal	346	1.50	-	13.89	27.62	5.95	-
AV	2.418G	95.57	Inf	-Inf	33.51	3	Horizontal	346	1.50	-	62.06	27.53	5.98	-
AV	2.4852G	45.78	54.00	-8.22	33.46	3	Horizontal	346	1.50	-	12.32	27.40	6.06	-
PK	2.3236G	58.20	74.00	-15.80	33.71	3	Horizontal	346	1.50	-	24.49	27.81	5.90	-
PK	2.4176G	105.34	Inf	-Inf	33.51	3	Horizontal	346	1.50	-	71.83	27.53	5.98	-
PK	2.496G	57.11	74.00	-16.89	33.48	3	Horizontal	346	1.50	-	23.63	27.40	6.08	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82404G	35.63	54.00	-18.37	4.99	3	Vertical	337	1.34	-	30.64	31.00	8.27	34.28
PK	4.82372G	44.65	74.00	-29.35	4.98	3	Vertical	337	1.34	-	39.67	30.99	8.27	34.28

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	37.40	54.00	-16.60	4.99	3	Horizontal	177	2.01	-	32.41	31.00	8.27	34.28
PK	4.82404G	44.52	74.00	-29.48	4.99	3	Horizontal	177	2.01	-	39.53	31.00	8.27	34.28

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.70	54.00	-3.30	33.57	3	Vertical	322	1.40	-	17.13	27.62	5.95	-
AV	2.421G	107.58	Inf	-Inf	33.51	3	Vertical	322	1.40	-	74.07	27.52	5.99	-
AV	2.4835G	46.27	54.00	-7.73	33.46	3	Vertical	322	1.40	-	12.81	27.40	6.06	-
PK	2.3898G	60.73	74.00	-13.27	33.57	3	Vertical	322	1.40	-	27.16	27.62	5.95	-
PK	2.4214G	116.73	Inf	-Inf	33.50	3	Vertical	322	1.40	-	83.23	27.51	5.99	-
PK	2.4862G	57.02	74.00	-16.98	33.46	3	Vertical	322	1.40	-	23.56	27.40	6.06	-

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.59	54.00	-6.41	33.57	3	Horizontal	345	1.48	-	14.02	27.62	5.95	-
AV	2.4226G	99.79	Inf	-Inf	33.50	3	Horizontal	345	1.48	-	66.29	27.51	5.99	-
AV	2.4835G	45.76	54.00	-8.24	33.46	3	Horizontal	345	1.48	-	12.30	27.40	6.06	-
PK	2.3878G	57.99	74.00	-16.01	33.57	3	Horizontal	345	1.48	-	24.42	27.62	5.95	-
PK	2.4178G	108.54	Inf	-Inf	33.51	3	Horizontal	345	1.48	-	75.03	27.53	5.98	-
PK	2.4974G	56.02	74.00	-17.98	33.48	3	Horizontal	345	1.48	-	22.54	27.40	6.08	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.34	54.00	-5.66	33.57	3	Vertical	95	1.45	-	14.77	27.62	5.95	-
AV	2.4302G	108.89	Inf	-Inf	33.48	3	Vertical	95	1.45	-	75.41	27.48	6.00	-
AV	2.485G	50.00	54.00	-4.00	33.46	3	Vertical	95	1.45	-	16.54	27.40	6.06	-
PK	2.3894G	59.01	74.00	-14.99	33.57	3	Vertical	95	1.45	-	25.44	27.62	5.95	-
PK	2.4346G	117.65	Inf	-Inf	33.46	3	Vertical	95	1.45	-	84.19	27.46	6.00	-
PK	2.4835G	61.06	74.00	-12.94	33.46	3	Vertical	95	1.45	-	27.60	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.26	54.00	-7.74	33.57	3	Horizontal	296	3.00	-	12.69	27.62	5.95	-
AV	2.4318G	104.89	Inf	-Inf	33.47	3	Horizontal	296	3.00	-	71.42	27.47	6.00	-
AV	2.4835G	48.09	54.00	-5.91	33.46	3	Horizontal	296	3.00	-	14.63	27.40	6.06	-
PK	2.3878G	56.88	74.00	-17.12	33.57	3	Horizontal	296	3.00	-	23.31	27.62	5.95	-
PK	2.4318G	113.45	Inf	-Inf	33.47	3	Horizontal	296	3.00	-	79.98	27.47	6.00	-
PK	2.4838G	58.22	74.00	-15.78	33.46	3	Horizontal	296	3.00	-	24.76	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87404G	37.97	54.00	-16.03	5.09	3	Vertical	297	2.14	-	32.88	31.05	8.30	34.26
AV	7.312G	39.40	54.00	-14.60	11.81	3	Vertical	194	1.48	-	27.59	36.35	10.03	34.57
PK	4.87396G	45.80	74.00	-28.20	5.09	3	Vertical	297	2.14	-	40.71	31.05	8.30	34.26
PK	7.31308G	52.34	74.00	-21.66	11.81	3	Vertical	194	1.48	-	40.53	36.35	10.03	34.57

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.22	54.00	-13.78	5.09	3	Horizontal	34	2.53	-	35.13	31.05	8.30	34.26
AV	7.31212G	37.95	54.00	-16.05	11.81	3	Horizontal	67	2.25	-	26.14	36.35	10.03	34.57
PK	4.874G	46.68	74.00	-27.32	5.09	3	Horizontal	34	2.53	-	41.59	31.05	8.30	34.26
PK	7.31204G	50.41	74.00	-23.59	11.81	3	Horizontal	67	2.25	-	38.60	36.35	10.03	34.57

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	46.21	54.00	-7.79	33.58	3	Vertical	302	1.00	-	12.63	27.63	5.95	-
AV	2.463G	107.47	Inf	-Inf	33.44	3	Vertical	302	1.00	-	74.03	27.40	6.04	-
AV	2.4835G	50.38	54.00	-3.62	33.46	3	Vertical	302	1.00	-	16.92	27.40	6.06	-
PK	2.389G	57.03	74.00	-16.97	33.57	3	Vertical	302	1.00	-	23.46	27.62	5.95	-
PK	2.4626G	116.30	Inf	-Inf	33.44	3	Vertical	302	1.00	-	82.86	27.40	6.04	-
PK	2.4835G	60.96	74.00	-13.04	33.46	3	Vertical	302	1.00	-	27.50	27.40	6.06	-

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.357G	45.96	54.00	-8.04	33.62	3	Horizontal	293	2.95	-	12.34	27.69	5.93	-
AV	2.4626G	103.01	Inf	-Inf	33.44	3	Horizontal	293	2.95	-	69.57	27.40	6.04	-
AV	2.4846G	47.91	54.00	-6.09	33.46	3	Horizontal	293	2.95	-	14.45	27.40	6.06	-
PK	2.3706G	56.59	74.00	-17.41	33.60	3	Horizontal	293	2.95	-	22.99	27.66	5.94	-
PK	2.463G	112.60	Inf	-Inf	33.44	3	Horizontal	293	2.95	-	79.16	27.40	6.04	-
PK	2.485G	59.99	74.00	-14.01	33.46	3	Horizontal	293	2.95	-	26.53	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3628G	46.04	54.00	-7.96	33.60	3	Vertical	280	1.58	-	12.44	27.67	5.93	-
AV	2.4664G	104.95	Inf	-Inf	33.44	3	Vertical	280	1.58	-	71.51	27.40	6.04	-
AV	2.4835G	50.28	54.00	-3.72	33.46	3	Vertical	280	1.58	-	16.82	27.40	6.06	-
PK	2.3756G	56.69	74.00	-17.31	33.59	3	Vertical	280	1.58	-	23.10	27.65	5.94	-
PK	2.4672G	114.15	Inf	-Inf	33.44	3	Vertical	280	1.58	-	80.71	27.40	6.04	-
PK	2.4848G	61.07	74.00	-12.93	33.46	3	Vertical	280	1.58	-	27.61	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3664G	45.86	54.00	-8.14	33.60	3	Horizontal	304	2.69	-	12.26	27.67	5.93	-
AV	2.4656G	101.03	Inf	-Inf	33.44	3	Horizontal	304	2.69	-	67.59	27.40	6.04	-
AV	2.4835G	48.62	54.00	-5.38	33.46	3	Horizontal	304	2.69	-	15.16	27.40	6.06	-
PK	2.3624G	57.20	74.00	-16.80	33.61	3	Horizontal	304	2.69	-	23.59	27.68	5.93	-
PK	2.4632G	110.43	Inf	-Inf	33.44	3	Horizontal	304	2.69	-	76.99	27.40	6.04	-
PK	2.4835G	58.31	74.00	-15.69	33.46	3	Horizontal	304	2.69	-	24.85	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	40.12	54.00	-13.88	5.18	3	Vertical	296	2.21	-	34.94	31.10	8.33	34.25
AV	7.38712G	36.18	54.00	-17.82	11.60	3	Vertical	190	1.48	-	24.58	36.13	10.05	34.58
PK	4.92404G	47.45	74.00	-26.55	5.18	3	Vertical	296	2.21	-	42.27	31.10	8.33	34.25
PK	7.389G	49.22	74.00	-24.78	11.59	3	Vertical	190	1.48	-	37.63	36.12	10.05	34.58

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	40.67	54.00	-13.33	5.18	3	Horizontal	37	2.30	-	35.49	31.10	8.33	34.25
AV	7.38008G	36.01	54.00	-17.99	11.61	3	Horizontal	25	1.49	-	24.40	36.14	10.05	34.58
PK	4.924G	46.81	74.00	-27.19	5.18	3	Horizontal	37	2.30	-	41.63	31.10	8.33	34.25
PK	7.37912G	48.96	74.00	-25.04	11.61	3	Horizontal	25	1.49	-	37.35	36.14	10.05	34.58

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.76	54.00	-4.24	33.57	3	Vertical	307	1.55	-	16.19	27.62	5.95	-
AV	2.4136G	111.84	Inf	-Inf	33.53	3	Vertical	307	1.55	-	78.31	27.55	5.98	-
AV	2.4835G	47.34	54.00	-6.66	33.46	3	Vertical	307	1.55	-	13.88	27.40	6.06	-
PK	2.3896G	65.43	74.00	-8.57	33.57	3	Vertical	307	1.55	-	31.86	27.62	5.95	-
PK	2.4136G	121.80	Inf	-Inf	33.53	3	Vertical	307	1.55	-	88.27	27.55	5.98	-
PK	2.4844G	59.42	74.00	-14.58	33.46	3	Vertical	307	1.55	-	25.96	27.40	6.06	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.28	54.00	-6.72	33.57	3	Horizontal	190	1.15	-	13.71	27.62	5.95	-
AV	2.4116G	104.56	Inf	-Inf	33.52	3	Horizontal	190	1.15	-	71.04	27.55	5.97	-
AV	2.4835G	46.03	54.00	-7.97	33.46	3	Horizontal	190	1.15	-	12.57	27.40	6.06	-
PK	2.39G	59.86	74.00	-14.14	33.57	3	Horizontal	190	1.15	-	26.29	27.62	5.95	-
PK	2.4128G	114.44	Inf	-Inf	33.53	3	Horizontal	190	1.15	-	80.91	27.55	5.98	-
PK	2.4844G	57.50	74.00	-16.50	33.46	3	Horizontal	190	1.15	-	24.04	27.40	6.06	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82484G	42.28	54.00	-11.72	4.99	3	Vertical	236	2.33	-	37.29	31.00	8.27	34.28
PK	4.82496G	54.70	74.00	-19.30	4.99	3	Vertical	236	2.33	-	49.71	31.00	8.27	34.28

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	40.35	54.00	-13.65	4.99	3	Horizontal	146	1.00	-	35.36	31.00	8.27	34.28
PK	4.82682G	52.76	74.00	-21.24	5.00	3	Horizontal	146	1.00	-	47.76	31.01	8.27	34.28

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.59	54.00	-3.41	33.57	3	Vertical	306	1.56	-	17.02	27.62	5.95	-
AV	2.4182G	113.19	Inf	-Inf	33.51	3	Vertical	306	1.56	-	79.68	27.53	5.98	-
AV	2.4835G	48.95	54.00	-5.05	33.46	3	Vertical	306	1.56	-	15.49	27.40	6.06	-
PK	2.3898G	66.55	74.00	-7.45	33.57	3	Vertical	306	1.56	-	32.98	27.62	5.95	-
PK	2.4186G	123.29	Inf	-Inf	33.51	3	Vertical	306	1.56	-	89.78	27.53	5.98	-
PK	2.4842G	63.02	74.00	-10.98	33.46	3	Vertical	306	1.56	-	29.56	27.40	6.06	-

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.50	54.00	-6.50	33.57	3	Horizontal	61	1.20	-	13.93	27.62	5.95	-
AV	2.4166G	105.37	Inf	-Inf	33.51	3	Horizontal	61	1.20	-	71.86	27.53	5.98	-
AV	2.4835G	46.94	54.00	-7.06	33.46	3	Horizontal	61	1.20	-	13.48	27.40	6.06	-
PK	2.3898G	60.42	74.00	-13.58	33.57	3	Horizontal	61	1.20	-	26.85	27.62	5.95	-
PK	2.4166G	115.63	Inf	-Inf	33.51	3	Horizontal	61	1.20	-	82.12	27.53	5.98	-
PK	2.4846G	59.56	74.00	-14.44	33.46	3	Horizontal	61	1.20	-	26.10	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3882G	47.78	54.00	-6.22	33.57	3	Vertical	276	1.64	-	14.21	27.62	5.95	-
AV	2.4386G	116.81	Inf	-Inf	33.46	3	Vertical	276	1.64	-	83.35	27.45	6.01	-
AV	2.485G	49.17	54.00	-4.83	33.46	3	Vertical	276	1.64	-	15.71	27.40	6.06	-
PK	2.3886G	60.32	74.00	-13.68	33.57	3	Vertical	276	1.64	-	26.75	27.62	5.95	-
PK	2.4386G	126.33	Inf	-Inf	33.46	3	Vertical	276	1.64	-	92.87	27.45	6.01	-
PK	2.485G	61.64	74.00	-12.36	33.46	3	Vertical	276	1.64	-	28.18	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3414G	46.08	54.00	-7.92	33.65	3	Horizontal	66	1.00	-	12.43	27.73	5.92	-
AV	2.4386G	108.92	Inf	-Inf	33.46	3	Horizontal	66	1.00	-	75.46	27.45	6.01	-
AV	2.485G	46.97	54.00	-7.03	33.46	3	Horizontal	66	1.00	-	13.51	27.40	6.06	-
PK	2.3434G	57.31	74.00	-16.69	33.65	3	Horizontal	66	1.00	-	23.66	27.73	5.92	-
PK	2.439G	119.34	Inf	-Inf	33.45	3	Horizontal	66	1.00	-	85.89	27.44	6.01	-
PK	2.4846G	57.69	74.00	-16.31	33.46	3	Horizontal	66	1.00	-	24.23	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8749G	45.47	54.00	-8.53	5.09	3	Vertical	156	2.87	-	40.38	31.05	8.30	34.26
AV	7.31346G	49.15	54.00	-4.85	11.81	3	Vertical	186	3.00	-	37.34	36.35	10.03	34.57
PK	4.8746G	58.27	74.00	-15.73	5.09	3	Vertical	156	2.87	-	53.18	31.05	8.30	34.26
PK	7.30968G	61.97	74.00	-12.03	11.82	3	Vertical	186	3.00	-	50.15	36.36	10.03	34.57

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8749G	41.96	54.00	-12.04	5.09	3	Horizontal	149	1.00	-	36.87	31.05	8.30	34.26
AV	7.31364G	44.27	54.00	-9.73	11.81	3	Horizontal	150	2.96	-	32.46	36.35	10.03	34.57
PK	4.87526G	53.75	74.00	-20.25	5.09	3	Horizontal	149	1.00	-	48.66	31.05	8.30	34.26
PK	7.31418G	57.60	74.00	-16.40	11.80	3	Horizontal	150	2.96	-	45.80	36.34	10.03	34.57

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	46.52	54.00	-7.48	33.58	3	Vertical	298	1.29	-	12.94	27.63	5.95	-
AV	2.4582G	117.43	Inf	-Inf	33.43	3	Vertical	298	1.29	-	84.00	27.40	6.03	-
AV	2.4835G	50.88	54.00	-3.12	33.46	3	Vertical	298	1.29	-	17.42	27.40	6.06	-
PK	2.3898G	58.73	74.00	-15.27	33.57	3	Vertical	298	1.29	-	25.16	27.62	5.95	-
PK	2.4582G	126.81	Inf	-Inf	33.43	3	Vertical	298	1.29	-	93.38	27.40	6.03	-
PK	2.4846G	67.45	74.00	-6.55	33.46	3	Vertical	298	1.29	-	33.99	27.40	6.06	-

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3582G	46.02	54.00	-7.98	33.61	3	Horizontal	66	1.15	-	12.41	27.68	5.93	-
AV	2.459G	109.40	Inf	-Inf	33.43	3	Horizontal	66	1.15	-	75.97	27.40	6.03	-
AV	2.4838G	48.01	54.00	-5.99	33.46	3	Horizontal	66	1.15	-	14.55	27.40	6.06	-
PK	2.3714G	57.13	74.00	-16.87	33.60	3	Horizontal	66	1.15	-	23.53	27.66	5.94	-
PK	2.4562G	118.81	Inf	-Inf	33.43	3	Horizontal	66	1.15	-	85.38	27.40	6.03	-
PK	2.4842G	62.61	74.00	-11.39	33.46	3	Horizontal	66	1.15	-	29.15	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.27	54.00	-7.73	33.57	3	Vertical	297	1.27	-	12.70	27.62	5.95	-
AV	2.4632G	116.44	Inf	-Inf	33.44	3	Vertical	297	1.27	-	83.00	27.40	6.04	-
AV	2.4835G	50.37	54.00	-3.63	33.46	3	Vertical	297	1.27	-	16.91	27.40	6.06	-
PK	2.3872G	56.95	74.00	-17.05	33.58	3	Vertical	297	1.27	-	23.37	27.63	5.95	-
PK	2.4628G	125.97	Inf	-Inf	33.44	3	Vertical	297	1.27	-	92.53	27.40	6.04	-
PK	2.4844G	67.25	74.00	-6.75	33.46	3	Vertical	297	1.27	-	33.79	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.366G	45.95	54.00	-8.05	33.60	3	Horizontal	67	1.17	-	12.35	27.67	5.93	-
AV	2.4616G	108.73	Inf	-Inf	33.43	3	Horizontal	67	1.17	-	75.30	27.40	6.03	-
AV	2.4835G	47.21	54.00	-6.79	33.46	3	Horizontal	67	1.17	-	13.75	27.40	6.06	-
PK	2.3872G	58.46	74.00	-15.54	33.58	3	Horizontal	67	1.17	-	24.88	27.63	5.95	-
PK	2.4616G	119.10	Inf	-Inf	33.43	3	Horizontal	67	1.17	-	85.67	27.40	6.03	-
PK	2.4835G	62.59	74.00	-11.41	33.46	3	Horizontal	67	1.17	-	29.13	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92484G	43.09	54.00	-10.91	5.18	3	Vertical	96	2.15	-	37.91	31.10	8.33	34.25
AV	7.38666G	41.14	54.00	-12.86	11.60	3	Vertical	192	2.92	-	29.54	36.13	10.05	34.58
PK	4.9248G	54.69	74.00	-19.31	5.18	3	Vertical	96	2.15	-	49.51	31.10	8.33	34.25
PK	7.38624G	56.14	74.00	-17.86	11.60	3	Vertical	192	2.92	-	44.54	36.13	10.05	34.58

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92484G	39.50	54.00	-14.50	5.18	3	Horizontal	149	1.04	-	34.32	31.10	8.33	34.25
AV	7.38702G	40.05	54.00	-13.95	11.60	3	Horizontal	151	1.00	-	28.45	36.13	10.05	34.58
PK	4.92394G	51.30	74.00	-22.70	5.18	3	Horizontal	149	1.04	-	46.12	31.10	8.33	34.25
PK	7.38906G	55.16	74.00	-18.84	11.59	3	Horizontal	151	1.00	-	43.57	36.12	10.05	34.58

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.29	54.00	-3.71	33.57	3	Vertical	306	1.54	-	16.72	27.62	5.95	-
AV	2.4136G	108.30	Inf	-Inf	33.53	3	Vertical	306	1.54	-	74.77	27.55	5.98	-
AV	2.4835G	47.58	54.00	-6.42	33.46	3	Vertical	306	1.54	-	14.12	27.40	6.06	-
PK	2.3896G	66.33	74.00	-7.67	33.57	3	Vertical	306	1.54	-	32.76	27.62	5.95	-
PK	2.4128G	118.88	Inf	-Inf	33.53	3	Vertical	306	1.54	-	85.35	27.55	5.98	-
PK	2.4864G	60.54	74.00	-13.46	33.46	3	Vertical	306	1.54	-	27.08	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.11	54.00	-5.89	33.57	3	Horizontal	189	1.12	-	14.54	27.62	5.95	-
AV	2.4108G	101.43	Inf	-Inf	33.53	3	Horizontal	189	1.12	-	67.90	27.56	5.97	-
AV	2.4835G	46.14	54.00	-7.86	33.46	3	Horizontal	189	1.12	-	12.68	27.40	6.06	-
PK	2.39G	61.43	74.00	-12.57	33.57	3	Horizontal	189	1.12	-	27.86	27.62	5.95	-
PK	2.4112G	112.65	Inf	-Inf	33.53	3	Horizontal	189	1.12	-	79.12	27.56	5.97	-
PK	2.4844G	57.28	74.00	-16.72	33.46	3	Horizontal	189	1.12	-	23.82	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8249G	42.79	54.00	-11.21	4.99	3	Vertical	156	2.60	-	37.80	31.00	8.27	34.28
PK	4.82622G	56.83	74.00	-17.17	4.99	3	Vertical	156	2.60	-	51.84	31.00	8.27	34.28

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82388G	38.87	54.00	-15.13	4.99	3	Horizontal	192	1.47	-	33.88	31.00	8.27	34.28
PK	4.82694G	51.68	74.00	-22.32	5.00	3	Horizontal	192	1.47	-	46.68	31.01	8.27	34.28

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.65	54.00	-3.35	33.57	3	Vertical	308	1.52	-	17.08	27.62	5.95	-
AV	2.4182G	110.92	Inf	-Inf	33.51	3	Vertical	308	1.52	-	77.41	27.53	5.98	-
AV	2.4835G	48.59	54.00	-5.41	33.46	3	Vertical	308	1.52	-	15.13	27.40	6.06	-
PK	2.389G	66.55	74.00	-7.45	33.57	3	Vertical	308	1.52	-	32.98	27.62	5.95	-
PK	2.4194G	121.91	Inf	-Inf	33.50	3	Vertical	308	1.52	-	88.41	27.52	5.98	-
PK	2.485G	64.20	74.00	-9.80	33.46	3	Vertical	308	1.52	-	30.74	27.40	6.06	-

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.84	54.00	-6.16	33.57	3	Horizontal	190	1.14	-	14.27	27.62	5.95	-
AV	2.4162G	103.29	Inf	-Inf	33.52	3	Horizontal	190	1.14	-	69.77	27.54	5.98	-
AV	2.4838G	46.65	54.00	-7.35	33.46	3	Horizontal	190	1.14	-	13.19	27.40	6.06	-
PK	2.3898G	60.65	74.00	-13.35	33.57	3	Horizontal	190	1.14	-	27.08	27.62	5.95	-
PK	2.4162G	114.24	Inf	-Inf	33.52	3	Horizontal	190	1.14	-	80.72	27.54	5.98	-
PK	2.485G	59.25	74.00	-14.75	33.46	3	Horizontal	190	1.14	-	25.79	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.62	54.00	-5.38	33.57	3	Vertical	307	1.76	-	15.05	27.62	5.95	-
AV	2.4342G	112.97	Inf	-Inf	33.46	3	Vertical	307	1.76	-	79.51	27.46	6.00	-
AV	2.4846G	50.17	54.00	-3.83	33.46	3	Vertical	307	1.76	-	16.71	27.40	6.06	-
PK	2.3894G	58.53	74.00	-15.47	33.57	3	Vertical	307	1.76	-	24.96	27.62	5.95	-
PK	2.4342G	123.73	Inf	-Inf	33.46	3	Vertical	307	1.76	-	90.27	27.46	6.00	-
PK	2.4862G	62.02	74.00	-11.98	33.46	3	Vertical	307	1.76	-	28.56	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	46.36	54.00	-7.64	33.57	3	Horizontal	67	1.00	-	12.79	27.62	5.95	-
AV	2.4382G	105.08	Inf	-Inf	33.46	3	Horizontal	67	1.00	-	71.62	27.45	6.01	-
AV	2.4835G	48.94	54.00	-5.06	33.46	3	Horizontal	67	1.00	-	15.48	27.40	6.06	-
PK	2.3874G	57.93	74.00	-16.07	33.58	3	Horizontal	67	1.00	-	24.35	27.63	5.95	-
PK	2.439G	115.81	Inf	-Inf	33.45	3	Horizontal	67	1.00	-	82.36	27.44	6.01	-
PK	2.4835G	60.18	74.00	-13.82	33.46	3	Horizontal	67	1.00	-	26.72	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87412G	42.14	54.00	-11.86	5.09	3	Vertical	158	2.61	-	37.05	31.05	8.30	34.26
AV	7.3098G	46.32	54.00	-7.68	11.82	3	Vertical	190	2.44	-	34.50	36.36	10.03	34.57
PK	4.87382G	55.50	74.00	-18.50	5.09	3	Vertical	158	2.61	-	50.41	31.05	8.30	34.26
PK	7.30902G	59.92	74.00	-14.08	11.82	3	Vertical	190	2.44	-	48.10	36.36	10.03	34.57

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87394G	40.50	54.00	-13.50	5.09	3	Horizontal	172	2.29	-	35.41	31.05	8.30	34.26
AV	7.31022G	41.79	54.00	-12.21	11.82	3	Horizontal	161	1.02	-	29.97	36.36	10.03	34.57
PK	4.87382G	48.86	74.00	-25.14	5.09	3	Horizontal	172	2.29	-	43.77	31.05	8.30	34.26
PK	7.30764G	54.76	74.00	-19.24	11.83	3	Horizontal	161	1.02	-	42.93	36.37	10.03	34.57

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.50	54.00	-7.50	33.57	3	Vertical	299	1.02	-	12.93	27.62	5.95	-
AV	2.4586G	114.24	Inf	-Inf	33.43	3	Vertical	299	1.02	-	80.81	27.40	6.03	-
AV	2.4835G	50.17	54.00	-3.83	33.46	3	Vertical	299	1.02	-	16.71	27.40	6.06	-
PK	2.3894G	60.22	74.00	-13.78	33.57	3	Vertical	299	1.02	-	26.65	27.62	5.95	-
PK	2.4578G	124.88	Inf	-Inf	33.43	3	Vertical	299	1.02	-	91.45	27.40	6.03	-
PK	2.4835G	64.95	74.00	-9.05	33.46	3	Vertical	299	1.02	-	31.49	27.40	6.06	-

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3602G	45.98	54.00	-8.02	33.61	3	Horizontal	69	1.00	-	12.37	27.68	5.93	-
AV	2.4594G	105.93	Inf	-Inf	33.43	3	Horizontal	69	1.00	-	72.50	27.40	6.03	-
AV	2.4835G	47.36	54.00	-6.64	33.46	3	Horizontal	69	1.00	-	13.90	27.40	6.06	-
PK	2.3826G	56.81	74.00	-17.19	33.58	3	Horizontal	69	1.00	-	23.23	27.63	5.95	-
PK	2.459G	116.25	Inf	-Inf	33.43	3	Horizontal	69	1.00	-	82.82	27.40	6.03	-
PK	2.4838G	61.68	74.00	-12.32	33.46	3	Horizontal	69	1.00	-	28.22	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.13	54.00	-7.87	33.57	3	Vertical	297	1.23	-	12.56	27.62	5.95	-
AV	2.4628G	112.91	Inf	-Inf	33.44	3	Vertical	297	1.23	-	79.47	27.40	6.04	-
AV	2.4835G	50.65	54.00	-3.35	33.46	3	Vertical	297	1.23	-	17.19	27.40	6.06	-
PK	2.3812G	57.36	74.00	-16.64	33.59	3	Vertical	297	1.23	-	23.77	27.64	5.95	-
PK	2.464G	123.05	Inf	-Inf	33.44	3	Vertical	297	1.23	-	89.61	27.40	6.04	-
PK	2.484G	63.15	74.00	-10.85	33.46	3	Vertical	297	1.23	-	29.69	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3668G	45.93	54.00	-8.07	33.61	3	Horizontal	68	1.00	-	12.32	27.67	5.94	-
AV	2.4644G	105.40	Inf	-Inf	33.44	3	Horizontal	68	1.00	-	71.96	27.40	6.04	-
AV	2.4835G	47.39	54.00	-6.61	33.46	3	Horizontal	68	1.00	-	13.93	27.40	6.06	-
PK	2.3808G	57.23	74.00	-16.77	33.59	3	Horizontal	68	1.00	-	23.64	27.64	5.95	-
PK	2.4636G	114.98	Inf	-Inf	33.44	3	Horizontal	68	1.00	-	81.54	27.40	6.04	-
PK	2.4835G	62.51	74.00	-11.49	33.46	3	Horizontal	68	1.00	-	29.05	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	40.08	54.00	-13.92	5.18	3	Vertical	305	1.49	-	34.90	31.10	8.33	34.25
AV	7.3845G	46.98	54.00	-7.02	11.60	3	Vertical	185	2.94	-	35.38	36.13	10.05	34.58
PK	4.92358G	51.08	74.00	-22.92	5.17	3	Vertical	305	1.49	-	45.91	31.09	8.33	34.25
PK	7.38966G	60.62	74.00	-13.38	11.59	3	Vertical	185	2.94	-	49.03	36.12	10.05	34.58

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92394G	37.80	54.00	-16.20	5.18	3	Horizontal	165	1.49	-	32.62	31.10	8.33	34.25
AV	7.38552G	44.51	54.00	-9.49	11.60	3	Horizontal	151	1.00	-	32.91	36.13	10.05	34.58
PK	4.92394G	46.14	74.00	-27.86	5.18	3	Horizontal	165	1.49	-	40.96	31.10	8.33	34.25
PK	7.39554G	58.90	74.00	-15.10	11.57	3	Horizontal	151	1.00	-	47.33	36.11	10.05	34.59

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.62	54.00	-3.38	33.57	3	Vertical	323	1.43	-	17.05	27.62	5.95	-
AV	2.4176G	101.40	Inf	-Inf	33.51	3	Vertical	323	1.43	-	67.89	27.53	5.98	-
AV	2.4844G	46.07	54.00	-7.93	33.46	3	Vertical	323	1.43	-	12.61	27.40	6.06	-
PK	2.39G	61.21	74.00	-12.79	33.57	3	Vertical	323	1.43	-	27.64	27.62	5.95	-
PK	2.4196G	110.66	Inf	-Inf	33.50	3	Vertical	323	1.43	-	77.16	27.52	5.98	-
PK	2.4884G	57.33	74.00	-16.67	33.47	3	Vertical	323	1.43	-	23.86	27.40	6.07	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	46.89	54.00	-7.11	33.57	3	Horizontal	343	1.07	-	13.32	27.62	5.95	-
AV	2.406G	93.66	Inf	-Inf	33.55	3	Horizontal	343	1.07	-	60.11	27.58	5.97	-
AV	2.4992G	45.75	54.00	-8.25	33.48	3	Horizontal	343	1.07	-	12.27	27.40	6.08	-
PK	2.3804G	57.54	74.00	-16.46	33.59	3	Horizontal	343	1.07	-	23.95	27.64	5.95	-
PK	2.4072G	103.02	Inf	-Inf	33.54	3	Horizontal	343	1.07	-	69.48	27.57	5.97	-
PK	2.486G	56.28	74.00	-17.72	33.46	3	Horizontal	343	1.07	-	22.82	27.40	6.06	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	35.22	54.00	-18.78	4.99	3	Vertical	335	1.08	-	30.23	31.00	8.27	34.28
PK	4.8242G	43.90	74.00	-30.10	4.99	3	Vertical	335	1.08	-	38.91	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	37.34	54.00	-16.66	4.99	3	Horizontal	177	1.99	-	32.35	31.00	8.27	34.28
PK	4.82392G	44.31	74.00	-29.69	4.99	3	Horizontal	177	1.99	-	39.32	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.84	54.00	-3.16	33.57	3	Vertical	323	1.41	-	17.27	27.62	5.95	-
AV	2.4222G	107.50	Inf	-Inf	33.50	3	Vertical	323	1.41	-	74.00	27.51	5.99	-
AV	2.4835G	46.52	54.00	-7.48	33.46	3	Vertical	323	1.41	-	13.06	27.40	6.06	-
PK	2.3874G	61.91	74.00	-12.09	33.58	3	Vertical	323	1.41	-	28.33	27.63	5.95	-
PK	2.4202G	117.17	Inf	-Inf	33.50	3	Vertical	323	1.41	-	83.67	27.52	5.98	-
PK	2.4862G	57.66	74.00	-16.34	33.46	3	Vertical	323	1.41	-	24.20	27.40	6.06	-

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.71	54.00	-6.29	33.57	3	Horizontal	296	3.00	-	14.14	27.62	5.95	-
AV	2.4242G	101.00	Inf	-Inf	33.49	3	Horizontal	296	3.00	-	67.51	27.50	5.99	-
AV	2.4835G	46.14	54.00	-7.86	33.46	3	Horizontal	296	3.00	-	12.68	27.40	6.06	-
PK	2.3894G	58.73	74.00	-15.27	33.57	3	Horizontal	296	3.00	-	25.16	27.62	5.95	-
PK	2.4242G	109.98	Inf	-Inf	33.49	3	Horizontal	296	3.00	-	76.49	27.50	5.99	-
PK	2.4862G	56.35	74.00	-17.65	33.46	3	Horizontal	296	3.00	-	22.89	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.07	54.00	-4.93	33.57	3	Vertical	92	1.35	-	15.50	27.62	5.95	-
AV	2.431G	109.05	Inf	-Inf	33.48	3	Vertical	92	1.35	-	75.57	27.48	6.00	-
AV	2.4835G	49.59	54.00	-4.41	33.46	3	Vertical	92	1.35	-	16.13	27.40	6.06	-
PK	2.3894G	60.57	74.00	-13.43	33.57	3	Vertical	92	1.35	-	27.00	27.62	5.95	-
PK	2.4294G	118.43	Inf	-Inf	33.48	3	Vertical	92	1.35	-	84.95	27.48	6.00	-
PK	2.4835G	61.10	74.00	-12.90	33.46	3	Vertical	92	1.35	-	27.64	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.70	54.00	-7.30	33.57	3	Horizontal	294	3.00	-	13.13	27.62	5.95	-
AV	2.4354G	103.78	Inf	-Inf	33.46	3	Horizontal	294	3.00	-	70.32	27.46	6.00	-
AV	2.4835G	48.85	54.00	-5.15	33.46	3	Horizontal	294	3.00	-	15.39	27.40	6.06	-
PK	2.355G	57.12	74.00	-16.88	33.62	3	Horizontal	294	3.00	-	23.50	27.69	5.93	-
PK	2.4338G	112.73	Inf	-Inf	33.46	3	Horizontal	294	3.00	-	79.27	27.46	6.00	-
PK	2.4842G	58.30	74.00	-15.70	33.46	3	Horizontal	294	3.00	-	24.84	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87396G	37.30	54.00	-16.70	5.09	3	Vertical	302	2.34	-	32.21	31.05	8.30	34.26
AV	7.31424G	40.52	54.00	-13.48	11.80	3	Vertical	191	1.48	-	28.72	36.34	10.03	34.57
PK	4.8738G	45.16	74.00	-28.84	5.09	3	Vertical	302	2.34	-	40.07	31.05	8.30	34.26
PK	7.31552G	54.59	74.00	-19.41	11.80	3	Vertical	191	1.48	-	42.79	36.34	10.03	34.57

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	40.30	54.00	-13.70	5.09	3	Horizontal	35	2.30	-	35.21	31.05	8.30	34.26
AV	7.31468G	38.20	54.00	-15.80	11.80	3	Horizontal	68	2.30	-	26.40	36.34	10.03	34.57
PK	4.87392G	46.24	74.00	-27.76	5.09	3	Horizontal	35	2.30	-	41.15	31.05	8.30	34.26
PK	7.31876G	51.59	74.00	-22.41	11.78	3	Horizontal	68	2.30	-	39.81	36.32	10.03	34.57

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.27	54.00	-7.73	33.57	3	Vertical	303	1.00	-	12.70	27.62	5.95	-
AV	2.4622G	107.71	Inf	-Inf	33.43	3	Vertical	303	1.00	-	74.28	27.40	6.03	-
AV	2.4835G	50.81	54.00	-3.19	33.46	3	Vertical	303	1.00	-	17.35	27.40	6.06	-
PK	2.3682G	57.38	74.00	-16.62	33.60	3	Vertical	303	1.00	-	23.78	27.66	5.94	-
PK	2.4598G	116.86	Inf	-Inf	33.43	3	Vertical	303	1.00	-	83.43	27.40	6.03	-
PK	2.485G	60.67	74.00	-13.33	33.46	3	Vertical	303	1.00	-	27.21	27.40	6.06	-

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3614G	46.06	54.00	-7.94	33.61	3	Horizontal	306	2.69	-	12.45	27.68	5.93	-
AV	2.4618G	102.81	Inf	-Inf	33.43	3	Horizontal	306	2.69	-	69.38	27.40	6.03	-
AV	2.4835G	49.05	54.00	-4.95	33.46	3	Horizontal	306	2.69	-	15.59	27.40	6.06	-
PK	2.3574G	56.47	74.00	-17.53	33.62	3	Horizontal	306	2.69	-	22.85	27.69	5.93	-
PK	2.4614G	111.47	Inf	-Inf	33.43	3	Horizontal	306	2.69	-	78.04	27.40	6.03	-
PK	2.4835G	60.26	74.00	-13.74	33.46	3	Horizontal	306	2.69	-	26.80	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.366G	46.01	54.00	-7.99	33.60	3	Vertical	286	1.56	-	12.41	27.67	5.93	-
AV	2.464G	104.58	Inf	-Inf	33.44	3	Vertical	286	1.56	-	71.14	27.40	6.04	-
AV	2.4835G	50.46	54.00	-3.54	33.46	3	Vertical	286	1.56	-	17.00	27.40	6.06	-
PK	2.3668G	56.55	74.00	-17.45	33.61	3	Vertical	286	1.56	-	22.94	27.67	5.94	-
PK	2.4648G	114.04	Inf	-Inf	33.44	3	Vertical	286	1.56	-	80.60	27.40	6.04	-
PK	2.4835G	61.49	74.00	-12.51	33.46	3	Vertical	286	1.56	-	28.03	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.378G	45.93	54.00	-8.07	33.58	3	Horizontal	294	2.95	-	12.35	27.64	5.94	-
AV	2.4632G	100.43	Inf	-Inf	33.44	3	Horizontal	294	2.95	-	66.99	27.40	6.04	-
AV	2.4835G	48.76	54.00	-5.24	33.46	3	Horizontal	294	2.95	-	15.30	27.40	6.06	-
PK	2.3748G	56.83	74.00	-17.17	33.59	3	Horizontal	294	2.95	-	23.24	27.65	5.94	-
PK	2.4656G	109.51	Inf	-Inf	33.44	3	Horizontal	294	2.95	-	76.07	27.40	6.04	-
PK	2.484G	58.54	74.00	-15.46	33.46	3	Horizontal	294	2.95	-	25.08	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	40.46	54.00	-13.54	5.18	3	Vertical	297	2.20	-	35.28	31.10	8.33	34.25
AV	7.37884G	36.33	54.00	-17.67	11.61	3	Vertical	189	1.55	-	24.72	36.14	10.05	34.58
PK	4.92412G	47.29	74.00	-26.71	5.18	3	Vertical	297	2.20	-	42.11	31.10	8.33	34.25
PK	7.38136G	49.88	74.00	-24.12	11.61	3	Vertical	189	1.55	-	38.27	36.14	10.05	34.58

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	40.61	54.00	-13.39	5.18	3	Horizontal	37	2.29	-	35.43	31.10	8.33	34.25
AV	7.3804G	36.08	54.00	-17.92	11.61	3	Horizontal	229	2.92	-	24.47	36.14	10.05	34.58
PK	4.9238G	46.75	74.00	-27.25	5.18	3	Horizontal	37	2.29	-	41.57	31.10	8.33	34.25
PK	7.38324G	49.27	74.00	-24.73	11.60	3	Horizontal	229	2.92	-	37.67	36.13	10.05	34.58

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.65	54.00	-3.35	33.57	3	Vertical	292	2.08	-	17.08	27.62	5.95	-
AV	2.4316G	97.44	Inf	-Inf	33.47	3	Vertical	292	2.08	-	63.97	27.47	6.00	-
AV	2.4835G	47.01	54.00	-6.99	33.46	3	Vertical	292	2.08	-	13.55	27.40	6.06	-
PK	2.3896G	60.83	74.00	-13.17	33.57	3	Vertical	292	2.08	-	27.26	27.62	5.95	-
PK	2.4312G	106.16	Inf	-Inf	33.48	3	Vertical	292	2.08	-	72.68	27.48	6.00	-
PK	2.4835G	57.57	74.00	-16.43	33.46	3	Vertical	292	2.08	-	24.11	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.99	54.00	-7.01	33.57	3	Horizontal	56	1.50	-	13.42	27.62	5.95	-
AV	2.4308G	89.99	Inf	-Inf	33.48	3	Horizontal	56	1.50	-	56.51	27.48	6.00	-
AV	2.4896G	46.20	54.00	-7.80	33.47	3	Horizontal	56	1.50	-	12.73	27.40	6.07	-
PK	2.3232G	57.15	74.00	-16.85	33.71	3	Horizontal	56	1.50	-	23.44	27.81	5.90	-
PK	2.4308G	98.91	Inf	-Inf	33.48	3	Horizontal	56	1.50	-	65.43	27.48	6.00	-
PK	2.4976G	56.73	74.00	-17.27	33.48	3	Horizontal	56	1.50	-	23.25	27.40	6.08	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84392G	36.13	54.00	-17.87	5.09	3	Vertical	6	1.47	-	31.04	31.08	8.28	34.27
AV	7.25128G	37.09	54.00	-16.91	11.66	3	Vertical	91	2.28	-	25.43	36.21	10.02	34.57
PK	4.84392G	44.23	74.00	-29.77	5.09	3	Vertical	6	1.47	-	39.14	31.08	8.28	34.27
PK	7.26208G	49.47	74.00	-24.53	11.70	3	Vertical	91	2.28	-	37.77	36.25	10.02	34.57

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84408G	39.18	54.00	-14.82	5.09	3	Horizontal	36	2.63	-	34.09	31.08	8.28	34.27
AV	7.26632G	37.30	54.00	-16.70	11.72	3	Horizontal	238	1.49	-	25.58	36.27	10.02	34.57
PK	4.84392G	45.15	74.00	-28.85	5.09	3	Horizontal	36	2.63	-	40.06	31.08	8.28	34.27
PK	7.28256G	48.70	74.00	-25.30	11.79	3	Horizontal	238	1.49	-	36.91	36.33	10.03	34.57

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.23	54.00	-3.77	33.57	3	Vertical	276	1.56	-	16.66	27.62	5.95	-
AV	2.4326G	99.16	Inf	-Inf	33.47	3	Vertical	276	1.56	-	65.69	27.47	6.00	-
AV	2.4835G	47.50	54.00	-6.50	33.46	3	Vertical	276	1.56	-	14.04	27.40	6.06	-
PK	2.389G	62.67	74.00	-11.33	33.57	3	Vertical	276	1.56	-	29.10	27.62	5.95	-
PK	2.431G	108.01	Inf	-Inf	33.48	3	Vertical	276	1.56	-	74.53	27.48	6.00	-
PK	2.4838G	59.45	74.00	-14.55	33.46	3	Vertical	276	1.56	-	25.99	27.40	6.06	-

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.73	54.00	-6.27	33.57	3	Horizontal	297	2.50	-	14.16	27.62	5.95	-
AV	2.4286G	93.49	Inf	-Inf	33.48	3	Horizontal	297	2.50	-	60.01	27.49	5.99	-
AV	2.4842G	46.49	54.00	-7.51	33.46	3	Horizontal	297	2.50	-	13.03	27.40	6.06	-
PK	2.387G	57.29	74.00	-16.71	33.58	3	Horizontal	297	2.50	-	23.71	27.63	5.95	-
PK	2.4294G	102.44	Inf	-Inf	33.48	3	Horizontal	297	2.50	-	68.96	27.48	6.00	-
PK	2.4886G	56.93	74.00	-17.07	33.47	3	Horizontal	297	2.50	-	23.46	27.40	6.07	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.36	54.00	-3.64	33.57	3	Vertical	276	1.60	-	16.79	27.62	5.95	-
AV	2.431G	102.97	Inf	-Inf	33.48	3	Vertical	276	1.60	-	69.49	27.48	6.00	-
AV	2.4835G	50.54	54.00	-3.46	33.46	3	Vertical	276	1.60	-	17.08	27.40	6.06	-
PK	2.389G	60.55	74.00	-13.45	33.57	3	Vertical	276	1.60	-	26.98	27.62	5.95	-
PK	2.431G	112.31	Inf	-Inf	33.48	3	Vertical	276	1.60	-	78.83	27.48	6.00	-
PK	2.4835G	60.43	74.00	-13.57	33.46	3	Vertical	276	1.60	-	26.97	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.62	54.00	-6.38	33.57	3	Horizontal	293	2.50	-	14.05	27.62	5.95	-
AV	2.4278G	97.98	Inf	-Inf	33.48	3	Horizontal	293	2.50	-	64.50	27.49	5.99	-
AV	2.4846G	49.29	54.00	-4.71	33.46	3	Horizontal	293	2.50	-	15.83	27.40	6.06	-
PK	2.3662G	57.70	74.00	-16.30	33.60	3	Horizontal	293	2.50	-	24.10	27.67	5.93	-
PK	2.4266G	107.22	Inf	-Inf	33.48	3	Horizontal	293	2.50	-	73.74	27.49	5.99	-
PK	2.4835G	62.61	74.00	-11.39	33.46	3	Horizontal	293	2.50	-	29.15	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	37.61	54.00	-16.39	5.09	3	Vertical	299	2.12	-	32.52	31.05	8.30	34.26
AV	7.30676G	37.25	54.00	-16.75	11.83	3	Vertical	83	2.17	-	25.42	36.37	10.03	34.57
PK	4.87392G	44.39	74.00	-29.61	5.09	3	Vertical	299	2.12	-	39.30	31.05	8.30	34.26
PK	7.30044G	48.81	74.00	-25.19	11.86	3	Vertical	83	2.17	-	36.95	36.40	10.03	34.57

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87392G	40.86	54.00	-13.14	5.09	3	Horizontal	34	2.58	-	35.77	31.05	8.30	34.26
AV	7.30708G	36.85	54.00	-17.15	11.83	3	Horizontal	1	1.06	-	25.02	36.37	10.03	34.57
PK	4.874G	46.78	74.00	-27.22	5.09	3	Horizontal	34	2.58	-	41.69	31.05	8.30	34.26
PK	7.30876G	49.37	74.00	-24.63	11.82	3	Horizontal	1	1.06	-	37.55	36.36	10.03	34.57

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.94	54.00	-7.06	33.57	3	Vertical	95	1.34	-	13.37	27.62	5.95	-
AV	2.4318G	99.43	Inf	-Inf	33.47	3	Vertical	95	1.34	-	65.96	27.47	6.00	-
AV	2.4835G	49.76	54.00	-4.24	33.46	3	Vertical	95	1.34	-	16.30	27.40	6.06	-
PK	2.3898G	58.93	74.00	-15.07	33.57	3	Vertical	95	1.34	-	25.36	27.62	5.95	-
PK	2.4314G	108.59	Inf	-Inf	33.47	3	Vertical	95	1.34	-	75.12	27.47	6.00	-
PK	2.4835G	65.89	74.00	-8.11	33.46	3	Vertical	95	1.34	-	32.43	27.40	6.06	-

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.367G	46.55	54.00	-7.45	33.61	3	Horizontal	294	2.91	-	12.94	27.67	5.94	-
AV	2.459G	96.29	Inf	-Inf	33.43	3	Horizontal	294	2.91	-	62.86	27.40	6.03	-
AV	2.4835G	50.79	54.00	-3.21	33.46	3	Horizontal	294	2.91	-	17.33	27.40	6.06	-
PK	2.3818G	57.16	74.00	-16.84	33.59	3	Horizontal	294	2.91	-	23.57	27.64	5.95	-
PK	2.4578G	105.51	Inf	-Inf	33.43	3	Horizontal	294	2.91	-	72.08	27.40	6.03	-
PK	2.4835G	61.00	74.00	-13.00	33.46	3	Horizontal	294	2.91	-	27.54	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.69	54.00	-7.31	33.57	3	Vertical	286	1.56	-	13.12	27.62	5.95	-
AV	2.4636G	99.81	Inf	-Inf	33.44	3	Vertical	286	1.56	-	66.37	27.40	6.04	-
AV	2.484G	50.68	54.00	-3.32	33.46	3	Vertical	286	1.56	-	17.22	27.40	6.06	-
PK	2.3888G	59.46	74.00	-14.54	33.57	3	Vertical	286	1.56	-	25.89	27.62	5.95	-
PK	2.4632G	109.23	Inf	-Inf	33.44	3	Vertical	286	1.56	-	75.79	27.40	6.04	-
PK	2.484G	61.06	74.00	-12.94	33.46	3	Vertical	286	1.56	-	27.60	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3828G	46.78	54.00	-7.22	33.58	3	Horizontal	294	2.95	-	13.20	27.63	5.95	-
AV	2.4624G	95.88	Inf	-Inf	33.43	3	Horizontal	294	2.95	-	62.45	27.40	6.03	-
AV	2.4844G	49.50	54.00	-4.50	33.46	3	Horizontal	294	2.95	-	16.04	27.40	6.06	-
PK	2.3716G	57.06	74.00	-16.94	33.60	3	Horizontal	294	2.95	-	23.46	27.66	5.94	-
PK	2.4636G	104.69	Inf	-Inf	33.44	3	Horizontal	294	2.95	-	71.25	27.40	6.04	-
PK	2.4835G	59.14	74.00	-14.86	33.46	3	Horizontal	294	2.95	-	25.68	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.904G	39.03	54.00	-14.97	5.09	3	Vertical	303	2.33	-	33.94	31.02	8.32	34.25
AV	7.37088G	36.83	54.00	-17.17	11.62	3	Vertical	172	1.50	-	25.21	36.16	10.04	34.58
PK	4.904G	45.43	74.00	-28.57	5.09	3	Vertical	303	2.33	-	40.34	31.02	8.32	34.25
PK	7.35192G	48.94	74.00	-25.06	11.66	3	Vertical	172	1.50	-	37.28	36.20	10.04	34.58

802.11n HT40_Nss1_2TX

2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90392G	40.74	54.00	-13.26	5.09	3	Horizontal	35	2.40	-	35.65	31.02	8.32	34.25
AV	7.35544G	36.75	54.00	-17.25	11.65	3	Horizontal	22	2.05	-	25.10	36.19	10.04	34.58
PK	4.904G	45.96	74.00	-28.04	5.09	3	Horizontal	35	2.40	-	40.87	31.02	8.32	34.25
PK	7.3756G	49.65	74.00	-24.35	11.62	3	Horizontal	22	2.05	-	38.03	36.15	10.05	34.58



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1_2TX	Pass	PK	891.36M	40.84	46.00	-5.16	3	Horizontal	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	30M	34.34	40.00	-5.66	3	Vertical	0	1.00	-
2437MHz	Pass	PK	37.76M	33.65	40.00	-6.35	3	Vertical	0	1.00	-
2437MHz	Pass	PK	92.08M	32.48	43.50	-11.02	3	Vertical	0	1.00	-
2437MHz	Pass	PK	105.66M	28.14	43.50	-15.36	3	Vertical	0	1.00	-
2437MHz	Pass	PK	738.1M	40.45	46.00	-5.55	3	Vertical	0	1.00	-
2437MHz	Pass	PK	932.1M	38.82	46.00	-7.18	3	Vertical	0	1.00	-
2437MHz	Pass	PK	30M	29.56	40.00	-10.44	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	156.1M	29.47	43.50	-14.03	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	163.86M	29.74	43.50	-13.76	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	747.8M	39.29	46.00	-6.71	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	800.18M	39.80	46.00	-6.20	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	891.36M	40.84	46.00	-5.16	3	Horizontal	360	1.00	-

802.11n HT40_Nss1_2TX


2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	34.34	40.00	-5.66	-3.19	3	Vertical	0	1.00	-	37.53	23.32	0.70	27.21
PK	37.76M	33.65	40.00	-6.35	-7.21	3	Vertical	0	1.00	-	40.86	19.08	0.86	27.15
PK	92.08M	32.48	43.50	-11.02	-11.88	3	Vertical	0	1.00	-	44.36	14.52	1.40	27.80
PK	105.66M	28.14	43.50	-15.36	-9.56	3	Vertical	0	1.00	-	37.70	16.73	1.46	27.75
PK	738.1M	40.45	46.00	-5.55	1.04	3	Vertical	0	1.00	-	39.41	24.79	4.28	28.03
PK	932.1M	38.82	46.00	-7.18	3.39	3	Vertical	0	1.00	-	35.43	25.83	4.86	27.30

802.11n HT40_Nss1_2TX

2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	29.56	40.00	-10.44	-3.19	3	Horizontal	360	1.00	-	32.75	23.32	0.70	27.21
PK	156.1M	29.47	43.50	-14.03	-10.40	3	Horizontal	360	1.00	-	39.87	15.38	1.78	27.56
PK	163.86M	29.74	43.50	-13.76	-10.66	3	Horizontal	360	1.00	-	40.40	15.02	1.84	27.52
PK	747.8M	39.29	46.00	-6.71	1.19	3	Horizontal	360	1.00	-	38.10	24.89	4.30	28.00
PK	800.18M	39.80	46.00	-6.20	1.73	3	Horizontal	360	1.00	-	38.07	25.01	4.50	27.78
PK	891.36M	40.84	46.00	-5.16	2.95	3	Horizontal	360	1.00	-	37.89	25.62	4.77	27.44

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
11b-5M_Nss1_2TX	Pass	AV	4.82496G	50.82	54.00	-3.18	3	Vertical	135	2.57	-
11b-10M_Nss1_2TX	Pass	AV	4.91395G	50.97	54.00	-3.03	3	Vertical	121	3.00	-
11b-20M_Nss1_2TX	Pass	AV	4.82395G	50.85	54.00	-3.15	3	Vertical	136	2.60	-
11g-5M_Nss1_2TX	Pass	AV	2.4835G	50.81	54.00	-3.19	3	Vertical	290	2.01	-
11g-10M_Nss1_2TX	Pass	AV	2.3898G	50.92	54.00	-3.08	3	Vertical	289	2.07	-
11g-20M_Nss1_2TX	Pass	AV	2.39G	52.12	54.00	-1.88	3	Horizontal	360	3.00	-
11n-5M_Nss1_2TX	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	292	2.03	-
11n-10M_Nss1_2TX	Pass	AV	2.3898G	50.46	54.00	-3.54	3	Vertical	276	2.05	-
802.11n HT20_Nss1_2TX	Pass	AV	2.3898G	50.98	54.00	-3.02	3	Vertical	272	2.49	-
802.11n HT40_Nss1_2TX	Pass	AV	2.3898G	50.95	54.00	-3.05	3	Vertical	271	2.53	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11b-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.16	54.00	-7.84	3	Vertical	271	2.82	-
2412MHz	Pass	AV	2.4128G	111.46	Inf	-Inf	3	Vertical	271	2.82	-
2412MHz	Pass	AV	2.484G	45.50	54.00	-8.50	3	Vertical	271	2.82	-
2412MHz	Pass	PK	2.3128G	57.62	74.00	-16.38	3	Vertical	271	2.82	-
2412MHz	Pass	PK	2.4128G	117.60	Inf	-Inf	3	Vertical	271	2.82	-
2412MHz	Pass	PK	2.4848G	56.73	74.00	-17.27	3	Vertical	271	2.82	-
2412MHz	Pass	AV	2.318G	45.90	54.00	-8.10	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	2.4132G	108.36	Inf	-Inf	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	2.4835G	45.38	54.00	-8.62	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.3172G	58.08	74.00	-15.92	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.4128G	113.20	Inf	-Inf	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.4848G	56.78	74.00	-17.22	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	4.82496G	50.82	54.00	-3.18	3	Vertical	135	2.57	-
2412MHz	Pass	PK	4.82496G	54.70	74.00	-19.30	3	Vertical	135	2.57	-
2412MHz	Pass	AV	4.82496G	46.96	54.00	-7.04	3	Horizontal	74	2.33	-
2412MHz	Pass	PK	4.82496G	50.97	74.00	-23.03	3	Horizontal	74	2.33	-
2417MHz	Pass	AV	2.3174G	45.84	54.00	-8.16	3	Vertical	272	2.54	-
2417MHz	Pass	AV	2.4178G	108.97	Inf	-Inf	3	Vertical	272	2.54	-
2417MHz	Pass	AV	2.4842G	45.34	54.00	-8.66	3	Vertical	272	2.54	-
2417MHz	Pass	PK	2.3434G	56.94	74.00	-17.06	3	Vertical	272	2.54	-
2417MHz	Pass	PK	2.4174G	115.02	Inf	-Inf	3	Vertical	272	2.54	-
2417MHz	Pass	PK	2.4886G	56.38	74.00	-17.62	3	Vertical	272	2.54	-
2417MHz	Pass	AV	2.3174G	45.82	54.00	-8.18	3	Horizontal	360	2.90	-
2417MHz	Pass	AV	2.4182G	106.53	Inf	-Inf	3	Horizontal	360	2.90	-
2417MHz	Pass	AV	2.4838G	45.42	54.00	-8.58	3	Horizontal	360	2.90	-
2417MHz	Pass	PK	2.3234G	57.08	74.00	-16.92	3	Horizontal	360	2.90	-
2417MHz	Pass	PK	2.4178G	110.82	Inf	-Inf	3	Horizontal	360	2.90	-
2417MHz	Pass	PK	2.4874G	57.17	74.00	-16.83	3	Horizontal	360	2.90	-
2417MHz	Pass	AV	4.83496G	50.82	54.00	-3.18	3	Vertical	131	2.60	-
2417MHz	Pass	AV	7.2522G	40.60	54.00	-13.40	3	Vertical	189	1.80	-
2417MHz	Pass	PK	4.83504G	54.85	74.00	-19.15	3	Vertical	131	2.60	-
2417MHz	Pass	PK	7.25204G	51.03	74.00	-22.97	3	Vertical	189	1.80	-
2417MHz	Pass	AV	4.83496G	48.64	54.00	-5.36	3	Horizontal	74	2.40	-
2417MHz	Pass	AV	7.2522G	38.07	54.00	-15.93	3	Horizontal	164	2.95	-
2417MHz	Pass	PK	4.83496G	52.71	74.00	-21.29	3	Horizontal	74	2.40	-
2417MHz	Pass	PK	7.25292G	50.19	74.00	-23.81	3	Horizontal	164	2.95	-
2437MHz	Pass	AV	2.3426G	45.74	54.00	-8.26	3	Vertical	278	2.54	-
2437MHz	Pass	AV	2.4374G	117.46	Inf	-Inf	3	Vertical	278	2.54	-
2437MHz	Pass	AV	2.4835G	45.73	54.00	-8.27	3	Vertical	278	2.54	-
2437MHz	Pass	PK	2.341G	56.86	74.00	-17.14	3	Vertical	278	2.54	-
2437MHz	Pass	PK	2.4374G	123.63	Inf	-Inf	3	Vertical	278	2.54	-
2437MHz	Pass	PK	2.4978G	57.14	74.00	-16.86	3	Vertical	278	2.54	-
2437MHz	Pass	AV	2.343G	45.69	54.00	-8.31	3	Horizontal	124	1.77	-
2437MHz	Pass	AV	2.4374G	112.61	Inf	-Inf	3	Horizontal	124	1.77	-
2437MHz	Pass	AV	2.4842G	45.64	54.00	-8.36	3	Horizontal	124	1.77	-
2437MHz	Pass	PK	2.3538G	57.55	74.00	-16.45	3	Horizontal	124	1.77	-
2437MHz	Pass	PK	2.4374G	118.84	Inf	-Inf	3	Horizontal	124	1.77	-
2437MHz	Pass	PK	2.4846G	56.30	74.00	-17.70	3	Horizontal	124	1.77	-
2437MHz	Pass	AV	4.87496G	43.90	54.00	-10.10	3	Vertical	155	2.47	-
2437MHz	Pass	AV	7.3126G	50.18	54.00	-3.82	3	Vertical	189	1.91	-
2437MHz	Pass	PK	4.87496G	50.03	74.00	-23.97	3	Vertical	155	2.47	-
2437MHz	Pass	PK	7.31268G	58.48	74.00	-15.52	3	Vertical	189	1.91	-
2437MHz	Pass	AV	4.87424G	37.51	54.00	-16.49	3	Horizontal	74	2.34	-
2437MHz	Pass	AV	7.31228G	43.22	54.00	-10.78	3	Horizontal	189	1.78	-
2437MHz	Pass	PK	4.8752G	45.58	74.00	-28.42	3	Horizontal	74	2.34	-
2437MHz	Pass	PK	7.3122G	53.17	74.00	-20.83	3	Horizontal	189	1.78	-
2457MHz	Pass	AV	2.357G	45.58	54.00	-8.42	3	Vertical	271	2.78	-
2457MHz	Pass	AV	2.4578G	115.43	Inf	-Inf	3	Vertical	271	2.78	-
2457MHz	Pass	AV	2.4842G	46.92	54.00	-7.08	3	Vertical	271	2.78	-
2457MHz	Pass	PK	2.3662G	56.93	74.00	-17.07	3	Vertical	271	2.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4574G	121.61	Inf	-Inf	3	Vertical	271	2.78	-
2457MHz	Pass	PK	2.4846G	58.76	74.00	-15.24	3	Vertical	271	2.78	-
2457MHz	Pass	AV	2.3602G	45.57	54.00	-8.43	3	Horizontal	123	1.48	-
2457MHz	Pass	AV	2.4574G	110.47	Inf	-Inf	3	Horizontal	123	1.48	-
2457MHz	Pass	AV	2.4838G	46.04	54.00	-7.96	3	Horizontal	123	1.48	-
2457MHz	Pass	PK	2.3794G	56.51	74.00	-17.49	3	Horizontal	123	1.48	-
2457MHz	Pass	PK	2.4574G	116.78	Inf	-Inf	3	Horizontal	123	1.48	-
2457MHz	Pass	PK	2.485G	56.91	74.00	-17.09	3	Horizontal	123	1.48	-
2457MHz	Pass	AV	4.91496G	50.68	54.00	-3.32	3	Vertical	131	2.61	-
2457MHz	Pass	AV	7.37268G	40.80	54.00	-13.20	3	Vertical	189	1.66	-
2457MHz	Pass	PK	4.91504G	54.36	74.00	-19.64	3	Vertical	131	2.61	-
2457MHz	Pass	PK	7.37292G	51.83	74.00	-22.17	3	Vertical	189	1.66	-
2457MHz	Pass	AV	4.91496G	47.30	54.00	-6.70	3	Horizontal	72	2.35	-
2457MHz	Pass	AV	7.3726G	37.07	54.00	-16.93	3	Horizontal	152	1.00	-
2457MHz	Pass	PK	4.91504G	51.53	74.00	-22.47	3	Horizontal	72	2.35	-
2457MHz	Pass	PK	7.3726G	50.09	74.00	-23.91	3	Horizontal	152	1.00	-
2462MHz	Pass	AV	2.3656G	45.55	54.00	-8.45	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.4628G	115.52	Inf	-Inf	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.4844G	46.87	54.00	-7.13	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.3804G	57.80	74.00	-16.20	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.4624G	121.68	Inf	-Inf	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.4844G	57.68	74.00	-16.32	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.3636G	45.49	54.00	-8.51	3	Horizontal	123	1.49	-
2462MHz	Pass	AV	2.4624G	110.07	Inf	-Inf	3	Horizontal	123	1.49	-
2462MHz	Pass	AV	2.4852G	45.81	54.00	-8.19	3	Horizontal	123	1.49	-
2462MHz	Pass	PK	2.39G	56.74	74.00	-17.26	3	Horizontal	123	1.49	-
2462MHz	Pass	PK	2.4624G	116.44	Inf	-Inf	3	Horizontal	123	1.49	-
2462MHz	Pass	PK	2.488G	56.63	74.00	-17.37	3	Horizontal	123	1.49	-
2462MHz	Pass	AV	4.92496G	50.50	54.00	-3.50	3	Vertical	128	2.57	-
2462MHz	Pass	AV	7.3876G	41.44	54.00	-12.56	3	Vertical	172	2.94	-
2462MHz	Pass	PK	4.92496G	54.71	74.00	-19.29	3	Vertical	128	2.57	-
2462MHz	Pass	PK	7.388G	52.49	74.00	-21.51	3	Vertical	172	2.94	-
2462MHz	Pass	AV	4.92496G	48.05	54.00	-5.95	3	Horizontal	72	2.29	-
2462MHz	Pass	AV	7.3876G	37.15	54.00	-16.85	3	Horizontal	191	1.50	-
2462MHz	Pass	PK	4.92504G	52.05	74.00	-21.95	3	Horizontal	72	2.29	-
2462MHz	Pass	PK	7.38784G	48.90	74.00	-25.10	3	Horizontal	191	1.50	-
11b-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3184G	45.85	54.00	-8.15	3	Vertical	279	2.53	-
2412MHz	Pass	AV	2.4116G	110.11	Inf	-Inf	3	Vertical	279	2.53	-
2412MHz	Pass	AV	2.4988G	45.36	54.00	-8.64	3	Vertical	279	2.53	-
2412MHz	Pass	PK	2.3216G	57.45	74.00	-16.55	3	Vertical	279	2.53	-
2412MHz	Pass	PK	2.4116G	115.05	Inf	-Inf	3	Vertical	279	2.53	-
2412MHz	Pass	PK	2.496G	56.99	74.00	-17.01	3	Vertical	279	2.53	-
2412MHz	Pass	AV	2.3152G	45.88	54.00	-8.12	3	Horizontal	124	1.81	-
2412MHz	Pass	AV	2.4124G	104.96	Inf	-Inf	3	Horizontal	124	1.81	-
2412MHz	Pass	AV	2.484G	45.30	54.00	-8.70	3	Horizontal	124	1.81	-
2412MHz	Pass	PK	2.3484G	58.11	74.00	-15.89	3	Horizontal	124	1.81	-
2412MHz	Pass	PK	2.4128G	109.92	Inf	-Inf	3	Horizontal	124	1.81	-
2412MHz	Pass	PK	2.4872G	56.00	74.00	-18.00	3	Horizontal	124	1.81	-
2412MHz	Pass	AV	4.82394G	50.81	54.00	-3.19	3	Vertical	136	2.58	-
2412MHz	Pass	PK	4.82409G	53.52	74.00	-20.48	3	Vertical	136	2.58	-
2412MHz	Pass	AV	4.82396G	46.45	54.00	-7.55	3	Horizontal	75	2.25	-
2412MHz	Pass	PK	4.82397G	50.43	74.00	-23.57	3	Horizontal	75	2.25	-
2417MHz	Pass	AV	2.3186G	45.86	54.00	-8.14	3	Vertical	272	2.50	-
2417MHz	Pass	AV	2.4174G	106.74	Inf	-Inf	3	Vertical	272	2.50	-
2417MHz	Pass	AV	2.4838G	45.38	54.00	-8.62	3	Vertical	272	2.50	-
2417MHz	Pass	PK	2.323G	57.16	74.00	-16.84	3	Vertical	272	2.50	-
2417MHz	Pass	PK	2.4178G	111.81	Inf	-Inf	3	Vertical	272	2.50	-
2417MHz	Pass	PK	2.4934G	56.19	74.00	-17.81	3	Vertical	272	2.50	-
2417MHz	Pass	AV	2.3186G	45.84	54.00	-8.16	3	Horizontal	124	1.56	-
2417MHz	Pass	AV	2.4174G	102.75	Inf	-Inf	3	Horizontal	124	1.56	-
2417MHz	Pass	AV	2.4842G	45.32	54.00	-8.68	3	Horizontal	124	1.56	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.327G	57.17	74.00	-16.83	3	Horizontal	124	1.56	-
2417MHz	Pass	PK	2.4174G	107.73	Inf	-Inf	3	Horizontal	124	1.56	-
2417MHz	Pass	PK	2.4966G	56.22	74.00	-17.78	3	Horizontal	124	1.56	-
2417MHz	Pass	AV	4.83395G	50.51	54.00	-3.49	3	Vertical	133	2.58	-
2417MHz	Pass	AV	7.25031G	37.22	54.00	-16.78	3	Vertical	222	1.48	-
2417MHz	Pass	PK	4.83389G	53.82	74.00	-20.18	3	Vertical	133	2.58	-
2417MHz	Pass	PK	7.25027G	50.44	74.00	-23.56	3	Vertical	222	1.48	-
2417MHz	Pass	AV	4.83396G	47.98	54.00	-6.02	3	Horizontal	74	2.38	-
2417MHz	Pass	AV	7.25142G	36.10	54.00	-17.90	3	Horizontal	165	2.83	-
2417MHz	Pass	PK	4.83394G	51.73	74.00	-22.27	3	Horizontal	74	2.38	-
2417MHz	Pass	PK	7.25121G	49.05	74.00	-24.95	3	Horizontal	165	2.83	-
2437MHz	Pass	AV	2.3894G	45.74	54.00	-8.26	3	Vertical	275	2.54	-
2437MHz	Pass	AV	2.4366G	115.80	Inf	-Inf	3	Vertical	275	2.54	-
2437MHz	Pass	AV	2.4835G	45.77	54.00	-8.23	3	Vertical	275	2.54	-
2437MHz	Pass	PK	2.3666G	56.50	74.00	-17.50	3	Vertical	275	2.54	-
2437MHz	Pass	PK	2.4366G	120.65	Inf	-Inf	3	Vertical	275	2.54	-
2437MHz	Pass	PK	2.4838G	57.53	74.00	-16.47	3	Vertical	275	2.54	-
2437MHz	Pass	AV	2.3406G	45.68	54.00	-8.32	3	Horizontal	123	1.78	-
2437MHz	Pass	AV	2.4366G	111.23	Inf	-Inf	3	Horizontal	123	1.78	-
2437MHz	Pass	AV	2.4835G	45.52	54.00	-8.48	3	Horizontal	123	1.78	-
2437MHz	Pass	PK	2.3578G	56.91	74.00	-17.09	3	Horizontal	123	1.78	-
2437MHz	Pass	PK	2.4362G	116.16	Inf	-Inf	3	Horizontal	123	1.78	-
2437MHz	Pass	PK	2.4858G	56.20	74.00	-17.80	3	Horizontal	123	1.78	-
2437MHz	Pass	AV	4.87395G	44.63	54.00	-9.37	3	Vertical	156	2.49	-
2437MHz	Pass	AV	7.31133G	49.58	54.00	-4.42	3	Vertical	189	1.77	-
2437MHz	Pass	PK	4.87406G	49.90	74.00	-24.10	3	Vertical	156	2.49	-
2437MHz	Pass	PK	7.31153G	57.28	74.00	-16.72	3	Vertical	189	1.77	-
2437MHz	Pass	AV	4.87246G	38.56	54.00	-15.44	3	Horizontal	71	2.32	-
2437MHz	Pass	AV	7.31057G	42.71	54.00	-11.29	3	Horizontal	190	1.83	-
2437MHz	Pass	PK	4.87252G	46.36	74.00	-27.64	3	Horizontal	71	2.32	-
2437MHz	Pass	PK	7.30983G	52.34	74.00	-21.66	3	Horizontal	190	1.83	-
2457MHz	Pass	AV	2.3578G	45.54	54.00	-8.46	3	Vertical	280	2.76	-
2457MHz	Pass	AV	2.4566G	113.66	Inf	-Inf	3	Vertical	280	2.76	-
2457MHz	Pass	AV	2.4835G	46.50	54.00	-7.50	3	Vertical	280	2.76	-
2457MHz	Pass	PK	2.3818G	56.39	74.00	-17.61	3	Vertical	280	2.76	-
2457MHz	Pass	PK	2.4566G	118.64	Inf	-Inf	3	Vertical	280	2.76	-
2457MHz	Pass	PK	2.4846G	57.26	74.00	-16.74	3	Vertical	280	2.76	-
2457MHz	Pass	AV	2.359G	45.52	54.00	-8.48	3	Horizontal	360	2.56	-
2457MHz	Pass	AV	2.4574G	109.90	Inf	-Inf	3	Horizontal	360	2.56	-
2457MHz	Pass	AV	2.4835G	46.54	54.00	-7.46	3	Horizontal	360	2.56	-
2457MHz	Pass	PK	2.3574G	56.97	74.00	-17.03	3	Horizontal	360	2.56	-
2457MHz	Pass	PK	2.4578G	115.26	Inf	-Inf	3	Horizontal	360	2.56	-
2457MHz	Pass	PK	2.4902G	57.87	74.00	-16.13	3	Horizontal	360	2.56	-
2457MHz	Pass	AV	4.91395G	50.97	54.00	-3.03	3	Vertical	121	3.00	-
2457MHz	Pass	AV	7.37152G	37.80	54.00	-16.20	3	Vertical	221	1.49	-
2457MHz	Pass	PK	4.91391G	54.00	74.00	-20.00	3	Vertical	121	3.00	-
2457MHz	Pass	PK	7.37204G	50.37	74.00	-23.63	3	Vertical	221	1.49	-
2457MHz	Pass	AV	4.91395G	47.50	54.00	-6.50	3	Horizontal	72	2.32	-
2457MHz	Pass	AV	7.37045G	36.51	54.00	-17.49	3	Horizontal	56	2.26	-
2457MHz	Pass	PK	4.91382G	51.17	74.00	-22.83	3	Horizontal	72	2.32	-
2457MHz	Pass	PK	7.37038G	49.84	74.00	-24.16	3	Horizontal	56	2.26	-
2462MHz	Pass	AV	2.3892G	45.48	54.00	-8.52	3	Vertical	271	2.76	-
2462MHz	Pass	AV	2.4624G	113.30	Inf	-Inf	3	Vertical	271	2.76	-
2462MHz	Pass	AV	2.4848G	46.91	54.00	-7.09	3	Vertical	271	2.76	-
2462MHz	Pass	PK	2.3692G	57.00	74.00	-17.00	3	Vertical	271	2.76	-
2462MHz	Pass	PK	2.4628G	118.32	Inf	-Inf	3	Vertical	271	2.76	-
2462MHz	Pass	PK	2.4852G	57.60	74.00	-16.40	3	Vertical	271	2.76	-
2462MHz	Pass	AV	2.3648G	45.51	54.00	-8.49	3	Horizontal	125	1.47	-
2462MHz	Pass	AV	2.4616G	108.27	Inf	-Inf	3	Horizontal	125	1.47	-
2462MHz	Pass	AV	2.4848G	46.01	54.00	-7.99	3	Horizontal	125	1.47	-
2462MHz	Pass	PK	2.3692G	57.07	74.00	-16.93	3	Horizontal	125	1.47	-
2462MHz	Pass	PK	2.4616G	113.20	Inf	-Inf	3	Horizontal	125	1.47	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.484G	56.47	74.00	-17.53	3	Horizontal	125	1.47	-
2462MHz	Pass	AV	4.92396G	50.62	54.00	-3.38	3	Vertical	130	2.57	-
2462MHz	Pass	AV	7.38642G	39.02	54.00	-14.98	3	Vertical	187	2.95	-
2462MHz	Pass	PK	4.92394G	53.52	74.00	-20.48	3	Vertical	130	2.57	-
2462MHz	Pass	PK	7.38697G	50.98	74.00	-23.02	3	Vertical	187	2.95	-
2462MHz	Pass	AV	4.92396G	47.51	54.00	-6.49	3	Horizontal	74	2.33	-
2462MHz	Pass	AV	7.3865G	36.12	54.00	-17.88	3	Horizontal	193	1.49	-
2462MHz	Pass	PK	4.92395G	51.18	74.00	-22.82	3	Horizontal	74	2.33	-
2462MHz	Pass	PK	7.38592G	49.24	74.00	-24.76	3	Horizontal	193	1.49	-
11b-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.76	54.00	-5.24	3	Vertical	275	2.26	-
2412MHz	Pass	AV	2.4128G	110.34	Inf	-Inf	3	Vertical	275	2.26	-
2412MHz	Pass	AV	2.4835G	45.54	54.00	-8.46	3	Vertical	275	2.26	-
2412MHz	Pass	PK	2.39G	57.86	74.00	-16.14	3	Vertical	275	2.26	-
2412MHz	Pass	PK	2.4128G	114.42	Inf	-Inf	3	Vertical	275	2.26	-
2412MHz	Pass	PK	2.4835G	57.22	74.00	-16.78	3	Vertical	275	2.26	-
2412MHz	Pass	AV	2.39G	46.28	54.00	-7.72	3	Horizontal	120	1.70	-
2412MHz	Pass	AV	2.4128G	105.45	Inf	-Inf	3	Horizontal	120	1.70	-
2412MHz	Pass	AV	2.4835G	45.43	54.00	-8.57	3	Horizontal	120	1.70	-
2412MHz	Pass	PK	2.3208G	57.52	74.00	-16.48	3	Horizontal	120	1.70	-
2412MHz	Pass	PK	2.4132G	109.37	Inf	-Inf	3	Horizontal	120	1.70	-
2412MHz	Pass	PK	2.4916G	56.13	74.00	-17.87	3	Horizontal	120	1.70	-
2412MHz	Pass	AV	4.82395G	50.85	54.00	-3.15	3	Vertical	136	2.60	-
2412MHz	Pass	PK	4.82402G	53.39	74.00	-20.61	3	Vertical	136	2.60	-
2412MHz	Pass	AV	4.82395G	47.80	54.00	-6.20	3	Horizontal	119	1.00	-
2412MHz	Pass	PK	4.82398G	50.94	74.00	-23.06	3	Horizontal	119	1.00	-
2417MHz	Pass	AV	2.3898G	46.67	54.00	-7.33	3	Vertical	274	2.29	-
2417MHz	Pass	AV	2.4182G	108.65	Inf	-Inf	3	Vertical	274	2.29	-
2417MHz	Pass	AV	2.4842G	45.84	54.00	-8.16	3	Vertical	274	2.29	-
2417MHz	Pass	PK	2.3882G	57.40	74.00	-16.60	3	Vertical	274	2.29	-
2417MHz	Pass	PK	2.4178G	112.76	Inf	-Inf	3	Vertical	274	2.29	-
2417MHz	Pass	PK	2.4922G	57.34	74.00	-16.66	3	Vertical	274	2.29	-
2417MHz	Pass	AV	2.3194G	45.94	54.00	-8.06	3	Horizontal	120	1.74	-
2417MHz	Pass	AV	2.4178G	103.42	Inf	-Inf	3	Horizontal	120	1.74	-
2417MHz	Pass	AV	2.4835G	45.57	54.00	-8.43	3	Horizontal	120	1.74	-
2417MHz	Pass	PK	2.3206G	57.24	74.00	-16.76	3	Horizontal	120	1.74	-
2417MHz	Pass	PK	2.4178G	107.46	Inf	-Inf	3	Horizontal	120	1.74	-
2417MHz	Pass	PK	2.4846G	56.84	74.00	-17.16	3	Horizontal	120	1.74	-
2417MHz	Pass	AV	4.83397G	50.70	54.00	-3.30	3	Vertical	132	2.88	-
2417MHz	Pass	AV	7.25028G	36.42	54.00	-17.58	3	Vertical	190	1.96	-
2417MHz	Pass	PK	4.83399G	53.16	74.00	-20.84	3	Vertical	132	2.88	-
2417MHz	Pass	PK	7.2511G	48.44	74.00	-25.56	3	Vertical	190	1.96	-
2417MHz	Pass	AV	4.83397G	47.82	54.00	-6.18	3	Horizontal	118	1.08	-
2417MHz	Pass	AV	7.25628G	35.46	54.00	-18.54	3	Horizontal	84	1.49	-
2417MHz	Pass	PK	4.8339G	50.85	74.00	-23.15	3	Horizontal	118	1.08	-
2417MHz	Pass	PK	7.25132G	49.24	74.00	-24.76	3	Horizontal	84	1.49	-
2437MHz	Pass	AV	2.389G	45.93	54.00	-8.07	3	Vertical	281	2.52	-
2437MHz	Pass	AV	2.4362G	115.65	Inf	-Inf	3	Vertical	281	2.52	-
2437MHz	Pass	AV	2.4835G	46.14	54.00	-7.86	3	Vertical	281	2.52	-
2437MHz	Pass	PK	2.3858G	57.53	74.00	-16.47	3	Vertical	281	2.52	-
2437MHz	Pass	PK	2.4362G	119.45	Inf	-Inf	3	Vertical	281	2.52	-
2437MHz	Pass	PK	2.4838G	56.46	74.00	-17.54	3	Vertical	281	2.52	-
2437MHz	Pass	AV	2.3402G	45.78	54.00	-8.22	3	Horizontal	119	1.94	-
2437MHz	Pass	AV	2.4362G	110.36	Inf	-Inf	3	Horizontal	119	1.94	-
2437MHz	Pass	AV	2.4838G	45.93	54.00	-8.07	3	Horizontal	119	1.94	-
2437MHz	Pass	PK	2.359G	57.32	74.00	-16.68	3	Horizontal	119	1.94	-
2437MHz	Pass	PK	2.4382G	114.15	Inf	-Inf	3	Horizontal	119	1.94	-
2437MHz	Pass	PK	2.4918G	56.96	74.00	-17.04	3	Horizontal	119	1.94	-
2437MHz	Pass	AV	4.87396G	45.91	54.00	-8.09	3	Vertical	146	1.10	-
2437MHz	Pass	AV	7.3102G	50.18	54.00	-3.82	3	Vertical	139	2.19	-
2437MHz	Pass	PK	4.87399G	49.99	74.00	-24.01	3	Vertical	146	1.10	-
2437MHz	Pass	PK	7.31188G	56.31	74.00	-17.69	3	Vertical	139	2.19	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.87397G	39.42	54.00	-14.58	3	Horizontal	144	1.00	-
2437MHz	Pass	AV	7.31172G	43.93	54.00	-10.07	3	Horizontal	164	2.72	-
2437MHz	Pass	PK	4.87397G	46.90	74.00	-27.10	3	Horizontal	144	1.00	-
2437MHz	Pass	PK	7.31148G	52.27	74.00	-21.73	3	Horizontal	164	2.72	-
2457MHz	Pass	AV	2.3894G	45.67	54.00	-8.33	3	Vertical	254	2.77	-
2457MHz	Pass	AV	2.4562G	110.17	Inf	-Inf	3	Vertical	254	2.77	-
2457MHz	Pass	AV	2.4835G	46.76	54.00	-7.24	3	Vertical	254	2.77	-
2457MHz	Pass	PK	2.3846G	58.02	74.00	-15.98	3	Vertical	254	2.77	-
2457MHz	Pass	PK	2.4562G	113.96	Inf	-Inf	3	Vertical	254	2.77	-
2457MHz	Pass	PK	2.4866G	57.26	74.00	-16.74	3	Vertical	254	2.77	-
2457MHz	Pass	AV	2.3574G	45.68	54.00	-8.32	3	Horizontal	356	2.56	-
2457MHz	Pass	AV	2.455G	108.63	Inf	-Inf	3	Horizontal	356	2.56	-
2457MHz	Pass	AV	2.4838G	48.01	54.00	-5.99	3	Horizontal	356	2.56	-
2457MHz	Pass	PK	2.359G	56.57	74.00	-17.43	3	Horizontal	356	2.56	-
2457MHz	Pass	PK	2.4562G	112.08	Inf	-Inf	3	Horizontal	356	2.56	-
2457MHz	Pass	PK	2.4846G	58.82	74.00	-15.18	3	Horizontal	356	2.56	-
2457MHz	Pass	AV	4.91396G	50.84	54.00	-3.16	3	Vertical	135	3.00	-
2457MHz	Pass	AV	7.3718G	36.90	54.00	-17.10	3	Vertical	187	2.96	-
2457MHz	Pass	PK	4.91399G	53.40	74.00	-20.60	3	Vertical	135	3.00	-
2457MHz	Pass	PK	7.36812G	49.94	74.00	-24.06	3	Vertical	187	2.96	-
2457MHz	Pass	AV	4.91395G	46.93	54.00	-7.07	3	Horizontal	119	1.00	-
2457MHz	Pass	AV	7.377G	35.30	54.00	-18.70	3	Horizontal	125	1.49	-
2457MHz	Pass	PK	4.91401G	50.69	74.00	-23.31	3	Horizontal	119	1.00	-
2457MHz	Pass	PK	7.3522G	48.64	74.00	-25.36	3	Horizontal	125	1.49	-
2462MHz	Pass	AV	2.3892G	45.57	54.00	-8.43	3	Vertical	275	2.76	-
2462MHz	Pass	AV	2.4628G	108.95	Inf	-Inf	3	Vertical	275	2.76	-
2462MHz	Pass	AV	2.484G	46.78	54.00	-7.22	3	Vertical	275	2.76	-
2462MHz	Pass	PK	2.366G	57.55	74.00	-16.45	3	Vertical	275	2.76	-
2462MHz	Pass	PK	2.4632G	112.82	Inf	-Inf	3	Vertical	275	2.76	-
2462MHz	Pass	PK	2.4892G	57.26	74.00	-16.74	3	Vertical	275	2.76	-
2462MHz	Pass	AV	2.3632G	45.59	54.00	-8.41	3	Horizontal	116	3.00	-
2462MHz	Pass	AV	2.4628G	106.49	Inf	-Inf	3	Horizontal	116	3.00	-
2462MHz	Pass	AV	2.4835G	46.50	54.00	-7.50	3	Horizontal	116	3.00	-
2462MHz	Pass	PK	2.372G	56.59	74.00	-17.41	3	Horizontal	116	3.00	-
2462MHz	Pass	PK	2.4628G	110.45	Inf	-Inf	3	Horizontal	116	3.00	-
2462MHz	Pass	PK	2.4835G	56.95	74.00	-17.05	3	Horizontal	116	3.00	-
2462MHz	Pass	AV	4.92396G	50.31	54.00	-3.69	3	Vertical	133	2.93	-
2462MHz	Pass	AV	7.38672G	37.41	54.00	-16.59	3	Vertical	141	2.72	-
2462MHz	Pass	PK	4.92395G	52.74	74.00	-21.26	3	Vertical	133	2.93	-
2462MHz	Pass	PK	7.38336G	49.04	74.00	-24.96	3	Vertical	141	2.72	-
2462MHz	Pass	AV	4.92395G	46.38	54.00	-7.62	3	Horizontal	119	1.11	-
2462MHz	Pass	AV	7.38448G	35.86	54.00	-18.14	3	Horizontal	190	1.66	-
2462MHz	Pass	PK	4.92396G	50.08	74.00	-23.92	3	Horizontal	119	1.11	-
2462MHz	Pass	PK	7.38944G	49.46	74.00	-24.54	3	Horizontal	190	1.66	-
11g-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.72	54.00	-6.28	3	Vertical	264	2.57	-
2412MHz	Pass	AV	2.4136G	108.84	Inf	-Inf	3	Vertical	264	2.57	-
2412MHz	Pass	AV	2.4844G	45.68	54.00	-8.32	3	Vertical	264	2.57	-
2412MHz	Pass	PK	2.3864G	58.95	74.00	-15.05	3	Vertical	264	2.57	-
2412MHz	Pass	PK	2.4136G	118.97	Inf	-Inf	3	Vertical	264	2.57	-
2412MHz	Pass	PK	2.4848G	56.69	74.00	-17.31	3	Vertical	264	2.57	-
2412MHz	Pass	AV	2.39G	46.47	54.00	-7.53	3	Horizontal	347	3.00	-
2412MHz	Pass	AV	2.4116G	105.33	Inf	-Inf	3	Horizontal	347	3.00	-
2412MHz	Pass	AV	2.484G	45.39	54.00	-8.61	3	Horizontal	347	3.00	-
2412MHz	Pass	PK	2.316G	57.53	74.00	-16.47	3	Horizontal	347	3.00	-
2412MHz	Pass	PK	2.414G	115.52	Inf	-Inf	3	Horizontal	347	3.00	-
2412MHz	Pass	PK	2.4835G	56.80	74.00	-17.20	3	Horizontal	347	3.00	-
2412MHz	Pass	AV	4.82488G	42.05	54.00	-11.95	3	Vertical	187	3.00	-
2412MHz	Pass	PK	4.8251G	54.03	74.00	-19.97	3	Vertical	187	3.00	-
2412MHz	Pass	AV	4.82496G	40.48	54.00	-13.52	3	Horizontal	75	2.19	-
2412MHz	Pass	PK	4.82756G	53.37	74.00	-20.63	3	Horizontal	75	2.19	-
2437MHz	Pass	AV	2.3898G	46.26	54.00	-7.74	3	Vertical	306	2.55	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4366G	113.65	Inf	-Inf	3	Vertical	306	2.55	-
2437MHz	Pass	AV	2.4835G	47.27	54.00	-6.73	3	Vertical	306	2.55	-
2437MHz	Pass	PK	2.3874G	57.16	74.00	-16.84	3	Vertical	306	2.55	-
2437MHz	Pass	PK	2.437G	123.82	Inf	-Inf	3	Vertical	306	2.55	-
2437MHz	Pass	PK	2.4838G	57.37	74.00	-16.63	3	Vertical	306	2.55	-
2437MHz	Pass	AV	2.3414G	45.87	54.00	-8.13	3	Horizontal	179	2.75	-
2437MHz	Pass	AV	2.4366G	110.46	Inf	-Inf	3	Horizontal	179	2.75	-
2437MHz	Pass	AV	2.4835G	46.02	54.00	-7.98	3	Horizontal	179	2.75	-
2437MHz	Pass	PK	2.3878G	57.55	74.00	-16.45	3	Horizontal	179	2.75	-
2437MHz	Pass	PK	2.4382G	120.61	Inf	-Inf	3	Horizontal	179	2.75	-
2437MHz	Pass	PK	2.4902G	56.44	74.00	-17.56	3	Horizontal	179	2.75	-
2437MHz	Pass	AV	4.87496G	39.41	54.00	-14.59	3	Vertical	161	1.01	-
2437MHz	Pass	AV	7.3128G	45.81	54.00	-8.19	3	Vertical	228	1.49	-
2437MHz	Pass	PK	4.87478G	48.07	74.00	-25.93	3	Vertical	161	1.01	-
2437MHz	Pass	PK	7.31256G	59.10	74.00	-14.90	3	Vertical	228	1.49	-
2437MHz	Pass	AV	4.87496G	35.27	54.00	-18.73	3	Horizontal	115	1.47	-
2437MHz	Pass	AV	7.31256G	41.71	54.00	-12.29	3	Horizontal	184	1.37	-
2437MHz	Pass	PK	4.87532G	48.69	74.00	-25.31	3	Horizontal	115	1.47	-
2437MHz	Pass	PK	7.31238G	54.83	74.00	-19.17	3	Horizontal	184	1.37	-
2457MHz	Pass	AV	2.3898G	46.23	54.00	-7.77	3	Vertical	290	2.01	-
2457MHz	Pass	AV	2.4582G	111.43	Inf	-Inf	3	Vertical	290	2.01	-
2457MHz	Pass	AV	2.4835G	50.81	54.00	-3.19	3	Vertical	290	2.01	-
2457MHz	Pass	PK	2.3782G	57.29	74.00	-16.71	3	Vertical	290	2.01	-
2457MHz	Pass	PK	2.4566G	121.22	Inf	-Inf	3	Vertical	290	2.01	-
2457MHz	Pass	PK	2.4838G	61.32	74.00	-12.68	3	Vertical	290	2.01	-
2457MHz	Pass	AV	2.3894G	45.81	54.00	-8.19	3	Horizontal	138	1.09	-
2457MHz	Pass	AV	2.4586G	108.59	Inf	-Inf	3	Horizontal	138	1.09	-
2457MHz	Pass	AV	2.4835G	48.58	54.00	-5.42	3	Horizontal	138	1.09	-
2457MHz	Pass	PK	2.3798G	56.87	74.00	-17.13	3	Horizontal	138	1.09	-
2457MHz	Pass	PK	2.4574G	117.70	Inf	-Inf	3	Horizontal	138	1.09	-
2457MHz	Pass	PK	2.4842G	59.36	74.00	-14.64	3	Horizontal	138	1.09	-
2462MHz	Pass	AV	2.39G	46.20	54.00	-7.80	3	Vertical	293	2.04	-
2462MHz	Pass	AV	2.4632G	109.77	Inf	-Inf	3	Vertical	293	2.04	-
2462MHz	Pass	AV	2.4835G	50.34	54.00	-3.66	3	Vertical	293	2.04	-
2462MHz	Pass	PK	2.3888G	57.28	74.00	-16.72	3	Vertical	293	2.04	-
2462MHz	Pass	PK	2.462G	120.70	Inf	-Inf	3	Vertical	293	2.04	-
2462MHz	Pass	PK	2.4835G	64.56	74.00	-9.44	3	Vertical	293	2.04	-
2462MHz	Pass	AV	2.3644G	45.67	54.00	-8.33	3	Horizontal	148	2.66	-
2462MHz	Pass	AV	2.4632G	106.01	Inf	-Inf	3	Horizontal	148	2.66	-
2462MHz	Pass	AV	2.4835G	48.41	54.00	-5.59	3	Horizontal	148	2.66	-
2462MHz	Pass	PK	2.3888G	57.80	74.00	-16.20	3	Horizontal	148	2.66	-
2462MHz	Pass	PK	2.4628G	116.94	Inf	-Inf	3	Horizontal	148	2.66	-
2462MHz	Pass	PK	2.4844G	61.67	74.00	-12.33	3	Horizontal	148	2.66	-
2462MHz	Pass	AV	4.92488G	41.19	54.00	-12.81	3	Vertical	107	3.00	-
2462MHz	Pass	AV	7.38782G	39.66	54.00	-14.34	3	Vertical	231	1.38	-
2462MHz	Pass	PK	4.92484G	51.72	74.00	-22.28	3	Vertical	107	3.00	-
2462MHz	Pass	PK	7.38546G	55.26	74.00	-18.74	3	Vertical	231	1.38	-
2462MHz	Pass	AV	4.9248G	35.89	54.00	-18.11	3	Horizontal	66	1.07	-
2462MHz	Pass	AV	7.38726G	37.15	54.00	-16.85	3	Horizontal	181	1.50	-
2462MHz	Pass	PK	4.926G	48.34	74.00	-25.66	3	Horizontal	66	1.07	-
2462MHz	Pass	PK	7.38522G	52.87	74.00	-21.13	3	Horizontal	181	1.50	-
11g-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.46	54.00	-3.54	3	Vertical	293	2.16	-
2412MHz	Pass	AV	2.4148G	108.39	Inf	-Inf	3	Vertical	293	2.16	-
2412MHz	Pass	AV	2.484G	46.46	54.00	-7.54	3	Vertical	293	2.16	-
2412MHz	Pass	PK	2.39G	62.18	74.00	-11.82	3	Vertical	293	2.16	-
2412MHz	Pass	PK	2.4124G	119.67	Inf	-Inf	3	Vertical	293	2.16	-
2412MHz	Pass	PK	2.484G	57.59	74.00	-16.41	3	Vertical	293	2.16	-
2412MHz	Pass	AV	2.39G	48.19	54.00	-5.81	3	Horizontal	138	1.05	-
2412MHz	Pass	AV	2.4144G	103.62	Inf	-Inf	3	Horizontal	138	1.05	-
2412MHz	Pass	AV	2.4835G	45.89	54.00	-8.11	3	Horizontal	138	1.05	-
2412MHz	Pass	PK	2.39G	58.68	74.00	-15.32	3	Horizontal	138	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.4144G	113.87	Inf	-Inf	3	Horizontal	138	1.05	-
2412MHz	Pass	PK	2.484G	57.05	74.00	-16.95	3	Horizontal	138	1.05	-
2412MHz	Pass	AV	4.82394G	39.29	54.00	-14.71	3	Vertical	175	1.15	-
2412MHz	Pass	PK	4.8238G	46.37	74.00	-27.63	3	Vertical	175	1.15	-
2412MHz	Pass	AV	4.8239G	36.11	54.00	-17.89	3	Horizontal	44	2.94	-
2412MHz	Pass	PK	4.82418G	48.94	74.00	-25.06	3	Horizontal	44	2.94	-
2417MHz	Pass	AV	2.3898G	50.92	54.00	-3.08	3	Vertical	289	2.07	-
2417MHz	Pass	AV	2.4198G	108.20	Inf	-Inf	3	Vertical	289	2.07	-
2417MHz	Pass	AV	2.4835G	48.11	54.00	-5.89	3	Vertical	289	2.07	-
2417MHz	Pass	PK	2.3886G	63.30	74.00	-10.70	3	Vertical	289	2.07	-
2417MHz	Pass	PK	2.4198G	118.00	Inf	-Inf	3	Vertical	289	2.07	-
2417MHz	Pass	PK	2.4842G	59.17	74.00	-14.83	3	Vertical	289	2.07	-
2417MHz	Pass	AV	2.3898G	48.54	54.00	-5.46	3	Horizontal	137	1.00	-
2417MHz	Pass	AV	2.4198G	104.19	Inf	-Inf	3	Horizontal	137	1.00	-
2417MHz	Pass	AV	2.4835G	47.09	54.00	-6.91	3	Horizontal	137	1.00	-
2417MHz	Pass	PK	2.3894G	59.50	74.00	-14.50	3	Horizontal	137	1.00	-
2417MHz	Pass	PK	2.4198G	114.20	Inf	-Inf	3	Horizontal	137	1.00	-
2417MHz	Pass	PK	2.4846G	57.91	74.00	-16.09	3	Horizontal	137	1.00	-
2437MHz	Pass	AV	2.3894G	47.63	54.00	-6.37	3	Vertical	289	2.52	-
2437MHz	Pass	AV	2.4346G	111.98	Inf	-Inf	3	Vertical	289	2.52	-
2437MHz	Pass	AV	2.4835G	50.61	54.00	-3.39	3	Vertical	289	2.52	-
2437MHz	Pass	PK	2.3886G	58.96	74.00	-15.04	3	Vertical	289	2.52	-
2437MHz	Pass	PK	2.4402G	121.65	Inf	-Inf	3	Vertical	289	2.52	-
2437MHz	Pass	PK	2.4838G	64.68	74.00	-9.32	3	Vertical	289	2.52	-
2437MHz	Pass	AV	2.3898G	46.51	54.00	-7.49	3	Horizontal	180	2.76	-
2437MHz	Pass	AV	2.4354G	108.61	Inf	-Inf	3	Horizontal	180	2.76	-
2437MHz	Pass	AV	2.4835G	47.29	54.00	-6.71	3	Horizontal	180	2.76	-
2437MHz	Pass	PK	2.3574G	57.02	74.00	-16.98	3	Horizontal	180	2.76	-
2437MHz	Pass	PK	2.4354G	118.97	Inf	-Inf	3	Horizontal	180	2.76	-
2437MHz	Pass	PK	2.4835G	57.92	74.00	-16.08	3	Horizontal	180	2.76	-
2437MHz	Pass	AV	4.87392G	39.48	54.00	-14.52	3	Vertical	168	2.60	-
2437MHz	Pass	AV	7.31144G	42.60	54.00	-11.40	3	Vertical	231	1.40	-
2437MHz	Pass	PK	4.87352G	47.05	74.00	-26.95	3	Vertical	168	2.60	-
2437MHz	Pass	PK	7.3094G	57.58	74.00	-16.42	3	Vertical	231	1.40	-
2437MHz	Pass	AV	4.87392G	32.99	54.00	-21.01	3	Horizontal	113	1.46	-
2437MHz	Pass	AV	7.3113G	39.18	54.00	-14.82	3	Horizontal	183	1.48	-
2437MHz	Pass	PK	4.87178G	46.90	74.00	-27.10	3	Horizontal	113	1.46	-
2437MHz	Pass	PK	7.30604G	53.11	74.00	-20.89	3	Horizontal	183	1.48	-
2457MHz	Pass	AV	2.3898G	46.17	54.00	-7.83	3	Vertical	292	2.03	-
2457MHz	Pass	AV	2.455G	110.71	Inf	-Inf	3	Vertical	292	2.03	-
2457MHz	Pass	AV	2.4835G	50.82	54.00	-3.18	3	Vertical	292	2.03	-
2457MHz	Pass	PK	2.3882G	57.55	74.00	-16.45	3	Vertical	292	2.03	-
2457MHz	Pass	PK	2.4562G	121.19	Inf	-Inf	3	Vertical	292	2.03	-
2457MHz	Pass	PK	2.4846G	65.40	74.00	-8.60	3	Vertical	292	2.03	-
2457MHz	Pass	AV	2.3898G	45.80	54.00	-8.20	3	Horizontal	136	1.09	-
2457MHz	Pass	AV	2.4582G	106.72	Inf	-Inf	3	Horizontal	136	1.09	-
2457MHz	Pass	AV	2.4835G	49.22	54.00	-4.78	3	Horizontal	136	1.09	-
2457MHz	Pass	PK	2.3762G	57.64	74.00	-16.36	3	Horizontal	136	1.09	-
2457MHz	Pass	PK	2.4546G	118.44	Inf	-Inf	3	Horizontal	136	1.09	-
2457MHz	Pass	PK	2.4835G	62.20	74.00	-11.80	3	Horizontal	136	1.09	-
2462MHz	Pass	AV	2.3892G	46.03	54.00	-7.97	3	Vertical	286	1.92	-
2462MHz	Pass	AV	2.4648G	109.13	Inf	-Inf	3	Vertical	286	1.92	-
2462MHz	Pass	AV	2.4835G	49.37	54.00	-4.63	3	Vertical	286	1.92	-
2462MHz	Pass	PK	2.3764G	56.82	74.00	-17.18	3	Vertical	286	1.92	-
2462MHz	Pass	PK	2.4636G	119.94	Inf	-Inf	3	Vertical	286	1.92	-
2462MHz	Pass	PK	2.4835G	66.90	74.00	-7.10	3	Vertical	286	1.92	-
2462MHz	Pass	AV	2.3636G	45.74	54.00	-8.26	3	Horizontal	149	2.67	-
2462MHz	Pass	AV	2.46G	105.67	Inf	-Inf	3	Horizontal	149	2.67	-
2462MHz	Pass	AV	2.4835G	48.61	54.00	-5.39	3	Horizontal	149	2.67	-
2462MHz	Pass	PK	2.364G	56.96	74.00	-17.04	3	Horizontal	149	2.67	-
2462MHz	Pass	PK	2.464G	116.35	Inf	-Inf	3	Horizontal	149	2.67	-
2462MHz	Pass	PK	2.4835G	64.36	74.00	-9.64	3	Horizontal	149	2.67	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	4.92394G	40.90	54.00	-13.10	3	Vertical	69	1.10	-
2462MHz	Pass	AV	7.3857G	39.83	54.00	-14.17	3	Vertical	193	2.88	-
2462MHz	Pass	PK	4.92402G	47.77	74.00	-26.23	3	Vertical	69	1.10	-
2462MHz	Pass	PK	7.38692G	55.58	74.00	-18.42	3	Vertical	193	2.88	-
2462MHz	Pass	AV	4.92392G	34.15	54.00	-19.85	3	Horizontal	168	1.00	-
2462MHz	Pass	AV	7.38688G	36.36	54.00	-17.64	3	Horizontal	181	1.50	-
2462MHz	Pass	PK	4.92384G	46.99	74.00	-27.01	3	Horizontal	168	1.00	-
2462MHz	Pass	PK	7.38492G	50.46	74.00	-23.54	3	Horizontal	181	1.50	-
11g-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.80	54.00	-3.20	3	Vertical	272	2.24	-
2412MHz	Pass	AV	2.4068G	103.55	Inf	-Inf	3	Vertical	272	2.24	-
2412MHz	Pass	AV	2.4932G	46.07	54.00	-7.93	3	Vertical	272	2.24	-
2412MHz	Pass	PK	2.39G	62.79	74.00	-11.21	3	Vertical	272	2.24	-
2412MHz	Pass	PK	2.4068G	112.52	Inf	-Inf	3	Vertical	272	2.24	-
2412MHz	Pass	PK	2.4916G	56.98	74.00	-17.02	3	Vertical	272	2.24	-
2412MHz	Pass	AV	2.39G	52.12	54.00	-1.88	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	2.4056G	101.95	Inf	-Inf	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	2.4844G	46.05	54.00	-7.95	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.39G	64.52	74.00	-9.48	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.4052G	111.60	Inf	-Inf	3	Horizontal	360	3.00	-
2412MHz	Pass	PK	2.4972G	56.63	74.00	-17.37	3	Horizontal	360	3.00	-
2412MHz	Pass	AV	4.82395G	39.41	54.00	-14.59	3	Vertical	167	1.04	-
2412MHz	Pass	PK	4.82399G	46.35	74.00	-27.65	3	Vertical	167	1.04	-
2412MHz	Pass	AV	4.8241G	33.28	54.00	-20.72	3	Horizontal	118	1.00	-
2412MHz	Pass	PK	4.82387G	46.28	74.00	-27.72	3	Horizontal	118	1.00	-
2417MHz	Pass	AV	2.3894G	50.55	54.00	-3.45	3	Vertical	273	2.49	-
2417MHz	Pass	AV	2.4238G	104.74	Inf	-Inf	3	Vertical	273	2.49	-
2417MHz	Pass	AV	2.4835G	46.52	54.00	-7.48	3	Vertical	273	2.49	-
2417MHz	Pass	PK	2.3886G	63.22	74.00	-10.78	3	Vertical	273	2.49	-
2417MHz	Pass	PK	2.4234G	114.16	Inf	-Inf	3	Vertical	273	2.49	-
2417MHz	Pass	PK	2.4846G	58.36	74.00	-15.64	3	Vertical	273	2.49	-
2417MHz	Pass	AV	2.3882G	49.77	54.00	-4.23	3	Horizontal	354	2.91	-
2417MHz	Pass	AV	2.4234G	104.04	Inf	-Inf	3	Horizontal	354	2.91	-
2417MHz	Pass	AV	2.4846G	46.59	54.00	-7.41	3	Horizontal	354	2.91	-
2417MHz	Pass	PK	2.3882G	61.28	74.00	-12.72	3	Horizontal	354	2.91	-
2417MHz	Pass	PK	2.4234G	112.69	Inf	-Inf	3	Horizontal	354	2.91	-
2417MHz	Pass	PK	2.4842G	57.15	74.00	-16.85	3	Horizontal	354	2.91	-
2437MHz	Pass	AV	2.387G	49.56	54.00	-4.44	3	Vertical	307	2.80	-
2437MHz	Pass	AV	2.4314G	109.14	Inf	-Inf	3	Vertical	307	2.80	-
2437MHz	Pass	AV	2.4854G	50.94	54.00	-3.06	3	Vertical	307	2.80	-
2437MHz	Pass	PK	2.3862G	60.68	74.00	-13.32	3	Vertical	307	2.80	-
2437MHz	Pass	PK	2.4318G	118.62	Inf	-Inf	3	Vertical	307	2.80	-
2437MHz	Pass	PK	2.4846G	62.18	74.00	-11.82	3	Vertical	307	2.80	-
2437MHz	Pass	AV	2.389G	48.01	54.00	-5.99	3	Horizontal	354	2.84	-
2437MHz	Pass	AV	2.4334G	106.87	Inf	-Inf	3	Horizontal	354	2.84	-
2437MHz	Pass	AV	2.4835G	50.70	54.00	-3.30	3	Horizontal	354	2.84	-
2437MHz	Pass	PK	2.3886G	60.19	74.00	-13.81	3	Horizontal	354	2.84	-
2437MHz	Pass	PK	2.433G	116.70	Inf	-Inf	3	Horizontal	354	2.84	-
2437MHz	Pass	PK	2.4838G	61.89	74.00	-12.11	3	Horizontal	354	2.84	-
2437MHz	Pass	AV	4.87394G	40.48	54.00	-13.52	3	Vertical	146	1.11	-
2437MHz	Pass	AV	7.3102G	41.55	54.00	-12.45	3	Vertical	192	1.71	-
2437MHz	Pass	PK	4.87426G	48.96	74.00	-25.04	3	Vertical	146	1.11	-
2437MHz	Pass	PK	7.30028G	55.20	74.00	-18.80	3	Vertical	192	1.71	-
2437MHz	Pass	AV	4.87398G	34.26	54.00	-19.74	3	Horizontal	163	1.00	-
2437MHz	Pass	AV	7.31068G	37.77	54.00	-16.23	3	Horizontal	71	2.43	-
2437MHz	Pass	PK	4.87402G	43.87	74.00	-30.13	3	Horizontal	163	1.00	-
2437MHz	Pass	PK	7.31108G	50.15	74.00	-23.85	3	Horizontal	71	2.43	-
2457MHz	Pass	AV	2.3598G	46.09	54.00	-7.91	3	Vertical	271	2.79	-
2457MHz	Pass	AV	2.4618G	106.20	Inf	-Inf	3	Vertical	271	2.79	-
2457MHz	Pass	AV	2.4835G	50.87	54.00	-3.13	3	Vertical	271	2.79	-
2457MHz	Pass	PK	2.3842G	58.01	74.00	-15.99	3	Vertical	271	2.79	-
2457MHz	Pass	PK	2.4614G	116.36	Inf	-Inf	3	Vertical	271	2.79	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4835G	60.92	74.00	-13.08	3	Vertical	271	2.79	-
2457MHz	Pass	AV	2.357G	46.03	54.00	-7.97	3	Horizontal	116	3.00	-
2457MHz	Pass	AV	2.459G	102.97	Inf	-Inf	3	Horizontal	116	3.00	-
2457MHz	Pass	AV	2.4842G	49.76	54.00	-4.24	3	Horizontal	116	3.00	-
2457MHz	Pass	PK	2.3802G	57.59	74.00	-16.41	3	Horizontal	116	3.00	-
2457MHz	Pass	PK	2.4598G	112.56	Inf	-Inf	3	Horizontal	116	3.00	-
2457MHz	Pass	PK	2.4846G	60.44	74.00	-13.56	3	Horizontal	116	3.00	-
2462MHz	Pass	AV	2.372G	46.07	54.00	-7.93	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.464G	104.40	Inf	-Inf	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.4835G	50.31	54.00	-3.69	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.3856G	56.43	74.00	-17.57	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.4596G	113.60	Inf	-Inf	3	Vertical	271	2.78	-
2462MHz	Pass	PK	2.484G	60.99	74.00	-13.01	3	Vertical	271	2.78	-
2462MHz	Pass	AV	2.37G	46.05	54.00	-7.95	3	Horizontal	117	3.00	-
2462MHz	Pass	AV	2.4568G	100.80	Inf	-Inf	3	Horizontal	117	3.00	-
2462MHz	Pass	AV	2.484G	48.00	54.00	-6.00	3	Horizontal	117	3.00	-
2462MHz	Pass	PK	2.3752G	56.61	74.00	-17.39	3	Horizontal	117	3.00	-
2462MHz	Pass	PK	2.4644G	110.42	Inf	-Inf	3	Horizontal	117	3.00	-
2462MHz	Pass	PK	2.4852G	59.32	74.00	-14.68	3	Horizontal	117	3.00	-
2462MHz	Pass	AV	4.924G	40.19	54.00	-13.81	3	Vertical	77	1.00	-
2462MHz	Pass	AV	7.38G	36.50	54.00	-17.50	3	Vertical	233	1.49	-
2462MHz	Pass	PK	4.92408G	46.14	74.00	-27.86	3	Vertical	77	1.00	-
2462MHz	Pass	PK	7.37888G	49.28	74.00	-24.72	3	Vertical	233	1.49	-
2462MHz	Pass	AV	4.92399G	36.73	54.00	-17.27	3	Horizontal	159	3.00	-
2462MHz	Pass	AV	7.39552G	36.41	54.00	-17.59	3	Horizontal	64	1.70	-
2462MHz	Pass	PK	4.92402G	44.86	74.00	-29.14	3	Horizontal	159	3.00	-
2462MHz	Pass	PK	7.37232G	49.28	74.00	-24.72	3	Horizontal	64	1.70	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3884G	47.87	54.00	-6.13	3	Vertical	306	2.80	-
2412MHz	Pass	AV	2.4116G	110.59	Inf	-Inf	3	Vertical	306	2.80	-
2412MHz	Pass	AV	2.4835G	45.86	54.00	-8.14	3	Vertical	306	2.80	-
2412MHz	Pass	PK	2.3872G	59.68	74.00	-14.32	3	Vertical	306	2.80	-
2412MHz	Pass	PK	2.412G	119.63	Inf	-Inf	3	Vertical	306	2.80	-
2412MHz	Pass	PK	2.486G	56.24	74.00	-17.76	3	Vertical	306	2.80	-
2412MHz	Pass	AV	2.388G	46.11	54.00	-7.89	3	Horizontal	111	1.50	-
2412MHz	Pass	AV	2.4116G	103.60	Inf	-Inf	3	Horizontal	111	1.50	-
2412MHz	Pass	AV	2.4972G	45.51	54.00	-8.49	3	Horizontal	111	1.50	-
2412MHz	Pass	PK	2.3196G	57.32	74.00	-16.68	3	Horizontal	111	1.50	-
2412MHz	Pass	PK	2.4116G	112.80	Inf	-Inf	3	Horizontal	111	1.50	-
2412MHz	Pass	PK	2.4924G	56.05	74.00	-17.95	3	Horizontal	111	1.50	-
2412MHz	Pass	AV	4.82498G	43.50	54.00	-10.50	3	Vertical	56	2.46	-
2412MHz	Pass	PK	4.82528G	55.92	74.00	-18.08	3	Vertical	56	2.46	-
2412MHz	Pass	AV	4.82504G	39.77	54.00	-14.23	3	Horizontal	49	2.99	-
2412MHz	Pass	PK	4.8242G	51.93	74.00	-22.07	3	Horizontal	49	2.99	-
2437MHz	Pass	AV	2.3898G	46.20	54.00	-7.80	3	Vertical	290	2.51	-
2437MHz	Pass	AV	2.4378G	113.50	Inf	-Inf	3	Vertical	290	2.51	-
2437MHz	Pass	AV	2.4835G	46.78	54.00	-7.22	3	Vertical	290	2.51	-
2437MHz	Pass	PK	2.3874G	57.35	74.00	-16.65	3	Vertical	290	2.51	-
2437MHz	Pass	PK	2.4386G	123.25	Inf	-Inf	3	Vertical	290	2.51	-
2437MHz	Pass	PK	2.4902G	57.02	74.00	-16.98	3	Vertical	290	2.51	-
2437MHz	Pass	AV	2.3378G	45.87	54.00	-8.13	3	Horizontal	135	1.19	-
2437MHz	Pass	AV	2.4382G	109.73	Inf	-Inf	3	Horizontal	135	1.19	-
2437MHz	Pass	AV	2.4835G	46.16	54.00	-7.84	3	Horizontal	135	1.19	-
2437MHz	Pass	PK	2.3874G	57.07	74.00	-16.93	3	Horizontal	135	1.19	-
2437MHz	Pass	PK	2.4382G	119.83	Inf	-Inf	3	Horizontal	135	1.19	-
2437MHz	Pass	PK	2.495G	56.32	74.00	-17.68	3	Horizontal	135	1.19	-
2437MHz	Pass	AV	4.87504G	41.59	54.00	-12.41	3	Vertical	56	2.27	-
2437MHz	Pass	AV	7.31174G	45.32	54.00	-8.68	3	Vertical	229	1.49	-
2437MHz	Pass	PK	4.8752G	54.94	74.00	-19.06	3	Vertical	56	2.27	-
2437MHz	Pass	PK	7.3112G	59.19	74.00	-14.81	3	Vertical	229	1.49	-
2437MHz	Pass	AV	4.87506G	37.65	54.00	-16.35	3	Horizontal	87	1.00	-
2437MHz	Pass	AV	7.31184G	42.80	54.00	-11.20	3	Horizontal	184	1.25	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.8757G	51.12	74.00	-22.88	3	Horizontal	87	1.00	-
2437MHz	Pass	PK	7.3121G	56.17	74.00	-17.83	3	Horizontal	184	1.25	-
2457MHz	Pass	AV	2.3894G	46.43	54.00	-7.57	3	Vertical	288	1.38	-
2457MHz	Pass	AV	2.4582G	112.05	Inf	-Inf	3	Vertical	288	1.38	-
2457MHz	Pass	AV	2.4835G	49.80	54.00	-4.20	3	Vertical	288	1.38	-
2457MHz	Pass	PK	2.387G	57.48	74.00	-16.52	3	Vertical	288	1.38	-
2457MHz	Pass	PK	2.4558G	121.11	Inf	-Inf	3	Vertical	288	1.38	-
2457MHz	Pass	PK	2.4835G	60.82	74.00	-13.18	3	Vertical	288	1.38	-
2457MHz	Pass	AV	2.389G	45.86	54.00	-8.14	3	Horizontal	136	1.10	-
2457MHz	Pass	AV	2.4582G	110.38	Inf	-Inf	3	Horizontal	136	1.10	-
2457MHz	Pass	AV	2.4835G	49.53	54.00	-4.47	3	Horizontal	136	1.10	-
2457MHz	Pass	PK	2.3846G	57.40	74.00	-16.60	3	Horizontal	136	1.10	-
2457MHz	Pass	PK	2.4586G	120.51	Inf	-Inf	3	Horizontal	136	1.10	-
2457MHz	Pass	PK	2.4835G	60.54	74.00	-13.46	3	Horizontal	136	1.10	-
2462MHz	Pass	AV	2.39G	46.01	54.00	-7.99	3	Vertical	292	2.03	-
2462MHz	Pass	AV	2.4632G	111.59	Inf	-Inf	3	Vertical	292	2.03	-
2462MHz	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	292	2.03	-
2462MHz	Pass	PK	2.3632G	57.07	74.00	-16.93	3	Vertical	292	2.03	-
2462MHz	Pass	PK	2.4628G	121.26	Inf	-Inf	3	Vertical	292	2.03	-
2462MHz	Pass	PK	2.484G	64.79	74.00	-9.21	3	Vertical	292	2.03	-
2462MHz	Pass	AV	2.3664G	45.74	54.00	-8.26	3	Horizontal	138	1.06	-
2462MHz	Pass	AV	2.4632G	108.87	Inf	-Inf	3	Horizontal	138	1.06	-
2462MHz	Pass	AV	2.4835G	48.42	54.00	-5.58	3	Horizontal	138	1.06	-
2462MHz	Pass	PK	2.3668G	56.87	74.00	-17.13	3	Horizontal	138	1.06	-
2462MHz	Pass	PK	2.4628G	117.32	Inf	-Inf	3	Horizontal	138	1.06	-
2462MHz	Pass	PK	2.484G	63.38	74.00	-10.62	3	Horizontal	138	1.06	-
2462MHz	Pass	AV	4.92492G	42.17	54.00	-11.83	3	Vertical	57	2.44	-
2462MHz	Pass	AV	7.38658G	41.74	54.00	-12.26	3	Vertical	192	2.87	-
2462MHz	Pass	PK	4.92454G	53.43	74.00	-20.57	3	Vertical	57	2.44	-
2462MHz	Pass	PK	7.38658G	58.64	74.00	-15.36	3	Vertical	192	2.87	-
2462MHz	Pass	AV	4.925G	35.27	54.00	-18.73	3	Horizontal	114	1.50	-
2462MHz	Pass	AV	7.38806G	37.52	54.00	-16.48	3	Horizontal	183	1.44	-
2462MHz	Pass	PK	4.9243G	47.21	74.00	-26.79	3	Horizontal	114	1.50	-
2462MHz	Pass	PK	7.3875G	52.87	74.00	-21.13	3	Horizontal	183	1.44	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.29	54.00	-3.71	3	Vertical	304	2.82	-
2412MHz	Pass	AV	2.41G	107.18	Inf	-Inf	3	Vertical	304	2.82	-
2412MHz	Pass	AV	2.484G	46.27	54.00	-7.73	3	Vertical	304	2.82	-
2412MHz	Pass	PK	2.39G	62.84	74.00	-11.16	3	Vertical	304	2.82	-
2412MHz	Pass	PK	2.41G	117.83	Inf	-Inf	3	Vertical	304	2.82	-
2412MHz	Pass	PK	2.4844G	57.65	74.00	-16.35	3	Vertical	304	2.82	-
2412MHz	Pass	AV	2.39G	47.80	54.00	-6.20	3	Horizontal	138	1.06	-
2412MHz	Pass	AV	2.4084G	102.53	Inf	-Inf	3	Horizontal	138	1.06	-
2412MHz	Pass	AV	2.4835G	45.90	54.00	-8.10	3	Horizontal	138	1.06	-
2412MHz	Pass	PK	2.3872G	58.26	74.00	-15.74	3	Horizontal	138	1.06	-
2412MHz	Pass	PK	2.4084G	113.20	Inf	-Inf	3	Horizontal	138	1.06	-
2412MHz	Pass	PK	2.4916G	56.47	74.00	-17.53	3	Horizontal	138	1.06	-
2412MHz	Pass	AV	4.82396G	38.56	54.00	-15.44	3	Vertical	171	1.90	-
2412MHz	Pass	PK	4.82396G	46.27	74.00	-27.73	3	Vertical	171	1.90	-
2412MHz	Pass	AV	4.82392G	33.95	54.00	-20.05	3	Horizontal	116	1.16	-
2412MHz	Pass	PK	4.82556G	46.82	74.00	-27.18	3	Horizontal	116	1.16	-
2417MHz	Pass	AV	2.3898G	50.46	54.00	-3.54	3	Vertical	276	2.05	-
2417MHz	Pass	AV	2.4198G	107.71	Inf	-Inf	3	Vertical	276	2.05	-
2417MHz	Pass	AV	2.4838G	47.07	54.00	-6.93	3	Vertical	276	2.05	-
2417MHz	Pass	PK	2.3886G	62.43	74.00	-11.57	3	Vertical	276	2.05	-
2417MHz	Pass	PK	2.4206G	118.04	Inf	-Inf	3	Vertical	276	2.05	-
2417MHz	Pass	PK	2.485G	58.40	74.00	-15.60	3	Vertical	276	2.05	-
2417MHz	Pass	AV	2.3898G	48.01	54.00	-5.99	3	Horizontal	139	1.12	-
2417MHz	Pass	AV	2.421G	103.89	Inf	-Inf	3	Horizontal	139	1.12	-
2417MHz	Pass	AV	2.4835G	46.76	54.00	-7.24	3	Horizontal	139	1.12	-
2417MHz	Pass	PK	2.3886G	60.60	74.00	-13.40	3	Horizontal	139	1.12	-
2417MHz	Pass	PK	2.4206G	115.28	Inf	-Inf	3	Horizontal	139	1.12	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.4838G	57.70	74.00	-16.30	3	Horizontal	139	1.12	-
2437MHz	Pass	AV	2.3898G	47.80	54.00	-6.20	3	Vertical	271	1.47	-
2437MHz	Pass	AV	2.4346G	110.42	Inf	-Inf	3	Vertical	271	1.47	-
2437MHz	Pass	AV	2.4835G	50.42	54.00	-3.58	3	Vertical	271	1.47	-
2437MHz	Pass	PK	2.3898G	59.42	74.00	-14.58	3	Vertical	271	1.47	-
2437MHz	Pass	PK	2.435G	121.95	Inf	-Inf	3	Vertical	271	1.47	-
2437MHz	Pass	PK	2.4838G	62.57	74.00	-11.43	3	Vertical	271	1.47	-
2437MHz	Pass	AV	2.3862G	45.94	54.00	-8.06	3	Horizontal	87	3.00	-
2437MHz	Pass	AV	2.4342G	107.46	Inf	-Inf	3	Horizontal	87	3.00	-
2437MHz	Pass	AV	2.4835G	47.08	54.00	-6.92	3	Horizontal	87	3.00	-
2437MHz	Pass	PK	2.3442G	57.54	74.00	-16.46	3	Horizontal	87	3.00	-
2437MHz	Pass	PK	2.4342G	117.95	Inf	-Inf	3	Horizontal	87	3.00	-
2437MHz	Pass	PK	2.4835G	56.88	74.00	-17.12	3	Horizontal	87	3.00	-
2437MHz	Pass	AV	4.87392G	40.24	54.00	-13.76	3	Vertical	167	1.06	-
2437MHz	Pass	AV	7.3091G	43.17	54.00	-10.83	3	Vertical	228	1.49	-
2437MHz	Pass	PK	4.8739G	47.00	74.00	-27.00	3	Vertical	167	1.06	-
2437MHz	Pass	PK	7.30746G	57.79	74.00	-16.21	3	Vertical	228	1.49	-
2437MHz	Pass	AV	4.8747G	35.06	54.00	-18.94	3	Horizontal	87	1.00	-
2437MHz	Pass	AV	7.30912G	39.53	54.00	-14.47	3	Horizontal	184	1.49	-
2437MHz	Pass	PK	4.8742G	48.92	74.00	-25.08	3	Horizontal	87	1.00	-
2437MHz	Pass	PK	7.30908G	53.20	74.00	-20.80	3	Horizontal	184	1.49	-
2457MHz	Pass	AV	2.3578G	45.80	54.00	-8.20	3	Vertical	271	1.50	-
2457MHz	Pass	AV	2.4546G	108.59	Inf	-Inf	3	Vertical	271	1.50	-
2457MHz	Pass	AV	2.4835G	49.27	54.00	-4.73	3	Vertical	271	1.50	-
2457MHz	Pass	PK	2.3758G	56.81	74.00	-17.19	3	Vertical	271	1.50	-
2457MHz	Pass	PK	2.455G	118.42	Inf	-Inf	3	Vertical	271	1.50	-
2457MHz	Pass	PK	2.4842G	63.88	74.00	-10.12	3	Vertical	271	1.50	-
2457MHz	Pass	AV	2.3578G	45.79	54.00	-8.21	3	Horizontal	150	2.66	-
2457MHz	Pass	AV	2.459G	107.16	Inf	-Inf	3	Horizontal	150	2.66	-
2457MHz	Pass	AV	2.4835G	48.33	54.00	-5.67	3	Horizontal	150	2.66	-
2457MHz	Pass	PK	2.3802G	57.47	74.00	-16.53	3	Horizontal	150	2.66	-
2457MHz	Pass	PK	2.4598G	117.66	Inf	-Inf	3	Horizontal	150	2.66	-
2457MHz	Pass	PK	2.4835G	62.99	74.00	-11.01	3	Horizontal	150	2.66	-
2462MHz	Pass	AV	2.3896G	45.86	54.00	-8.14	3	Vertical	284	2.02	-
2462MHz	Pass	AV	2.4612G	108.71	Inf	-Inf	3	Vertical	284	2.02	-
2462MHz	Pass	AV	2.4835G	49.01	54.00	-4.99	3	Vertical	284	2.02	-
2462MHz	Pass	PK	2.3692G	56.60	74.00	-17.40	3	Vertical	284	2.02	-
2462MHz	Pass	PK	2.4612G	118.97	Inf	-Inf	3	Vertical	284	2.02	-
2462MHz	Pass	PK	2.4835G	66.57	74.00	-7.43	3	Vertical	284	2.02	-
2462MHz	Pass	AV	2.362G	45.73	54.00	-8.27	3	Horizontal	135	2.66	-
2462MHz	Pass	AV	2.4592G	106.09	Inf	-Inf	3	Horizontal	135	2.66	-
2462MHz	Pass	AV	2.4835G	47.21	54.00	-6.79	3	Horizontal	135	2.66	-
2462MHz	Pass	PK	2.3828G	57.19	74.00	-16.81	3	Horizontal	135	2.66	-
2462MHz	Pass	PK	2.46G	116.84	Inf	-Inf	3	Horizontal	135	2.66	-
2462MHz	Pass	PK	2.4848G	62.18	74.00	-11.82	3	Horizontal	135	2.66	-
2462MHz	Pass	AV	4.92398G	41.14	54.00	-12.86	3	Vertical	71	2.47	-
2462MHz	Pass	AV	7.3847G	39.59	54.00	-14.41	3	Vertical	192	3.00	-
2462MHz	Pass	PK	4.92398G	49.36	74.00	-24.64	3	Vertical	71	2.47	-
2462MHz	Pass	PK	7.38876G	56.44	74.00	-17.56	3	Vertical	192	3.00	-
2462MHz	Pass	AV	4.92388G	35.91	54.00	-18.09	3	Horizontal	87	1.03	-
2462MHz	Pass	AV	7.38788G	36.42	54.00	-17.58	3	Horizontal	172	1.34	-
2462MHz	Pass	PK	4.92258G	48.70	74.00	-25.30	3	Horizontal	87	1.03	-
2462MHz	Pass	PK	7.38814G	49.97	74.00	-24.03	3	Horizontal	172	1.34	-
802.11n HT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.10	54.00	-3.90	3	Vertical	286	2.58	-
2412MHz	Pass	AV	2.4052G	102.04	Inf	-Inf	3	Vertical	286	2.58	-
2412MHz	Pass	AV	2.4992G	46.07	54.00	-7.93	3	Vertical	286	2.58	-
2412MHz	Pass	PK	2.39G	61.45	74.00	-12.55	3	Vertical	286	2.58	-
2412MHz	Pass	PK	2.4044G	111.58	Inf	-Inf	3	Vertical	286	2.58	-
2412MHz	Pass	PK	2.4956G	56.75	74.00	-17.25	3	Vertical	286	2.58	-
2412MHz	Pass	AV	2.39G	50.67	54.00	-3.33	3	Horizontal	352	2.89	-
2412MHz	Pass	AV	2.4172G	101.05	Inf	-Inf	3	Horizontal	352	2.89	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	2.4864G	45.87	54.00	-8.13	3	Horizontal	352	2.89	-
2412MHz	Pass	PK	2.39G	60.61	74.00	-13.39	3	Horizontal	352	2.89	-
2412MHz	Pass	PK	2.4152G	110.86	Inf	-Inf	3	Horizontal	352	2.89	-
2412MHz	Pass	PK	2.4868G	56.51	74.00	-17.49	3	Horizontal	352	2.89	-
2412MHz	Pass	AV	4.824G	38.88	54.00	-15.12	3	Vertical	174	1.04	-
2412MHz	Pass	PK	4.82396G	46.63	74.00	-27.37	3	Vertical	174	1.04	-
2412MHz	Pass	AV	4.82403G	32.76	54.00	-21.24	3	Horizontal	163	2.37	-
2412MHz	Pass	PK	4.82428G	44.23	74.00	-29.77	3	Horizontal	163	2.37	-
2417MHz	Pass	AV	2.3898G	50.98	54.00	-3.02	3	Vertical	272	2.49	-
2417MHz	Pass	AV	2.4234G	106.97	Inf	-Inf	3	Vertical	272	2.49	-
2417MHz	Pass	AV	2.4835G	46.46	54.00	-7.54	3	Vertical	272	2.49	-
2417MHz	Pass	PK	2.3886G	63.51	74.00	-10.49	3	Vertical	272	2.49	-
2417MHz	Pass	PK	2.4238G	116.64	Inf	-Inf	3	Vertical	272	2.49	-
2417MHz	Pass	PK	2.4838G	58.63	74.00	-15.37	3	Vertical	272	2.49	-
2417MHz	Pass	AV	2.387G	48.96	54.00	-5.04	3	Horizontal	356	2.91	-
2417MHz	Pass	AV	2.4218G	105.17	Inf	-Inf	3	Horizontal	356	2.91	-
2417MHz	Pass	AV	2.4838G	46.55	54.00	-7.45	3	Horizontal	356	2.91	-
2417MHz	Pass	PK	2.3898G	62.05	74.00	-11.95	3	Horizontal	356	2.91	-
2417MHz	Pass	PK	2.4234G	114.60	Inf	-Inf	3	Horizontal	356	2.91	-
2417MHz	Pass	PK	2.4902G	57.66	74.00	-16.34	3	Horizontal	356	2.91	-
2437MHz	Pass	AV	2.3898G	50.33	54.00	-3.67	3	Vertical	268	2.49	-
2437MHz	Pass	AV	2.4318G	110.10	Inf	-Inf	3	Vertical	268	2.49	-
2437MHz	Pass	AV	2.485G	50.39	54.00	-3.61	3	Vertical	268	2.49	-
2437MHz	Pass	PK	2.3894G	61.13	74.00	-12.87	3	Vertical	268	2.49	-
2437MHz	Pass	PK	2.4322G	119.79	Inf	-Inf	3	Vertical	268	2.49	-
2437MHz	Pass	PK	2.4842G	61.68	74.00	-12.32	3	Vertical	268	2.49	-
2437MHz	Pass	AV	2.3898G	49.54	54.00	-4.46	3	Horizontal	357	2.84	-
2437MHz	Pass	AV	2.4326G	108.86	Inf	-Inf	3	Horizontal	357	2.84	-
2437MHz	Pass	AV	2.4846G	50.73	54.00	-3.27	3	Horizontal	357	2.84	-
2437MHz	Pass	PK	2.3898G	61.19	74.00	-12.81	3	Horizontal	357	2.84	-
2437MHz	Pass	PK	2.4322G	118.31	Inf	-Inf	3	Horizontal	357	2.84	-
2437MHz	Pass	PK	2.4842G	61.74	74.00	-12.26	3	Horizontal	357	2.84	-
2437MHz	Pass	AV	4.87388G	40.31	54.00	-13.69	3	Vertical	165	2.94	-
2437MHz	Pass	AV	7.3158G	41.11	54.00	-12.89	3	Vertical	172	3.00	-
2437MHz	Pass	PK	4.87402G	49.72	74.00	-24.28	3	Vertical	165	2.94	-
2437MHz	Pass	PK	7.3153G	54.62	74.00	-19.38	3	Vertical	172	3.00	-
2437MHz	Pass	AV	4.87402G	34.37	54.00	-19.63	3	Horizontal	163	1.00	-
2437MHz	Pass	AV	7.3191G	36.58	54.00	-17.42	3	Horizontal	215	2.09	-
2437MHz	Pass	PK	4.87395G	44.32	74.00	-29.68	3	Horizontal	163	1.00	-
2437MHz	Pass	PK	7.3111G	49.38	74.00	-24.62	3	Horizontal	215	2.09	-
2457MHz	Pass	AV	2.3874G	46.07	54.00	-7.93	3	Vertical	300	2.77	-
2457MHz	Pass	AV	2.4622G	105.85	Inf	-Inf	3	Vertical	300	2.77	-
2457MHz	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Vertical	300	2.77	-
2457MHz	Pass	PK	2.359G	58.59	74.00	-15.41	3	Vertical	300	2.77	-
2457MHz	Pass	PK	2.4618G	115.59	Inf	-Inf	3	Vertical	300	2.77	-
2457MHz	Pass	PK	2.4835G	63.25	74.00	-10.75	3	Vertical	300	2.77	-
2457MHz	Pass	AV	2.3586G	46.00	54.00	-8.00	3	Horizontal	118	3.00	-
2457MHz	Pass	AV	2.4534G	102.01	Inf	-Inf	3	Horizontal	118	3.00	-
2457MHz	Pass	AV	2.485G	48.01	54.00	-5.99	3	Horizontal	118	3.00	-
2457MHz	Pass	PK	2.361G	56.67	74.00	-17.33	3	Horizontal	118	3.00	-
2457MHz	Pass	PK	2.4534G	111.42	Inf	-Inf	3	Horizontal	118	3.00	-
2457MHz	Pass	PK	2.4842G	58.76	74.00	-15.24	3	Horizontal	118	3.00	-
2462MHz	Pass	AV	2.3896G	46.05	54.00	-7.95	3	Vertical	279	2.70	-
2462MHz	Pass	AV	2.4608G	102.73	Inf	-Inf	3	Vertical	279	2.70	-
2462MHz	Pass	AV	2.4835G	50.23	54.00	-3.77	3	Vertical	279	2.70	-
2462MHz	Pass	PK	2.362G	57.01	74.00	-16.99	3	Vertical	279	2.70	-
2462MHz	Pass	PK	2.4644G	112.38	Inf	-Inf	3	Vertical	279	2.70	-
2462MHz	Pass	PK	2.4848G	60.90	74.00	-13.10	3	Vertical	279	2.70	-
2462MHz	Pass	AV	2.3656G	45.99	54.00	-8.01	3	Horizontal	354	3.00	-
2462MHz	Pass	AV	2.4672G	102.57	Inf	-Inf	3	Horizontal	354	3.00	-
2462MHz	Pass	AV	2.4835G	49.35	54.00	-4.65	3	Horizontal	354	3.00	-
2462MHz	Pass	PK	2.362G	56.86	74.00	-17.14	3	Horizontal	354	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4684G	111.89	Inf	-Inf	3	Horizontal	354	3.00	-
2462MHz	Pass	PK	2.4844G	59.24	74.00	-14.76	3	Horizontal	354	3.00	-
2462MHz	Pass	AV	4.92402G	40.25	54.00	-13.75	3	Vertical	77	2.42	-
2462MHz	Pass	AV	7.383G	36.22	54.00	-17.78	3	Vertical	253	1.78	-
2462MHz	Pass	PK	4.92406G	46.84	74.00	-27.16	3	Vertical	77	2.42	-
2462MHz	Pass	PK	7.38418G	49.68	74.00	-24.32	3	Vertical	253	1.78	-
2462MHz	Pass	AV	4.92402G	35.81	54.00	-18.19	3	Horizontal	163	2.70	-
2462MHz	Pass	AV	7.3892G	36.20	54.00	-17.80	3	Horizontal	321	1.14	-
2462MHz	Pass	PK	4.9239G	44.20	74.00	-29.80	3	Horizontal	163	2.70	-
2462MHz	Pass	PK	7.39068G	48.98	74.00	-25.02	3	Horizontal	321	1.14	-
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	50.85	54.00	-3.15	3	Vertical	273	2.53	-
2422MHz	Pass	AV	2.4312G	98.67	Inf	-Inf	3	Vertical	273	2.53	-
2422MHz	Pass	AV	2.486G	46.81	54.00	-7.19	3	Vertical	273	2.53	-
2422MHz	Pass	PK	2.39G	61.75	74.00	-12.25	3	Vertical	273	2.53	-
2422MHz	Pass	PK	2.4304G	107.30	Inf	-Inf	3	Vertical	273	2.53	-
2422MHz	Pass	PK	2.484G	58.63	74.00	-15.37	3	Vertical	273	2.53	-
2422MHz	Pass	AV	2.3892G	49.10	54.00	-4.90	3	Horizontal	354	2.83	-
2422MHz	Pass	AV	2.4288G	97.14	Inf	-Inf	3	Horizontal	354	2.83	-
2422MHz	Pass	AV	2.4852G	46.51	54.00	-7.49	3	Horizontal	354	2.83	-
2422MHz	Pass	PK	2.3888G	59.30	74.00	-14.70	3	Horizontal	354	2.83	-
2422MHz	Pass	PK	2.4276G	106.22	Inf	-Inf	3	Horizontal	354	2.83	-
2422MHz	Pass	PK	2.4864G	56.88	74.00	-17.12	3	Horizontal	354	2.83	-
2422MHz	Pass	AV	4.84393G	40.55	54.00	-13.45	3	Vertical	168	2.82	-
2422MHz	Pass	PK	4.84386G	47.25	74.00	-26.75	3	Vertical	168	2.82	-
2422MHz	Pass	AV	4.84391G	33.48	54.00	-20.52	3	Horizontal	160	1.49	-
2422MHz	Pass	PK	4.84398G	43.31	74.00	-30.69	3	Horizontal	160	1.49	-
2427MHz	Pass	AV	2.3898G	50.95	54.00	-3.05	3	Vertical	271	2.53	-
2427MHz	Pass	AV	2.435G	99.53	Inf	-Inf	3	Vertical	271	2.53	-
2427MHz	Pass	AV	2.4858G	46.67	54.00	-7.33	3	Vertical	271	2.53	-
2427MHz	Pass	PK	2.389G	60.45	74.00	-13.55	3	Vertical	271	2.53	-
2427MHz	Pass	PK	2.4358G	109.01	Inf	-Inf	3	Vertical	271	2.53	-
2427MHz	Pass	PK	2.4835G	56.34	74.00	-17.66	3	Vertical	271	2.53	-
2427MHz	Pass	AV	2.389G	50.84	54.00	-3.16	3	Horizontal	351	2.86	-
2427MHz	Pass	AV	2.4318G	98.67	Inf	-Inf	3	Horizontal	351	2.86	-
2427MHz	Pass	AV	2.485G	46.36	54.00	-7.64	3	Horizontal	351	2.86	-
2427MHz	Pass	PK	2.389G	61.21	74.00	-12.79	3	Horizontal	351	2.86	-
2427MHz	Pass	PK	2.4326G	107.19	Inf	-Inf	3	Horizontal	351	2.86	-
2427MHz	Pass	PK	2.4835G	56.58	74.00	-17.42	3	Horizontal	351	2.86	-
2437MHz	Pass	AV	2.3898G	50.89	54.00	-3.11	3	Vertical	266	2.50	-
2437MHz	Pass	AV	2.4322G	103.26	Inf	-Inf	3	Vertical	266	2.50	-
2437MHz	Pass	AV	2.485G	49.00	54.00	-5.00	3	Vertical	266	2.50	-
2437MHz	Pass	PK	2.3898G	62.55	74.00	-11.45	3	Vertical	266	2.50	-
2437MHz	Pass	PK	2.4306G	111.85	Inf	-Inf	3	Vertical	266	2.50	-
2437MHz	Pass	PK	2.4846G	59.89	74.00	-14.11	3	Vertical	266	2.50	-
2437MHz	Pass	AV	2.3894G	50.56	54.00	-3.44	3	Horizontal	354	2.85	-
2437MHz	Pass	AV	2.4318G	102.74	Inf	-Inf	3	Horizontal	354	2.85	-
2437MHz	Pass	AV	2.485G	49.67	54.00	-4.33	3	Horizontal	354	2.85	-
2437MHz	Pass	PK	2.3894G	63.14	74.00	-10.86	3	Horizontal	354	2.85	-
2437MHz	Pass	PK	2.4322G	111.68	Inf	-Inf	3	Horizontal	354	2.85	-
2437MHz	Pass	PK	2.4835G	61.35	74.00	-12.65	3	Horizontal	354	2.85	-
2437MHz	Pass	AV	4.874G	40.96	54.00	-13.04	3	Vertical	71	2.47	-
2437MHz	Pass	AV	7.329G	36.97	54.00	-17.03	3	Vertical	359	1.49	-
2437MHz	Pass	PK	4.874G	47.25	74.00	-26.75	3	Vertical	71	2.47	-
2437MHz	Pass	PK	7.30412G	48.80	74.00	-25.20	3	Vertical	359	1.49	-
2437MHz	Pass	AV	4.874G	33.61	54.00	-20.39	3	Horizontal	158	2.71	-
2437MHz	Pass	AV	7.311G	36.80	54.00	-17.20	3	Horizontal	121	1.48	-
2437MHz	Pass	PK	4.87384G	43.58	74.00	-30.42	3	Horizontal	158	2.71	-
2437MHz	Pass	PK	7.29668G	48.78	74.00	-25.22	3	Horizontal	121	1.48	-
2447MHz	Pass	AV	2.3898G	46.90	54.00	-7.10	3	Vertical	272	2.51	-
2447MHz	Pass	AV	2.4358G	101.89	Inf	-Inf	3	Vertical	272	2.51	-
2447MHz	Pass	AV	2.4835G	49.74	54.00	-4.26	3	Vertical	272	2.51	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.3874G	59.83	74.00	-14.17	3	Vertical	272	2.51	-
2447MHz	Pass	PK	2.4346G	110.82	Inf	-Inf	3	Vertical	272	2.51	-
2447MHz	Pass	PK	2.485G	63.98	74.00	-10.02	3	Vertical	272	2.51	-
2447MHz	Pass	AV	2.3494G	46.59	54.00	-7.41	3	Horizontal	355	2.85	-
2447MHz	Pass	AV	2.4322G	100.54	Inf	-Inf	3	Horizontal	355	2.85	-
2447MHz	Pass	AV	2.4858G	50.90	54.00	-3.10	3	Horizontal	355	2.85	-
2447MHz	Pass	PK	2.3878G	58.12	74.00	-15.88	3	Horizontal	355	2.85	-
2447MHz	Pass	PK	2.4322G	109.33	Inf	-Inf	3	Horizontal	355	2.85	-
2447MHz	Pass	PK	2.4842G	63.40	74.00	-10.60	3	Horizontal	355	2.85	-
2452MHz	Pass	AV	2.3884G	46.67	54.00	-7.33	3	Vertical	290	2.77	-
2452MHz	Pass	AV	2.4368G	97.59	Inf	-Inf	3	Vertical	290	2.77	-
2452MHz	Pass	AV	2.484G	50.88	54.00	-3.12	3	Vertical	290	2.77	-
2452MHz	Pass	PK	2.3556G	58.11	74.00	-15.89	3	Vertical	290	2.77	-
2452MHz	Pass	PK	2.4368G	106.48	Inf	-Inf	3	Vertical	290	2.77	-
2452MHz	Pass	PK	2.484G	66.51	74.00	-7.49	3	Vertical	290	2.77	-
2452MHz	Pass	AV	2.3544G	46.57	54.00	-7.43	3	Horizontal	360	2.86	-
2452MHz	Pass	AV	2.4368G	94.34	Inf	-Inf	3	Horizontal	360	2.86	-
2452MHz	Pass	AV	2.4835G	49.04	54.00	-4.96	3	Horizontal	360	2.86	-
2452MHz	Pass	PK	2.368G	57.22	74.00	-16.78	3	Horizontal	360	2.86	-
2452MHz	Pass	PK	2.4368G	103.37	Inf	-Inf	3	Horizontal	360	2.86	-
2452MHz	Pass	PK	2.4844G	62.51	74.00	-11.49	3	Horizontal	360	2.86	-
2452MHz	Pass	AV	4.904G	39.86	54.00	-14.14	3	Vertical	159	2.13	-
2452MHz	Pass	AV	7.34384G	37.01	54.00	-16.99	3	Vertical	90	1.82	-
2452MHz	Pass	PK	4.904G	46.14	74.00	-27.86	3	Vertical	159	2.13	-
2452MHz	Pass	PK	7.33872G	48.73	74.00	-25.27	3	Vertical	90	1.82	-
2452MHz	Pass	AV	4.90392G	34.93	54.00	-19.07	3	Horizontal	158	2.99	-
2452MHz	Pass	AV	7.3612G	36.95	54.00	-17.05	3	Horizontal	208	1.60	-
2452MHz	Pass	PK	4.92304G	43.12	74.00	-30.88	3	Horizontal	158	2.99	-
2452MHz	Pass	PK	7.35552G	48.64	74.00	-25.36	3	Horizontal	208	1.60	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.16	54.00	-7.84	33.57	3	Vertical	271	2.82	-	12.59	27.62	5.95	-
AV	2.4128G	111.46	Inf	-Inf	33.53	3	Vertical	271	2.82	-	77.93	27.55	5.98	-
AV	2.484G	45.50	54.00	-8.50	33.46	3	Vertical	271	2.82	-	12.04	27.40	6.06	-
PK	2.3128G	57.62	74.00	-16.38	33.74	3	Vertical	271	2.82	-	23.88	27.85	5.89	-
PK	2.4128G	117.60	Inf	-Inf	33.53	3	Vertical	271	2.82	-	84.07	27.55	5.98	-
PK	2.4848G	56.73	74.00	-17.27	33.46	3	Vertical	271	2.82	-	23.27	27.40	6.06	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.318G	45.90	54.00	-8.10	33.73	3	Horizontal	360	3.00	-	12.17	27.83	5.90	-
AV	2.4132G	108.36	Inf	-Inf	33.53	3	Horizontal	360	3.00	-	74.83	27.55	5.98	-
AV	2.4835G	45.38	54.00	-8.62	33.46	3	Horizontal	360	3.00	-	11.92	27.40	6.06	-
PK	2.3172G	58.08	74.00	-15.92	33.73	3	Horizontal	360	3.00	-	24.35	27.83	5.90	-
PK	2.4128G	113.20	Inf	-Inf	33.53	3	Horizontal	360	3.00	-	79.67	27.55	5.98	-
PK	2.4848G	56.78	74.00	-17.22	33.46	3	Horizontal	360	3.00	-	23.32	27.40	6.06	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	50.82	54.00	-3.18	4.99	3	Vertical	135	2.57	-	45.83	31.00	8.27	34.28
PK	4.82496G	54.70	74.00	-19.30	4.99	3	Vertical	135	2.57	-	49.71	31.00	8.27	34.28

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	46.96	54.00	-7.04	4.99	3	Horizontal	74	2.33	-	41.97	31.00	8.27	34.28
PK	4.82496G	50.97	74.00	-23.03	4.99	3	Horizontal	74	2.33	-	45.98	31.00	8.27	34.28

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3174G	45.84	54.00	-8.16	33.73	3	Vertical	272	2.54	-	12.11	27.83	5.90	-
AV	2.4178G	108.97	Inf	-Inf	33.51	3	Vertical	272	2.54	-	75.46	27.53	5.98	-
AV	2.4842G	45.34	54.00	-8.66	33.46	3	Vertical	272	2.54	-	11.88	27.40	6.06	-
PK	2.3434G	56.94	74.00	-17.06	33.65	3	Vertical	272	2.54	-	23.29	27.73	5.92	-
PK	2.4174G	115.02	Inf	-Inf	33.51	3	Vertical	272	2.54	-	81.51	27.53	5.98	-
PK	2.4886G	56.38	74.00	-17.62	33.47	3	Vertical	272	2.54	-	22.91	27.40	6.07	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3174G	45.82	54.00	-8.18	33.73	3	Horizontal	360	2.90	-	12.09	27.83	5.90	-
AV	2.4182G	106.53	Inf	-Inf	33.51	3	Horizontal	360	2.90	-	73.02	27.53	5.98	-
AV	2.4838G	45.42	54.00	-8.58	33.46	3	Horizontal	360	2.90	-	11.96	27.40	6.06	-
PK	2.3234G	57.08	74.00	-16.92	33.71	3	Horizontal	360	2.90	-	23.37	27.81	5.90	-
PK	2.4178G	110.82	Inf	-Inf	33.51	3	Horizontal	360	2.90	-	77.31	27.53	5.98	-
PK	2.4874G	57.17	74.00	-16.83	33.46	3	Horizontal	360	2.90	-	23.71	27.40	6.06	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83496G	50.82	54.00	-3.18	5.03	3	Vertical	131	2.60	-	45.79	31.04	8.27	34.28
AV	7.2522G	40.60	54.00	-13.40	11.66	3	Vertical	189	1.80	-	28.94	36.21	10.02	34.57
PK	4.83504G	54.85	74.00	-19.15	5.03	3	Vertical	131	2.60	-	49.82	31.04	8.27	34.28
PK	7.25204G	51.03	74.00	-22.97	11.66	3	Vertical	189	1.80	-	39.37	36.21	10.02	34.57

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83496G	48.64	54.00	-5.36	5.03	3	Horizontal	74	2.40	-	43.61	31.04	8.27	34.28
AV	7.2522G	38.07	54.00	-15.93	11.66	3	Horizontal	164	2.95	-	26.41	36.21	10.02	34.57
PK	4.83496G	52.71	74.00	-21.29	5.03	3	Horizontal	74	2.40	-	47.68	31.04	8.27	34.28
PK	7.25292G	50.19	74.00	-23.81	11.66	3	Horizontal	164	2.95	-	38.53	36.21	10.02	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3426G	45.74	54.00	-8.26	33.65	3	Vertical	278	2.54	-	12.09	27.73	5.92	-
AV	2.4374G	117.46	Inf	-Inf	33.45	3	Vertical	278	2.54	-	84.01	27.45	6.00	-
AV	2.4835G	45.73	54.00	-8.27	33.46	3	Vertical	278	2.54	-	12.27	27.40	6.06	-
PK	2.341G	56.86	74.00	-17.14	33.66	3	Vertical	278	2.54	-	23.20	27.74	5.92	-
PK	2.4374G	123.63	Inf	-Inf	33.45	3	Vertical	278	2.54	-	90.18	27.45	6.00	-
PK	2.4978G	57.14	74.00	-16.86	33.48	3	Vertical	278	2.54	-	23.66	27.40	6.08	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.343G	45.69	54.00	-8.31	33.65	3	Horizontal	124	1.77	-	12.04	27.73	5.92	-
AV	2.4374G	112.61	Inf	-Inf	33.45	3	Horizontal	124	1.77	-	79.16	27.45	6.00	-
AV	2.4842G	45.64	54.00	-8.36	33.46	3	Horizontal	124	1.77	-	12.18	27.40	6.06	-
PK	2.3538G	57.55	74.00	-16.45	33.62	3	Horizontal	124	1.77	-	23.93	27.69	5.93	-
PK	2.4374G	118.84	Inf	-Inf	33.45	3	Horizontal	124	1.77	-	85.39	27.45	6.00	-
PK	2.4846G	56.30	74.00	-17.70	33.46	3	Horizontal	124	1.77	-	22.84	27.40	6.06	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87496G	43.90	54.00	-10.10	5.09	3	Vertical	155	2.47	-	38.81	31.05	8.30	34.26
AV	7.3126G	50.18	54.00	-3.82	11.81	3	Vertical	189	1.91	-	38.37	36.35	10.03	34.57
PK	4.87496G	50.03	74.00	-23.97	5.09	3	Vertical	155	2.47	-	44.94	31.05	8.30	34.26
PK	7.31268G	58.48	74.00	-15.52	11.81	3	Vertical	189	1.91	-	46.67	36.35	10.03	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87424G	37.51	54.00	-16.49	5.09	3	Horizontal	74	2.34	-	32.42	31.05	8.30	34.26
AV	7.31228G	43.22	54.00	-10.78	11.81	3	Horizontal	189	1.78	-	31.41	36.35	10.03	34.57
PK	4.8752G	45.58	74.00	-28.42	5.09	3	Horizontal	74	2.34	-	40.49	31.05	8.30	34.26
PK	7.3122G	53.17	74.00	-20.83	11.81	3	Horizontal	189	1.78	-	41.36	36.35	10.03	34.57

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.357G	45.58	54.00	-8.42	33.62	3	Vertical	271	2.78	-	11.96	27.69	5.93	-
AV	2.4578G	115.43	Inf	-Inf	33.43	3	Vertical	271	2.78	-	82.00	27.40	6.03	-
AV	2.4842G	46.92	54.00	-7.08	33.46	3	Vertical	271	2.78	-	13.46	27.40	6.06	-
PK	2.3662G	56.93	74.00	-17.07	33.60	3	Vertical	271	2.78	-	23.33	27.67	5.93	-
PK	2.4574G	121.61	Inf	-Inf	33.43	3	Vertical	271	2.78	-	88.18	27.40	6.03	-
PK	2.4846G	58.76	74.00	-15.24	33.46	3	Vertical	271	2.78	-	25.30	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3602G	45.57	54.00	-8.43	33.61	3	Horizontal	123	1.48	-	11.96	27.68	5.93	-
AV	2.4574G	110.47	Inf	-Inf	33.43	3	Horizontal	123	1.48	-	77.04	27.40	6.03	-
AV	2.4838G	46.04	54.00	-7.96	33.46	3	Horizontal	123	1.48	-	12.58	27.40	6.06	-
PK	2.3794G	56.51	74.00	-17.49	33.58	3	Horizontal	123	1.48	-	22.93	27.64	5.94	-
PK	2.4574G	116.78	Inf	-Inf	33.43	3	Horizontal	123	1.48	-	83.35	27.40	6.03	-
PK	2.485G	56.91	74.00	-17.09	33.46	3	Horizontal	123	1.48	-	23.45	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91496G	50.68	54.00	-3.32	5.13	3	Vertical	131	2.61	-	45.55	31.06	8.32	34.25
AV	7.37268G	40.80	54.00	-13.20	11.61	3	Vertical	189	1.66	-	29.19	36.15	10.04	34.58
PK	4.91504G	54.36	74.00	-19.64	5.13	3	Vertical	131	2.61	-	49.23	31.06	8.32	34.25
PK	7.37292G	51.83	74.00	-22.17	11.61	3	Vertical	189	1.66	-	40.22	36.15	10.04	34.58

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91496G	47.30	54.00	-6.70	5.13	3	Horizontal	72	2.35	-	42.17	31.06	8.32	34.25
AV	7.3726G	37.07	54.00	-16.93	11.61	3	Horizontal	152	1.00	-	25.46	36.15	10.04	34.58
PK	4.91504G	51.53	74.00	-22.47	5.13	3	Horizontal	72	2.35	-	46.40	31.06	8.32	34.25
PK	7.3726G	50.09	74.00	-23.91	11.61	3	Horizontal	152	1.00	-	38.48	36.15	10.04	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3656G	45.55	54.00	-8.45	33.60	3	Vertical	271	2.78	-	11.95	27.67	5.93	-
AV	2.4628G	115.52	Inf	-Inf	33.44	3	Vertical	271	2.78	-	82.08	27.40	6.04	-
AV	2.4844G	46.87	54.00	-7.13	33.46	3	Vertical	271	2.78	-	13.41	27.40	6.06	-
PK	2.3804G	57.80	74.00	-16.20	33.59	3	Vertical	271	2.78	-	24.21	27.64	5.95	-
PK	2.4624G	121.68	Inf	-Inf	33.43	3	Vertical	271	2.78	-	88.25	27.40	6.03	-
PK	2.4844G	57.68	74.00	-16.32	33.46	3	Vertical	271	2.78	-	24.22	27.40	6.06	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3636G	45.49	54.00	-8.51	33.60	3	Horizontal	123	1.49	-	11.89	27.67	5.93	-
AV	2.4624G	110.07	Inf	-Inf	33.43	3	Horizontal	123	1.49	-	76.64	27.40	6.03	-
AV	2.4852G	45.81	54.00	-8.19	33.46	3	Horizontal	123	1.49	-	12.35	27.40	6.06	-
PK	2.39G	56.74	74.00	-17.26	33.57	3	Horizontal	123	1.49	-	23.17	27.62	5.95	-
PK	2.4624G	116.44	Inf	-Inf	33.43	3	Horizontal	123	1.49	-	83.01	27.40	6.03	-
PK	2.488G	56.63	74.00	-17.37	33.47	3	Horizontal	123	1.49	-	23.16	27.40	6.07	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92496G	50.50	54.00	-3.50	5.18	3	Vertical	128	2.57	-	45.32	31.10	8.33	34.25
AV	7.3876G	41.44	54.00	-12.56	11.59	3	Vertical	172	2.94	-	29.85	36.12	10.05	34.58
PK	4.92496G	54.71	74.00	-19.29	5.18	3	Vertical	128	2.57	-	49.53	31.10	8.33	34.25
PK	7.388G	52.49	74.00	-21.51	11.59	3	Vertical	172	2.94	-	40.90	36.12	10.05	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92496G	48.05	54.00	-5.95	5.18	3	Horizontal	72	2.29	-	42.87	31.10	8.33	34.25
AV	7.3876G	37.15	54.00	-16.85	11.59	3	Horizontal	191	1.50	-	25.56	36.12	10.05	34.58
PK	4.92504G	52.05	74.00	-21.95	5.18	3	Horizontal	72	2.29	-	46.87	31.10	8.33	34.25
PK	7.38784G	48.90	74.00	-25.10	11.59	3	Horizontal	191	1.50	-	37.31	36.12	10.05	34.58

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3184G	45.85	54.00	-8.15	33.73	3	Vertical	279	2.53	-	12.12	27.83	5.90	-
AV	2.4116G	110.11	Inf	-Inf	33.52	3	Vertical	279	2.53	-	76.59	27.55	5.97	-
AV	2.4988G	45.36	54.00	-8.64	33.48	3	Vertical	279	2.53	-	11.88	27.40	6.08	-
PK	2.3216G	57.45	74.00	-16.55	33.71	3	Vertical	279	2.53	-	23.74	27.81	5.90	-
PK	2.4116G	115.05	Inf	-Inf	33.52	3	Vertical	279	2.53	-	81.53	27.55	5.97	-
PK	2.4966G	56.99	74.00	-17.01	33.48	3	Vertical	279	2.53	-	23.51	27.40	6.08	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3152G	45.88	54.00	-8.12	33.74	3	Horizontal	124	1.81	-	12.14	27.84	5.90	-
AV	2.4124G	104.96	Inf	-Inf	33.52	3	Horizontal	124	1.81	-	71.44	27.55	5.97	-
AV	2.484G	45.30	54.00	-8.70	33.46	3	Horizontal	124	1.81	-	11.84	27.40	6.06	-
PK	2.3484G	58.11	74.00	-15.89	33.63	3	Horizontal	124	1.81	-	24.48	27.71	5.92	-
PK	2.4128G	109.92	Inf	-Inf	33.53	3	Horizontal	124	1.81	-	76.39	27.55	5.98	-
PK	2.4872G	56.00	74.00	-18.00	33.46	3	Horizontal	124	1.81	-	22.54	27.40	6.06	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	50.81	54.00	-3.19	4.99	3	Vertical	136	2.58	-	45.82	31.00	8.27	34.28
PK	4.82409G	53.52	74.00	-20.48	4.99	3	Vertical	136	2.58	-	48.53	31.00	8.27	34.28

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	46.45	54.00	-7.55	4.99	3	Horizontal	75	2.25	-	41.46	31.00	8.27	34.28
PK	4.82397G	50.43	74.00	-23.57	4.99	3	Horizontal	75	2.25	-	45.44	31.00	8.27	34.28

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3186G	45.86	54.00	-8.14	33.73	3	Vertical	272	2.50	-	12.13	27.83	5.90	-
AV	2.4174G	106.74	Inf	-Inf	33.51	3	Vertical	272	2.50	-	73.23	27.53	5.98	-
AV	2.4838G	45.38	54.00	-8.62	33.46	3	Vertical	272	2.50	-	11.92	27.40	6.06	-
PK	2.323G	57.16	74.00	-16.84	33.71	3	Vertical	272	2.50	-	23.45	27.81	5.90	-
PK	2.4178G	111.81	Inf	-Inf	33.51	3	Vertical	272	2.50	-	78.30	27.53	5.98	-
PK	2.4934G	56.19	74.00	-17.81	33.47	3	Vertical	272	2.50	-	22.72	27.40	6.07	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3186G	45.84	54.00	-8.16	33.73	3	Horizontal	124	1.56	-	12.11	27.83	5.90	-
AV	2.4174G	102.75	Inf	-Inf	33.51	3	Horizontal	124	1.56	-	69.24	27.53	5.98	-
AV	2.4842G	45.32	54.00	-8.68	33.46	3	Horizontal	124	1.56	-	11.86	27.40	6.06	-
PK	2.327G	57.17	74.00	-16.83	33.70	3	Horizontal	124	1.56	-	23.47	27.79	5.91	-
PK	2.4174G	107.73	Inf	-Inf	33.51	3	Horizontal	124	1.56	-	74.22	27.53	5.98	-
PK	2.4966G	56.22	74.00	-17.78	33.48	3	Horizontal	124	1.56	-	22.74	27.40	6.08	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83395G	50.51	54.00	-3.49	5.03	3	Vertical	133	2.58	-	45.48	31.04	8.27	34.28
AV	7.25031G	37.22	54.00	-16.78	11.65	3	Vertical	222	1.48	-	25.57	36.20	10.02	34.57
PK	4.83389G	53.82	74.00	-20.18	5.03	3	Vertical	133	2.58	-	48.79	31.04	8.27	34.28
PK	7.25027G	50.44	74.00	-23.56	11.65	3	Vertical	222	1.48	-	38.79	36.20	10.02	34.57

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83396G	47.98	54.00	-6.02	5.03	3	Horizontal	74	2.38	-	42.95	31.04	8.27	34.28
AV	7.25142G	36.10	54.00	-17.90	11.66	3	Horizontal	165	2.83	-	24.44	36.21	10.02	34.57
PK	4.83394G	51.73	74.00	-22.27	5.03	3	Horizontal	74	2.38	-	46.70	31.04	8.27	34.28
PK	7.25121G	49.05	74.00	-24.95	11.65	3	Horizontal	165	2.83	-	37.40	36.20	10.02	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.74	54.00	-8.26	33.57	3	Vertical	275	2.54	-	12.17	27.62	5.95	-
AV	2.4366G	115.80	Inf	-Inf	33.45	3	Vertical	275	2.54	-	82.35	27.45	6.00	-
AV	2.4835G	45.77	54.00	-8.23	33.46	3	Vertical	275	2.54	-	12.31	27.40	6.06	-
PK	2.3666G	56.50	74.00	-17.50	33.60	3	Vertical	275	2.54	-	22.90	27.67	5.93	-
PK	2.4366G	120.65	Inf	-Inf	33.45	3	Vertical	275	2.54	-	87.20	27.45	6.00	-
PK	2.4838G	57.53	74.00	-16.47	33.46	3	Vertical	275	2.54	-	24.07	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3406G	45.68	54.00	-8.32	33.66	3	Horizontal	123	1.78	-	12.02	27.74	5.92	-
AV	2.4366G	111.23	Inf	-Inf	33.45	3	Horizontal	123	1.78	-	77.78	27.45	6.00	-
AV	2.4835G	45.52	54.00	-8.48	33.46	3	Horizontal	123	1.78	-	12.06	27.40	6.06	-
PK	2.3578G	56.91	74.00	-17.09	33.61	3	Horizontal	123	1.78	-	23.30	27.68	5.93	-
PK	2.4362G	116.16	Inf	-Inf	33.46	3	Horizontal	123	1.78	-	82.70	27.46	6.00	-
PK	2.4858G	56.20	74.00	-17.80	33.46	3	Horizontal	123	1.78	-	22.74	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87395G	44.63	54.00	-9.37	5.09	3	Vertical	156	2.49	-	39.54	31.05	8.30	34.26
AV	7.31133G	49.58	54.00	-4.42	11.81	3	Vertical	189	1.77	-	37.77	36.35	10.03	34.57
PK	4.87406G	49.90	74.00	-24.10	5.09	3	Vertical	156	2.49	-	44.81	31.05	8.30	34.26
PK	7.31153G	57.28	74.00	-16.72	11.81	3	Vertical	189	1.77	-	45.47	36.35	10.03	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87246G	38.56	54.00	-15.44	5.10	3	Horizontal	71	2.32	-	33.46	31.06	8.30	34.26
AV	7.31057G	42.71	54.00	-11.29	11.82	3	Horizontal	190	1.83	-	30.89	36.36	10.03	34.57
PK	4.87252G	46.36	74.00	-27.64	5.09	3	Horizontal	71	2.32	-	41.27	31.05	8.30	34.26
PK	7.30983G	52.34	74.00	-21.66	11.82	3	Horizontal	190	1.83	-	40.52	36.36	10.03	34.57

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3578G	45.54	54.00	-8.46	33.61	3	Vertical	280	2.76	-	11.93	27.68	5.93	-
AV	2.4566G	113.66	Inf	-Inf	33.43	3	Vertical	280	2.76	-	80.23	27.40	6.03	-
AV	2.4835G	46.50	54.00	-7.50	33.46	3	Vertical	280	2.76	-	13.04	27.40	6.06	-
PK	2.3818G	56.39	74.00	-17.61	33.59	3	Vertical	280	2.76	-	22.80	27.64	5.95	-
PK	2.4566G	118.64	Inf	-Inf	33.43	3	Vertical	280	2.76	-	85.21	27.40	6.03	-
PK	2.4846G	57.26	74.00	-16.74	33.46	3	Vertical	280	2.76	-	23.80	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.359G	45.52	54.00	-8.48	33.61	3	Horizontal	360	2.56	-	11.91	27.68	5.93	-
AV	2.4574G	109.90	Inf	-Inf	33.43	3	Horizontal	360	2.56	-	76.47	27.40	6.03	-
AV	2.4835G	46.54	54.00	-7.46	33.46	3	Horizontal	360	2.56	-	13.08	27.40	6.06	-
PK	2.3574G	56.97	74.00	-17.03	33.62	3	Horizontal	360	2.56	-	23.35	27.69	5.93	-
PK	2.4578G	115.26	Inf	-Inf	33.43	3	Horizontal	360	2.56	-	81.83	27.40	6.03	-
PK	2.4902G	57.87	74.00	-16.13	33.47	3	Horizontal	360	2.56	-	24.40	27.40	6.07	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91395G	50.97	54.00	-3.03	5.13	3	Vertical	121	3.00	-	45.84	31.06	8.32	34.25
AV	7.37152G	37.80	54.00	-16.20	11.62	3	Vertical	221	1.49	-	26.18	36.16	10.04	34.58
PK	4.91391G	54.00	74.00	-20.00	5.13	3	Vertical	121	3.00	-	48.87	31.06	8.32	34.25
PK	7.37204G	50.37	74.00	-23.63	11.62	3	Vertical	221	1.49	-	38.75	36.16	10.04	34.58

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91395G	47.50	54.00	-6.50	5.13	3	Horizontal	72	2.32	-	42.37	31.06	8.32	34.25
AV	7.37045G	36.51	54.00	-17.49	11.62	3	Horizontal	56	2.26	-	24.89	36.16	10.04	34.58
PK	4.91382G	51.17	74.00	-22.83	5.13	3	Horizontal	72	2.32	-	46.04	31.06	8.32	34.25
PK	7.37038G	49.84	74.00	-24.16	11.62	3	Horizontal	56	2.26	-	38.22	36.16	10.04	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	45.48	54.00	-8.52	33.57	3	Vertical	271	2.76	-	11.91	27.62	5.95	-
AV	2.4624G	113.30	Inf	-Inf	33.43	3	Vertical	271	2.76	-	79.87	27.40	6.03	-
AV	2.4848G	46.91	54.00	-7.09	33.46	3	Vertical	271	2.76	-	13.45	27.40	6.06	-
PK	2.3692G	57.00	74.00	-17.00	33.60	3	Vertical	271	2.76	-	23.40	27.66	5.94	-
PK	2.4628G	118.32	Inf	-Inf	33.44	3	Vertical	271	2.76	-	84.88	27.40	6.04	-
PK	2.4852G	57.60	74.00	-16.40	33.46	3	Vertical	271	2.76	-	24.14	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3648G	45.51	54.00	-8.49	33.60	3	Horizontal	125	1.47	-	11.91	27.67	5.93	-
AV	2.4616G	108.27	Inf	-Inf	33.43	3	Horizontal	125	1.47	-	74.84	27.40	6.03	-
AV	2.4848G	46.01	54.00	-7.99	33.46	3	Horizontal	125	1.47	-	12.55	27.40	6.06	-
PK	2.3692G	57.07	74.00	-16.93	33.60	3	Horizontal	125	1.47	-	23.47	27.66	5.94	-
PK	2.4616G	113.20	Inf	-Inf	33.43	3	Horizontal	125	1.47	-	79.77	27.40	6.03	-
PK	2.484G	56.47	74.00	-17.53	33.46	3	Horizontal	125	1.47	-	23.01	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	50.62	54.00	-3.38	5.18	3	Vertical	130	2.57	-	45.44	31.10	8.33	34.25
AV	7.38642G	39.02	54.00	-14.98	11.60	3	Vertical	187	2.95	-	27.42	36.13	10.05	34.58
PK	4.92394G	53.52	74.00	-20.48	5.18	3	Vertical	130	2.57	-	48.34	31.10	8.33	34.25
PK	7.38697G	50.98	74.00	-23.02	11.60	3	Vertical	187	2.95	-	39.38	36.13	10.05	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	47.51	54.00	-6.49	5.18	3	Horizontal	74	2.33	-	42.33	31.10	8.33	34.25
AV	7.3865G	36.12	54.00	-17.88	11.60	3	Horizontal	193	1.49	-	24.52	36.13	10.05	34.58
PK	4.92395G	51.18	74.00	-22.82	5.18	3	Horizontal	74	2.33	-	46.00	31.10	8.33	34.25
PK	7.38592G	49.24	74.00	-24.76	11.60	3	Horizontal	193	1.49	-	37.64	36.13	10.05	34.58

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.76	54.00	-5.24	33.57	3	Vertical	275	2.26	-	15.19	27.62	5.95	-
AV	2.4128G	110.34	Inf	-Inf	33.53	3	Vertical	275	2.26	-	76.81	27.55	5.98	-
AV	2.4835G	45.54	54.00	-8.46	33.46	3	Vertical	275	2.26	-	12.08	27.40	6.06	-
PK	2.39G	57.86	74.00	-16.14	33.57	3	Vertical	275	2.26	-	24.29	27.62	5.95	-
PK	2.4128G	114.42	Inf	-Inf	33.53	3	Vertical	275	2.26	-	80.89	27.55	5.98	-
PK	2.4835G	57.22	74.00	-16.78	33.46	3	Vertical	275	2.26	-	23.76	27.40	6.06	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.28	54.00	-7.72	33.57	3	Horizontal	120	1.70	-	12.71	27.62	5.95	-
AV	2.4128G	105.45	Inf	-Inf	33.53	3	Horizontal	120	1.70	-	71.92	27.55	5.98	-
AV	2.4835G	45.43	54.00	-8.57	33.46	3	Horizontal	120	1.70	-	11.97	27.40	6.06	-
PK	2.3208G	57.52	74.00	-16.48	33.72	3	Horizontal	120	1.70	-	23.80	27.82	5.90	-
PK	2.4132G	109.37	Inf	-Inf	33.53	3	Horizontal	120	1.70	-	75.84	27.55	5.98	-
PK	2.4916G	56.13	74.00	-17.87	33.47	3	Horizontal	120	1.70	-	22.66	27.40	6.07	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82395G	50.85	54.00	-3.15	4.99	3	Vertical	136	2.60	-	45.86	31.00	8.27	34.28
PK	4.82402G	53.39	74.00	-20.61	4.99	3	Vertical	136	2.60	-	48.40	31.00	8.27	34.28

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82395G	47.80	54.00	-6.20	4.99	3	Horizontal	119	1.00	-	42.81	31.00	8.27	34.28
PK	4.82398G	50.94	74.00	-23.06	4.99	3	Horizontal	119	1.00	-	45.95	31.00	8.27	34.28

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.67	54.00	-7.33	33.57	3	Vertical	274	2.29	-	13.10	27.62	5.95	-
AV	2.4182G	108.65	Inf	-Inf	33.51	3	Vertical	274	2.29	-	75.14	27.53	5.98	-
AV	2.4842G	45.84	54.00	-8.16	33.46	3	Vertical	274	2.29	-	12.38	27.40	6.06	-
PK	2.3882G	57.40	74.00	-16.60	33.57	3	Vertical	274	2.29	-	23.83	27.62	5.95	-
PK	2.4178G	112.76	Inf	-Inf	33.51	3	Vertical	274	2.29	-	79.25	27.53	5.98	-
PK	2.4922G	57.34	74.00	-16.66	33.47	3	Vertical	274	2.29	-	23.87	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3194G	45.94	54.00	-8.06	33.72	3	Horizontal	120	1.74	-	12.22	27.82	5.90	-
AV	2.4178G	103.42	Inf	-Inf	33.51	3	Horizontal	120	1.74	-	69.91	27.53	5.98	-
AV	2.4835G	45.57	54.00	-8.43	33.46	3	Horizontal	120	1.74	-	12.11	27.40	6.06	-
PK	2.3206G	57.24	74.00	-16.76	33.72	3	Horizontal	120	1.74	-	23.52	27.82	5.90	-
PK	2.4178G	107.46	Inf	-Inf	33.51	3	Horizontal	120	1.74	-	73.95	27.53	5.98	-
PK	2.4846G	56.84	74.00	-17.16	33.46	3	Horizontal	120	1.74	-	23.38	27.40	6.06	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83397G	50.70	54.00	-3.30	5.03	3	Vertical	132	2.88	-	45.67	31.04	8.27	34.28
AV	7.25028G	36.42	54.00	-17.58	11.65	3	Vertical	190	1.96	-	24.77	36.20	10.02	34.57
PK	4.83399G	53.16	74.00	-20.84	5.03	3	Vertical	132	2.88	-	48.13	31.04	8.27	34.28
PK	7.251G	48.44	74.00	-25.56	11.65	3	Vertical	190	1.96	-	36.79	36.20	10.02	34.57

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83397G	47.82	54.00	-6.18	5.03	3	Horizontal	118	1.08	-	42.79	31.04	8.27	34.28
AV	7.25628G	35.46	54.00	-18.54	11.68	3	Horizontal	84	1.49	-	23.78	36.23	10.02	34.57
PK	4.8339G	50.85	74.00	-23.15	5.03	3	Horizontal	118	1.08	-	45.82	31.04	8.27	34.28
PK	7.25132G	49.24	74.00	-24.76	11.66	3	Horizontal	84	1.49	-	37.58	36.21	10.02	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	45.93	54.00	-8.07	33.57	3	Vertical	281	2.52	-	12.36	27.62	5.95	-
AV	2.4362G	115.65	Inf	-Inf	33.46	3	Vertical	281	2.52	-	82.19	27.46	6.00	-
AV	2.4835G	46.14	54.00	-7.86	33.46	3	Vertical	281	2.52	-	12.68	27.40	6.06	-
PK	2.3858G	57.53	74.00	-16.47	33.58	3	Vertical	281	2.52	-	23.95	27.63	5.95	-
PK	2.4362G	119.45	Inf	-Inf	33.46	3	Vertical	281	2.52	-	85.99	27.46	6.00	-
PK	2.4838G	56.46	74.00	-17.54	33.46	3	Vertical	281	2.52	-	23.00	27.40	6.06	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3402G	45.78	54.00	-8.22	33.66	3	Horizontal	119	1.94	-	12.12	27.74	5.92	-
AV	2.4362G	110.36	Inf	-Inf	33.46	3	Horizontal	119	1.94	-	76.90	27.46	6.00	-
AV	2.4838G	45.93	54.00	-8.07	33.46	3	Horizontal	119	1.94	-	12.47	27.40	6.06	-
PK	2.359G	57.32	74.00	-16.68	33.61	3	Horizontal	119	1.94	-	23.71	27.68	5.93	-
PK	2.4382G	114.15	Inf	-Inf	33.46	3	Horizontal	119	1.94	-	80.69	27.45	6.01	-
PK	2.4918G	56.96	74.00	-17.04	33.47	3	Horizontal	119	1.94	-	23.49	27.40	6.07	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87396G	45.91	54.00	-8.09	5.09	3	Vertical	146	1.10	-	40.82	31.05	8.30	34.26
AV	7.3102G	50.18	54.00	-3.82	11.82	3	Vertical	139	2.19	-	38.36	36.36	10.03	34.57
PK	4.87399G	49.99	74.00	-24.01	5.09	3	Vertical	146	1.10	-	44.90	31.05	8.30	34.26
PK	7.31188G	56.31	74.00	-17.69	11.81	3	Vertical	139	2.19	-	44.50	36.35	10.03	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87397G	39.42	54.00	-14.58	5.09	3	Horizontal	144	1.00	-	34.33	31.05	8.30	34.26
AV	7.31172G	43.93	54.00	-10.07	11.81	3	Horizontal	164	2.72	-	32.12	36.35	10.03	34.57
PK	4.87397G	46.90	74.00	-27.10	5.09	3	Horizontal	144	1.00	-	41.81	31.05	8.30	34.26
PK	7.31148G	52.27	74.00	-21.73	11.81	3	Horizontal	164	2.72	-	40.46	36.35	10.03	34.57

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.67	54.00	-8.33	33.57	3	Vertical	254	2.77	-	12.10	27.62	5.95	-
AV	2.4562G	110.17	Inf	-Inf	33.43	3	Vertical	254	2.77	-	76.74	27.40	6.03	-
AV	2.4835G	46.76	54.00	-7.24	33.46	3	Vertical	254	2.77	-	13.30	27.40	6.06	-
PK	2.3846G	58.02	74.00	-15.98	33.58	3	Vertical	254	2.77	-	24.44	27.63	5.95	-
PK	2.4562G	113.96	Inf	-Inf	33.43	3	Vertical	254	2.77	-	80.53	27.40	6.03	-
PK	2.4866G	57.26	74.00	-16.74	33.46	3	Vertical	254	2.77	-	23.80	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3574G	45.68	54.00	-8.32	33.62	3	Horizontal	356	2.56	-	12.06	27.69	5.93	-
AV	2.455G	108.63	Inf	-Inf	33.43	3	Horizontal	356	2.56	-	75.20	27.40	6.03	-
AV	2.4838G	48.01	54.00	-5.99	33.46	3	Horizontal	356	2.56	-	14.55	27.40	6.06	-
PK	2.359G	56.57	74.00	-17.43	33.61	3	Horizontal	356	2.56	-	22.96	27.68	5.93	-
PK	2.4562G	112.08	Inf	-Inf	33.43	3	Horizontal	356	2.56	-	78.65	27.40	6.03	-
PK	2.4846G	58.82	74.00	-15.18	33.46	3	Horizontal	356	2.56	-	25.36	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91396G	50.84	54.00	-3.16	5.13	3	Vertical	135	3.00	-	45.71	31.06	8.32	34.25
AV	7.3718G	36.90	54.00	-17.10	11.62	3	Vertical	187	2.96	-	25.28	36.16	10.04	34.58
PK	4.91399G	53.40	74.00	-20.60	5.13	3	Vertical	135	3.00	-	48.27	31.06	8.32	34.25
PK	7.36812G	49.94	74.00	-24.06	11.62	3	Vertical	187	2.96	-	38.32	36.16	10.04	34.58

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91395G	46.93	54.00	-7.07	5.13	3	Horizontal	119	1.00	-	41.80	31.06	8.32	34.25
AV	7.377G	35.30	54.00	-18.70	11.62	3	Horizontal	125	1.49	-	23.68	36.15	10.05	34.58
PK	4.91401G	50.69	74.00	-23.31	5.13	3	Horizontal	119	1.00	-	45.56	31.06	8.32	34.25
PK	7.3522G	48.64	74.00	-25.36	11.66	3	Horizontal	125	1.49	-	36.98	36.20	10.04	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	45.57	54.00	-8.43	33.57	3	Vertical	275	2.76	-	12.00	27.62	5.95	-
AV	2.4628G	108.95	Inf	-Inf	33.44	3	Vertical	275	2.76	-	75.51	27.40	6.04	-
AV	2.484G	46.78	54.00	-7.22	33.46	3	Vertical	275	2.76	-	13.32	27.40	6.06	-
PK	2.366G	57.55	74.00	-16.45	33.60	3	Vertical	275	2.76	-	23.95	27.67	5.93	-
PK	2.4632G	112.82	Inf	-Inf	33.44	3	Vertical	275	2.76	-	79.38	27.40	6.04	-
PK	2.4892G	57.26	74.00	-16.74	33.47	3	Vertical	275	2.76	-	23.79	27.40	6.07	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3632G	45.59	54.00	-8.41	33.60	3	Horizontal	116	3.00	-	11.99	27.67	5.93	-
AV	2.4628G	106.49	Inf	-Inf	33.44	3	Horizontal	116	3.00	-	73.05	27.40	6.04	-
AV	2.4835G	46.50	54.00	-7.50	33.46	3	Horizontal	116	3.00	-	13.04	27.40	6.06	-
PK	2.372G	56.59	74.00	-17.41	33.60	3	Horizontal	116	3.00	-	22.99	27.66	5.94	-
PK	2.4628G	110.45	Inf	-Inf	33.44	3	Horizontal	116	3.00	-	77.01	27.40	6.04	-
PK	2.4835G	56.95	74.00	-17.05	33.46	3	Horizontal	116	3.00	-	23.49	27.40	6.06	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	50.31	54.00	-3.69	5.18	3	Vertical	133	2.93	-	45.13	31.10	8.33	34.25
AV	7.38672G	37.41	54.00	-16.59	11.60	3	Vertical	141	2.72	-	25.81	36.13	10.05	34.58
PK	4.92395G	52.74	74.00	-21.26	5.18	3	Vertical	133	2.93	-	47.56	31.10	8.33	34.25
PK	7.38336G	49.04	74.00	-24.96	11.60	3	Vertical	141	2.72	-	37.44	36.13	10.05	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92395G	46.38	54.00	-7.62	5.18	3	Horizontal	119	1.11	-	41.20	31.10	8.33	34.25
AV	7.38448G	35.86	54.00	-18.14	11.60	3	Horizontal	190	1.66	-	24.26	36.13	10.05	34.58
PK	4.92396G	50.08	74.00	-23.92	5.18	3	Horizontal	119	1.11	-	44.90	31.10	8.33	34.25
PK	7.38944G	49.46	74.00	-24.54	11.59	3	Horizontal	190	1.66	-	37.87	36.12	10.05	34.58

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.72	54.00	-6.28	33.57	3	Vertical	264	2.57	-	14.15	27.62	5.95	-
AV	2.4136G	108.84	Inf	-Inf	33.53	3	Vertical	264	2.57	-	75.31	27.55	5.98	-
AV	2.4844G	45.68	54.00	-8.32	33.46	3	Vertical	264	2.57	-	12.22	27.40	6.06	-
PK	2.3864G	58.95	74.00	-15.05	33.58	3	Vertical	264	2.57	-	25.37	27.63	5.95	-
PK	2.4136G	118.97	Inf	-Inf	33.53	3	Vertical	264	2.57	-	85.44	27.55	5.98	-
PK	2.4848G	56.69	74.00	-17.31	33.46	3	Vertical	264	2.57	-	23.23	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.47	54.00	-7.53	33.57	3	Horizontal	347	3.00	-	12.90	27.62	5.95	-
AV	2.4116G	105.33	Inf	-Inf	33.52	3	Horizontal	347	3.00	-	71.81	27.55	5.97	-
AV	2.484G	45.39	54.00	-8.61	33.46	3	Horizontal	347	3.00	-	11.93	27.40	6.06	-
PK	2.316G	57.53	74.00	-16.47	33.74	3	Horizontal	347	3.00	-	23.79	27.84	5.90	-
PK	2.414G	115.52	Inf	-Inf	33.52	3	Horizontal	347	3.00	-	82.00	27.54	5.98	-
PK	2.4835G	56.80	74.00	-17.20	33.46	3	Horizontal	347	3.00	-	23.34	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82488G	42.05	54.00	-11.95	4.99	3	Vertical	187	3.00	-	37.06	31.00	8.27	34.28
PK	4.8251G	54.03	74.00	-19.97	4.99	3	Vertical	187	3.00	-	49.04	31.00	8.27	34.28

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	40.48	54.00	-13.52	4.99	3	Horizontal	75	2.19	-	35.49	31.00	8.27	34.28
PK	4.82756G	53.37	74.00	-20.63	5.00	3	Horizontal	75	2.19	-	48.37	31.01	8.27	34.28

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.26	54.00	-7.74	33.57	3	Vertical	306	2.55	-	12.69	27.62	5.95	-
AV	2.4366G	113.65	Inf	-Inf	33.45	3	Vertical	306	2.55	-	80.20	27.45	6.00	-
AV	2.4835G	47.27	54.00	-6.73	33.46	3	Vertical	306	2.55	-	13.81	27.40	6.06	-
PK	2.3874G	57.16	74.00	-16.84	33.58	3	Vertical	306	2.55	-	23.58	27.63	5.95	-
PK	2.437G	123.82	Inf	-Inf	33.45	3	Vertical	306	2.55	-	90.37	27.45	6.00	-
PK	2.4838G	57.37	74.00	-16.63	33.46	3	Vertical	306	2.55	-	23.91	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3414G	45.87	54.00	-8.13	33.65	3	Horizontal	179	2.75	-	12.22	27.73	5.92	-
AV	2.4366G	110.46	Inf	-Inf	33.45	3	Horizontal	179	2.75	-	77.01	27.45	6.00	-
AV	2.4835G	46.02	54.00	-7.98	33.46	3	Horizontal	179	2.75	-	12.56	27.40	6.06	-
PK	2.3878G	57.55	74.00	-16.45	33.57	3	Horizontal	179	2.75	-	23.98	27.62	5.95	-
PK	2.4382G	120.61	Inf	-Inf	33.46	3	Horizontal	179	2.75	-	87.15	27.45	6.01	-
PK	2.4902G	56.44	74.00	-17.56	33.47	3	Horizontal	179	2.75	-	22.97	27.40	6.07	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87496G	39.41	54.00	-14.59	5.09	3	Vertical	161	1.01	-	34.32	31.05	8.30	34.26
AV	7.3128G	45.81	54.00	-8.19	11.81	3	Vertical	228	1.49	-	34.00	36.35	10.03	34.57
PK	4.87478G	48.07	74.00	-25.93	5.09	3	Vertical	161	1.01	-	42.98	31.05	8.30	34.26
PK	7.31256G	59.10	74.00	-14.90	11.81	3	Vertical	228	1.49	-	47.29	36.35	10.03	34.57

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87496G	35.27	54.00	-18.73	5.09	3	Horizontal	115	1.47	-	30.18	31.05	8.30	34.26
AV	7.31256G	41.71	54.00	-12.29	11.81	3	Horizontal	184	1.37	-	29.90	36.35	10.03	34.57
PK	4.87532G	48.69	74.00	-25.31	5.09	3	Horizontal	115	1.47	-	43.60	31.05	8.30	34.26
PK	7.31238G	54.83	74.00	-19.17	11.81	3	Horizontal	184	1.37	-	43.02	36.35	10.03	34.57

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.23	54.00	-7.77	33.57	3	Vertical	290	2.01	-	12.66	27.62	5.95	-
AV	2.4582G	111.43	Inf	-Inf	33.43	3	Vertical	290	2.01	-	78.00	27.40	6.03	-
AV	2.4835G	50.81	54.00	-3.19	33.46	3	Vertical	290	2.01	-	17.35	27.40	6.06	-
PK	2.3782G	57.29	74.00	-16.71	33.58	3	Vertical	290	2.01	-	23.71	27.64	5.94	-
PK	2.4566G	121.22	Inf	-Inf	33.43	3	Vertical	290	2.01	-	87.79	27.40	6.03	-
PK	2.4838G	61.32	74.00	-12.68	33.46	3	Vertical	290	2.01	-	27.86	27.40	6.06	-

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.81	54.00	-8.19	33.57	3	Horizontal	138	1.09	-	12.24	27.62	5.95	-
AV	2.4586G	108.59	Inf	-Inf	33.43	3	Horizontal	138	1.09	-	75.16	27.40	6.03	-
AV	2.4835G	48.58	54.00	-5.42	33.46	3	Horizontal	138	1.09	-	15.12	27.40	6.06	-
PK	2.3798G	56.87	74.00	-17.13	33.58	3	Horizontal	138	1.09	-	23.29	27.64	5.94	-
PK	2.4574G	117.70	Inf	-Inf	33.43	3	Horizontal	138	1.09	-	84.27	27.40	6.03	-
PK	2.4842G	59.36	74.00	-14.64	33.46	3	Horizontal	138	1.09	-	25.90	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.20	54.00	-7.80	33.57	3	Vertical	293	2.04	-	12.63	27.62	5.95	-
AV	2.4632G	109.77	Inf	-Inf	33.44	3	Vertical	293	2.04	-	76.33	27.40	6.04	-
AV	2.4835G	50.34	54.00	-3.66	33.46	3	Vertical	293	2.04	-	16.88	27.40	6.06	-
PK	2.3888G	57.28	74.00	-16.72	33.57	3	Vertical	293	2.04	-	23.71	27.62	5.95	-
PK	2.462G	120.70	Inf	-Inf	33.43	3	Vertical	293	2.04	-	87.27	27.40	6.03	-
PK	2.4835G	64.56	74.00	-9.44	33.46	3	Vertical	293	2.04	-	31.10	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3644G	45.67	54.00	-8.33	33.60	3	Horizontal	148	2.66	-	12.07	27.67	5.93	-
AV	2.4632G	106.01	Inf	-Inf	33.44	3	Horizontal	148	2.66	-	72.57	27.40	6.04	-
AV	2.4835G	48.41	54.00	-5.59	33.46	3	Horizontal	148	2.66	-	14.95	27.40	6.06	-
PK	2.3888G	57.80	74.00	-16.20	33.57	3	Horizontal	148	2.66	-	24.23	27.62	5.95	-
PK	2.4628G	116.94	Inf	-Inf	33.44	3	Horizontal	148	2.66	-	83.50	27.40	6.04	-
PK	2.4844G	61.67	74.00	-12.33	33.46	3	Horizontal	148	2.66	-	28.21	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92488G	41.19	54.00	-12.81	5.18	3	Vertical	107	3.00	-	36.01	31.10	8.33	34.25
AV	7.38782G	39.66	54.00	-14.34	11.59	3	Vertical	231	1.38	-	28.07	36.12	10.05	34.58
PK	4.92484G	51.72	74.00	-22.28	5.18	3	Vertical	107	3.00	-	46.54	31.10	8.33	34.25
PK	7.38546G	55.26	74.00	-18.74	11.60	3	Vertical	231	1.38	-	43.66	36.13	10.05	34.58

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9248G	35.89	54.00	-18.11	5.18	3	Horizontal	66	1.07	-	30.71	31.10	8.33	34.25
AV	7.38726G	37.15	54.00	-16.85	11.60	3	Horizontal	181	1.50	-	25.55	36.13	10.05	34.58
PK	4.926G	48.34	74.00	-25.66	5.18	3	Horizontal	66	1.07	-	43.16	31.10	8.33	34.25
PK	7.38522G	52.87	74.00	-21.13	11.60	3	Horizontal	181	1.50	-	41.27	36.13	10.05	34.58

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.46	54.00	-3.54	33.57	3	Vertical	293	2.16	-	16.89	27.62	5.95	-
AV	2.4148G	108.39	Inf	-Inf	33.52	3	Vertical	293	2.16	-	74.87	27.54	5.98	-
AV	2.484G	46.46	54.00	-7.54	33.46	3	Vertical	293	2.16	-	13.00	27.40	6.06	-
PK	2.39G	62.18	74.00	-11.82	33.57	3	Vertical	293	2.16	-	28.61	27.62	5.95	-
PK	2.4124G	119.67	Inf	-Inf	33.52	3	Vertical	293	2.16	-	86.15	27.55	5.97	-
PK	2.484G	57.59	74.00	-16.41	33.46	3	Vertical	293	2.16	-	24.13	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.19	54.00	-5.81	33.57	3	Horizontal	138	1.05	-	14.62	27.62	5.95	-
AV	2.4144G	103.62	Inf	-Inf	33.52	3	Horizontal	138	1.05	-	70.10	27.54	5.98	-
AV	2.4835G	45.89	54.00	-8.11	33.46	3	Horizontal	138	1.05	-	12.43	27.40	6.06	-
PK	2.39G	58.68	74.00	-15.32	33.57	3	Horizontal	138	1.05	-	25.11	27.62	5.95	-
PK	2.4144G	113.87	Inf	-Inf	33.52	3	Horizontal	138	1.05	-	80.35	27.54	5.98	-
PK	2.484G	57.05	74.00	-16.95	33.46	3	Horizontal	138	1.05	-	23.59	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	39.29	54.00	-14.71	4.99	3	Vertical	175	1.15	-	34.30	31.00	8.27	34.28
PK	4.8238G	46.37	74.00	-27.63	4.99	3	Vertical	175	1.15	-	41.38	31.00	8.27	34.28

11g-10M_Nss1_2TX

2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8239G	36.11	54.00	-17.89	4.99	3	Horizontal	44	2.94	-	31.12	31.00	8.27	34.28
PK	4.82418G	48.94	74.00	-25.06	4.99	3	Horizontal	44	2.94	-	43.95	31.00	8.27	34.28