


11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.92	54.00	-3.08	33.57	3	Vertical	289	2.07	-	17.35	27.62	5.95	-
AV	2.4198G	108.20	Inf	-Inf	33.50	3	Vertical	289	2.07	-	74.70	27.52	5.98	-
AV	2.4835G	48.11	54.00	-5.89	33.46	3	Vertical	289	2.07	-	14.65	27.40	6.06	-
PK	2.3886G	63.30	74.00	-10.70	33.57	3	Vertical	289	2.07	-	29.73	27.62	5.95	-
PK	2.4198G	118.00	Inf	-Inf	33.50	3	Vertical	289	2.07	-	84.50	27.52	5.98	-
PK	2.4842G	59.17	74.00	-14.83	33.46	3	Vertical	289	2.07	-	25.71	27.40	6.06	-

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.54	54.00	-5.46	33.57	3	Horizontal	137	1.00	-	14.97	27.62	5.95	-
AV	2.4198G	104.19	Inf	-Inf	33.50	3	Horizontal	137	1.00	-	70.69	27.52	5.98	-
AV	2.4835G	47.09	54.00	-6.91	33.46	3	Horizontal	137	1.00	-	13.63	27.40	6.06	-
PK	2.3894G	59.50	74.00	-14.50	33.57	3	Horizontal	137	1.00	-	25.93	27.62	5.95	-
PK	2.4198G	114.20	Inf	-Inf	33.50	3	Horizontal	137	1.00	-	80.70	27.52	5.98	-
PK	2.4846G	57.91	74.00	-16.09	33.46	3	Horizontal	137	1.00	-	24.45	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.63	54.00	-6.37	33.57	3	Vertical	289	2.52	-	14.06	27.62	5.95	-
AV	2.4346G	111.98	Inf	-Inf	33.46	3	Vertical	289	2.52	-	78.52	27.46	6.00	-
AV	2.4835G	50.61	54.00	-3.39	33.46	3	Vertical	289	2.52	-	17.15	27.40	6.06	-
PK	2.3886G	58.96	74.00	-15.04	33.57	3	Vertical	289	2.52	-	25.39	27.62	5.95	-
PK	2.4402G	121.65	Inf	-Inf	33.45	3	Vertical	289	2.52	-	88.20	27.44	6.01	-
PK	2.4838G	64.68	74.00	-9.32	33.46	3	Vertical	289	2.52	-	31.22	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.51	54.00	-7.49	33.57	3	Horizontal	180	2.76	-	12.94	27.62	5.95	-
AV	2.4354G	108.61	Inf	-Inf	33.46	3	Horizontal	180	2.76	-	75.15	27.46	6.00	-
AV	2.4835G	47.29	54.00	-6.71	33.46	3	Horizontal	180	2.76	-	13.83	27.40	6.06	-
PK	2.3574G	57.02	74.00	-16.98	33.62	3	Horizontal	180	2.76	-	23.40	27.69	5.93	-
PK	2.4354G	118.97	Inf	-Inf	33.46	3	Horizontal	180	2.76	-	85.51	27.46	6.00	-
PK	2.4835G	57.92	74.00	-16.08	33.46	3	Horizontal	180	2.76	-	24.46	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	39.48	54.00	-14.52	5.09	3	Vertical	168	2.60	-	34.39	31.05	8.30	34.26
AV	7.31144G	42.60	54.00	-11.40	11.81	3	Vertical	231	1.40	-	30.79	36.35	10.03	34.57
PK	4.87352G	47.05	74.00	-26.95	5.09	3	Vertical	168	2.60	-	41.96	31.05	8.30	34.26
PK	7.3094G	57.58	74.00	-16.42	11.82	3	Vertical	231	1.40	-	45.76	36.36	10.03	34.57

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87392G	32.99	54.00	-21.01	5.09	3	Horizontal	113	1.46	-	27.90	31.05	8.30	34.26
AV	7.3113G	39.18	54.00	-14.82	11.81	3	Horizontal	183	1.48	-	27.37	36.35	10.03	34.57
PK	4.87178G	46.90	74.00	-27.10	5.10	3	Horizontal	113	1.46	-	41.80	31.06	8.30	34.26
PK	7.30604G	53.11	74.00	-20.89	11.84	3	Horizontal	183	1.48	-	41.27	36.38	10.03	34.57

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.17	54.00	-7.83	33.57	3	Vertical	292	2.03	-	12.60	27.62	5.95	-
AV	2.455G	110.71	Inf	-Inf	33.43	3	Vertical	292	2.03	-	77.28	27.40	6.03	-
AV	2.4835G	50.82	54.00	-3.18	33.46	3	Vertical	292	2.03	-	17.36	27.40	6.06	-
PK	2.3882G	57.55	74.00	-16.45	33.57	3	Vertical	292	2.03	-	23.98	27.62	5.95	-
PK	2.4562G	121.19	Inf	-Inf	33.43	3	Vertical	292	2.03	-	87.76	27.40	6.03	-
PK	2.4846G	65.40	74.00	-8.60	33.46	3	Vertical	292	2.03	-	31.94	27.40	6.06	-

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.80	54.00	-8.20	33.57	3	Horizontal	136	1.09	-	12.23	27.62	5.95	-
AV	2.4582G	106.72	Inf	-Inf	33.43	3	Horizontal	136	1.09	-	73.29	27.40	6.03	-
AV	2.4835G	49.22	54.00	-4.78	33.46	3	Horizontal	136	1.09	-	15.76	27.40	6.06	-
PK	2.3762G	57.64	74.00	-16.36	33.59	3	Horizontal	136	1.09	-	24.05	27.65	5.94	-
PK	2.4546G	118.44	Inf	-Inf	33.43	3	Horizontal	136	1.09	-	85.01	27.40	6.03	-
PK	2.4835G	62.20	74.00	-11.80	33.46	3	Horizontal	136	1.09	-	28.74	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.03	54.00	-7.97	33.57	3	Vertical	286	1.92	-	12.46	27.62	5.95	-
AV	2.4648G	109.13	Inf	-Inf	33.44	3	Vertical	286	1.92	-	75.69	27.40	6.04	-
AV	2.4835G	49.37	54.00	-4.63	33.46	3	Vertical	286	1.92	-	15.91	27.40	6.06	-
PK	2.3764G	56.82	74.00	-17.18	33.59	3	Vertical	286	1.92	-	23.23	27.65	5.94	-
PK	2.4636G	119.94	Inf	-Inf	33.44	3	Vertical	286	1.92	-	86.50	27.40	6.04	-
PK	2.4835G	66.90	74.00	-7.10	33.46	3	Vertical	286	1.92	-	33.44	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3636G	45.74	54.00	-8.26	33.60	3	Horizontal	149	2.67	-	12.14	27.67	5.93	-
AV	2.46G	105.67	Inf	-Inf	33.43	3	Horizontal	149	2.67	-	72.24	27.40	6.03	-
AV	2.4835G	48.61	54.00	-5.39	33.46	3	Horizontal	149	2.67	-	15.15	27.40	6.06	-
PK	2.364G	56.96	74.00	-17.04	33.60	3	Horizontal	149	2.67	-	23.36	27.67	5.93	-
PK	2.464G	116.35	Inf	-Inf	33.44	3	Horizontal	149	2.67	-	82.91	27.40	6.04	-
PK	2.4835G	64.36	74.00	-9.64	33.46	3	Horizontal	149	2.67	-	30.90	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92394G	40.90	54.00	-13.10	5.18	3	Vertical	69	1.10	-	35.72	31.10	8.33	34.25
AV	7.3857G	39.83	54.00	-14.17	11.60	3	Vertical	193	2.88	-	28.23	36.13	10.05	34.58
PK	4.92402G	47.77	74.00	-26.23	5.18	3	Vertical	69	1.10	-	42.59	31.10	8.33	34.25
PK	7.38692G	55.58	74.00	-18.42	11.60	3	Vertical	193	2.88	-	43.98	36.13	10.05	34.58

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	34.15	54.00	-19.85	5.18	3	Horizontal	168	1.00	-	28.97	31.10	8.33	34.25
AV	7.38688G	36.36	54.00	-17.64	11.60	3	Horizontal	181	1.50	-	24.76	36.13	10.05	34.58
PK	4.92384G	46.99	74.00	-27.01	5.18	3	Horizontal	168	1.00	-	41.81	31.10	8.33	34.25
PK	7.38492G	50.46	74.00	-23.54	11.60	3	Horizontal	181	1.50	-	38.86	36.13	10.05	34.58

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.80	54.00	-3.20	33.57	3	Vertical	272	2.24	-	17.23	27.62	5.95	-
AV	2.4068G	103.55	Inf	-Inf	33.54	3	Vertical	272	2.24	-	70.01	27.57	5.97	-
AV	2.4932G	46.07	54.00	-7.93	33.47	3	Vertical	272	2.24	-	12.60	27.40	6.07	-
PK	2.39G	62.79	74.00	-11.21	33.57	3	Vertical	272	2.24	-	29.22	27.62	5.95	-
PK	2.4068G	112.52	Inf	-Inf	33.54	3	Vertical	272	2.24	-	78.98	27.57	5.97	-
PK	2.4916G	56.98	74.00	-17.02	33.47	3	Vertical	272	2.24	-	23.51	27.40	6.07	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.12	54.00	-1.88	33.57	3	Horizontal	360	3.00	-	18.55	27.62	5.95	-
AV	2.4056G	101.95	Inf	-Inf	33.55	3	Horizontal	360	3.00	-	68.40	27.58	5.97	-
AV	2.4844G	46.05	54.00	-7.95	33.46	3	Horizontal	360	3.00	-	12.59	27.40	6.06	-
PK	2.39G	64.52	74.00	-9.48	33.57	3	Horizontal	360	3.00	-	30.95	27.62	5.95	-
PK	2.4052G	111.60	Inf	-Inf	33.55	3	Horizontal	360	3.00	-	78.05	27.58	5.97	-
PK	2.4972G	56.63	74.00	-17.37	33.48	3	Horizontal	360	3.00	-	23.15	27.40	6.08	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82395G	39.41	54.00	-14.59	4.99	3	Vertical	167	1.04	-	34.42	31.00	8.27	34.28
PK	4.82399G	46.35	74.00	-27.65	4.99	3	Vertical	167	1.04	-	41.36	31.00	8.27	34.28

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8241G	33.28	54.00	-20.72	4.99	3	Horizontal	118	1.00	-	28.29	31.00	8.27	34.28
PK	4.82387G	46.28	74.00	-27.72	4.99	3	Horizontal	118	1.00	-	41.29	31.00	8.27	34.28

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	50.55	54.00	-3.45	33.57	3	Vertical	273	2.49	-	16.98	27.62	5.95	-
AV	2.4238G	104.74	Inf	-Inf	33.49	3	Vertical	273	2.49	-	71.25	27.50	5.99	-
AV	2.4835G	46.52	54.00	-7.48	33.46	3	Vertical	273	2.49	-	13.06	27.40	6.06	-
PK	2.3886G	63.22	74.00	-10.78	33.57	3	Vertical	273	2.49	-	29.65	27.62	5.95	-
PK	2.4234G	114.16	Inf	-Inf	33.50	3	Vertical	273	2.49	-	80.66	27.51	5.99	-
PK	2.4846G	58.36	74.00	-15.64	33.46	3	Vertical	273	2.49	-	24.90	27.40	6.06	-

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	49.77	54.00	-4.23	33.57	3	Horizontal	354	2.91	-	16.20	27.62	5.95	-
AV	2.4234G	104.04	Inf	-Inf	33.50	3	Horizontal	354	2.91	-	70.54	27.51	5.99	-
AV	2.4846G	46.59	54.00	-7.41	33.46	3	Horizontal	354	2.91	-	13.13	27.40	6.06	-
PK	2.3882G	61.28	74.00	-12.72	33.57	3	Horizontal	354	2.91	-	27.71	27.62	5.95	-
PK	2.4234G	112.69	Inf	-Inf	33.50	3	Horizontal	354	2.91	-	79.19	27.51	5.99	-
PK	2.4842G	57.15	74.00	-16.85	33.46	3	Horizontal	354	2.91	-	23.69	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.387G	49.56	54.00	-4.44	33.58	3	Vertical	307	2.80	-	15.98	27.63	5.95	-
AV	2.4314G	109.14	Inf	-Inf	33.47	3	Vertical	307	2.80	-	75.67	27.47	6.00	-
AV	2.4854G	50.94	54.00	-3.06	33.46	3	Vertical	307	2.80	-	17.48	27.40	6.06	-
PK	2.3862G	60.68	74.00	-13.32	33.58	3	Vertical	307	2.80	-	27.10	27.63	5.95	-
PK	2.4318G	118.62	Inf	-Inf	33.47	3	Vertical	307	2.80	-	85.15	27.47	6.00	-
PK	2.4846G	62.18	74.00	-11.82	33.46	3	Vertical	307	2.80	-	28.72	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.01	54.00	-5.99	33.57	3	Horizontal	354	2.84	-	14.44	27.62	5.95	-
AV	2.4334G	106.87	Inf	-Inf	33.47	3	Horizontal	354	2.84	-	73.40	27.47	6.00	-
AV	2.4835G	50.70	54.00	-3.30	33.46	3	Horizontal	354	2.84	-	17.24	27.40	6.06	-
PK	2.3886G	60.19	74.00	-13.81	33.57	3	Horizontal	354	2.84	-	26.62	27.62	5.95	-
PK	2.433G	116.70	Inf	-Inf	33.47	3	Horizontal	354	2.84	-	83.23	27.47	6.00	-
PK	2.4838G	61.89	74.00	-12.11	33.46	3	Horizontal	354	2.84	-	28.43	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	40.48	54.00	-13.52	5.09	3	Vertical	146	1.11	-	35.39	31.05	8.30	34.26
AV	7.3102G	41.55	54.00	-12.45	11.82	3	Vertical	192	1.71	-	29.73	36.36	10.03	34.57
PK	4.87426G	48.96	74.00	-25.04	5.09	3	Vertical	146	1.11	-	43.87	31.05	8.30	34.26
PK	7.30028G	55.20	74.00	-18.80	11.86	3	Vertical	192	1.71	-	43.34	36.40	10.03	34.57

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87398G	34.26	54.00	-19.74	5.09	3	Horizontal	163	1.00	-	29.17	31.05	8.30	34.26
AV	7.31068G	37.77	54.00	-16.23	11.82	3	Horizontal	71	2.43	-	25.95	36.36	10.03	34.57
PK	4.87402G	43.87	74.00	-30.13	5.09	3	Horizontal	163	1.00	-	38.78	31.05	8.30	34.26
PK	7.31108G	50.15	74.00	-23.85	11.82	3	Horizontal	71	2.43	-	38.33	36.36	10.03	34.57

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	46.09	54.00	-7.91	33.61	3	Vertical	271	2.79	-	12.48	27.68	5.93	-
AV	2.4618G	106.20	Inf	-Inf	33.43	3	Vertical	271	2.79	-	72.77	27.40	6.03	-
AV	2.4835G	50.87	54.00	-3.13	33.46	3	Vertical	271	2.79	-	17.41	27.40	6.06	-
PK	2.3842G	58.01	74.00	-15.99	33.58	3	Vertical	271	2.79	-	24.43	27.63	5.95	-
PK	2.4614G	116.36	Inf	-Inf	33.43	3	Vertical	271	2.79	-	82.93	27.40	6.03	-
PK	2.4835G	60.92	74.00	-13.08	33.46	3	Vertical	271	2.79	-	27.46	27.40	6.06	-

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.357G	46.03	54.00	-7.97	33.62	3	Horizontal	116	3.00	-	12.41	27.69	5.93	-
AV	2.459G	102.97	Inf	-Inf	33.43	3	Horizontal	116	3.00	-	69.54	27.40	6.03	-
AV	2.4842G	49.76	54.00	-4.24	33.46	3	Horizontal	116	3.00	-	16.30	27.40	6.06	-
PK	2.3802G	57.59	74.00	-16.41	33.59	3	Horizontal	116	3.00	-	24.00	27.64	5.95	-
PK	2.4598G	112.56	Inf	-Inf	33.43	3	Horizontal	116	3.00	-	79.13	27.40	6.03	-
PK	2.4846G	60.44	74.00	-13.56	33.46	3	Horizontal	116	3.00	-	26.98	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.372G	46.07	54.00	-7.93	33.60	3	Vertical	271	2.78	-	12.47	27.66	5.94	-
AV	2.464G	104.40	Inf	-Inf	33.44	3	Vertical	271	2.78	-	70.96	27.40	6.04	-
AV	2.4835G	50.31	54.00	-3.69	33.46	3	Vertical	271	2.78	-	16.85	27.40	6.06	-
PK	2.3856G	56.43	74.00	-17.57	33.58	3	Vertical	271	2.78	-	22.85	27.63	5.95	-
PK	2.4596G	113.60	Inf	-Inf	33.43	3	Vertical	271	2.78	-	80.17	27.40	6.03	-
PK	2.484G	60.99	74.00	-13.01	33.46	3	Vertical	271	2.78	-	27.53	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.37G	46.05	54.00	-7.95	33.60	3	Horizontal	117	3.00	-	12.45	27.66	5.94	-
AV	2.4568G	100.80	Inf	-Inf	33.43	3	Horizontal	117	3.00	-	67.37	27.40	6.03	-
AV	2.484G	48.00	54.00	-6.00	33.46	3	Horizontal	117	3.00	-	14.54	27.40	6.06	-
PK	2.3752G	56.61	74.00	-17.39	33.59	3	Horizontal	117	3.00	-	23.02	27.65	5.94	-
PK	2.4644G	110.42	Inf	-Inf	33.44	3	Horizontal	117	3.00	-	76.98	27.40	6.04	-
PK	2.4852G	59.32	74.00	-14.68	33.46	3	Horizontal	117	3.00	-	25.86	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	40.19	54.00	-13.81	5.18	3	Vertical	77	1.00	-	35.01	31.10	8.33	34.25
AV	7.38G	36.50	54.00	-17.50	11.61	3	Vertical	233	1.49	-	24.89	36.14	10.05	34.58
PK	4.92408G	46.14	74.00	-27.86	5.18	3	Vertical	77	1.00	-	40.96	31.10	8.33	34.25
PK	7.37888G	49.28	74.00	-24.72	11.61	3	Vertical	233	1.49	-	37.67	36.14	10.05	34.58

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92399G	36.73	54.00	-17.27	5.18	3	Horizontal	159	3.00	-	31.55	31.10	8.33	34.25
AV	7.39552G	36.41	54.00	-17.59	11.57	3	Horizontal	64	1.70	-	24.84	36.11	10.05	34.59
PK	4.92402G	44.86	74.00	-29.14	5.18	3	Horizontal	159	3.00	-	39.68	31.10	8.33	34.25
PK	7.37232G	49.28	74.00	-24.72	11.62	3	Horizontal	64	1.70	-	37.66	36.16	10.04	34.58

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3884G	47.87	54.00	-6.13	33.57	3	Vertical	306	2.80	-	14.30	27.62	5.95	-
AV	2.4116G	110.59	Inf	-Inf	33.52	3	Vertical	306	2.80	-	77.07	27.55	5.97	-
AV	2.4835G	45.86	54.00	-8.14	33.46	3	Vertical	306	2.80	-	12.40	27.40	6.06	-
PK	2.3872G	59.68	74.00	-14.32	33.58	3	Vertical	306	2.80	-	26.10	27.63	5.95	-
PK	2.412G	119.63	Inf	-Inf	33.52	3	Vertical	306	2.80	-	86.11	27.55	5.97	-
PK	2.486G	56.24	74.00	-17.76	33.46	3	Vertical	306	2.80	-	22.78	27.40	6.06	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	46.11	54.00	-7.89	33.57	3	Horizontal	111	1.50	-	12.54	27.62	5.95	-
AV	2.4116G	103.60	Inf	-Inf	33.52	3	Horizontal	111	1.50	-	70.08	27.55	5.97	-
AV	2.4972G	45.51	54.00	-8.49	33.48	3	Horizontal	111	1.50	-	12.03	27.40	6.08	-
PK	2.3196G	57.32	74.00	-16.68	33.72	3	Horizontal	111	1.50	-	23.60	27.82	5.90	-
PK	2.4116G	112.80	Inf	-Inf	33.52	3	Horizontal	111	1.50	-	79.28	27.55	5.97	-
PK	2.4924G	56.05	74.00	-17.95	33.47	3	Horizontal	111	1.50	-	22.58	27.40	6.07	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82498G	43.50	54.00	-10.50	4.99	3	Vertical	56	2.46	-	38.51	31.00	8.27	34.28
PK	4.82528G	55.92	74.00	-18.08	4.99	3	Vertical	56	2.46	-	50.93	31.00	8.27	34.28

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82504G	39.77	54.00	-14.23	4.99	3	Horizontal	49	2.99	-	34.78	31.00	8.27	34.28
PK	4.8242G	51.93	74.00	-22.07	4.99	3	Horizontal	49	2.99	-	46.94	31.00	8.27	34.28

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.20	54.00	-7.80	33.57	3	Vertical	290	2.51	-	12.63	27.62	5.95	-
AV	2.4378G	113.50	Inf	-Inf	33.46	3	Vertical	290	2.51	-	80.04	27.45	6.01	-
AV	2.4835G	46.78	54.00	-7.22	33.46	3	Vertical	290	2.51	-	13.32	27.40	6.06	-
PK	2.3874G	57.35	74.00	-16.65	33.58	3	Vertical	290	2.51	-	23.77	27.63	5.95	-
PK	2.4386G	123.25	Inf	-Inf	33.46	3	Vertical	290	2.51	-	89.79	27.45	6.01	-
PK	2.4902G	57.02	74.00	-16.98	33.47	3	Vertical	290	2.51	-	23.55	27.40	6.07	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3378G	45.87	54.00	-8.13	33.66	3	Horizontal	135	1.19	-	12.21	27.75	5.91	-
AV	2.4382G	109.73	Inf	-Inf	33.46	3	Horizontal	135	1.19	-	76.27	27.45	6.01	-
AV	2.4835G	46.16	54.00	-7.84	33.46	3	Horizontal	135	1.19	-	12.70	27.40	6.06	-
PK	2.3874G	57.07	74.00	-16.93	33.58	3	Horizontal	135	1.19	-	23.49	27.63	5.95	-
PK	2.4382G	119.83	Inf	-Inf	33.46	3	Horizontal	135	1.19	-	86.37	27.45	6.01	-
PK	2.495G	56.32	74.00	-17.68	33.47	3	Horizontal	135	1.19	-	22.85	27.40	6.07	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87504G	41.59	54.00	-12.41	5.09	3	Vertical	56	2.27	-	36.50	31.05	8.30	34.26
AV	7.31174G	45.32	54.00	-8.68	11.81	3	Vertical	229	1.49	-	33.51	36.35	10.03	34.57
PK	4.8752G	54.94	74.00	-19.06	5.09	3	Vertical	56	2.27	-	49.85	31.05	8.30	34.26
PK	7.3112G	59.19	74.00	-14.81	11.82	3	Vertical	229	1.49	-	47.37	36.36	10.03	34.57

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87506G	37.65	54.00	-16.35	5.09	3	Horizontal	87	1.00	-	32.56	31.05	8.30	34.26
AV	7.31184G	42.80	54.00	-11.20	11.81	3	Horizontal	184	1.25	-	30.99	36.35	10.03	34.57
PK	4.8757G	51.12	74.00	-22.88	5.09	3	Horizontal	87	1.00	-	46.03	31.05	8.30	34.26
PK	7.3121G	56.17	74.00	-17.83	11.81	3	Horizontal	184	1.25	-	44.36	36.35	10.03	34.57

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.43	54.00	-7.57	33.57	3	Vertical	288	1.38	-	12.86	27.62	5.95	-
AV	2.4582G	112.05	Inf	-Inf	33.43	3	Vertical	288	1.38	-	78.62	27.40	6.03	-
AV	2.4835G	49.80	54.00	-4.20	33.46	3	Vertical	288	1.38	-	16.34	27.40	6.06	-
PK	2.387G	57.48	74.00	-16.52	33.58	3	Vertical	288	1.38	-	23.90	27.63	5.95	-
PK	2.4558G	121.11	Inf	-Inf	33.43	3	Vertical	288	1.38	-	87.68	27.40	6.03	-
PK	2.4835G	60.82	74.00	-13.18	33.46	3	Vertical	288	1.38	-	27.36	27.40	6.06	-

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	45.86	54.00	-8.14	33.57	3	Horizontal	136	1.10	-	12.29	27.62	5.95	-
AV	2.4582G	110.38	Inf	-Inf	33.43	3	Horizontal	136	1.10	-	76.95	27.40	6.03	-
AV	2.4835G	49.53	54.00	-4.47	33.46	3	Horizontal	136	1.10	-	16.07	27.40	6.06	-
PK	2.3846G	57.40	74.00	-16.60	33.58	3	Horizontal	136	1.10	-	23.82	27.63	5.95	-
PK	2.4586G	120.51	Inf	-Inf	33.43	3	Horizontal	136	1.10	-	87.08	27.40	6.03	-
PK	2.4835G	60.54	74.00	-13.46	33.46	3	Horizontal	136	1.10	-	27.08	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.01	54.00	-7.99	33.57	3	Vertical	292	2.03	-	12.44	27.62	5.95	-
AV	2.4632G	111.59	Inf	-Inf	33.44	3	Vertical	292	2.03	-	78.15	27.40	6.04	-
AV	2.4835G	49.88	54.00	-4.12	33.46	3	Vertical	292	2.03	-	16.42	27.40	6.06	-
PK	2.3632G	57.07	74.00	-16.93	33.60	3	Vertical	292	2.03	-	23.47	27.67	5.93	-
PK	2.4628G	121.26	Inf	-Inf	33.44	3	Vertical	292	2.03	-	87.82	27.40	6.04	-
PK	2.484G	64.79	74.00	-9.21	33.46	3	Vertical	292	2.03	-	31.33	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3664G	45.74	54.00	-8.26	33.60	3	Horizontal	138	1.06	-	12.14	27.67	5.93	-
AV	2.4632G	108.87	Inf	-Inf	33.44	3	Horizontal	138	1.06	-	75.43	27.40	6.04	-
AV	2.4835G	48.42	54.00	-5.58	33.46	3	Horizontal	138	1.06	-	14.96	27.40	6.06	-
PK	2.3668G	56.87	74.00	-17.13	33.61	3	Horizontal	138	1.06	-	23.26	27.67	5.94	-
PK	2.4628G	117.32	Inf	-Inf	33.44	3	Horizontal	138	1.06	-	83.88	27.40	6.04	-
PK	2.484G	63.38	74.00	-10.62	33.46	3	Horizontal	138	1.06	-	29.92	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92492G	42.17	54.00	-11.83	5.18	3	Vertical	57	2.44	-	36.99	31.10	8.33	34.25
AV	7.38658G	41.74	54.00	-12.26	11.60	3	Vertical	192	2.87	-	30.14	36.13	10.05	34.58
PK	4.92454G	53.43	74.00	-20.57	5.18	3	Vertical	57	2.44	-	48.25	31.10	8.33	34.25
PK	7.38658G	58.64	74.00	-15.36	11.60	3	Vertical	192	2.87	-	47.04	36.13	10.05	34.58

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.925G	35.27	54.00	-18.73	5.18	3	Horizontal	114	1.50	-	30.09	31.10	8.33	34.25
AV	7.38806G	37.52	54.00	-16.48	11.59	3	Horizontal	183	1.44	-	25.93	36.12	10.05	34.58
PK	4.9243G	47.21	74.00	-26.79	5.18	3	Horizontal	114	1.50	-	42.03	31.10	8.33	34.25
PK	7.3875G	52.87	74.00	-21.13	11.59	3	Horizontal	183	1.44	-	41.28	36.12	10.05	34.58

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.29	54.00	-3.71	33.57	3	Vertical	304	2.82	-	16.72	27.62	5.95	-
AV	2.41G	107.18	Inf	-Inf	33.53	3	Vertical	304	2.82	-	73.65	27.56	5.97	-
AV	2.484G	46.27	54.00	-7.73	33.46	3	Vertical	304	2.82	-	12.81	27.40	6.06	-
PK	2.39G	62.84	74.00	-11.16	33.57	3	Vertical	304	2.82	-	29.27	27.62	5.95	-
PK	2.41G	117.83	Inf	-Inf	33.53	3	Vertical	304	2.82	-	84.30	27.56	5.97	-
PK	2.4844G	57.65	74.00	-16.35	33.46	3	Vertical	304	2.82	-	24.19	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.80	54.00	-6.20	33.57	3	Horizontal	138	1.06	-	14.23	27.62	5.95	-
AV	2.4084G	102.53	Inf	-Inf	33.54	3	Horizontal	138	1.06	-	68.99	27.57	5.97	-
AV	2.4835G	45.90	54.00	-8.10	33.46	3	Horizontal	138	1.06	-	12.44	27.40	6.06	-
PK	2.3872G	58.26	74.00	-15.74	33.58	3	Horizontal	138	1.06	-	24.68	27.63	5.95	-
PK	2.4084G	113.20	Inf	-Inf	33.54	3	Horizontal	138	1.06	-	79.66	27.57	5.97	-
PK	2.4916G	56.47	74.00	-17.53	33.47	3	Horizontal	138	1.06	-	23.00	27.40	6.07	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	38.56	54.00	-15.44	4.99	3	Vertical	171	1.90	-	33.57	31.00	8.27	34.28
PK	4.82396G	46.27	74.00	-27.73	4.99	3	Vertical	171	1.90	-	41.28	31.00	8.27	34.28

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82392G	33.95	54.00	-20.05	4.99	3	Horizontal	116	1.16	-	28.96	31.00	8.27	34.28
PK	4.82556G	46.82	74.00	-27.18	4.99	3	Horizontal	116	1.16	-	41.83	31.00	8.27	34.28

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.46	54.00	-3.54	33.57	3	Vertical	276	2.05	-	16.89	27.62	5.95	-
AV	2.4198G	107.71	Inf	-Inf	33.50	3	Vertical	276	2.05	-	74.21	27.52	5.98	-
AV	2.4838G	47.07	54.00	-6.93	33.46	3	Vertical	276	2.05	-	13.61	27.40	6.06	-
PK	2.3886G	62.43	74.00	-11.57	33.57	3	Vertical	276	2.05	-	28.86	27.62	5.95	-
PK	2.4206G	118.04	Inf	-Inf	33.50	3	Vertical	276	2.05	-	84.54	27.52	5.98	-
PK	2.485G	58.40	74.00	-15.60	33.46	3	Vertical	276	2.05	-	24.94	27.40	6.06	-

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.01	54.00	-5.99	33.57	3	Horizontal	139	1.12	-	14.44	27.62	5.95	-
AV	2.421G	103.89	Inf	-Inf	33.51	3	Horizontal	139	1.12	-	70.38	27.52	5.99	-
AV	2.4835G	46.76	54.00	-7.24	33.46	3	Horizontal	139	1.12	-	13.30	27.40	6.06	-
PK	2.3886G	60.60	74.00	-13.40	33.57	3	Horizontal	139	1.12	-	27.03	27.62	5.95	-
PK	2.4206G	115.28	Inf	-Inf	33.50	3	Horizontal	139	1.12	-	81.78	27.52	5.98	-
PK	2.4838G	57.70	74.00	-16.30	33.46	3	Horizontal	139	1.12	-	24.24	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.80	54.00	-6.20	33.57	3	Vertical	271	1.47	-	14.23	27.62	5.95	-
AV	2.4346G	110.42	Inf	-Inf	33.46	3	Vertical	271	1.47	-	76.96	27.46	6.00	-
AV	2.4835G	50.42	54.00	-3.58	33.46	3	Vertical	271	1.47	-	16.96	27.40	6.06	-
PK	2.3898G	59.42	74.00	-14.58	33.57	3	Vertical	271	1.47	-	25.85	27.62	5.95	-
PK	2.435G	121.95	Inf	-Inf	33.46	3	Vertical	271	1.47	-	88.49	27.46	6.00	-
PK	2.4838G	62.57	74.00	-11.43	33.46	3	Vertical	271	1.47	-	29.11	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	45.94	54.00	-8.06	33.58	3	Horizontal	87	3.00	-	12.36	27.63	5.95	-
AV	2.4342G	107.46	Inf	-Inf	33.46	3	Horizontal	87	3.00	-	74.00	27.46	6.00	-
AV	2.4835G	47.08	54.00	-6.92	33.46	3	Horizontal	87	3.00	-	13.62	27.40	6.06	-
PK	2.3442G	57.54	74.00	-16.46	33.64	3	Horizontal	87	3.00	-	23.90	27.72	5.92	-
PK	2.4342G	117.95	Inf	-Inf	33.46	3	Horizontal	87	3.00	-	84.49	27.46	6.00	-
PK	2.4835G	56.88	74.00	-17.12	33.46	3	Horizontal	87	3.00	-	23.42	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87392G	40.24	54.00	-13.76	5.09	3	Vertical	167	1.06	-	35.15	31.05	8.30	34.26
AV	7.3091G	43.17	54.00	-10.83	11.82	3	Vertical	228	1.49	-	31.35	36.36	10.03	34.57
PK	4.8739G	47.00	74.00	-27.00	5.09	3	Vertical	167	1.06	-	41.91	31.05	8.30	34.26
PK	7.30746G	57.79	74.00	-16.21	11.83	3	Vertical	228	1.49	-	45.96	36.37	10.03	34.57

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8747G	35.06	54.00	-18.94	5.09	3	Horizontal	87	1.00	-	29.97	31.05	8.30	34.26
AV	7.30912G	39.53	54.00	-14.47	11.82	3	Horizontal	184	1.49	-	27.71	36.36	10.03	34.57
PK	4.8742G	48.92	74.00	-25.08	5.09	3	Horizontal	87	1.00	-	43.83	31.05	8.30	34.26
PK	7.30908G	53.20	74.00	-20.80	11.82	3	Horizontal	184	1.49	-	41.38	36.36	10.03	34.57

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3578G	45.80	54.00	-8.20	33.61	3	Vertical	271	1.50	-	12.19	27.68	5.93	-
AV	2.4546G	108.59	Inf	-Inf	33.43	3	Vertical	271	1.50	-	75.16	27.40	6.03	-
AV	2.4835G	49.27	54.00	-4.73	33.46	3	Vertical	271	1.50	-	15.81	27.40	6.06	-
PK	2.3758G	56.81	74.00	-17.19	33.59	3	Vertical	271	1.50	-	23.22	27.65	5.94	-
PK	2.455G	118.42	Inf	-Inf	33.43	3	Vertical	271	1.50	-	84.99	27.40	6.03	-
PK	2.4842G	63.88	74.00	-10.12	33.46	3	Vertical	271	1.50	-	30.42	27.40	6.06	-

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3578G	45.79	54.00	-8.21	33.61	3	Horizontal	150	2.66	-	12.18	27.68	5.93	-
AV	2.459G	107.16	Inf	-Inf	33.43	3	Horizontal	150	2.66	-	73.73	27.40	6.03	-
AV	2.4835G	48.33	54.00	-5.67	33.46	3	Horizontal	150	2.66	-	14.87	27.40	6.06	-
PK	2.3802G	57.47	74.00	-16.53	33.59	3	Horizontal	150	2.66	-	23.88	27.64	5.95	-
PK	2.4598G	117.66	Inf	-Inf	33.43	3	Horizontal	150	2.66	-	84.23	27.40	6.03	-
PK	2.4835G	62.99	74.00	-11.01	33.46	3	Horizontal	150	2.66	-	29.53	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.86	54.00	-8.14	33.57	3	Vertical	284	2.02	-	12.29	27.62	5.95	-
AV	2.4612G	108.71	Inf	-Inf	33.43	3	Vertical	284	2.02	-	75.28	27.40	6.03	-
AV	2.4835G	49.01	54.00	-4.99	33.46	3	Vertical	284	2.02	-	15.55	27.40	6.06	-
PK	2.3692G	56.60	74.00	-17.40	33.60	3	Vertical	284	2.02	-	23.00	27.66	5.94	-
PK	2.4612G	118.97	Inf	-Inf	33.43	3	Vertical	284	2.02	-	85.54	27.40	6.03	-
PK	2.4835G	66.57	74.00	-7.43	33.46	3	Vertical	284	2.02	-	33.11	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	45.73	54.00	-8.27	33.61	3	Horizontal	135	2.66	-	12.12	27.68	5.93	-
AV	2.4592G	106.09	Inf	-Inf	33.43	3	Horizontal	135	2.66	-	72.66	27.40	6.03	-
AV	2.4835G	47.21	54.00	-6.79	33.46	3	Horizontal	135	2.66	-	13.75	27.40	6.06	-
PK	2.3828G	57.19	74.00	-16.81	33.58	3	Horizontal	135	2.66	-	23.61	27.63	5.95	-
PK	2.46G	116.84	Inf	-Inf	33.43	3	Horizontal	135	2.66	-	83.41	27.40	6.03	-
PK	2.4848G	62.18	74.00	-11.82	33.46	3	Horizontal	135	2.66	-	28.72	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92398G	41.14	54.00	-12.86	5.18	3	Vertical	71	2.47	-	35.96	31.10	8.33	34.25
AV	7.3847G	39.59	54.00	-14.41	11.60	3	Vertical	192	3.00	-	27.99	36.13	10.05	34.58
PK	4.92398G	49.36	74.00	-24.64	5.18	3	Vertical	71	2.47	-	44.18	31.10	8.33	34.25
PK	7.38876G	56.44	74.00	-17.56	11.59	3	Vertical	192	3.00	-	44.85	36.12	10.05	34.58

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	35.91	54.00	-18.09	5.18	3	Horizontal	87	1.03	-	30.73	31.10	8.33	34.25
AV	7.38788G	36.42	54.00	-17.58	11.59	3	Horizontal	172	1.34	-	24.83	36.12	10.05	34.58
PK	4.92258G	48.70	74.00	-25.30	5.17	3	Horizontal	87	1.03	-	43.53	31.09	8.33	34.25
PK	7.38814G	49.97	74.00	-24.03	11.59	3	Horizontal	172	1.34	-	38.38	36.12	10.05	34.58

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.10	54.00	-3.90	33.57	3	Vertical	286	2.58	-	16.53	27.62	5.95	-
AV	2.4052G	102.04	Inf	-Inf	33.55	3	Vertical	286	2.58	-	68.49	27.58	5.97	-
AV	2.4992G	46.07	54.00	-7.93	33.48	3	Vertical	286	2.58	-	12.59	27.40	6.08	-
PK	2.39G	61.45	74.00	-12.55	33.57	3	Vertical	286	2.58	-	27.88	27.62	5.95	-
PK	2.4044G	111.58	Inf	-Inf	33.55	3	Vertical	286	2.58	-	78.03	27.58	5.97	-
PK	2.4956G	56.75	74.00	-17.25	33.47	3	Vertical	286	2.58	-	23.28	27.40	6.07	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.67	54.00	-3.33	33.57	3	Horizontal	352	2.89	-	17.10	27.62	5.95	-
AV	2.4172G	101.05	Inf	-Inf	33.51	3	Horizontal	352	2.89	-	67.54	27.53	5.98	-
AV	2.4864G	45.87	54.00	-8.13	33.46	3	Horizontal	352	2.89	-	12.41	27.40	6.06	-
PK	2.39G	60.61	74.00	-13.39	33.57	3	Horizontal	352	2.89	-	27.04	27.62	5.95	-
PK	2.4152G	110.86	Inf	-Inf	33.52	3	Horizontal	352	2.89	-	77.34	27.54	5.98	-
PK	2.4868G	56.51	74.00	-17.49	33.46	3	Horizontal	352	2.89	-	23.05	27.40	6.06	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	38.88	54.00	-15.12	4.99	3	Vertical	174	1.04	-	33.89	31.00	8.27	34.28
PK	4.82396G	46.63	74.00	-27.37	4.99	3	Vertical	174	1.04	-	41.64	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82403G	32.76	54.00	-21.24	4.99	3	Horizontal	163	2.37	-	27.77	31.00	8.27	34.28
PK	4.82428G	44.23	74.00	-29.77	4.99	3	Horizontal	163	2.37	-	39.24	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.98	54.00	-3.02	33.57	3	Vertical	272	2.49	-	17.41	27.62	5.95	-
AV	2.4234G	106.97	Inf	-Inf	33.50	3	Vertical	272	2.49	-	73.47	27.51	5.99	-
AV	2.4835G	46.46	54.00	-7.54	33.46	3	Vertical	272	2.49	-	13.00	27.40	6.06	-
PK	2.3886G	63.51	74.00	-10.49	33.57	3	Vertical	272	2.49	-	29.94	27.62	5.95	-
PK	2.4238G	116.64	Inf	-Inf	33.49	3	Vertical	272	2.49	-	83.15	27.50	5.99	-
PK	2.4838G	58.63	74.00	-15.37	33.46	3	Vertical	272	2.49	-	25.17	27.40	6.06	-

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	48.96	54.00	-5.04	33.58	3	Horizontal	356	2.91	-	15.38	27.63	5.95	-
AV	2.4218G	105.17	Inf	-Inf	33.50	3	Horizontal	356	2.91	-	71.67	27.51	5.99	-
AV	2.4838G	46.55	54.00	-7.45	33.46	3	Horizontal	356	2.91	-	13.09	27.40	6.06	-
PK	2.3898G	62.05	74.00	-11.95	33.57	3	Horizontal	356	2.91	-	28.48	27.62	5.95	-
PK	2.4234G	114.60	Inf	-Inf	33.50	3	Horizontal	356	2.91	-	81.10	27.51	5.99	-
PK	2.4902G	57.66	74.00	-16.34	33.47	3	Horizontal	356	2.91	-	24.19	27.40	6.07	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.33	54.00	-3.67	33.57	3	Vertical	268	2.49	-	16.76	27.62	5.95	-
AV	2.4318G	110.10	Inf	-Inf	33.47	3	Vertical	268	2.49	-	76.63	27.47	6.00	-
AV	2.485G	50.39	54.00	-3.61	33.46	3	Vertical	268	2.49	-	16.93	27.40	6.06	-
PK	2.3894G	61.13	74.00	-12.87	33.57	3	Vertical	268	2.49	-	27.56	27.62	5.95	-
PK	2.4322G	119.79	Inf	-Inf	33.47	3	Vertical	268	2.49	-	86.32	27.47	6.00	-
PK	2.4842G	61.68	74.00	-12.32	33.46	3	Vertical	268	2.49	-	28.22	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.54	54.00	-4.46	33.57	3	Horizontal	357	2.84	-	15.97	27.62	5.95	-
AV	2.4326G	108.86	Inf	-Inf	33.47	3	Horizontal	357	2.84	-	75.39	27.47	6.00	-
AV	2.4846G	50.73	54.00	-3.27	33.46	3	Horizontal	357	2.84	-	17.27	27.40	6.06	-
PK	2.3898G	61.19	74.00	-12.81	33.57	3	Horizontal	357	2.84	-	27.62	27.62	5.95	-
PK	2.4322G	118.31	Inf	-Inf	33.47	3	Horizontal	357	2.84	-	84.84	27.47	6.00	-
PK	2.4842G	61.74	74.00	-12.26	33.46	3	Horizontal	357	2.84	-	28.28	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87388G	40.31	54.00	-13.69	5.09	3	Vertical	165	2.94	-	35.22	31.05	8.30	34.26
AV	7.3158G	41.11	54.00	-12.89	11.80	3	Vertical	172	3.00	-	29.31	36.34	10.03	34.57
PK	4.87402G	49.72	74.00	-24.28	5.09	3	Vertical	165	2.94	-	44.63	31.05	8.30	34.26
PK	7.3153G	54.62	74.00	-19.38	11.80	3	Vertical	172	3.00	-	42.82	36.34	10.03	34.57

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87402G	34.37	54.00	-19.63	5.09	3	Horizontal	163	1.00	-	29.28	31.05	8.30	34.26
AV	7.3191G	36.58	54.00	-17.42	11.78	3	Horizontal	215	2.09	-	24.80	36.32	10.03	34.57
PK	4.87395G	44.32	74.00	-29.68	5.09	3	Horizontal	163	1.00	-	39.23	31.05	8.30	34.26
PK	7.3111G	49.38	74.00	-24.62	11.82	3	Horizontal	215	2.09	-	37.56	36.36	10.03	34.57

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	46.07	54.00	-7.93	33.58	3	Vertical	300	2.77	-	12.49	27.63	5.95	-
AV	2.4622G	105.85	Inf	-Inf	33.43	3	Vertical	300	2.77	-	72.42	27.40	6.03	-
AV	2.4835G	50.91	54.00	-3.09	33.46	3	Vertical	300	2.77	-	17.45	27.40	6.06	-
PK	2.359G	58.59	74.00	-15.41	33.61	3	Vertical	300	2.77	-	24.98	27.68	5.93	-
PK	2.4618G	115.59	Inf	-Inf	33.43	3	Vertical	300	2.77	-	82.16	27.40	6.03	-
PK	2.4835G	63.25	74.00	-10.75	33.46	3	Vertical	300	2.77	-	29.79	27.40	6.06	-

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3586G	46.00	54.00	-8.00	33.61	3	Horizontal	118	3.00	-	12.39	27.68	5.93	-
AV	2.4534G	102.01	Inf	-Inf	33.42	3	Horizontal	118	3.00	-	68.59	27.40	6.02	-
AV	2.485G	48.01	54.00	-5.99	33.46	3	Horizontal	118	3.00	-	14.55	27.40	6.06	-
PK	2.361G	56.67	74.00	-17.33	33.61	3	Horizontal	118	3.00	-	23.06	27.68	5.93	-
PK	2.4534G	111.42	Inf	-Inf	33.42	3	Horizontal	118	3.00	-	78.00	27.40	6.02	-
PK	2.4842G	58.76	74.00	-15.24	33.46	3	Horizontal	118	3.00	-	25.30	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.05	54.00	-7.95	33.57	3	Vertical	279	2.70	-	12.48	27.62	5.95	-
AV	2.4608G	102.73	Inf	-Inf	33.43	3	Vertical	279	2.70	-	69.30	27.40	6.03	-
AV	2.4835G	50.23	54.00	-3.77	33.46	3	Vertical	279	2.70	-	16.77	27.40	6.06	-
PK	2.362G	57.01	74.00	-16.99	33.61	3	Vertical	279	2.70	-	23.40	27.68	5.93	-
PK	2.4644G	112.38	Inf	-Inf	33.44	3	Vertical	279	2.70	-	78.94	27.40	6.04	-
PK	2.4848G	60.90	74.00	-13.10	33.46	3	Vertical	279	2.70	-	27.44	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3656G	45.99	54.00	-8.01	33.60	3	Horizontal	354	3.00	-	12.39	27.67	5.93	-
AV	2.4672G	102.57	Inf	-Inf	33.44	3	Horizontal	354	3.00	-	69.13	27.40	6.04	-
AV	2.4835G	49.35	54.00	-4.65	33.46	3	Horizontal	354	3.00	-	15.89	27.40	6.06	-
PK	2.362G	56.86	74.00	-17.14	33.61	3	Horizontal	354	3.00	-	23.25	27.68	5.93	-
PK	2.4684G	111.89	Inf	-Inf	33.44	3	Horizontal	354	3.00	-	78.45	27.40	6.04	-
PK	2.4844G	59.24	74.00	-14.76	33.46	3	Horizontal	354	3.00	-	25.78	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92402G	40.25	54.00	-13.75	5.18	3	Vertical	77	2.42	-	35.07	31.10	8.33	34.25
AV	7.383G	36.22	54.00	-17.78	11.60	3	Vertical	253	1.78	-	24.62	36.13	10.05	34.58
PK	4.92406G	46.84	74.00	-27.16	5.18	3	Vertical	77	2.42	-	41.66	31.10	8.33	34.25
PK	7.38418G	49.68	74.00	-24.32	11.60	3	Vertical	253	1.78	-	38.08	36.13	10.05	34.58

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92402G	35.81	54.00	-18.19	5.18	3	Horizontal	163	2.70	-	30.63	31.10	8.33	34.25
AV	7.3892G	36.20	54.00	-17.80	11.59	3	Horizontal	321	1.14	-	24.61	36.12	10.05	34.58
PK	4.9239G	44.20	74.00	-29.80	5.18	3	Horizontal	163	2.70	-	39.02	31.10	8.33	34.25
PK	7.39068G	48.98	74.00	-25.02	11.59	3	Horizontal	321	1.14	-	37.39	36.12	10.05	34.58

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.85	54.00	-3.15	33.57	3	Vertical	273	2.53	-	17.28	27.62	5.95	-
AV	2.4312G	98.67	Inf	-Inf	33.48	3	Vertical	273	2.53	-	65.19	27.48	6.00	-
AV	2.486G	46.81	54.00	-7.19	33.46	3	Vertical	273	2.53	-	13.35	27.40	6.06	-
PK	2.39G	61.75	74.00	-12.25	33.57	3	Vertical	273	2.53	-	28.18	27.62	5.95	-
PK	2.4304G	107.30	Inf	-Inf	33.48	3	Vertical	273	2.53	-	73.82	27.48	6.00	-
PK	2.484G	58.63	74.00	-15.37	33.46	3	Vertical	273	2.53	-	25.17	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.10	54.00	-4.90	33.57	3	Horizontal	354	2.83	-	15.53	27.62	5.95	-
AV	2.4288G	97.14	Inf	-Inf	33.47	3	Horizontal	354	2.83	-	63.67	27.48	5.99	-
AV	2.4852G	46.51	54.00	-7.49	33.46	3	Horizontal	354	2.83	-	13.05	27.40	6.06	-
PK	2.3888G	59.30	74.00	-14.70	33.57	3	Horizontal	354	2.83	-	25.73	27.62	5.95	-
PK	2.4276G	106.22	Inf	-Inf	33.48	3	Horizontal	354	2.83	-	72.74	27.49	5.99	-
PK	2.4864G	56.88	74.00	-17.12	33.46	3	Horizontal	354	2.83	-	23.42	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84393G	40.55	54.00	-13.45	5.09	3	Vertical	168	2.82	-	35.46	31.08	8.28	34.27
PK	4.84386G	47.25	74.00	-26.75	5.09	3	Vertical	168	2.82	-	42.16	31.08	8.28	34.27

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84391G	33.48	54.00	-20.52	5.09	3	Horizontal	160	1.49	-	28.39	31.08	8.28	34.27
PK	4.84398G	43.31	74.00	-30.69	5.09	3	Horizontal	160	1.49	-	38.22	31.08	8.28	34.27

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.95	54.00	-3.05	33.57	3	Vertical	271	2.53	-	17.38	27.62	5.95	-
AV	2.435G	99.53	Inf	-Inf	33.46	3	Vertical	271	2.53	-	66.07	27.46	6.00	-
AV	2.4858G	46.67	54.00	-7.33	33.46	3	Vertical	271	2.53	-	13.21	27.40	6.06	-
PK	2.389G	60.45	74.00	-13.55	33.57	3	Vertical	271	2.53	-	26.88	27.62	5.95	-
PK	2.4358G	109.01	Inf	-Inf	33.46	3	Vertical	271	2.53	-	75.55	27.46	6.00	-
PK	2.4835G	56.34	74.00	-17.66	33.46	3	Vertical	271	2.53	-	22.88	27.40	6.06	-

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	50.84	54.00	-3.16	33.57	3	Horizontal	351	2.86	-	17.27	27.62	5.95	-
AV	2.4318G	98.67	Inf	-Inf	33.47	3	Horizontal	351	2.86	-	65.20	27.47	6.00	-
AV	2.485G	46.36	54.00	-7.64	33.46	3	Horizontal	351	2.86	-	12.90	27.40	6.06	-
PK	2.389G	61.21	74.00	-12.79	33.57	3	Horizontal	351	2.86	-	27.64	27.62	5.95	-
PK	2.4326G	107.19	Inf	-Inf	33.47	3	Horizontal	351	2.86	-	73.72	27.47	6.00	-
PK	2.4835G	56.58	74.00	-17.42	33.46	3	Horizontal	351	2.86	-	23.12	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.89	54.00	-3.11	33.57	3	Vertical	266	2.50	-	17.32	27.62	5.95	-
AV	2.4322G	103.26	Inf	-Inf	33.47	3	Vertical	266	2.50	-	69.79	27.47	6.00	-
AV	2.485G	49.00	54.00	-5.00	33.46	3	Vertical	266	2.50	-	15.54	27.40	6.06	-
PK	2.3898G	62.55	74.00	-11.45	33.57	3	Vertical	266	2.50	-	28.98	27.62	5.95	-
PK	2.4306G	111.85	Inf	-Inf	33.48	3	Vertical	266	2.50	-	78.37	27.48	6.00	-
PK	2.4846G	59.89	74.00	-14.11	33.46	3	Vertical	266	2.50	-	26.43	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	50.56	54.00	-3.44	33.57	3	Horizontal	354	2.85	-	16.99	27.62	5.95	-
AV	2.4318G	102.74	Inf	-Inf	33.47	3	Horizontal	354	2.85	-	69.27	27.47	6.00	-
AV	2.485G	49.67	54.00	-4.33	33.46	3	Horizontal	354	2.85	-	16.21	27.40	6.06	-
PK	2.3894G	63.14	74.00	-10.86	33.57	3	Horizontal	354	2.85	-	29.57	27.62	5.95	-
PK	2.4322G	111.68	Inf	-Inf	33.47	3	Horizontal	354	2.85	-	78.21	27.47	6.00	-
PK	2.4835G	61.35	74.00	-12.65	33.46	3	Horizontal	354	2.85	-	27.89	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.96	54.00	-13.04	5.09	3	Vertical	71	2.47	-	35.87	31.05	8.30	34.26
AV	7.329G	36.97	54.00	-17.03	11.74	3	Vertical	359	1.49	-	25.23	36.28	10.04	34.58
PK	4.874G	47.25	74.00	-26.75	5.09	3	Vertical	71	2.47	-	42.16	31.05	8.30	34.26
PK	7.30412G	48.80	74.00	-25.20	11.84	3	Vertical	359	1.49	-	36.96	36.38	10.03	34.57

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	33.61	54.00	-20.39	5.09	3	Horizontal	158	2.71	-	28.52	31.05	8.30	34.26
AV	7.311G	36.80	54.00	-17.20	11.82	3	Horizontal	121	1.48	-	24.98	36.36	10.03	34.57
PK	4.87384G	43.58	74.00	-30.42	5.09	3	Horizontal	158	2.71	-	38.49	31.05	8.30	34.26
PK	7.29668G	48.78	74.00	-25.22	11.85	3	Horizontal	121	1.48	-	36.93	36.39	10.03	34.57

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.90	54.00	-7.10	33.57	3	Vertical	272	2.51	-	13.33	27.62	5.95	-
AV	2.4358G	101.89	Inf	-Inf	33.46	3	Vertical	272	2.51	-	68.43	27.46	6.00	-
AV	2.4835G	49.74	54.00	-4.26	33.46	3	Vertical	272	2.51	-	16.28	27.40	6.06	-
PK	2.3874G	59.83	74.00	-14.17	33.58	3	Vertical	272	2.51	-	26.25	27.63	5.95	-
PK	2.4346G	110.82	Inf	-Inf	33.46	3	Vertical	272	2.51	-	77.36	27.46	6.00	-
PK	2.485G	63.98	74.00	-10.02	33.46	3	Vertical	272	2.51	-	30.52	27.40	6.06	-

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3494G	46.59	54.00	-7.41	33.62	3	Horizontal	355	2.85	-	12.97	27.70	5.92	-
AV	2.4322G	100.54	Inf	-Inf	33.47	3	Horizontal	355	2.85	-	67.07	27.47	6.00	-
AV	2.4858G	50.90	54.00	-3.10	33.46	3	Horizontal	355	2.85	-	17.44	27.40	6.06	-
PK	2.3878G	58.12	74.00	-15.88	33.57	3	Horizontal	355	2.85	-	24.55	27.62	5.95	-
PK	2.4322G	109.33	Inf	-Inf	33.47	3	Horizontal	355	2.85	-	75.86	27.47	6.00	-
PK	2.4842G	63.40	74.00	-10.60	33.46	3	Horizontal	355	2.85	-	29.94	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	46.67	54.00	-7.33	33.57	3	Vertical	290	2.77	-	13.10	27.62	5.95	-
AV	2.4368G	97.59	Inf	-Inf	33.45	3	Vertical	290	2.77	-	64.14	27.45	6.00	-
AV	2.484G	50.88	54.00	-3.12	33.46	3	Vertical	290	2.77	-	17.42	27.40	6.06	-
PK	2.3556G	58.11	74.00	-15.89	33.62	3	Vertical	290	2.77	-	24.49	27.69	5.93	-
PK	2.4368G	106.48	Inf	-Inf	33.45	3	Vertical	290	2.77	-	73.03	27.45	6.00	-
PK	2.484G	66.51	74.00	-7.49	33.46	3	Vertical	290	2.77	-	33.05	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3544G	46.57	54.00	-7.43	33.62	3	Horizontal	360	2.86	-	12.95	27.69	5.93	-
AV	2.4368G	94.34	Inf	-Inf	33.45	3	Horizontal	360	2.86	-	60.89	27.45	6.00	-
AV	2.4835G	49.04	54.00	-4.96	33.46	3	Horizontal	360	2.86	-	15.58	27.40	6.06	-
PK	2.368G	57.22	74.00	-16.78	33.60	3	Horizontal	360	2.86	-	23.62	27.66	5.94	-
PK	2.4368G	103.37	Inf	-Inf	33.45	3	Horizontal	360	2.86	-	69.92	27.45	6.00	-
PK	2.4844G	62.51	74.00	-11.49	33.46	3	Horizontal	360	2.86	-	29.05	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.904G	39.86	54.00	-14.14	5.09	3	Vertical	159	2.13	-	34.77	31.02	8.32	34.25
AV	7.34384G	37.01	54.00	-16.99	11.68	3	Vertical	90	1.82	-	25.33	36.22	10.04	34.58
PK	4.904G	46.14	74.00	-27.86	5.09	3	Vertical	159	2.13	-	41.05	31.02	8.32	34.25
PK	7.33872G	48.73	74.00	-25.27	11.71	3	Vertical	90	1.82	-	37.02	36.25	10.04	34.58

802.11n HT40_Nss1_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90392G	34.93	54.00	-19.07	5.09	3	Horizontal	158	2.99	-	29.84	31.02	8.32	34.25
AV	7.3612G	36.95	54.00	-17.05	11.64	3	Horizontal	208	1.60	-	25.31	36.18	10.04	34.58
PK	4.92304G	43.12	74.00	-30.88	5.17	3	Horizontal	158	2.99	-	37.95	31.09	8.33	34.25
PK	7.35552G	48.64	74.00	-25.36	11.65	3	Horizontal	208	1.60	-	36.99	36.19	10.04	34.58