


802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6258G	37.70	54.00	-16.30	-2.25	3	Horizontal	51	2.23	-	39.95	37.75	13.20	53.20
PK	10.4182G	51.33	68.20	-16.87	-4.30	3	Horizontal	199	1.77	-	55.63	39.54	10.67	54.51
PK	15.62024G	50.61	74.00	-23.39	-2.25	3	Horizontal	51	2.23	-	52.86	37.76	13.19	53.20

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	101.75	Inf	-Inf	5.94	3	Vertical	244	1.36	-	95.81	32.13	7.77	33.96
PK	5.649G	63.68	68.20	-4.52	5.17	3	Vertical	244	1.36	-	58.51	31.80	7.31	33.94
PK	5.7666G	111.83	Inf	-Inf	6.02	3	Vertical	244	1.36	-	105.81	32.17	7.81	33.96
PK	5.9358G	58.23	68.20	-9.97	6.83	3	Vertical	244	1.36	-	51.40	32.50	8.32	33.99

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	96.45	Inf	-Inf	5.96	3	Horizontal	168	2.28	-	90.49	32.14	7.78	33.96
PK	5.6514G	63.56	69.24	-5.68	5.18	3	Horizontal	168	2.28	-	58.38	31.80	7.32	33.94
PK	5.7594G	106.01	Inf	-Inf	5.96	3	Horizontal	168	2.28	-	100.05	32.14	7.78	33.96
PK	5.925G	57.29	68.20	-10.91	6.80	3	Horizontal	168	2.28	-	50.49	32.50	8.29	33.99

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54092G	47.24	54.00	-6.76	-2.64	3	Vertical	17	2.10	-	49.88	39.98	11.66	54.28
PK	11.54316G	59.42	74.00	-14.58	-2.64	3	Vertical	17	2.10	-	62.06	39.97	11.67	54.28
PK	17.3248G	56.92	68.20	-11.28	2.00	3	Vertical	247	1.48	-	54.92	40.35	14.33	52.68

802.11ac VHT80_Nss1_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55684G	40.02	54.00	-13.98	-2.66	3	Horizontal	51	1.05	-	42.68	39.93	11.68	54.27
PK	11.55736G	52.39	74.00	-21.61	-2.66	3	Horizontal	51	1.05	-	55.05	39.93	11.68	54.27
PK	17.31668G	56.02	68.20	-12.18	1.95	3	Horizontal	95	1.46	-	54.07	40.30	14.32	52.67



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1_2TX	Pass	QP	33.88M	38.34	40.00	-1.66	3	Vertical	230	1.05	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	115.36M	30.34	43.50	-13.16	3	Vertical	0	1.00	-
5775MHz	Pass	PK	714.82M	38.35	46.00	-7.65	3	Vertical	0	1.00	-
5775MHz	Pass	PK	734.22M	40.27	46.00	-5.73	3	Vertical	0	1.00	-
5775MHz	Pass	PK	937.92M	42.82	46.00	-3.18	3	Vertical	0	1.00	-
5775MHz	Pass	QP	33.88M	38.34	40.00	-1.66	3	Vertical	230	1.05	-
5775MHz	Pass	QP	59.1M	38.29	40.00	-1.71	3	Vertical	238	1.02	-
5775MHz	Pass	PK	30M	35.20	40.00	-4.80	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	115.36M	31.93	43.50	-11.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	291.9M	34.30	46.00	-11.70	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	563.5M	31.37	46.00	-14.63	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	743.92M	35.65	46.00	-10.35	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	937.92M	42.36	46.00	-3.64	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1_2TX

26/05/2020

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	115.36M	30.29	43.50	-13.21	-9.05	3	Vertical	0	1.00	-	39.34	17.13	1.55	27.73
PK	714.82M	38.34	46.00	-7.66	0.10	3	Vertical	0	1.00	-	38.24	24.24	4.23	28.37
PK	734.22M	40.26	46.00	-5.74	0.63	3	Vertical	0	1.00	-	39.63	24.72	4.27	28.36
PK	937.92M	42.81	46.00	-3.19	3.08	3	Vertical	0	1.00	-	39.73	25.83	4.88	27.63
QP	33.88M	38.29	40.00	-1.71	-5.53	3	Vertical	230	1.05	-	43.82	21.37	0.78	27.68
QP	59.1M	38.24	40.00	-1.76	-14.97	3	Vertical	238	1.02	-	53.21	11.65	1.08	27.70

802.11ac VHT80_Nss1_2TX

26/05/2020

5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	35.13	40.00	-4.87	-3.52	3	Horizontal	360	1.00	-	38.65	23.48	0.70	27.70
PK	115.36M	31.88	43.50	-11.62	-9.05	3	Horizontal	360	1.00	-	40.93	17.13	1.55	27.73
PK	291.9M	34.25	46.00	-11.75	-6.38	3	Horizontal	360	1.00	-	40.63	18.22	2.57	27.17
PK	563.5M	31.31	46.00	-14.69	-1.02	3	Horizontal	360	1.00	-	32.33	23.93	3.65	28.60
PK	743.92M	35.63	46.00	-10.37	0.74	3	Horizontal	360	1.00	-	34.89	24.80	4.29	28.35
PK	937.92M	42.35	46.00	-3.65	3.08	3	Horizontal	360	1.00	-	39.27	25.83	4.88	27.63

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	15.5411G	50.37	54.00	-3.63	3	Vertical	322	1.84	-
11a-10M_Nss1_2TX	Pass	AV	15.71964G	50.28	54.00	-3.72	3	Vertical	296	1.82	-
11a-20M_Nss1_2TX	Pass	AV	5.1496G	50.85	54.00	-3.15	3	Vertical	255	2.11	-
11n-5M_Nss1_2TX	Pass	AV	5.1456G	50.88	54.00	-3.12	3	Vertical	306	2.22	-
11n-10M_Nss1_2TX	Pass	AV	15.71864G	50.65	54.00	-3.35	3	Vertical	339	1.00	-
802.11ac VHT20_Nss1_2TX	Pass	AV	5.1492G	50.94	54.00	-3.06	3	Vertical	253	2.20	-
802.11ac VHT40_Nss1_2TX	Pass	AV	5.15G	50.97	54.00	-3.03	3	Vertical	239	2.34	-
802.11ac VHT80_Nss1_2TX	Pass	AV	5.149G	50.97	54.00	-3.03	3	Vertical	281	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	11.49044G	50.96	54.00	-3.04	3	Vertical	334	2.11	-
11a-10M_Nss1_2TX	Pass	AV	11.56872G	50.95	54.00	-3.05	3	Vertical	246	1.83	-
11a-20M_Nss1_2TX	Pass	AV	11.48988G	50.93	54.00	-3.07	3	Horizontal	12	2.81	-
11n-5M_Nss1_2TX	Pass	AV	11.57138G	50.95	54.00	-3.05	3	Vertical	276	1.90	-
11n-10M_Nss1_2TX	Pass	AV	11.57207G	50.64	54.00	-3.36	3	Vertical	280	1.91	-
802.11ac VHT20_Nss1_2TX	Pass	AV	11.48988G	50.97	54.00	-3.03	3	Horizontal	13	2.83	-
802.11ac VHT40_Nss1_2TX	Pass	AV	11.5026G	50.92	54.00	-3.08	3	Vertical	340	2.83	-
802.11ac VHT80_Nss1_2TX	Pass	PK	5.6442G	64.89	68.20	-3.31	3	Vertical	281	2.10	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11a-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	48.50	54.00	-5.50	3	Vertical	237	1.83	-
5180MHz	Pass	AV	5.1808G	112.08	Inf	-Inf	3	Vertical	237	1.83	-
5180MHz	Pass	PK	5.1442G	61.04	74.00	-12.96	3	Vertical	237	1.83	-
5180MHz	Pass	PK	5.1796G	123.10	Inf	-Inf	3	Vertical	237	1.83	-
5180MHz	Pass	AV	5.1478G	45.70	54.00	-8.30	3	Horizontal	40	1.50	-
5180MHz	Pass	AV	5.181G	102.73	Inf	-Inf	3	Horizontal	40	1.50	-
5180MHz	Pass	PK	5.1416G	58.67	74.00	-15.33	3	Horizontal	40	1.50	-
5180MHz	Pass	PK	5.1798G	113.59	Inf	-Inf	3	Horizontal	40	1.50	-
5180MHz	Pass	AV	15.5411G	50.37	54.00	-3.63	3	Vertical	322	1.84	-
5180MHz	Pass	PK	10.36143G	62.64	68.20	-5.56	3	Vertical	240	1.79	-
5180MHz	Pass	PK	15.54218G	67.81	74.00	-6.19	3	Vertical	322	1.84	-
5180MHz	Pass	AV	15.54138G	50.01	54.00	-3.99	3	Horizontal	316	2.11	-
5180MHz	Pass	PK	10.3614G	59.96	68.20	-8.24	3	Horizontal	67	1.19	-
5180MHz	Pass	PK	15.5394G	66.69	74.00	-7.31	3	Horizontal	316	2.11	-
5200MHz	Pass	AV	5.1044G	49.65	54.00	-4.35	3	Vertical	239	1.96	-
5200MHz	Pass	AV	5.2004G	112.99	Inf	-Inf	3	Vertical	239	1.96	-
5200MHz	Pass	PK	5.1492G	60.49	74.00	-13.51	3	Vertical	239	1.96	-
5200MHz	Pass	PK	5.2004G	124.71	Inf	-Inf	3	Vertical	239	1.96	-
5200MHz	Pass	AV	5.1044G	45.77	54.00	-8.23	3	Horizontal	26	2.18	-
5200MHz	Pass	AV	5.2G	104.24	Inf	-Inf	3	Horizontal	26	2.18	-
5200MHz	Pass	PK	5.1224G	58.20	74.00	-15.80	3	Horizontal	26	2.18	-
5200MHz	Pass	PK	5.2012G	115.75	Inf	-Inf	3	Horizontal	26	2.18	-
5200MHz	Pass	AV	15.6018G	50.15	54.00	-3.85	3	Vertical	322	2.12	-
5200MHz	Pass	PK	10.40266G	63.54	68.20	-4.66	3	Vertical	246	1.87	-
5200MHz	Pass	PK	15.60166G	68.42	74.00	-5.58	3	Vertical	322	2.12	-
5200MHz	Pass	AV	15.60144G	49.00	54.00	-5.00	3	Horizontal	317	2.47	-
5200MHz	Pass	PK	10.40172G	58.92	68.20	-9.28	3	Horizontal	172	3.00	-
5200MHz	Pass	PK	15.60152G	66.35	74.00	-7.65	3	Horizontal	317	2.47	-
5240MHz	Pass	AV	5.1446G	47.79	54.00	-6.21	3	Vertical	237	2.27	-
5240MHz	Pass	AV	5.2406G	113.71	Inf	-Inf	3	Vertical	237	2.27	-
5240MHz	Pass	AV	5.3504G	44.57	54.00	-9.43	3	Vertical	237	2.27	-
5240MHz	Pass	PK	5.117G	59.01	74.00	-14.99	3	Vertical	237	2.27	-
5240MHz	Pass	PK	5.2406G	124.51	Inf	-Inf	3	Vertical	237	2.27	-
5240MHz	Pass	PK	5.3582G	57.21	74.00	-16.79	3	Vertical	237	2.27	-
5240MHz	Pass	AV	5.1446G	45.84	54.00	-8.16	3	Horizontal	36	2.26	-
5240MHz	Pass	AV	5.2412G	104.12	Inf	-Inf	3	Horizontal	36	2.26	-
5240MHz	Pass	AV	5.3648G	43.74	54.00	-10.26	3	Horizontal	36	2.26	-
5240MHz	Pass	PK	5.1152G	58.52	74.00	-15.48	3	Horizontal	36	2.26	-
5240MHz	Pass	PK	5.2412G	114.18	Inf	-Inf	3	Horizontal	36	2.26	-
5240MHz	Pass	PK	5.3744G	56.36	74.00	-17.64	3	Horizontal	36	2.26	-
5240MHz	Pass	AV	15.72084G	50.01	54.00	-3.99	3	Vertical	312	2.56	-
5240MHz	Pass	PK	10.48044G	63.12	68.20	-5.08	3	Vertical	240	1.95	-
5240MHz	Pass	PK	15.72304G	66.64	74.00	-7.36	3	Vertical	312	2.56	-
5240MHz	Pass	AV	15.72092G	49.40	54.00	-4.60	3	Horizontal	305	2.39	-
5240MHz	Pass	PK	10.48304G	58.04	68.20	-10.16	3	Horizontal	184	1.50	-
5240MHz	Pass	PK	15.7212G	67.08	74.00	-6.92	3	Horizontal	305	2.39	-
5745MHz	Pass	AV	5.7462G	102.51	Inf	-Inf	3	Vertical	311	2.37	-
5745MHz	Pass	PK	5.5398G	58.43	68.20	-9.77	3	Vertical	311	2.37	-
5745MHz	Pass	PK	5.745G	113.80	Inf	-Inf	3	Vertical	311	2.37	-
5745MHz	Pass	PK	5.9742G	58.16	68.20	-10.04	3	Vertical	311	2.37	-
5745MHz	Pass	AV	5.745G	97.60	Inf	-Inf	3	Horizontal	32	2.40	-
5745MHz	Pass	PK	5.5374G	55.82	68.20	-12.38	3	Horizontal	32	2.40	-
5745MHz	Pass	PK	5.7462G	107.43	Inf	-Inf	3	Horizontal	32	2.40	-
5745MHz	Pass	PK	5.9586G	56.56	68.20	-11.64	3	Horizontal	32	2.40	-
5745MHz	Pass	AV	11.49044G	50.96	54.00	-3.04	3	Vertical	334	2.11	-
5745MHz	Pass	PK	11.48892G	64.26	74.00	-9.74	3	Vertical	334	2.11	-
5745MHz	Pass	PK	17.22908G	55.90	68.20	-12.30	3	Vertical	71	1.50	-
5745MHz	Pass	AV	11.49076G	46.78	54.00	-7.22	3	Horizontal	31	1.01	-
5745MHz	Pass	PK	11.4908G	61.38	74.00	-12.62	3	Horizontal	31	1.01	-
5745MHz	Pass	PK	17.23864G	56.30	68.20	-11.90	3	Horizontal	240	1.70	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7862G	106.19	Inf	-Inf	3	Vertical	284	2.02	-
5785MHz	Pass	PK	5.623G	58.13	68.20	-10.07	3	Vertical	284	2.02	-
5785MHz	Pass	PK	5.7862G	117.08	Inf	-Inf	3	Vertical	284	2.02	-
5785MHz	Pass	PK	5.953G	58.47	68.20	-9.73	3	Vertical	284	2.02	-
5785MHz	Pass	AV	5.7862G	101.20	Inf	-Inf	3	Horizontal	23	2.36	-
5785MHz	Pass	PK	5.6182G	56.99	68.20	-11.21	3	Horizontal	23	2.36	-
5785MHz	Pass	PK	5.7874G	110.59	Inf	-Inf	3	Horizontal	23	2.36	-
5785MHz	Pass	PK	5.9422G	58.26	68.20	-9.94	3	Horizontal	23	2.36	-
5785MHz	Pass	AV	11.5712G	49.19	54.00	-4.81	3	Vertical	239	1.79	-
5785MHz	Pass	PK	11.57128G	63.99	74.00	-10.01	3	Vertical	239	1.79	-
5785MHz	Pass	PK	17.35456G	61.93	68.20	-6.27	3	Vertical	315	2.85	-
5785MHz	Pass	AV	11.571G	46.50	54.00	-7.50	3	Horizontal	347	1.04	-
5785MHz	Pass	PK	11.57068G	59.40	74.00	-14.60	3	Horizontal	347	1.04	-
5785MHz	Pass	PK	17.35784G	57.12	68.20	-11.08	3	Horizontal	223	2.75	-
5825MHz	Pass	AV	5.825G	104.84	Inf	-Inf	3	Vertical	235	2.04	-
5825MHz	Pass	PK	5.615G	58.94	68.20	-9.26	3	Vertical	235	2.04	-
5825MHz	Pass	PK	5.8262G	114.94	Inf	-Inf	3	Vertical	235	2.04	-
5825MHz	Pass	PK	5.9558G	58.14	68.20	-10.06	3	Vertical	235	2.04	-
5825MHz	Pass	AV	5.825G	101.49	Inf	-Inf	3	Horizontal	27	1.00	-
5825MHz	Pass	PK	5.573G	58.24	68.20	-9.96	3	Horizontal	27	1.00	-
5825MHz	Pass	PK	5.8262G	111.69	Inf	-Inf	3	Horizontal	27	1.00	-
5825MHz	Pass	PK	5.927G	58.35	68.20	-9.85	3	Horizontal	27	1.00	-
5825MHz	Pass	AV	11.6506G	50.19	54.00	-3.81	3	Vertical	335	2.20	-
5825MHz	Pass	PK	11.65136G	62.95	74.00	-11.05	3	Vertical	335	2.20	-
5825MHz	Pass	PK	17.4772G	62.65	68.20	-5.55	3	Vertical	316	3.00	-
5825MHz	Pass	AV	11.651G	48.32	54.00	-5.68	3	Horizontal	30	2.97	-
5825MHz	Pass	PK	11.6508G	61.70	74.00	-12.30	3	Horizontal	30	2.97	-
5825MHz	Pass	PK	17.47732G	58.64	68.20	-9.56	3	Horizontal	234	1.67	-
11a-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	48.75	54.00	-5.25	3	Vertical	235	2.89	-
5180MHz	Pass	AV	5.1816G	110.61	Inf	-Inf	3	Vertical	235	2.89	-
5180MHz	Pass	PK	5.1374G	61.60	74.00	-12.40	3	Vertical	235	2.89	-
5180MHz	Pass	PK	5.1792G	121.35	Inf	-Inf	3	Vertical	235	2.89	-
5180MHz	Pass	AV	5.1494G	46.73	54.00	-7.27	3	Horizontal	25	2.35	-
5180MHz	Pass	AV	5.1792G	104.53	Inf	-Inf	3	Horizontal	25	2.35	-
5180MHz	Pass	PK	5.131G	59.42	74.00	-14.58	3	Horizontal	25	2.35	-
5180MHz	Pass	PK	5.1818G	115.15	Inf	-Inf	3	Horizontal	25	2.35	-
5180MHz	Pass	AV	15.54044G	49.53	54.00	-4.47	3	Vertical	315	1.85	-
5180MHz	Pass	PK	10.35848G	60.44	68.20	-7.76	3	Vertical	242	1.87	-
5180MHz	Pass	PK	15.53936G	66.12	74.00	-7.88	3	Vertical	315	1.85	-
5180MHz	Pass	AV	15.5392G	49.00	54.00	-5.00	3	Horizontal	312	2.15	-
5180MHz	Pass	PK	10.35928G	56.56	68.20	-11.64	3	Horizontal	232	2.09	-
5180MHz	Pass	PK	15.54016G	64.13	74.00	-9.87	3	Horizontal	312	2.15	-
5200MHz	Pass	AV	5.15G	48.87	54.00	-5.13	3	Vertical	238	2.19	-
5200MHz	Pass	AV	5.2G	111.92	Inf	-Inf	3	Vertical	238	2.19	-
5200MHz	Pass	PK	5.1488G	61.53	74.00	-12.47	3	Vertical	238	2.19	-
5200MHz	Pass	PK	5.1984G	122.52	Inf	-Inf	3	Vertical	238	2.19	-
5200MHz	Pass	AV	5.104G	45.61	54.00	-8.39	3	Horizontal	25	2.22	-
5200MHz	Pass	AV	5.1988G	103.55	Inf	-Inf	3	Horizontal	25	2.22	-
5200MHz	Pass	PK	5.1488G	59.26	74.00	-14.74	3	Horizontal	25	2.22	-
5200MHz	Pass	PK	5.198G	114.71	Inf	-Inf	3	Horizontal	25	2.22	-
5200MHz	Pass	AV	15.6006G	50.19	54.00	-3.81	3	Vertical	316	2.14	-
5200MHz	Pass	PK	10.39894G	60.57	68.20	-7.63	3	Vertical	234	2.04	-
5200MHz	Pass	PK	15.59792G	66.93	74.00	-7.07	3	Vertical	316	2.14	-
5200MHz	Pass	AV	15.59916G	47.90	54.00	-6.10	3	Horizontal	316	2.11	-
5200MHz	Pass	PK	10.3988G	62.03	68.20	-6.17	3	Horizontal	58	2.04	-
5200MHz	Pass	PK	15.59706G	62.77	74.00	-11.23	3	Horizontal	316	2.11	-
5240MHz	Pass	AV	5.144G	47.67	54.00	-6.33	3	Vertical	268	3.00	-
5240MHz	Pass	AV	5.2412G	111.22	Inf	-Inf	3	Vertical	268	3.00	-
5240MHz	Pass	AV	5.35G	44.65	54.00	-9.35	3	Vertical	268	3.00	-
5240MHz	Pass	PK	5.1092G	59.22	74.00	-14.78	3	Vertical	268	3.00	-
5240MHz	Pass	PK	5.2412G	121.92	Inf	-Inf	3	Vertical	268	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3864G	57.75	74.00	-16.25	3	Vertical	268	3.00	-
5240MHz	Pass	AV	5.144G	45.70	54.00	-8.30	3	Horizontal	31	2.26	-
5240MHz	Pass	AV	5.2406G	105.31	Inf	-Inf	3	Horizontal	31	2.26	-
5240MHz	Pass	AV	5.3852G	43.97	54.00	-10.03	3	Horizontal	31	2.26	-
5240MHz	Pass	PK	5.1254G	58.86	74.00	-15.14	3	Horizontal	31	2.26	-
5240MHz	Pass	PK	5.2394G	115.98	Inf	-Inf	3	Horizontal	31	2.26	-
5240MHz	Pass	PK	5.3858G	57.47	74.00	-16.53	3	Horizontal	31	2.26	-
5240MHz	Pass	AV	15.71964G	50.28	54.00	-3.72	3	Vertical	296	1.82	-
5240MHz	Pass	PK	10.4791G	61.47	68.20	-6.73	3	Vertical	237	2.01	-
5240MHz	Pass	PK	15.71946G	64.67	74.00	-9.33	3	Vertical	296	1.82	-
5240MHz	Pass	AV	15.72044G	48.23	54.00	-5.77	3	Horizontal	316	2.09	-
5240MHz	Pass	PK	10.47648G	57.35	68.20	-10.85	3	Horizontal	183	2.95	-
5240MHz	Pass	PK	15.71996G	64.24	74.00	-9.76	3	Horizontal	316	2.09	-
5745MHz	Pass	AV	5.7438G	102.33	Inf	-Inf	3	Vertical	283	2.14	-
5745MHz	Pass	PK	5.5614G	58.00	68.20	-10.20	3	Vertical	283	2.14	-
5745MHz	Pass	PK	5.7462G	112.57	Inf	-Inf	3	Vertical	283	2.14	-
5745MHz	Pass	PK	5.943G	58.46	68.20	-9.74	3	Vertical	283	2.14	-
5745MHz	Pass	AV	5.7462G	97.30	Inf	-Inf	3	Horizontal	23	2.41	-
5745MHz	Pass	PK	5.535G	57.92	68.20	-10.28	3	Horizontal	23	2.41	-
5745MHz	Pass	PK	5.7462G	108.18	Inf	-Inf	3	Horizontal	23	2.41	-
5745MHz	Pass	PK	5.9286G	58.43	68.20	-9.77	3	Horizontal	23	2.41	-
5745MHz	Pass	AV	11.48908G	50.92	54.00	-3.08	3	Vertical	335	2.19	-
5745MHz	Pass	PK	11.48872G	65.10	74.00	-8.90	3	Vertical	335	2.19	-
5745MHz	Pass	PK	17.23972G	60.76	68.20	-7.44	3	Vertical	315	3.00	-
5745MHz	Pass	AV	11.49G	46.70	54.00	-7.30	3	Horizontal	30	2.97	-
5745MHz	Pass	PK	11.48768G	60.54	74.00	-13.46	3	Horizontal	30	2.97	-
5745MHz	Pass	PK	17.22924G	56.01	68.20	-12.19	3	Horizontal	62	1.50	-
5785MHz	Pass	AV	5.7862G	104.84	Inf	-Inf	3	Vertical	281	2.20	-
5785MHz	Pass	PK	5.629G	58.46	68.20	-9.74	3	Vertical	281	2.20	-
5785MHz	Pass	PK	5.7862G	115.11	Inf	-Inf	3	Vertical	281	2.20	-
5785MHz	Pass	PK	5.9758G	58.45	68.20	-9.75	3	Vertical	281	2.20	-
5785MHz	Pass	AV	5.785G	98.48	Inf	-Inf	3	Horizontal	20	2.35	-
5785MHz	Pass	PK	5.6458G	58.50	68.20	-9.70	3	Horizontal	20	2.35	-
5785MHz	Pass	PK	5.7862G	108.65	Inf	-Inf	3	Horizontal	20	2.35	-
5785MHz	Pass	PK	5.9254G	57.64	68.20	-10.56	3	Horizontal	20	2.35	-
5785MHz	Pass	AV	11.56872G	50.95	54.00	-3.05	3	Vertical	246	1.83	-
5785MHz	Pass	PK	11.571G	65.72	74.00	-8.28	3	Vertical	246	1.83	-
5785MHz	Pass	PK	17.35392G	62.17	68.20	-6.03	3	Vertical	315	2.99	-
5785MHz	Pass	AV	11.57008G	46.53	54.00	-7.47	3	Horizontal	30	3.00	-
5785MHz	Pass	PK	11.57024G	60.62	74.00	-13.38	3	Horizontal	30	3.00	-
5785MHz	Pass	PK	17.36428G	56.84	68.20	-11.36	3	Horizontal	196	2.39	-
5825MHz	Pass	AV	5.8238G	104.30	Inf	-Inf	3	Vertical	282	2.01	-
5825MHz	Pass	PK	5.6078G	57.85	68.20	-10.35	3	Vertical	282	2.01	-
5825MHz	Pass	PK	5.8262G	115.17	Inf	-Inf	3	Vertical	282	2.01	-
5825MHz	Pass	PK	5.9546G	58.73	68.20	-9.47	3	Vertical	282	2.01	-
5825MHz	Pass	AV	5.8226G	98.91	Inf	-Inf	3	Horizontal	29	1.00	-
5825MHz	Pass	PK	5.5778G	58.27	68.20	-9.93	3	Horizontal	29	1.00	-
5825MHz	Pass	PK	5.8238G	109.22	Inf	-Inf	3	Horizontal	29	1.00	-
5825MHz	Pass	PK	5.9402G	57.87	68.20	-10.33	3	Horizontal	29	1.00	-
5825MHz	Pass	AV	11.64944G	50.50	54.00	-3.50	3	Vertical	336	2.14	-
5825MHz	Pass	PK	11.64684G	64.48	74.00	-9.52	3	Vertical	336	2.14	-
5825MHz	Pass	PK	17.47632G	62.29	68.20	-5.91	3	Vertical	315	2.99	-
5825MHz	Pass	AV	11.64992G	46.13	54.00	-7.87	3	Horizontal	28	2.95	-
5825MHz	Pass	PK	11.65028G	59.60	74.00	-14.40	3	Horizontal	28	2.95	-
5825MHz	Pass	PK	17.48312G	58.83	68.20	-9.37	3	Horizontal	1	1.00	-
11a-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	50.85	54.00	-3.15	3	Vertical	255	2.11	-
5180MHz	Pass	AV	5.18G	108.08	Inf	-Inf	3	Vertical	255	2.11	-
5180MHz	Pass	PK	5.1472G	62.82	74.00	-11.18	3	Vertical	255	2.11	-
5180MHz	Pass	PK	5.1768G	116.07	Inf	-Inf	3	Vertical	255	2.11	-
5180MHz	Pass	AV	5.1424G	45.99	54.00	-8.01	3	Horizontal	0	1.50	-
5180MHz	Pass	AV	5.1798G	97.72	Inf	-Inf	3	Horizontal	0	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1422G	58.84	74.00	-15.16	3	Horizontal	0	1.50	-
5180MHz	Pass	PK	5.1764G	106.08	Inf	-Inf	3	Horizontal	0	1.50	-
5180MHz	Pass	AV	15.53682G	40.76	54.00	-13.24	3	Vertical	318	2.43	-
5180MHz	Pass	PK	10.35682G	57.95	68.20	-10.25	3	Vertical	292	2.95	-
5180MHz	Pass	PK	15.54324G	53.33	74.00	-20.67	3	Vertical	318	2.43	-
5180MHz	Pass	AV	15.53802G	41.43	54.00	-12.57	3	Horizontal	329	2.02	-
5180MHz	Pass	PK	10.36162G	58.34	68.20	-9.86	3	Horizontal	25	2.21	-
5180MHz	Pass	PK	15.54168G	54.39	74.00	-19.61	3	Horizontal	329	2.02	-
5200MHz	Pass	AV	5.104G	48.21	54.00	-5.79	3	Vertical	252	2.08	-
5200MHz	Pass	AV	5.1992G	109.80	Inf	-Inf	3	Vertical	252	2.08	-
5200MHz	Pass	PK	5.1448G	59.56	74.00	-14.44	3	Vertical	252	2.08	-
5200MHz	Pass	PK	5.1964G	118.75	Inf	-Inf	3	Vertical	252	2.08	-
5200MHz	Pass	AV	5.1256G	45.49	54.00	-8.51	3	Horizontal	5	1.20	-
5200MHz	Pass	AV	5.1992G	100.40	Inf	-Inf	3	Horizontal	5	1.20	-
5200MHz	Pass	PK	5.1452G	58.02	74.00	-15.98	3	Horizontal	5	1.20	-
5200MHz	Pass	PK	5.1968G	109.23	Inf	-Inf	3	Horizontal	5	1.20	-
5200MHz	Pass	AV	15.59952G	48.43	54.00	-5.57	3	Vertical	259	2.63	-
5200MHz	Pass	PK	10.40184G	61.22	68.20	-6.98	3	Vertical	21	3.00	-
5200MHz	Pass	PK	15.59956G	61.71	74.00	-12.29	3	Vertical	259	2.63	-
5200MHz	Pass	AV	15.599G	49.37	54.00	-4.63	3	Horizontal	332	2.40	-
5200MHz	Pass	PK	10.3978G	60.64	68.20	-7.56	3	Horizontal	24	2.13	-
5200MHz	Pass	PK	15.59612G	61.88	74.00	-12.12	3	Horizontal	332	2.40	-
5240MHz	Pass	AV	5.144G	46.82	54.00	-7.18	3	Vertical	249	2.05	-
5240MHz	Pass	AV	5.243G	109.76	Inf	-Inf	3	Vertical	249	2.05	-
5240MHz	Pass	AV	5.354G	45.02	54.00	-8.98	3	Vertical	249	2.05	-
5240MHz	Pass	PK	5.1422G	59.37	74.00	-14.63	3	Vertical	249	2.05	-
5240MHz	Pass	PK	5.2364G	119.20	Inf	-Inf	3	Vertical	249	2.05	-
5240MHz	Pass	PK	5.3576G	57.01	74.00	-16.99	3	Vertical	249	2.05	-
5240MHz	Pass	AV	5.1176G	45.35	54.00	-8.65	3	Horizontal	10	1.20	-
5240MHz	Pass	AV	5.2394G	99.92	Inf	-Inf	3	Horizontal	10	1.20	-
5240MHz	Pass	AV	5.3576G	43.50	54.00	-10.50	3	Horizontal	10	1.20	-
5240MHz	Pass	PK	5.1008G	57.38	74.00	-16.62	3	Horizontal	10	1.20	-
5240MHz	Pass	PK	5.2364G	109.03	Inf	-Inf	3	Horizontal	10	1.20	-
5240MHz	Pass	PK	5.3576G	56.00	74.00	-18.00	3	Horizontal	10	1.20	-
5240MHz	Pass	AV	15.71896G	50.03	54.00	-3.97	3	Vertical	320	2.85	-
5240MHz	Pass	PK	10.47832G	61.05	68.20	-7.15	3	Vertical	24	2.81	-
5240MHz	Pass	PK	15.72564G	62.93	74.00	-11.07	3	Vertical	320	2.85	-
5240MHz	Pass	AV	15.7191G	50.08	54.00	-3.92	3	Horizontal	327	2.06	-
5240MHz	Pass	PK	10.47748G	58.70	68.20	-9.50	3	Horizontal	29	2.39	-
5240MHz	Pass	PK	15.7261G	62.97	74.00	-11.03	3	Horizontal	327	2.06	-
5745MHz	Pass	AV	5.7486G	102.35	Inf	-Inf	3	Vertical	233	2.03	-
5745MHz	Pass	PK	5.6166G	58.01	68.20	-10.19	3	Vertical	233	2.03	-
5745MHz	Pass	PK	5.7414G	111.12	Inf	-Inf	3	Vertical	233	2.03	-
5745MHz	Pass	PK	5.9586G	57.35	68.20	-10.85	3	Vertical	233	2.03	-
5745MHz	Pass	AV	5.7438G	97.99	Inf	-Inf	3	Horizontal	301	1.01	-
5745MHz	Pass	PK	5.4894G	56.61	68.20	-11.59	3	Horizontal	301	1.01	-
5745MHz	Pass	PK	5.7462G	106.76	Inf	-Inf	3	Horizontal	301	1.01	-
5745MHz	Pass	PK	5.9538G	58.06	68.20	-10.14	3	Horizontal	301	1.01	-
5745MHz	Pass	AV	11.48792G	49.82	54.00	-4.18	3	Vertical	281	3.00	-
5745MHz	Pass	PK	11.49268G	62.73	74.00	-11.27	3	Vertical	281	3.00	-
5745MHz	Pass	PK	17.22836G	58.61	68.20	-9.59	3	Vertical	324	2.94	-
5745MHz	Pass	AV	11.48988G	50.93	54.00	-3.07	3	Horizontal	12	2.81	-
5745MHz	Pass	PK	11.49048G	64.07	74.00	-9.93	3	Horizontal	12	2.81	-
5745MHz	Pass	PK	17.23972G	55.73	68.20	-12.47	3	Horizontal	231	1.50	-
5785MHz	Pass	AV	5.7874G	105.13	Inf	-Inf	3	Vertical	244	2.04	-
5785MHz	Pass	PK	5.5474G	57.83	68.20	-10.37	3	Vertical	244	2.04	-
5785MHz	Pass	PK	5.7874G	114.08	Inf	-Inf	3	Vertical	244	2.04	-
5785MHz	Pass	PK	5.9554G	57.68	68.20	-10.52	3	Vertical	244	2.04	-
5785MHz	Pass	AV	5.7862G	99.66	Inf	-Inf	3	Horizontal	316	2.40	-
5785MHz	Pass	PK	5.6398G	57.58	68.20	-10.62	3	Horizontal	316	2.40	-
5785MHz	Pass	PK	5.7838G	108.70	Inf	-Inf	3	Horizontal	316	2.40	-
5785MHz	Pass	PK	5.9506G	58.06	68.20	-10.14	3	Horizontal	316	2.40	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.56984G	49.53	54.00	-4.47	3	Vertical	121	2.97	-
5785MHz	Pass	PK	11.56436G	61.87	74.00	-12.13	3	Vertical	121	2.97	-
5785MHz	Pass	PK	17.36268G	59.23	68.20	-8.97	3	Vertical	322	2.98	-
5785MHz	Pass	AV	11.56988G	50.75	54.00	-3.25	3	Horizontal	11	2.80	-
5785MHz	Pass	PK	11.56864G	62.64	74.00	-11.36	3	Horizontal	11	2.80	-
5785MHz	Pass	PK	17.36352G	57.12	68.20	-11.08	3	Horizontal	7	2.98	-
5825MHz	Pass	AV	5.8274G	109.73	Inf	-Inf	3	Vertical	246	2.05	-
5825MHz	Pass	PK	5.5442G	57.92	68.20	-10.28	3	Vertical	246	2.05	-
5825MHz	Pass	PK	5.8274G	119.32	Inf	-Inf	3	Vertical	246	2.05	-
5825MHz	Pass	PK	5.9462G	58.36	68.20	-9.84	3	Vertical	246	2.05	-
5825MHz	Pass	AV	5.8238G	102.24	Inf	-Inf	3	Horizontal	56	1.00	-
5825MHz	Pass	PK	5.5298G	56.81	68.20	-11.39	3	Horizontal	56	1.00	-
5825MHz	Pass	PK	5.8214G	111.43	Inf	-Inf	3	Horizontal	56	1.00	-
5825MHz	Pass	PK	5.963G	57.90	68.20	-10.30	3	Horizontal	56	1.00	-
5825MHz	Pass	AV	11.6498G	47.89	54.00	-6.11	3	Vertical	144	3.00	-
5825MHz	Pass	PK	11.65396G	58.30	74.00	-15.70	3	Vertical	144	3.00	-
5825MHz	Pass	PK	17.4744G	62.51	68.20	-5.69	3	Vertical	226	3.00	-
5825MHz	Pass	AV	11.64988G	49.92	54.00	-4.08	3	Horizontal	11	2.99	-
5825MHz	Pass	PK	11.65524G	62.01	74.00	-11.99	3	Horizontal	11	2.99	-
5825MHz	Pass	PK	17.47524G	60.26	68.20	-7.94	3	Horizontal	130	2.66	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1456G	50.88	54.00	-3.12	3	Vertical	306	2.22	-
5180MHz	Pass	AV	5.1796G	113.85	Inf	-Inf	3	Vertical	306	2.22	-
5180MHz	Pass	PK	5.1496G	64.29	74.00	-9.71	3	Vertical	306	2.22	-
5180MHz	Pass	PK	5.1802G	124.15	Inf	-Inf	3	Vertical	306	2.22	-
5180MHz	Pass	AV	5.1458G	44.62	54.00	-9.38	3	Horizontal	186	1.97	-
5180MHz	Pass	AV	5.1796G	105.50	Inf	-Inf	3	Horizontal	186	1.97	-
5180MHz	Pass	PK	5.147G	57.56	74.00	-16.44	3	Horizontal	186	1.97	-
5180MHz	Pass	PK	5.1818G	116.45	Inf	-Inf	3	Horizontal	186	1.97	-
5180MHz	Pass	AV	15.54066G	50.33	54.00	-3.67	3	Vertical	329	2.43	-
5180MHz	Pass	PK	10.36111G	55.69	68.20	-12.51	3	Vertical	98	2.54	-
5180MHz	Pass	PK	15.54333G	66.57	74.00	-7.43	3	Vertical	329	2.43	-
5180MHz	Pass	AV	15.54207G	49.20	54.00	-4.80	3	Horizontal	58	1.00	-
5180MHz	Pass	PK	10.36075G	55.42	68.20	-12.78	3	Horizontal	134	1.88	-
5180MHz	Pass	PK	15.53913G	65.58	74.00	-8.42	3	Horizontal	58	1.00	-
5200MHz	Pass	AV	5.15G	48.28	54.00	-5.72	3	Vertical	305	2.01	-
5200MHz	Pass	AV	5.2G	113.60	Inf	-Inf	3	Vertical	305	2.01	-
5200MHz	Pass	PK	5.15G	60.39	74.00	-13.61	3	Vertical	305	2.01	-
5200MHz	Pass	PK	5.2G	123.42	Inf	-Inf	3	Vertical	305	2.01	-
5200MHz	Pass	AV	5.1496G	43.75	54.00	-10.25	3	Horizontal	189	1.48	-
5200MHz	Pass	AV	5.2012G	105.30	Inf	-Inf	3	Horizontal	189	1.48	-
5200MHz	Pass	PK	5.132G	56.67	74.00	-17.33	3	Horizontal	189	1.48	-
5200MHz	Pass	PK	5.2016G	115.40	Inf	-Inf	3	Horizontal	189	1.48	-
5200MHz	Pass	AV	15.60027G	50.69	54.00	-3.31	3	Vertical	330	2.61	-
5200MHz	Pass	PK	10.40207G	55.26	68.20	-12.94	3	Vertical	77	1.44	-
5200MHz	Pass	PK	15.59976G	69.57	74.00	-4.43	3	Vertical	330	2.61	-
5200MHz	Pass	AV	15.6015G	47.45	54.00	-6.55	3	Horizontal	0	2.83	-
5200MHz	Pass	PK	10.40186G	54.89	68.20	-13.31	3	Horizontal	194	1.00	-
5200MHz	Pass	PK	15.6039G	63.19	74.00	-10.81	3	Horizontal	0	2.83	-
5240MHz	Pass	AV	5.1446G	47.38	54.00	-6.62	3	Vertical	306	1.97	-
5240MHz	Pass	AV	5.24G	111.20	Inf	-Inf	3	Vertical	306	1.97	-
5240MHz	Pass	AV	5.35G	43.42	54.00	-10.58	3	Vertical	306	1.97	-
5240MHz	Pass	PK	5.1308G	57.70	74.00	-16.30	3	Vertical	306	1.97	-
5240MHz	Pass	PK	5.2406G	121.99	Inf	-Inf	3	Vertical	306	1.97	-
5240MHz	Pass	PK	5.3546G	56.63	74.00	-17.37	3	Vertical	306	1.97	-
5240MHz	Pass	AV	5.1446G	43.00	54.00	-11.00	3	Horizontal	186	2.20	-
5240MHz	Pass	AV	5.24G	102.57	Inf	-Inf	3	Horizontal	186	2.20	-
5240MHz	Pass	AV	5.3846G	41.27	54.00	-12.73	3	Horizontal	186	2.20	-
5240MHz	Pass	PK	5.144G	55.72	74.00	-18.28	3	Horizontal	186	2.20	-
5240MHz	Pass	PK	5.2412G	113.79	Inf	-Inf	3	Horizontal	186	2.20	-
5240MHz	Pass	PK	5.3654G	54.67	74.00	-19.33	3	Horizontal	186	2.20	-
5240MHz	Pass	AV	15.72138G	50.55	54.00	-3.45	3	Vertical	274	1.74	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.47919G	55.05	68.20	-13.15	3	Vertical	149	2.06	-
5240MHz	Pass	PK	15.72126G	66.39	74.00	-7.61	3	Vertical	274	1.74	-
5240MHz	Pass	AV	15.72237G	48.40	54.00	-5.60	3	Horizontal	331	1.09	-
5240MHz	Pass	PK	10.48066G	56.58	68.20	-11.62	3	Horizontal	60	1.00	-
5240MHz	Pass	PK	15.71973G	65.07	74.00	-8.93	3	Horizontal	331	1.09	-
5745MHz	Pass	AV	5.7462G	108.12	Inf	-Inf	3	Vertical	301	1.96	-
5745MHz	Pass	PK	5.6478G	57.20	68.20	-11.00	3	Vertical	301	1.96	-
5745MHz	Pass	PK	5.745G	118.78	Inf	-Inf	3	Vertical	301	1.96	-
5745MHz	Pass	PK	6.009G	55.73	68.20	-12.47	3	Vertical	301	1.96	-
5745MHz	Pass	AV	5.7438G	104.68	Inf	-Inf	3	Horizontal	4	2.74	-
5745MHz	Pass	PK	5.511G	55.75	68.20	-12.45	3	Horizontal	4	2.74	-
5745MHz	Pass	PK	5.7462G	116.39	Inf	-Inf	3	Horizontal	4	2.74	-
5745MHz	Pass	PK	5.991G	55.58	68.20	-12.62	3	Horizontal	4	2.74	-
5745MHz	Pass	AV	11.49165G	50.88	54.00	-3.12	3	Vertical	89	3.00	-
5745MHz	Pass	PK	11.49168G	63.99	74.00	-10.01	3	Vertical	89	3.00	-
5745MHz	Pass	PK	17.24016G	59.03	68.20	-9.17	3	Vertical	314	1.00	-
5745MHz	Pass	AV	11.49033G	44.87	54.00	-9.13	3	Horizontal	344	1.50	-
5745MHz	Pass	PK	11.49009G	57.32	74.00	-16.68	3	Horizontal	344	1.50	-
5745MHz	Pass	PK	17.23749G	58.13	68.20	-10.07	3	Horizontal	239	1.50	-
5785MHz	Pass	AV	5.785G	108.00	Inf	-Inf	3	Vertical	298	1.50	-
5785MHz	Pass	PK	5.5978G	57.21	68.20	-10.99	3	Vertical	298	1.50	-
5785MHz	Pass	PK	5.785G	117.51	Inf	-Inf	3	Vertical	298	1.50	-
5785MHz	Pass	PK	5.9386G	56.70	68.20	-11.50	3	Vertical	298	1.50	-
5785MHz	Pass	AV	5.785G	104.10	Inf	-Inf	3	Horizontal	189	2.69	-
5785MHz	Pass	PK	5.6038G	55.40	68.20	-12.80	3	Horizontal	189	2.69	-
5785MHz	Pass	PK	5.7862G	114.03	Inf	-Inf	3	Horizontal	189	2.69	-
5785MHz	Pass	PK	5.9422G	56.58	68.20	-11.62	3	Horizontal	189	2.69	-
5785MHz	Pass	AV	11.57138G	50.95	54.00	-3.05	3	Vertical	276	1.90	-
5785MHz	Pass	PK	11.57177G	64.27	74.00	-9.73	3	Vertical	276	1.90	-
5785MHz	Pass	PK	17.35761G	59.51	68.20	-8.69	3	Vertical	60	1.22	-
5785MHz	Pass	AV	11.57177G	44.32	54.00	-9.68	3	Horizontal	296	2.63	-
5785MHz	Pass	PK	11.57213G	57.39	74.00	-16.61	3	Horizontal	296	2.63	-
5785MHz	Pass	PK	17.34828G	59.38	68.20	-8.82	3	Horizontal	30	2.68	-
5825MHz	Pass	AV	5.825G	115.20	Inf	-Inf	3	Vertical	298	2.12	-
5825MHz	Pass	PK	5.633G	56.58	68.20	-11.62	3	Vertical	298	2.12	-
5825MHz	Pass	PK	5.825G	124.54	Inf	-Inf	3	Vertical	298	2.12	-
5825MHz	Pass	PK	6.0758G	56.11	68.20	-12.09	3	Vertical	298	2.12	-
5825MHz	Pass	AV	5.8262G	103.68	Inf	-Inf	3	Horizontal	38	1.41	-
5825MHz	Pass	PK	5.5814G	55.31	68.20	-12.89	3	Horizontal	38	1.41	-
5825MHz	Pass	PK	5.8262G	113.35	Inf	-Inf	3	Horizontal	38	1.41	-
5825MHz	Pass	PK	5.9294G	56.60	68.20	-11.60	3	Horizontal	38	1.41	-
5825MHz	Pass	AV	11.64994G	50.93	54.00	-3.07	3	Vertical	93	2.49	-
5825MHz	Pass	PK	11.64967G	68.58	74.00	-5.42	3	Vertical	93	2.49	-
5825MHz	Pass	PK	17.47704G	63.73	68.20	-4.47	3	Vertical	75	1.98	-
5825MHz	Pass	AV	11.64958G	46.83	54.00	-7.17	3	Horizontal	46	1.00	-
5825MHz	Pass	PK	11.64958G	62.28	74.00	-11.72	3	Horizontal	46	1.00	-
5825MHz	Pass	PK	17.47344G	63.05	68.20	-5.15	3	Horizontal	315	2.74	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.132G	48.92	54.00	-5.08	3	Vertical	302	2.10	-
5180MHz	Pass	AV	5.1794G	110.02	Inf	-Inf	3	Vertical	302	2.10	-
5180MHz	Pass	PK	5.1474G	61.73	74.00	-12.27	3	Vertical	302	2.10	-
5180MHz	Pass	PK	5.1796G	120.66	Inf	-Inf	3	Vertical	302	2.10	-
5180MHz	Pass	AV	5.1494G	44.65	54.00	-9.35	3	Horizontal	6	2.41	-
5180MHz	Pass	AV	5.1822G	104.66	Inf	-Inf	3	Horizontal	6	2.41	-
5180MHz	Pass	PK	5.1476G	58.73	74.00	-15.27	3	Horizontal	6	2.41	-
5180MHz	Pass	PK	5.178G	115.80	Inf	-Inf	3	Horizontal	6	2.41	-
5180MHz	Pass	AV	15.54134G	49.64	54.00	-4.36	3	Vertical	337	2.97	-
5180MHz	Pass	PK	10.3608G	55.18	68.20	-13.02	3	Vertical	75	2.73	-
5180MHz	Pass	PK	15.53642G	65.80	74.00	-8.20	3	Vertical	337	2.97	-
5180MHz	Pass	AV	15.54009G	50.53	54.00	-3.47	3	Horizontal	309	2.49	-
5180MHz	Pass	PK	10.34812G	54.01	68.20	-14.19	3	Horizontal	10	1.50	-
5180MHz	Pass	PK	15.5417G	66.35	74.00	-7.65	3	Horizontal	309	2.49	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	AV	5.1496G	46.99	54.00	-7.01	3	Vertical	289	2.16	-
5200MHz	Pass	AV	5.2004G	109.17	Inf	-Inf	3	Vertical	289	2.16	-
5200MHz	Pass	PK	5.148G	58.77	74.00	-15.23	3	Vertical	289	2.16	-
5200MHz	Pass	PK	5.2004G	120.29	Inf	-Inf	3	Vertical	289	2.16	-
5200MHz	Pass	AV	5.1496G	43.70	54.00	-10.30	3	Horizontal	7	1.50	-
5200MHz	Pass	AV	5.2012G	102.88	Inf	-Inf	3	Horizontal	7	1.50	-
5200MHz	Pass	PK	5.1428G	56.46	74.00	-17.54	3	Horizontal	7	1.50	-
5200MHz	Pass	PK	5.2008G	113.45	Inf	-Inf	3	Horizontal	7	1.50	-
5200MHz	Pass	AV	15.59998G	50.53	54.00	-3.47	3	Vertical	334	2.01	-
5200MHz	Pass	PK	10.40085G	55.46	68.20	-12.74	3	Vertical	74	2.64	-
5200MHz	Pass	PK	15.59926G	65.91	74.00	-8.09	3	Vertical	334	2.01	-
5200MHz	Pass	AV	15.60176G	49.95	54.00	-4.05	3	Horizontal	312	2.49	-
5200MHz	Pass	PK	10.40034G	56.75	68.20	-11.45	3	Horizontal	58	2.01	-
5200MHz	Pass	PK	15.60185G	65.41	74.00	-8.59	3	Horizontal	312	2.49	-
5240MHz	Pass	AV	5.144G	46.67	54.00	-7.33	3	Vertical	304	2.09	-
5240MHz	Pass	AV	5.243G	112.12	Inf	-Inf	3	Vertical	304	2.09	-
5240MHz	Pass	AV	5.3528G	42.98	54.00	-11.02	3	Vertical	304	2.09	-
5240MHz	Pass	PK	5.144G	57.68	74.00	-16.32	3	Vertical	304	2.09	-
5240MHz	Pass	PK	5.2412G	123.27	Inf	-Inf	3	Vertical	304	2.09	-
5240MHz	Pass	PK	5.3594G	56.05	74.00	-17.95	3	Vertical	304	2.09	-
5240MHz	Pass	AV	5.1434G	42.92	54.00	-11.08	3	Horizontal	15	1.26	-
5240MHz	Pass	AV	5.2406G	105.11	Inf	-Inf	3	Horizontal	15	1.26	-
5240MHz	Pass	AV	5.3894G	41.29	54.00	-12.71	3	Horizontal	15	1.26	-
5240MHz	Pass	PK	5.1344G	55.47	74.00	-18.53	3	Horizontal	15	1.26	-
5240MHz	Pass	PK	5.2394G	115.76	Inf	-Inf	3	Horizontal	15	1.26	-
5240MHz	Pass	PK	5.3726G	54.28	74.00	-19.72	3	Horizontal	15	1.26	-
5240MHz	Pass	AV	15.71864G	50.65	54.00	-3.35	3	Vertical	339	1.00	-
5240MHz	Pass	PK	10.48026G	56.10	68.20	-12.10	3	Vertical	77	2.81	-
5240MHz	Pass	PK	15.71744G	66.19	74.00	-7.81	3	Vertical	339	1.00	-
5240MHz	Pass	AV	15.72042G	48.54	54.00	-5.46	3	Horizontal	10	1.74	-
5240MHz	Pass	PK	10.47892G	55.28	68.20	-12.92	3	Horizontal	54	2.05	-
5240MHz	Pass	PK	15.72181G	63.30	74.00	-10.70	3	Horizontal	10	1.74	-
5745MHz	Pass	AV	5.7462G	110.28	Inf	-Inf	3	Vertical	277	3.00	-
5745MHz	Pass	PK	5.619G	56.81	68.20	-11.39	3	Vertical	277	3.00	-
5745MHz	Pass	PK	5.7426G	120.52	Inf	-Inf	3	Vertical	277	3.00	-
5745MHz	Pass	PK	5.9766G	55.73	68.20	-12.47	3	Vertical	277	3.00	-
5745MHz	Pass	AV	5.7474G	107.58	Inf	-Inf	3	Horizontal	10	1.00	-
5745MHz	Pass	PK	5.6298G	55.33	68.20	-12.87	3	Horizontal	10	1.00	-
5745MHz	Pass	PK	5.7438G	118.85	Inf	-Inf	3	Horizontal	10	1.00	-
5745MHz	Pass	PK	6.0078G	55.94	68.20	-12.26	3	Horizontal	10	1.00	-
5745MHz	Pass	AV	11.48935G	50.54	54.00	-3.46	3	Vertical	94	2.33	-
5745MHz	Pass	PK	11.48962G	65.01	74.00	-8.99	3	Vertical	94	2.33	-
5745MHz	Pass	PK	17.23676G	62.00	68.20	-6.20	3	Vertical	154	1.00	-
5745MHz	Pass	AV	11.48879G	46.23	54.00	-7.77	3	Horizontal	335	2.13	-
5745MHz	Pass	PK	11.489G	60.16	74.00	-13.84	3	Horizontal	335	2.13	-
5745MHz	Pass	PK	17.23436G	63.65	68.20	-4.55	3	Horizontal	161	2.19	-
5785MHz	Pass	AV	5.785G	108.91	Inf	-Inf	3	Vertical	288	1.73	-
5785MHz	Pass	PK	5.509G	55.42	68.20	-12.78	3	Vertical	288	1.73	-
5785MHz	Pass	PK	5.7862G	120.01	Inf	-Inf	3	Vertical	288	1.73	-
5785MHz	Pass	PK	5.9698G	55.54	68.20	-12.66	3	Vertical	288	1.73	-
5785MHz	Pass	AV	5.7838G	107.74	Inf	-Inf	3	Horizontal	11	1.00	-
5785MHz	Pass	PK	5.5354G	55.40	68.20	-12.80	3	Horizontal	11	1.00	-
5785MHz	Pass	PK	5.7826G	117.85	Inf	-Inf	3	Horizontal	11	1.00	-
5785MHz	Pass	PK	5.959G	55.72	68.20	-12.48	3	Horizontal	11	1.00	-
5785MHz	Pass	AV	11.57207G	50.64	54.00	-3.36	3	Vertical	280	1.91	-
5785MHz	Pass	PK	11.57153G	68.08	74.00	-5.92	3	Vertical	280	1.91	-
5785MHz	Pass	PK	17.35645G	64.82	68.20	-3.38	3	Vertical	322	2.92	-
5785MHz	Pass	AV	11.5697G	46.68	54.00	-7.32	3	Horizontal	298	1.83	-
5785MHz	Pass	PK	11.5691G	62.44	74.00	-11.56	3	Horizontal	298	1.83	-
5785MHz	Pass	PK	17.35675G	64.08	68.20	-4.12	3	Horizontal	16	2.58	-
5825MHz	Pass	AV	5.8262G	111.49	Inf	-Inf	3	Vertical	307	2.37	-
5825MHz	Pass	PK	5.5622G	55.50	68.20	-12.70	3	Vertical	307	2.37	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8226G	121.13	Inf	-Inf	3	Vertical	307	2.37	-
5825MHz	Pass	PK	5.9594G	56.11	68.20	-12.09	3	Vertical	307	2.37	-
5825MHz	Pass	AV	5.8238G	105.22	Inf	-Inf	3	Horizontal	289	2.69	-
5825MHz	Pass	PK	5.5502G	55.17	68.20	-13.03	3	Horizontal	289	2.69	-
5825MHz	Pass	PK	5.8238G	115.45	Inf	-Inf	3	Horizontal	289	2.69	-
5825MHz	Pass	PK	5.9666G	55.72	68.20	-12.48	3	Horizontal	289	2.69	-
5825MHz	Pass	AV	11.6489G	50.53	54.00	-3.47	3	Vertical	72	1.97	-
5825MHz	Pass	PK	11.6488G	67.33	74.00	-6.67	3	Vertical	72	1.97	-
5825MHz	Pass	PK	17.47474G	61.58	68.20	-6.62	3	Vertical	31	1.98	-
5825MHz	Pass	AV	11.6474G	46.43	54.00	-7.57	3	Horizontal	158	1.02	-
5825MHz	Pass	PK	11.64752G	62.60	74.00	-11.40	3	Horizontal	158	1.02	-
5825MHz	Pass	PK	17.47681G	63.70	68.20	-4.50	3	Horizontal	320	2.42	-
802.11ac VHT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	50.94	54.00	-3.06	3	Vertical	253	2.20	-
5180MHz	Pass	AV	5.18G	108.81	Inf	-Inf	3	Vertical	253	2.20	-
5180MHz	Pass	PK	5.1488G	63.74	74.00	-10.26	3	Vertical	253	2.20	-
5180MHz	Pass	PK	5.1762G	116.80	Inf	-Inf	3	Vertical	253	2.20	-
5180MHz	Pass	AV	5.1384G	46.54	54.00	-7.46	3	Horizontal	289	2.28	-
5180MHz	Pass	AV	5.18G	99.61	Inf	-Inf	3	Horizontal	289	2.28	-
5180MHz	Pass	PK	5.1482G	58.77	74.00	-15.23	3	Horizontal	289	2.28	-
5180MHz	Pass	PK	5.176G	107.89	Inf	-Inf	3	Horizontal	289	2.28	-
5180MHz	Pass	AV	15.54522G	39.92	54.00	-14.08	3	Vertical	230	1.50	-
5180MHz	Pass	PK	10.35204G	59.89	68.20	-8.31	3	Vertical	22	2.96	-
5180MHz	Pass	PK	15.5451G	52.10	74.00	-21.90	3	Vertical	230	1.50	-
5180MHz	Pass	AV	15.53904G	41.37	54.00	-12.63	3	Horizontal	334	1.86	-
5180MHz	Pass	PK	10.35118G	58.29	68.20	-9.91	3	Horizontal	25	2.20	-
5180MHz	Pass	PK	15.546G	55.79	74.00	-18.21	3	Horizontal	334	1.86	-
5200MHz	Pass	AV	5.104G	49.27	54.00	-4.73	3	Vertical	259	2.10	-
5200MHz	Pass	AV	5.2028G	110.18	Inf	-Inf	3	Vertical	259	2.10	-
5200MHz	Pass	PK	5.1044G	60.98	74.00	-13.02	3	Vertical	259	2.10	-
5200MHz	Pass	PK	5.2016G	119.67	Inf	-Inf	3	Vertical	259	2.10	-
5200MHz	Pass	AV	5.1088G	45.51	54.00	-8.49	3	Horizontal	5	1.11	-
5200MHz	Pass	AV	5.1968G	100.46	Inf	-Inf	3	Horizontal	5	1.11	-
5200MHz	Pass	PK	5.146G	57.82	74.00	-16.18	3	Horizontal	5	1.11	-
5200MHz	Pass	PK	5.1976G	109.24	Inf	-Inf	3	Horizontal	5	1.11	-
5200MHz	Pass	AV	15.60384G	46.32	54.00	-7.68	3	Vertical	236	1.66	-
5200MHz	Pass	PK	10.3919G	60.14	68.20	-8.06	3	Vertical	23	3.00	-
5200MHz	Pass	PK	15.6063G	60.55	74.00	-13.45	3	Vertical	236	1.66	-
5200MHz	Pass	AV	15.5961G	49.91	54.00	-4.09	3	Horizontal	326	2.02	-
5200MHz	Pass	PK	10.40714G	59.86	68.20	-8.34	3	Horizontal	25	2.18	-
5200MHz	Pass	PK	15.60642G	64.97	74.00	-9.03	3	Horizontal	326	2.02	-
5240MHz	Pass	AV	5.144G	47.38	54.00	-6.62	3	Vertical	249	2.07	-
5240MHz	Pass	AV	5.243G	110.58	Inf	-Inf	3	Vertical	249	2.07	-
5240MHz	Pass	AV	5.3534G	45.25	54.00	-8.75	3	Vertical	249	2.07	-
5240MHz	Pass	PK	5.144G	58.61	74.00	-15.39	3	Vertical	249	2.07	-
5240MHz	Pass	PK	5.2364G	120.18	Inf	-Inf	3	Vertical	249	2.07	-
5240MHz	Pass	PK	5.3708G	57.69	74.00	-16.31	3	Vertical	249	2.07	-
5240MHz	Pass	AV	5.0936G	45.41	54.00	-8.59	3	Horizontal	37	2.29	-
5240MHz	Pass	AV	5.24G	103.84	Inf	-Inf	3	Horizontal	37	2.29	-
5240MHz	Pass	AV	5.3828G	44.11	54.00	-9.89	3	Horizontal	37	2.29	-
5240MHz	Pass	PK	5.1218G	58.10	74.00	-15.90	3	Horizontal	37	2.29	-
5240MHz	Pass	PK	5.2418G	113.20	Inf	-Inf	3	Horizontal	37	2.29	-
5240MHz	Pass	PK	5.3696G	55.76	74.00	-18.24	3	Horizontal	37	2.29	-
5240MHz	Pass	AV	15.71556G	50.46	54.00	-3.54	3	Vertical	317	2.88	-
5240MHz	Pass	PK	10.47862G	59.91	68.20	-8.29	3	Vertical	22	2.84	-
5240MHz	Pass	PK	15.72636G	65.54	74.00	-8.46	3	Vertical	317	2.88	-
5240MHz	Pass	AV	15.71586G	49.72	54.00	-4.28	3	Horizontal	327	2.05	-
5240MHz	Pass	PK	10.47214G	59.79	68.20	-8.41	3	Horizontal	20	2.66	-
5240MHz	Pass	PK	15.72624G	64.65	74.00	-9.35	3	Horizontal	327	2.05	-
5745MHz	Pass	AV	5.7426G	103.24	Inf	-Inf	3	Vertical	236	2.09	-
5745MHz	Pass	PK	5.5662G	58.42	68.20	-9.78	3	Vertical	236	2.09	-
5745MHz	Pass	PK	5.7438G	112.49	Inf	-Inf	3	Vertical	236	2.09	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9538G	58.10	68.20	-10.10	3	Vertical	236	2.09	-
5745MHz	Pass	AV	5.7474G	99.38	Inf	-Inf	3	Horizontal	310	2.10	-
5745MHz	Pass	PK	5.6058G	57.27	68.20	-10.93	3	Horizontal	310	2.10	-
5745MHz	Pass	PK	5.7486G	108.41	Inf	-Inf	3	Horizontal	310	2.10	-
5745MHz	Pass	PK	5.931G	57.34	68.20	-10.86	3	Horizontal	310	2.10	-
5745MHz	Pass	AV	11.4951G	48.35	54.00	-5.65	3	Vertical	269	1.79	-
5745MHz	Pass	PK	11.4924G	61.20	74.00	-12.80	3	Vertical	269	1.79	-
5745MHz	Pass	PK	17.24172G	60.33	68.20	-7.87	3	Vertical	321	2.50	-
5745MHz	Pass	AV	11.48988G	50.97	54.00	-3.03	3	Horizontal	13	2.83	-
5745MHz	Pass	PK	11.48784G	64.30	74.00	-9.70	3	Horizontal	13	2.83	-
5745MHz	Pass	PK	17.23902G	56.07	68.20	-12.13	3	Horizontal	147	2.02	-
5785MHz	Pass	AV	5.7826G	107.11	Inf	-Inf	3	Vertical	236	2.13	-
5785MHz	Pass	PK	5.6446G	58.02	68.20	-10.18	3	Vertical	236	2.13	-
5785MHz	Pass	PK	5.7814G	116.12	Inf	-Inf	3	Vertical	236	2.13	-
5785MHz	Pass	PK	5.9698G	57.88	68.20	-10.32	3	Vertical	236	2.13	-
5785MHz	Pass	AV	5.7874G	100.64	Inf	-Inf	3	Horizontal	45	2.35	-
5785MHz	Pass	PK	5.5822G	57.01	68.20	-11.19	3	Horizontal	45	2.35	-
5785MHz	Pass	PK	5.7862G	110.94	Inf	-Inf	3	Horizontal	45	2.35	-
5785MHz	Pass	PK	5.9566G	58.38	68.20	-9.82	3	Horizontal	45	2.35	-
5785MHz	Pass	AV	11.56844G	49.79	54.00	-4.21	3	Vertical	122	3.00	-
5785MHz	Pass	PK	11.56898G	62.39	74.00	-11.61	3	Vertical	122	3.00	-
5785MHz	Pass	PK	17.3538G	62.97	68.20	-5.23	3	Vertical	323	2.74	-
5785MHz	Pass	AV	11.56664G	49.92	54.00	-4.08	3	Horizontal	15	2.80	-
5785MHz	Pass	PK	11.56538G	62.46	74.00	-11.54	3	Horizontal	15	2.80	-
5785MHz	Pass	PK	17.36202G	57.82	68.20	-10.38	3	Horizontal	301	1.53	-
5825MHz	Pass	AV	5.8226G	106.34	Inf	-Inf	3	Vertical	243	2.04	-
5825MHz	Pass	PK	5.5598G	56.44	68.20	-11.76	3	Vertical	243	2.04	-
5825MHz	Pass	PK	5.8226G	115.56	Inf	-Inf	3	Vertical	243	2.04	-
5825MHz	Pass	PK	5.9294G	57.18	68.20	-11.02	3	Vertical	243	2.04	-
5825MHz	Pass	AV	5.8286G	99.95	Inf	-Inf	3	Horizontal	316	2.42	-
5825MHz	Pass	PK	5.5766G	57.43	68.20	-10.77	3	Horizontal	316	2.42	-
5825MHz	Pass	PK	5.8214G	109.24	Inf	-Inf	3	Horizontal	316	2.42	-
5825MHz	Pass	PK	5.9858G	57.03	68.20	-11.17	3	Horizontal	316	2.42	-
5825MHz	Pass	AV	11.647G	48.99	54.00	-5.01	3	Vertical	143	3.00	-
5825MHz	Pass	PK	11.6437G	57.74	74.00	-16.26	3	Vertical	143	3.00	-
5825MHz	Pass	PK	17.47602G	63.08	68.20	-5.12	3	Vertical	321	2.79	-
5825MHz	Pass	AV	11.64646G	49.46	54.00	-4.54	3	Horizontal	13	2.94	-
5825MHz	Pass	PK	11.64904G	61.68	74.00	-12.32	3	Horizontal	13	2.94	-
5825MHz	Pass	PK	17.4813G	58.44	68.20	-9.76	3	Horizontal	138	1.50	-
802.11ac VHT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.97	54.00	-3.03	3	Vertical	239	2.34	-
5190MHz	Pass	AV	5.19G	104.56	Inf	-Inf	3	Vertical	239	2.34	-
5190MHz	Pass	PK	5.15G	64.18	74.00	-9.82	3	Vertical	239	2.34	-
5190MHz	Pass	PK	5.19G	109.68	Inf	-Inf	3	Vertical	239	2.34	-
5190MHz	Pass	AV	5.1484G	46.42	54.00	-7.58	3	Horizontal	11	2.33	-
5190MHz	Pass	AV	5.19G	97.89	Inf	-Inf	3	Horizontal	11	2.33	-
5190MHz	Pass	PK	5.1488G	59.61	74.00	-14.39	3	Horizontal	11	2.33	-
5190MHz	Pass	PK	5.19G	102.77	Inf	-Inf	3	Horizontal	11	2.33	-
5190MHz	Pass	AV	15.5632G	41.75	54.00	-12.25	3	Vertical	339	2.31	-
5190MHz	Pass	PK	10.37992G	55.43	68.20	-12.77	3	Vertical	321	1.88	-
5190MHz	Pass	PK	15.56204G	53.83	74.00	-20.17	3	Vertical	339	2.31	-
5190MHz	Pass	AV	15.57104G	42.11	54.00	-11.89	3	Horizontal	297	2.38	-
5190MHz	Pass	PK	10.37979G	54.61	68.20	-13.59	3	Horizontal	148	1.00	-
5190MHz	Pass	PK	15.57996G	54.06	74.00	-19.94	3	Horizontal	297	2.38	-
5230MHz	Pass	AV	5.1336G	49.75	54.00	-4.25	3	Vertical	286	2.21	-
5230MHz	Pass	AV	5.2312G	108.12	Inf	-Inf	3	Vertical	286	2.21	-
5230MHz	Pass	PK	5.1392G	67.09	74.00	-6.91	3	Vertical	286	2.21	-
5230MHz	Pass	PK	5.2224G	116.08	Inf	-Inf	3	Vertical	286	2.21	-
5230MHz	Pass	AV	5.1384G	47.02	54.00	-6.98	3	Horizontal	21	1.50	-
5230MHz	Pass	AV	5.236G	99.40	Inf	-Inf	3	Horizontal	21	1.50	-
5230MHz	Pass	PK	5.1476G	59.54	74.00	-14.46	3	Horizontal	21	1.50	-
5230MHz	Pass	PK	5.2344G	107.48	Inf	-Inf	3	Horizontal	21	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.685G	50.12	54.00	-3.88	3	Vertical	317	2.90	-
5230MHz	Pass	PK	10.45984G	57.89	68.20	-10.31	3	Vertical	137	3.00	-
5230MHz	Pass	PK	15.6963G	61.71	74.00	-12.29	3	Vertical	317	2.90	-
5230MHz	Pass	AV	15.6963G	44.68	54.00	-9.32	3	Horizontal	80	1.00	-
5230MHz	Pass	PK	10.45864G	54.70	68.20	-13.50	3	Horizontal	32	2.04	-
5230MHz	Pass	PK	15.6875G	56.18	74.00	-17.82	3	Horizontal	80	1.00	-
5755MHz	Pass	AV	5.7466G	101.87	Inf	-Inf	3	Vertical	280	2.00	-
5755MHz	Pass	PK	5.6398G	61.78	68.20	-6.42	3	Vertical	280	2.00	-
5755MHz	Pass	PK	5.7478G	110.30	Inf	-Inf	3	Vertical	280	2.00	-
5755MHz	Pass	PK	5.9842G	58.57	68.20	-9.63	3	Vertical	280	2.00	-
5755MHz	Pass	AV	5.749G	97.01	Inf	-Inf	3	Horizontal	7	2.59	-
5755MHz	Pass	PK	5.647G	58.36	68.20	-9.84	3	Horizontal	7	2.59	-
5755MHz	Pass	PK	5.7478G	104.97	Inf	-Inf	3	Horizontal	7	2.59	-
5755MHz	Pass	PK	5.9458G	59.35	68.20	-8.85	3	Horizontal	7	2.59	-
5755MHz	Pass	AV	11.5026G	50.92	54.00	-3.08	3	Vertical	340	2.83	-
5755MHz	Pass	PK	11.5021G	62.43	74.00	-11.57	3	Vertical	340	2.83	-
5755MHz	Pass	PK	17.2785G	59.00	68.20	-9.20	3	Vertical	340	2.13	-
5755MHz	Pass	AV	11.50958G	45.66	54.00	-8.34	3	Horizontal	33	1.04	-
5755MHz	Pass	PK	11.5064G	57.53	74.00	-16.47	3	Horizontal	33	1.04	-
5755MHz	Pass	PK	17.2638G	57.36	68.20	-10.84	3	Horizontal	239	1.72	-
5795MHz	Pass	AV	5.7878G	103.18	Inf	-Inf	3	Vertical	283	2.12	-
5795MHz	Pass	PK	5.6306G	61.22	68.20	-6.98	3	Vertical	283	2.12	-
5795MHz	Pass	PK	5.7974G	110.89	Inf	-Inf	3	Vertical	283	2.12	-
5795MHz	Pass	PK	5.9282G	59.18	68.20	-9.02	3	Vertical	283	2.12	-
5795MHz	Pass	AV	5.7926G	96.54	Inf	-Inf	3	Horizontal	344	1.01	-
5795MHz	Pass	PK	5.6222G	57.98	68.20	-10.22	3	Horizontal	344	1.01	-
5795MHz	Pass	PK	5.7914G	105.02	Inf	-Inf	3	Horizontal	344	1.01	-
5795MHz	Pass	PK	5.9546G	58.76	68.20	-9.44	3	Horizontal	344	1.01	-
5795MHz	Pass	AV	11.58982G	49.41	54.00	-4.59	3	Vertical	241	1.82	-
5795MHz	Pass	PK	11.58976G	60.34	74.00	-13.66	3	Vertical	241	1.82	-
5795MHz	Pass	PK	17.377G	63.24	68.20	-4.96	3	Vertical	315	2.65	-
5795MHz	Pass	AV	11.58406G	45.89	54.00	-8.11	3	Horizontal	30	1.00	-
5795MHz	Pass	PK	11.58514G	57.93	74.00	-16.07	3	Horizontal	30	1.00	-
5795MHz	Pass	PK	17.37174G	58.04	68.20	-10.16	3	Horizontal	302	2.27	-
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.97	54.00	-3.03	3	Vertical	281	1.00	-
5210MHz	Pass	AV	5.21G	105.07	Inf	-Inf	3	Vertical	281	1.00	-
5210MHz	Pass	AV	5.354G	49.17	54.00	-4.83	3	Vertical	281	1.00	-
5210MHz	Pass	PK	5.13G	62.42	74.00	-11.58	3	Vertical	281	1.00	-
5210MHz	Pass	PK	5.21G	107.89	Inf	-Inf	3	Vertical	281	1.00	-
5210MHz	Pass	PK	5.353G	59.88	74.00	-14.12	3	Vertical	281	1.00	-
5210MHz	Pass	AV	5.142G	47.62	54.00	-6.38	3	Horizontal	22	2.10	-
5210MHz	Pass	AV	5.21G	96.85	Inf	-Inf	3	Horizontal	22	2.10	-
5210MHz	Pass	AV	5.35G	44.62	54.00	-9.38	3	Horizontal	22	2.10	-
5210MHz	Pass	PK	5.139G	59.08	74.00	-14.92	3	Horizontal	22	2.10	-
5210MHz	Pass	PK	5.21G	99.62	Inf	-Inf	3	Horizontal	22	2.10	-
5210MHz	Pass	PK	5.456G	56.06	74.00	-17.94	3	Horizontal	22	2.10	-
5210MHz	Pass	AV	15.62484G	39.61	54.00	-14.39	3	Vertical	22	2.96	-
5210MHz	Pass	PK	10.41954G	55.52	68.20	-12.68	3	Vertical	350	1.88	-
5210MHz	Pass	PK	15.62552G	51.87	74.00	-22.13	3	Vertical	22	2.96	-
5210MHz	Pass	AV	15.62864G	39.48	54.00	-14.52	3	Horizontal	156	2.86	-
5210MHz	Pass	PK	10.42008G	53.70	68.20	-14.50	3	Horizontal	32	1.77	-
5210MHz	Pass	PK	15.63608G	51.38	74.00	-22.62	3	Horizontal	156	2.86	-
5775MHz	Pass	AV	5.7558G	101.87	Inf	-Inf	3	Vertical	281	2.10	-
5775MHz	Pass	PK	5.6442G	64.89	68.20	-3.31	3	Vertical	281	2.10	-
5775MHz	Pass	PK	5.7678G	111.34	Inf	-Inf	3	Vertical	281	2.10	-
5775MHz	Pass	PK	5.931G	59.39	68.20	-8.81	3	Vertical	281	2.10	-
5775MHz	Pass	AV	5.7558G	94.12	Inf	-Inf	3	Horizontal	14	1.00	-
5775MHz	Pass	PK	5.619G	58.57	68.20	-9.63	3	Horizontal	14	1.00	-
5775MHz	Pass	PK	5.7546G	103.56	Inf	-Inf	3	Horizontal	14	1.00	-
5775MHz	Pass	PK	5.9442G	57.77	68.20	-10.43	3	Horizontal	14	1.00	-
5775MHz	Pass	AV	11.5436G	48.52	54.00	-5.48	3	Vertical	0	2.19	-




RSE TX above 1GHz_Case 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.5214G	60.30	74.00	-13.70	3	Vertical	0	2.19	-
5775MHz	Pass	PK	17.3112G	63.28	68.20	-4.92	3	Vertical	318	2.17	-
5775MHz	Pass	AV	11.525G	44.45	54.00	-9.55	3	Horizontal	27	1.01	-
5775MHz	Pass	PK	11.5172G	56.09	74.00	-17.91	3	Horizontal	27	1.01	-
5775MHz	Pass	PK	17.3064G	57.97	68.20	-10.23	3	Horizontal	293	1.85	-

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	48.50	54.00	-5.50	5.42	3	Vertical	237	1.83	-	43.08	31.90	7.57	34.05
AV	5.1808G	112.08	Inf	-Inf	5.26	3	Vertical	237	1.83	-	106.82	31.72	7.59	34.05
PK	5.1442G	61.04	74.00	-12.96	5.43	3	Vertical	237	1.83	-	55.61	31.91	7.57	34.05
PK	5.1796G	123.10	Inf	-Inf	5.26	3	Vertical	237	1.83	-	117.84	31.72	7.59	34.05

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1478G	45.70	54.00	-8.30	5.42	3	Horizontal	40	1.50	-	40.28	31.90	7.57	34.05
AV	5.181G	102.73	Inf	-Inf	5.25	3	Horizontal	40	1.50	-	97.48	31.71	7.59	34.05
PK	5.1416G	58.67	74.00	-15.33	5.44	3	Horizontal	40	1.50	-	53.23	31.92	7.57	34.05
PK	5.1798G	113.59	Inf	-Inf	5.26	3	Horizontal	40	1.50	-	108.33	31.72	7.59	34.05

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5411G	50.37	54.00	-3.63	7.24	3	Vertical	322	1.84	-	43.13	38.34	10.91	42.01
PK	10.36143G	62.64	68.20	-5.56	6.02	3	Vertical	240	1.79	-	56.62	39.45	9.69	43.12
PK	15.54218G	67.81	74.00	-6.19	7.23	3	Vertical	322	1.84	-	60.58	38.33	10.91	42.01

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54138G	50.01	54.00	-3.99	7.23	3	Horizontal	316	2.11	-	42.78	38.33	10.91	42.01
PK	10.3614G	59.96	68.20	-8.24	6.02	3	Horizontal	67	1.19	-	53.94	39.45	9.69	43.12
PK	15.5394G	66.69	74.00	-7.31	7.24	3	Horizontal	316	2.11	-	59.45	38.34	10.91	42.01

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1044G	49.65	54.00	-4.35	5.49	3	Vertical	239	1.96	-	44.16	31.99	7.55	34.05
AV	5.2004G	112.99	Inf	-Inf	5.15	3	Vertical	239	1.96	-	107.84	31.60	7.60	34.05
PK	5.1492G	60.49	74.00	-13.51	5.42	3	Vertical	239	1.96	-	55.07	31.90	7.57	34.05
PK	5.2004G	124.71	Inf	-Inf	5.15	3	Vertical	239	1.96	-	119.56	31.60	7.60	34.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1044G	45.77	54.00	-8.23	5.49	3	Horizontal	26	2.18	-	40.28	31.99	7.55	34.05
AV	5.2G	104.24	Inf	-Inf	5.15	3	Horizontal	26	2.18	-	99.09	31.60	7.60	34.05
PK	5.1224G	58.20	74.00	-15.80	5.47	3	Horizontal	26	2.18	-	52.73	31.96	7.56	34.05
PK	5.2012G	115.75	Inf	-Inf	5.14	3	Horizontal	26	2.18	-	110.61	31.59	7.60	34.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6018G	50.15	54.00	-3.85	6.97	3	Vertical	322	2.12	-	43.18	38.10	10.92	42.05
PK	10.40266G	63.54	68.20	-4.66	6.17	3	Vertical	246	1.87	-	57.37	39.60	9.70	43.13
PK	15.60166G	68.42	74.00	-5.58	6.97	3	Vertical	322	2.12	-	61.45	38.10	10.92	42.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60144G	49.00	54.00	-5.00	6.97	3	Horizontal	317	2.47	-	42.03	38.10	10.92	42.05
PK	10.40172G	58.92	68.20	-9.28	6.17	3	Horizontal	172	3.00	-	52.75	39.60	9.70	43.13
PK	15.60152G	66.35	74.00	-7.65	6.97	3	Horizontal	317	2.47	-	59.38	38.10	10.92	42.05

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	47.79	54.00	-6.21	5.43	3	Vertical	237	2.27	-	42.36	31.91	7.57	34.05
AV	5.2406G	113.71	Inf	-Inf	4.93	3	Vertical	237	2.27	-	108.78	31.36	7.62	34.05
AV	5.3504G	44.57	54.00	-9.43	4.82	3	Vertical	237	2.27	-	39.75	31.20	7.68	34.06
PK	5.117G	59.01	74.00	-14.99	5.48	3	Vertical	237	2.27	-	53.53	31.97	7.56	34.05
PK	5.2406G	124.51	Inf	-Inf	4.93	3	Vertical	237	2.27	-	119.58	31.36	7.62	34.05
PK	5.3582G	57.21	74.00	-16.79	4.87	3	Vertical	237	2.27	-	52.34	31.25	7.68	34.06

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	45.84	54.00	-8.16	5.43	3	Horizontal	36	2.26	-	40.41	31.91	7.57	34.05
AV	5.2412G	104.12	Inf	-Inf	4.92	3	Horizontal	36	2.26	-	99.20	31.35	7.62	34.05
AV	5.3648G	43.74	54.00	-10.26	4.91	3	Horizontal	36	2.26	-	38.83	31.29	7.68	34.06
PK	5.1152G	58.52	74.00	-15.48	5.48	3	Horizontal	36	2.26	-	53.04	31.97	7.56	34.05
PK	5.2412G	114.18	Inf	-Inf	4.92	3	Horizontal	36	2.26	-	109.26	31.35	7.62	34.05
PK	5.3744G	56.36	74.00	-17.64	4.98	3	Horizontal	36	2.26	-	51.38	31.35	7.69	34.06

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72084G	50.01	54.00	-3.99	6.68	3	Vertical	312	2.56	-	43.33	37.86	10.94	42.12
PK	10.48044G	63.12	68.20	-5.08	6.25	3	Vertical	240	1.95	-	56.87	39.68	9.72	43.15
PK	15.72304G	66.64	74.00	-7.36	6.67	3	Vertical	312	2.56	-	59.97	37.85	10.94	42.12

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72092G	49.40	54.00	-4.60	6.68	3	Horizontal	305	2.39	-	42.72	37.86	10.94	42.12
PK	10.48304G	58.04	68.20	-10.16	6.24	3	Horizontal	184	1.50	-	51.80	39.68	9.72	43.16
PK	15.7212G	67.08	74.00	-6.92	6.68	3	Horizontal	305	2.39	-	60.40	37.86	10.94	42.12

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	102.51	Inf	-Inf	5.69	3	Vertical	311	2.37	-	96.82	31.89	7.87	34.07
PK	5.5398G	58.43	68.20	-9.77	5.42	3	Vertical	311	2.37	-	53.01	31.72	7.77	34.07
PK	5.745G	113.80	Inf	-Inf	5.69	3	Vertical	311	2.37	-	108.11	31.89	7.87	34.07
PK	5.9742G	58.16	68.20	-10.04	6.31	3	Vertical	311	2.37	-	51.85	32.40	7.99	34.08

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.745G	97.60	Inf	-Inf	5.69	3	Horizontal	32	2.40	-	91.91	31.89	7.87	34.07
PK	5.5374G	55.82	68.20	-12.38	5.43	3	Horizontal	32	2.40	-	50.39	31.73	7.77	34.07
PK	5.7462G	107.43	Inf	-Inf	5.69	3	Horizontal	32	2.40	-	101.74	31.89	7.87	34.07
PK	5.9586G	56.56	68.20	-11.64	6.30	3	Horizontal	32	2.40	-	50.26	32.40	7.98	34.08

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49044G	50.96	54.00	-3.04	7.24	3	Vertical	334	2.11	-	43.72	39.89	9.97	42.62
PK	11.48892G	64.26	74.00	-9.74	7.24	3	Vertical	334	2.11	-	57.02	39.89	9.97	42.62
PK	17.22908G	55.90	68.20	-12.30	11.07	3	Vertical	71	1.50	-	44.83	40.19	11.55	40.67

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49076G	46.78	54.00	-7.22	7.24	3	Horizontal	31	1.01	-	39.54	39.89	9.97	42.62
PK	11.4908G	61.38	74.00	-12.62	7.24	3	Horizontal	31	1.01	-	54.14	39.89	9.97	42.62
PK	17.23864G	56.30	68.20	-11.90	11.11	3	Horizontal	240	1.70	-	45.19	40.22	11.56	40.67

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	106.19	Inf	-Inf	5.85	3	Vertical	284	2.02	-	100.34	32.04	7.89	34.08
PK	5.623G	58.13	68.20	-10.07	5.39	3	Vertical	284	2.02	-	52.74	31.65	7.81	34.07
PK	5.7862G	117.08	Inf	-Inf	5.85	3	Vertical	284	2.02	-	111.23	32.04	7.89	34.08
PK	5.953G	58.47	68.20	-9.73	6.30	3	Vertical	284	2.02	-	52.17	32.40	7.98	34.08

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	101.20	Inf	-Inf	5.85	3	Horizontal	23	2.36	-	95.35	32.04	7.89	34.08
PK	5.6182G	56.99	68.20	-11.21	5.38	3	Horizontal	23	2.36	-	51.61	31.64	7.81	34.07
PK	5.7874G	110.59	Inf	-Inf	5.86	3	Horizontal	23	2.36	-	104.73	32.05	7.89	34.08
PK	5.9422G	58.26	68.20	-9.94	6.29	3	Horizontal	23	2.36	-	51.97	32.40	7.97	34.08

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5712G	49.19	54.00	-4.81	7.24	3	Vertical	239	1.79	-	41.95	39.83	9.99	42.58
PK	11.57128G	63.99	74.00	-10.01	7.24	3	Vertical	239	1.79	-	56.75	39.83	9.99	42.58
PK	17.35456G	61.93	68.20	-6.27	11.78	3	Vertical	315	2.85	-	50.15	40.73	11.61	40.56

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.571G	46.50	54.00	-7.50	7.24	3	Horizontal	347	1.04	-	39.26	39.83	9.99	42.58
PK	11.57068G	59.40	74.00	-14.60	7.24	3	Horizontal	347	1.04	-	52.16	39.83	9.99	42.58
PK	17.35784G	57.12	68.20	-11.08	11.81	3	Horizontal	223	2.75	-	45.31	40.75	11.61	40.55

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	104.84	Inf	-Inf	6.03	3	Vertical	235	2.04	-	98.81	32.20	7.91	34.08
PK	5.615G	58.94	68.20	-9.26	5.37	3	Vertical	235	2.04	-	53.57	31.63	7.81	34.07
PK	5.8262G	114.94	Inf	-Inf	6.03	3	Vertical	235	2.04	-	108.91	32.20	7.91	34.08
PK	5.9558G	58.14	68.20	-10.06	6.30	3	Vertical	235	2.04	-	51.84	32.40	7.98	34.08

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	101.49	Inf	-Inf	6.03	3	Horizontal	27	1.00	-	95.46	32.20	7.91	34.08
PK	5.573G	58.24	68.20	-9.96	5.37	3	Horizontal	27	1.00	-	52.87	31.65	7.79	34.07
PK	5.8262G	111.69	Inf	-Inf	6.03	3	Horizontal	27	1.00	-	105.66	32.20	7.91	34.08
PK	5.927G	58.35	68.20	-9.85	6.28	3	Horizontal	27	1.00	-	52.07	32.40	7.96	34.08

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6506G	50.19	54.00	-3.81	6.97	3	Vertical	335	2.20	-	43.22	39.50	10.01	42.54
PK	11.65136G	62.95	74.00	-11.05	6.96	3	Vertical	335	2.20	-	55.99	39.49	10.01	42.54
PK	17.4772G	62.65	68.20	-5.55	12.68	3	Vertical	316	3.00	-	49.97	41.46	11.66	40.44

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.651G	48.32	54.00	-5.68	6.96	3	Horizontal	30	2.97	-	41.36	39.49	10.01	42.54
PK	11.6508G	61.70	74.00	-12.30	6.97	3	Horizontal	30	2.97	-	54.73	39.50	10.01	42.54
PK	17.47732G	58.64	68.20	-9.56	12.68	3	Horizontal	234	1.67	-	45.96	41.46	11.66	40.44

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	48.75	54.00	-5.25	5.42	3	Vertical	235	2.89	-	43.33	31.90	7.57	34.05
AV	5.1816G	110.61	Inf	-Inf	5.25	3	Vertical	235	2.89	-	105.36	31.71	7.59	34.05
PK	5.1374G	61.60	74.00	-12.40	5.45	3	Vertical	235	2.89	-	56.15	31.93	7.57	34.05
PK	5.1792G	121.35	Inf	-Inf	5.26	3	Vertical	235	2.89	-	116.09	31.72	7.59	34.05

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.73	54.00	-7.27	5.42	3	Horizontal	25	2.35	-	41.31	31.90	7.57	34.05
AV	5.1792G	104.53	Inf	-Inf	5.26	3	Horizontal	25	2.35	-	99.27	31.72	7.59	34.05
PK	5.131G	59.42	74.00	-14.58	5.46	3	Horizontal	25	2.35	-	53.96	31.94	7.57	34.05
PK	5.1818G	115.15	Inf	-Inf	5.25	3	Horizontal	25	2.35	-	109.90	31.71	7.59	34.05

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54044G	49.53	54.00	-4.47	7.24	3	Vertical	315	1.85	-	42.29	38.34	10.91	42.01
PK	10.35848G	60.44	68.20	-7.76	6.00	3	Vertical	242	1.87	-	54.44	39.43	9.69	43.12
PK	15.53936G	66.12	74.00	-7.88	7.24	3	Vertical	315	1.85	-	58.88	38.34	10.91	42.01

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5392G	49.00	54.00	-5.00	7.24	3	Horizontal	312	2.15	-	41.76	38.34	10.91	42.01
PK	10.35928G	56.56	68.20	-11.64	6.01	3	Horizontal	232	2.09	-	50.55	39.44	9.69	43.12
PK	15.54016G	64.13	74.00	-9.87	7.24	3	Horizontal	312	2.15	-	56.89	38.34	10.91	42.01

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.87	54.00	-5.13	5.42	3	Vertical	238	2.19	-	43.45	31.90	7.57	34.05
AV	5.2G	111.92	Inf	-Inf	5.15	3	Vertical	238	2.19	-	106.77	31.60	7.60	34.05
PK	5.1488G	61.53	74.00	-12.47	5.42	3	Vertical	238	2.19	-	56.11	31.90	7.57	34.05
PK	5.1984G	122.52	Inf	-Inf	5.16	3	Vertical	238	2.19	-	117.36	31.61	7.60	34.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	45.61	54.00	-8.39	5.49	3	Horizontal	25	2.22	-	40.12	31.99	7.55	34.05
AV	5.1988G	103.55	Inf	-Inf	5.16	3	Horizontal	25	2.22	-	98.39	31.61	7.60	34.05
PK	5.1488G	59.26	74.00	-14.74	5.42	3	Horizontal	25	2.22	-	53.84	31.90	7.57	34.05
PK	5.198G	114.71	Inf	-Inf	5.16	3	Horizontal	25	2.22	-	109.55	31.61	7.60	34.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6006G	50.19	54.00	-3.81	6.97	3	Vertical	316	2.14	-	43.22	38.10	10.92	42.05
PK	10.39894G	60.57	68.20	-7.63	6.17	3	Vertical	234	2.04	-	54.40	39.60	9.70	43.13
PK	15.59792G	66.93	74.00	-7.07	6.98	3	Vertical	316	2.14	-	59.95	38.11	10.92	42.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59916G	47.90	54.00	-6.10	6.97	3	Horizontal	316	2.11	-	40.93	38.10	10.92	42.05
PK	10.3988G	62.03	68.20	-6.17	6.17	3	Horizontal	58	2.04	-	55.86	39.60	9.70	43.13
PK	15.59706G	62.77	74.00	-11.23	6.98	3	Horizontal	316	2.11	-	55.79	38.11	10.92	42.05

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	47.67	54.00	-6.33	5.43	3	Vertical	268	3.00	-	42.24	31.91	7.57	34.05
AV	5.2412G	111.22	Inf	-Inf	4.92	3	Vertical	268	3.00	-	106.30	31.35	7.62	34.05
AV	5.35G	44.65	54.00	-9.35	4.81	3	Vertical	268	3.00	-	39.84	31.20	7.67	34.06
PK	5.1092G	59.22	74.00	-14.78	5.48	3	Vertical	268	3.00	-	53.74	31.98	7.55	34.05
PK	5.2412G	121.92	Inf	-Inf	4.92	3	Vertical	268	3.00	-	117.00	31.35	7.62	34.05
PK	5.3864G	57.75	74.00	-16.25	5.05	3	Vertical	268	3.00	-	52.70	31.42	7.69	34.06

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.70	54.00	-8.30	5.43	3	Horizontal	31	2.26	-	40.27	31.91	7.57	34.05
AV	5.2406G	105.31	Inf	-Inf	4.93	3	Horizontal	31	2.26	-	100.38	31.36	7.62	34.05
AV	5.3852G	43.97	54.00	-10.03	5.04	3	Horizontal	31	2.26	-	38.93	31.41	7.69	34.06
PK	5.1254G	58.86	74.00	-15.14	5.46	3	Horizontal	31	2.26	-	53.40	31.95	7.56	34.05
PK	5.2394G	115.98	Inf	-Inf	4.93	3	Horizontal	31	2.26	-	111.05	31.36	7.62	34.05
PK	5.3858G	57.47	74.00	-16.53	5.04	3	Horizontal	31	2.26	-	52.43	31.41	7.69	34.06

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71964G	50.28	54.00	-3.72	6.68	3	Vertical	296	1.82	-	43.60	37.86	10.94	42.12
PK	10.4791G	61.47	68.20	-6.73	6.25	3	Vertical	237	2.01	-	55.22	39.68	9.72	43.15
PK	15.71946G	64.67	74.00	-9.33	6.68	3	Vertical	296	1.82	-	57.99	37.86	10.94	42.12

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72044G	48.23	54.00	-5.77	6.68	3	Horizontal	316	2.09	-	41.55	37.86	10.94	42.12
PK	10.47648G	57.35	68.20	-10.85	6.25	3	Horizontal	183	2.95	-	51.10	39.68	9.72	43.15
PK	15.71996G	64.24	74.00	-9.76	6.68	3	Horizontal	316	2.09	-	57.56	37.86	10.94	42.12

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	102.33	Inf	-Inf	5.69	3	Vertical	283	2.14	-	96.64	31.89	7.87	34.07
PK	5.5614G	58.00	68.20	-10.20	5.39	3	Vertical	283	2.14	-	52.61	31.68	7.78	34.07
PK	5.7462G	112.57	Inf	-Inf	5.69	3	Vertical	283	2.14	-	106.88	31.89	7.87	34.07
PK	5.943G	58.46	68.20	-9.74	6.29	3	Vertical	283	2.14	-	52.17	32.40	7.97	34.08

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	97.30	Inf	-Inf	5.69	3	Horizontal	23	2.41	-	91.61	31.89	7.87	34.07
PK	5.535G	57.92	68.20	-10.28	5.43	3	Horizontal	23	2.41	-	52.49	31.73	7.77	34.07
PK	5.7462G	108.18	Inf	-Inf	5.69	3	Horizontal	23	2.41	-	102.49	31.89	7.87	34.07
PK	5.9286G	58.43	68.20	-9.77	6.28	3	Horizontal	23	2.41	-	52.15	32.40	7.96	34.08

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48908G	50.92	54.00	-3.08	7.24	3	Vertical	335	2.19	-	43.68	39.89	9.97	42.62
PK	11.48872G	65.10	74.00	-8.90	7.24	3	Vertical	335	2.19	-	57.86	39.89	9.97	42.62
PK	17.23972G	60.76	68.20	-7.44	11.12	3	Vertical	315	3.00	-	49.64	40.22	11.56	40.66

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49G	46.70	54.00	-7.30	7.24	3	Horizontal	30	2.97	-	39.46	39.89	9.97	42.62
PK	11.48768G	60.54	74.00	-13.46	7.24	3	Horizontal	30	2.97	-	53.30	39.89	9.97	42.62
PK	17.22924G	56.01	68.20	-12.19	11.07	3	Horizontal	62	1.50	-	44.94	40.19	11.55	40.67

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	104.84	Inf	-Inf	5.85	3	Vertical	281	2.20	-	98.99	32.04	7.89	34.08
PK	5.629G	58.46	68.20	-9.74	5.40	3	Vertical	281	2.20	-	53.06	31.66	7.81	34.07
PK	5.7862G	115.11	Inf	-Inf	5.85	3	Vertical	281	2.20	-	109.26	32.04	7.89	34.08
PK	5.9758G	58.45	68.20	-9.75	6.31	3	Vertical	281	2.20	-	52.14	32.40	7.99	34.08

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	98.48	Inf	-Inf	5.85	3	Horizontal	20	2.35	-	92.63	32.04	7.89	34.08
PK	5.6458G	58.50	68.20	-9.70	5.44	3	Horizontal	20	2.35	-	53.06	31.69	7.82	34.07
PK	5.7862G	108.65	Inf	-Inf	5.85	3	Horizontal	20	2.35	-	102.80	32.04	7.89	34.08
PK	5.9254G	57.64	68.20	-10.56	6.28	3	Horizontal	20	2.35	-	51.36	32.40	7.96	34.08

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56872G	50.95	54.00	-3.05	7.23	3	Vertical	246	1.83	-	43.72	39.83	9.99	42.59
PK	11.571G	65.72	74.00	-8.28	7.24	3	Vertical	246	1.83	-	58.48	39.83	9.99	42.58
PK	17.35392G	62.17	68.20	-6.03	11.77	3	Vertical	315	2.99	-	50.40	40.72	11.61	40.56

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57008G	46.53	54.00	-7.47	7.24	3	Horizontal	30	3.00	-	39.29	39.83	9.99	42.58
PK	11.57024G	60.62	74.00	-13.38	7.24	3	Horizontal	30	3.00	-	53.38	39.83	9.99	42.58
PK	17.36428G	56.84	68.20	-11.36	11.85	3	Horizontal	196	2.39	-	44.99	40.79	11.61	40.55

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	104.30	Inf	-Inf	6.03	3	Vertical	282	2.01	-	98.27	32.20	7.91	34.08
PK	5.6078G	57.85	68.20	-10.35	5.35	3	Vertical	282	2.01	-	52.50	31.62	7.80	34.07
PK	5.8262G	115.17	Inf	-Inf	6.03	3	Vertical	282	2.01	-	109.14	32.20	7.91	34.08
PK	5.9546G	58.73	68.20	-9.47	6.30	3	Vertical	282	2.01	-	52.43	32.40	7.98	34.08

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	98.91	Inf	-Inf	6.02	3	Horizontal	29	1.00	-	92.89	32.19	7.91	34.08
PK	5.5778G	58.27	68.20	-9.93	5.36	3	Horizontal	29	1.00	-	52.91	31.64	7.79	34.07
PK	5.8238G	109.22	Inf	-Inf	6.03	3	Horizontal	29	1.00	-	103.19	32.20	7.91	34.08
PK	5.9402G	57.87	68.20	-10.33	6.29	3	Horizontal	29	1.00	-	51.58	32.40	7.97	34.08

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64944G	50.50	54.00	-3.50	6.96	3	Vertical	336	2.14	-	43.54	39.50	10.01	42.55
PK	11.64684G	64.48	74.00	-9.52	6.98	3	Vertical	336	2.14	-	57.50	39.52	10.01	42.55
PK	17.47632G	62.29	68.20	-5.91	12.68	3	Vertical	315	2.99	-	49.61	41.46	11.66	40.44

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64992G	46.13	54.00	-7.87	6.96	3	Horizontal	28	2.95	-	39.17	39.50	10.01	42.55
PK	11.65028G	59.60	74.00	-14.40	6.97	3	Horizontal	28	2.95	-	52.63	39.50	10.01	42.54
PK	17.48312G	58.83	68.20	-9.37	12.73	3	Horizontal	1	1.00	-	46.10	41.50	11.67	40.44

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.85	54.00	-3.15	5.42	3	Vertical	255	2.11	-	45.43	31.90	7.57	34.05
AV	5.18G	108.08	Inf	-Inf	5.26	3	Vertical	255	2.11	-	102.82	31.72	7.59	34.05
PK	5.1472G	62.82	74.00	-11.18	5.43	3	Vertical	255	2.11	-	57.39	31.91	7.57	34.05
PK	5.1768G	116.07	Inf	-Inf	5.28	3	Vertical	255	2.11	-	110.79	31.74	7.59	34.05

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1424G	45.99	54.00	-8.01	5.44	3	Horizontal	0	1.50	-	40.55	31.92	7.57	34.05
AV	5.1798G	97.72	Inf	-Inf	5.26	3	Horizontal	0	1.50	-	92.46	31.72	7.59	34.05
PK	5.1422G	58.84	74.00	-15.16	5.44	3	Horizontal	0	1.50	-	53.40	31.92	7.57	34.05
PK	5.1764G	106.08	Inf	-Inf	5.28	3	Horizontal	0	1.50	-	100.80	31.74	7.59	34.05

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53682G	40.76	54.00	-13.24	7.25	3	Vertical	318	2.43	-	33.51	38.35	10.91	42.01
PK	10.35682G	57.95	68.20	-10.25	6.00	3	Vertical	292	2.95	-	51.95	39.43	9.69	43.12
PK	15.54324G	53.33	74.00	-20.67	7.22	3	Vertical	318	2.43	-	46.11	38.33	10.91	42.02

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53802G	41.43	54.00	-12.57	7.25	3	Horizontal	329	2.02	-	34.18	38.35	10.91	42.01
PK	10.36162G	58.34	68.20	-9.86	6.02	3	Horizontal	25	2.21	-	52.32	39.45	9.69	43.12
PK	15.54168G	54.39	74.00	-19.61	7.23	3	Horizontal	329	2.02	-	47.16	38.33	10.91	42.01

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	48.21	54.00	-5.79	5.49	3	Vertical	252	2.08	-	42.72	31.99	7.55	34.05
AV	5.1992G	109.80	Inf	-Inf	5.15	3	Vertical	252	2.08	-	104.65	31.60	7.60	34.05
PK	5.1448G	59.56	74.00	-14.44	5.43	3	Vertical	252	2.08	-	54.13	31.91	7.57	34.05
PK	5.1964G	118.75	Inf	-Inf	5.17	3	Vertical	252	2.08	-	113.58	31.62	7.60	34.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1256G	45.49	54.00	-8.51	5.46	3	Horizontal	5	1.20	-	40.03	31.95	7.56	34.05
AV	5.1992G	100.40	Inf	-Inf	5.15	3	Horizontal	5	1.20	-	95.25	31.60	7.60	34.05
PK	5.1452G	58.02	74.00	-15.98	5.43	3	Horizontal	5	1.20	-	52.59	31.91	7.57	34.05
PK	5.1968G	109.23	Inf	-Inf	5.17	3	Horizontal	5	1.20	-	104.06	31.62	7.60	34.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59952G	48.43	54.00	-5.57	6.97	3	Vertical	259	2.63	-	41.46	38.10	10.92	42.05
PK	10.40184G	61.22	68.20	-6.98	6.17	3	Vertical	21	3.00	-	55.05	39.60	9.70	43.13
PK	15.59956G	61.71	74.00	-12.29	6.97	3	Vertical	259	2.63	-	54.74	38.10	10.92	42.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.599G	49.37	54.00	-4.63	6.97	3	Horizontal	332	2.40	-	42.40	38.10	10.92	42.05
PK	10.3978G	60.64	68.20	-7.56	6.16	3	Horizontal	24	2.13	-	54.48	39.59	9.70	43.13
PK	15.59612G	61.88	74.00	-12.12	6.99	3	Horizontal	332	2.40	-	54.89	38.12	10.92	42.05

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	46.82	54.00	-7.18	5.43	3	Vertical	249	2.05	-	41.39	31.91	7.57	34.05
AV	5.243G	109.76	Inf	-Inf	4.91	3	Vertical	249	2.05	-	104.85	31.34	7.62	34.05
AV	5.354G	45.02	54.00	-8.98	4.84	3	Vertical	249	2.05	-	40.18	31.22	7.68	34.06
PK	5.1422G	59.37	74.00	-14.63	5.44	3	Vertical	249	2.05	-	53.93	31.92	7.57	34.05
PK	5.2364G	119.20	Inf	-Inf	4.95	3	Vertical	249	2.05	-	114.25	31.38	7.62	34.05
PK	5.3576G	57.01	74.00	-16.99	4.87	3	Vertical	249	2.05	-	52.14	31.25	7.68	34.06

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1176G	45.35	54.00	-8.65	5.47	3	Horizontal	10	1.20	-	39.88	31.96	7.56	34.05
AV	5.2394G	99.92	Inf	-Inf	4.93	3	Horizontal	10	1.20	-	94.99	31.36	7.62	34.05
AV	5.3576G	43.50	54.00	-10.50	4.87	3	Horizontal	10	1.20	-	38.63	31.25	7.68	34.06
PK	5.1008G	57.38	74.00	-16.62	5.50	3	Horizontal	10	1.20	-	51.88	32.00	7.55	34.05
PK	5.2364G	109.03	Inf	-Inf	4.95	3	Horizontal	10	1.20	-	104.08	31.38	7.62	34.05
PK	5.3576G	56.00	74.00	-18.00	4.87	3	Horizontal	10	1.20	-	51.13	31.25	7.68	34.06

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71896G	50.03	54.00	-3.97	6.68	3	Vertical	320	2.85	-	43.35	37.86	10.94	42.12
PK	10.47832G	61.05	68.20	-7.15	6.25	3	Vertical	24	2.81	-	54.80	39.68	9.72	43.15
PK	15.72564G	62.93	74.00	-11.07	6.68	3	Vertical	320	2.85	-	56.25	37.85	10.95	42.12

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7191G	50.08	54.00	-3.92	6.68	3	Horizontal	327	2.06	-	43.40	37.86	10.94	42.12
PK	10.47748G	58.70	68.20	-9.50	6.25	3	Horizontal	29	2.39	-	52.45	39.68	9.72	43.15
PK	15.7261G	62.97	74.00	-11.03	6.68	3	Horizontal	327	2.06	-	56.29	37.85	10.95	42.12

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7486G	102.35	Inf	-Inf	5.70	3	Vertical	233	2.03	-	96.65	31.90	7.87	34.07
PK	5.6166G	58.01	68.20	-10.19	5.37	3	Vertical	233	2.03	-	52.64	31.63	7.81	34.07
PK	5.7414G	111.12	Inf	-Inf	5.68	3	Vertical	233	2.03	-	105.44	31.88	7.87	34.07
PK	5.9586G	57.35	68.20	-10.85	6.30	3	Vertical	233	2.03	-	51.05	32.40	7.98	34.08

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	97.99	Inf	-Inf	5.69	3	Horizontal	301	1.01	-	92.30	31.89	7.87	34.07
PK	5.4894G	56.61	68.20	-11.59	5.43	3	Horizontal	301	1.01	-	51.18	31.76	7.74	34.07
PK	5.7462G	106.76	Inf	-Inf	5.69	3	Horizontal	301	1.01	-	101.07	31.89	7.87	34.07
PK	5.9538G	58.06	68.20	-10.14	6.30	3	Horizontal	301	1.01	-	51.76	32.40	7.98	34.08

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48792G	49.82	54.00	-4.18	7.24	3	Vertical	281	3.00	-	42.58	39.89	9.97	42.62
PK	11.49268G	62.73	74.00	-11.27	7.24	3	Vertical	281	3.00	-	55.49	39.89	9.97	42.62
PK	17.22836G	58.61	68.20	-9.59	11.06	3	Vertical	324	2.94	-	47.55	40.19	11.55	40.68

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48988G	50.93	54.00	-3.07	7.24	3	Horizontal	12	2.81	-	43.69	39.89	9.97	42.62
PK	11.49048G	64.07	74.00	-9.93	7.24	3	Horizontal	12	2.81	-	56.83	39.89	9.97	42.62
PK	17.23972G	55.73	68.20	-12.47	11.12	3	Horizontal	231	1.50	-	44.61	40.22	11.56	40.66

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	105.13	Inf	-Inf	5.86	3	Vertical	244	2.04	-	99.27	32.05	7.89	34.08
PK	5.5474G	57.83	68.20	-10.37	5.41	3	Vertical	244	2.04	-	52.42	31.71	7.77	34.07
PK	5.7874G	114.08	Inf	-Inf	5.86	3	Vertical	244	2.04	-	108.22	32.05	7.89	34.08
PK	5.9554G	57.68	68.20	-10.52	6.30	3	Vertical	244	2.04	-	51.38	32.40	7.98	34.08

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	99.66	Inf	-Inf	5.85	3	Horizontal	316	2.40	-	93.81	32.04	7.89	34.08
PK	5.6398G	57.58	68.20	-10.62	5.43	3	Horizontal	316	2.40	-	52.15	31.68	7.82	34.07
PK	5.7838G	108.70	Inf	-Inf	5.85	3	Horizontal	316	2.40	-	102.85	32.04	7.89	34.08
PK	5.9506G	58.06	68.20	-10.14	6.30	3	Horizontal	316	2.40	-	51.76	32.40	7.98	34.08

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56984G	49.53	54.00	-4.47	7.23	3	Vertical	121	2.97	-	42.30	39.83	9.99	42.59
PK	11.56436G	61.87	74.00	-12.13	7.24	3	Vertical	121	2.97	-	54.63	39.84	9.99	42.59
PK	17.36268G	59.23	68.20	-8.97	11.84	3	Vertical	322	2.98	-	47.39	40.78	11.61	40.55

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56988G	50.75	54.00	-3.25	7.23	3	Horizontal	11	2.80	-	43.52	39.83	9.99	42.59
PK	11.56864G	62.64	74.00	-11.36	7.23	3	Horizontal	11	2.80	-	55.41	39.83	9.99	42.59
PK	17.36352G	57.12	68.20	-11.08	11.84	3	Horizontal	7	2.98	-	45.28	40.78	11.61	40.55

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8274G	109.73	Inf	-Inf	6.04	3	Vertical	246	2.05	-	103.69	32.21	7.91	34.08
PK	5.5442G	57.92	68.20	-10.28	5.41	3	Vertical	246	2.05	-	52.51	31.71	7.77	34.07
PK	5.8274G	119.32	Inf	-Inf	6.04	3	Vertical	246	2.05	-	113.28	32.21	7.91	34.08
PK	5.9462G	58.36	68.20	-9.84	6.29	3	Vertical	246	2.05	-	52.07	32.40	7.97	34.08

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.24	Inf	-Inf	6.03	3	Horizontal	56	1.00	-	96.21	32.20	7.91	34.08
PK	5.5298G	56.81	68.20	-11.39	5.43	3	Horizontal	56	1.00	-	51.38	31.74	7.76	34.07
PK	5.8214G	111.43	Inf	-Inf	6.02	3	Horizontal	56	1.00	-	105.41	32.19	7.91	34.08
PK	5.963G	57.90	68.20	-10.30	6.30	3	Horizontal	56	1.00	-	51.60	32.40	7.98	34.08

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6498G	47.89	54.00	-6.11	6.96	3	Vertical	144	3.00	-	40.93	39.50	10.01	42.55
PK	11.65396G	58.30	74.00	-15.70	6.95	3	Vertical	144	3.00	-	51.35	39.48	10.01	42.54
PK	17.4744G	62.51	68.20	-5.69	12.67	3	Vertical	226	3.00	-	49.84	41.45	11.66	40.44

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64988G	49.92	54.00	-4.08	6.96	3	Horizontal	11	2.99	-	42.96	39.50	10.01	42.55
PK	11.65524G	62.01	74.00	-11.99	6.94	3	Horizontal	11	2.99	-	55.07	39.47	10.01	42.54
PK	17.47524G	60.26	68.20	-7.94	12.67	3	Horizontal	130	2.66	-	47.59	41.45	11.66	40.44

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	50.88	54.00	-3.12	2.55	3	Vertical	306	2.22	-	48.33	32.00	5.47	34.92
AV	5.1796G	113.85	Inf	-Inf	2.40	3	Vertical	306	2.22	-	111.45	31.82	5.49	34.91
PK	5.1496G	64.29	74.00	-9.71	2.55	3	Vertical	306	2.22	-	61.74	32.00	5.47	34.92
PK	5.1802G	124.15	Inf	-Inf	2.40	3	Vertical	306	2.22	-	121.75	31.82	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	44.62	54.00	-9.38	2.55	3	Horizontal	186	1.97	-	42.07	32.00	5.47	34.92
AV	5.1796G	105.50	Inf	-Inf	2.40	3	Horizontal	186	1.97	-	103.10	31.82	5.49	34.91
PK	5.147G	57.56	74.00	-16.44	2.55	3	Horizontal	186	1.97	-	55.01	32.00	5.47	34.92
PK	5.1818G	116.45	Inf	-Inf	2.39	3	Horizontal	186	1.97	-	114.06	31.81	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54066G	50.33	54.00	-3.67	13.18	3	Vertical	329	2.43	-	37.15	38.50	9.79	35.11
PK	10.36111G	55.69	68.20	-12.51	12.17	3	Vertical	98	2.54	-	43.52	39.48	7.93	35.24
PK	15.54333G	66.57	74.00	-7.43	13.16	3	Vertical	329	2.43	-	53.41	38.48	9.79	35.11

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54207G	49.20	54.00	-4.80	13.17	3	Horizontal	58	1.00	-	36.03	38.49	9.79	35.11
PK	10.36075G	55.42	68.20	-12.78	12.17	3	Horizontal	134	1.88	-	43.25	39.48	7.93	35.24
PK	15.53913G	65.58	74.00	-8.42	13.17	3	Horizontal	58	1.00	-	52.41	38.50	9.78	35.11

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.28	54.00	-5.72	2.55	3	Vertical	305	2.01	-	45.73	32.00	5.47	34.92
AV	5.2G	113.60	Inf	-Inf	2.29	3	Vertical	305	2.01	-	111.31	31.70	5.50	34.91
PK	5.15G	60.39	74.00	-13.61	2.55	3	Vertical	305	2.01	-	57.84	32.00	5.47	34.92
PK	5.2G	123.42	Inf	-Inf	2.29	3	Vertical	305	2.01	-	121.13	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	43.75	54.00	-10.25	2.55	3	Horizontal	189	1.48	-	41.20	32.00	5.47	34.92
AV	5.2012G	105.30	Inf	-Inf	2.28	3	Horizontal	189	1.48	-	103.02	31.69	5.50	34.91
PK	5.132G	56.67	74.00	-17.33	2.55	3	Horizontal	189	1.48	-	54.12	32.00	5.47	34.92
PK	5.2016G	115.40	Inf	-Inf	2.28	3	Horizontal	189	1.48	-	113.12	31.69	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60027G	50.69	54.00	-3.31	12.85	3	Vertical	330	2.61	-	37.84	38.20	9.80	35.15
PK	10.40207G	55.26	68.20	-12.94	12.36	3	Vertical	77	1.44	-	42.90	39.61	7.94	35.19
PK	15.59976G	69.57	74.00	-4.43	12.85	3	Vertical	330	2.61	-	56.72	38.20	9.80	35.15

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6015G	47.45	54.00	-6.55	12.85	3	Horizontal	0	2.83	-	34.60	38.20	9.80	35.15
PK	10.40186G	54.89	68.20	-13.31	12.36	3	Horizontal	194	1.00	-	42.53	39.61	7.94	35.19
PK	15.6039G	63.19	74.00	-10.81	12.85	3	Horizontal	0	2.83	-	50.34	38.20	9.80	35.15

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	47.38	54.00	-6.62	2.55	3	Vertical	306	1.97	-	44.83	32.00	5.47	34.92
AV	5.24G	111.20	Inf	-Inf	2.10	3	Vertical	306	1.97	-	109.10	31.46	5.54	34.90
AV	5.35G	43.42	54.00	-10.58	2.07	3	Vertical	306	1.97	-	41.35	31.30	5.65	34.88
PK	5.1308G	57.70	74.00	-16.30	2.55	3	Vertical	306	1.97	-	55.15	32.00	5.47	34.92
PK	5.2406G	121.99	Inf	-Inf	2.10	3	Vertical	306	1.97	-	119.89	31.46	5.54	34.90
PK	5.3546G	56.63	74.00	-17.37	2.10	3	Vertical	306	1.97	-	54.53	31.33	5.65	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	43.00	54.00	-11.00	2.55	3	Horizontal	186	2.20	-	40.45	32.00	5.47	34.92
AV	5.24G	102.57	Inf	-Inf	2.10	3	Horizontal	186	2.20	-	100.47	31.46	5.54	34.90
AV	5.3846G	41.27	54.00	-12.73	2.31	3	Horizontal	186	2.20	-	38.96	31.51	5.68	34.88
PK	5.144G	55.72	74.00	-18.28	2.55	3	Horizontal	186	2.20	-	53.17	32.00	5.47	34.92
PK	5.2412G	113.79	Inf	-Inf	2.09	3	Horizontal	186	2.20	-	111.70	31.45	5.54	34.90
PK	5.3654G	54.67	74.00	-19.33	2.18	3	Horizontal	186	2.20	-	52.49	31.39	5.67	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72138G	50.55	54.00	-3.45	12.79	3	Vertical	274	1.74	-	37.76	38.19	9.83	35.23
PK	10.47919G	55.05	68.20	-13.15	12.72	3	Vertical	149	2.06	-	42.33	39.84	7.97	35.09
PK	15.72126G	66.39	74.00	-7.61	12.79	3	Vertical	274	1.74	-	53.60	38.19	9.83	35.23

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72237G	48.40	54.00	-5.60	12.78	3	Horizontal	331	1.09	-	35.62	38.19	9.83	35.24
PK	10.48066G	56.58	68.20	-11.62	12.72	3	Horizontal	60	1.00	-	43.86	39.84	7.97	35.09
PK	15.71973G	65.07	74.00	-8.93	12.80	3	Horizontal	331	1.09	-	52.27	38.20	9.83	35.23

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	108.12	Inf	-Inf	2.95	3	Vertical	301	1.96	-	105.17	32.08	5.80	34.93
PK	5.6478G	57.20	68.20	-11.00	2.70	3	Vertical	301	1.96	-	54.50	31.80	5.80	34.90
PK	5.745G	118.78	Inf	-Inf	2.95	3	Vertical	301	1.96	-	115.83	32.08	5.80	34.93
PK	6.009G	55.73	68.20	-12.47	3.39	3	Vertical	301	1.96	-	52.34	32.50	5.90	35.01

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	104.68	Inf	-Inf	2.95	3	Horizontal	4	2.74	-	101.73	32.08	5.80	34.93
PK	5.511G	55.75	68.20	-12.45	2.80	3	Horizontal	4	2.74	-	52.95	31.90	5.76	34.86
PK	5.7462G	116.39	Inf	-Inf	2.95	3	Horizontal	4	2.74	-	113.44	32.08	5.80	34.93
PK	5.991G	55.58	68.20	-12.62	3.41	3	Horizontal	4	2.74	-	52.17	32.52	5.90	35.01

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49165G	50.88	54.00	-3.12	13.67	3	Vertical	89	3.00	-	37.21	40.09	8.32	34.74
PK	11.49168G	63.99	74.00	-10.01	13.67	3	Vertical	89	3.00	-	50.32	40.09	8.32	34.74
PK	17.24016G	59.03	68.20	-9.17	15.77	3	Vertical	314	1.00	-	43.26	40.12	10.27	34.62

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49033G	44.87	54.00	-9.13	13.66	3	Horizontal	344	1.50	-	31.21	40.09	8.32	34.75
PK	11.49009G	57.32	74.00	-16.68	13.66	3	Horizontal	344	1.50	-	43.66	40.09	8.32	34.75
PK	17.23749G	58.13	68.20	-10.07	15.77	3	Horizontal	239	1.50	-	42.36	40.11	10.27	34.61

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.785G	108.00	Inf	-Inf	3.02	3	Vertical	298	1.50	-	104.98	32.17	5.80	34.95
PK	5.5978G	57.21	68.20	-10.99	2.71	3	Vertical	298	1.50	-	54.50	31.80	5.80	34.89
PK	5.785G	117.51	Inf	-Inf	3.02	3	Vertical	298	1.50	-	114.49	32.17	5.80	34.95
PK	5.9386G	56.70	68.20	-11.50	3.46	3	Vertical	298	1.50	-	53.24	32.58	5.87	34.99

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.785G	104.10	Inf	-Inf	3.02	3	Horizontal	189	2.69	-	101.08	32.17	5.80	34.95
PK	5.6038G	55.40	68.20	-12.80	2.71	3	Horizontal	189	2.69	-	52.69	31.80	5.80	34.89
PK	5.7862G	114.03	Inf	-Inf	3.02	3	Horizontal	189	2.69	-	111.01	32.17	5.80	34.95
PK	5.9422G	56.58	68.20	-11.62	3.46	3	Horizontal	189	2.69	-	53.12	32.58	5.87	34.99

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57138G	50.95	54.00	-3.05	13.48	3	Vertical	276	1.90	-	37.47	39.89	8.35	34.76
PK	11.57177G	64.27	74.00	-9.73	13.47	3	Vertical	276	1.90	-	50.80	39.88	8.35	34.76
PK	17.35761G	59.51	68.20	-8.69	16.40	3	Vertical	60	1.22	-	43.11	40.76	10.31	34.67

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57177G	44.32	54.00	-9.68	13.47	3	Horizontal	296	2.63	-	30.85	39.88	8.35	34.76
PK	11.57213G	57.39	74.00	-16.61	13.47	3	Horizontal	296	2.63	-	43.92	39.88	8.35	34.76
PK	17.34828G	59.38	68.20	-8.82	16.32	3	Horizontal	30	2.68	-	43.06	40.69	10.30	34.67

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	115.20	Inf	-Inf	3.15	3	Vertical	298	2.12	-	112.05	32.30	5.81	34.96
PK	5.633G	56.58	68.20	-11.62	2.70	3	Vertical	298	2.12	-	53.88	31.80	5.80	34.90
PK	5.825G	124.54	Inf	-Inf	3.15	3	Vertical	298	2.12	-	121.39	32.30	5.81	34.96
PK	6.0758G	56.11	68.20	-12.09	3.49	3	Vertical	298	2.12	-	52.62	32.55	5.94	35.00

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	103.68	Inf	-Inf	3.15	3	Horizontal	38	1.41	-	100.53	32.30	5.81	34.96
PK	5.5814G	55.31	68.20	-12.89	2.75	3	Horizontal	38	1.41	-	52.56	31.84	5.79	34.88
PK	5.8262G	113.35	Inf	-Inf	3.15	3	Horizontal	38	1.41	-	110.20	32.30	5.81	34.96
PK	5.9294G	56.60	68.20	-11.60	3.43	3	Horizontal	38	1.41	-	53.17	32.56	5.86	34.99

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64994G	50.93	54.00	-3.07	13.15	3	Vertical	93	2.49	-	37.78	39.55	8.38	34.78
PK	11.64967G	68.58	74.00	-5.42	13.15	3	Vertical	93	2.49	-	55.43	39.55	8.38	34.78
PK	17.47704G	63.73	68.20	-4.47	17.10	3	Vertical	75	1.98	-	46.63	41.49	10.34	34.73

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64958G	46.83	54.00	-7.17	13.15	3	Horizontal	46	1.00	-	33.68	39.55	8.38	34.78
PK	11.64958G	62.28	74.00	-11.72	13.15	3	Horizontal	46	1.00	-	49.13	39.55	8.38	34.78
PK	17.47344G	63.05	68.20	-5.15	17.08	3	Horizontal	315	2.74	-	45.97	41.47	10.34	34.73

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	48.92	54.00	-5.08	2.55	3	Vertical	302	2.10	-	46.37	32.00	5.47	34.92
AV	5.1794G	110.02	Inf	-Inf	2.40	3	Vertical	302	2.10	-	107.62	31.82	5.49	34.91
PK	5.1474G	61.73	74.00	-12.27	2.55	3	Vertical	302	2.10	-	59.18	32.00	5.47	34.92
PK	5.1796G	120.66	Inf	-Inf	2.40	3	Vertical	302	2.10	-	118.26	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	44.65	54.00	-9.35	2.55	3	Horizontal	6	2.41	-	42.10	32.00	5.47	34.92
AV	5.1822G	104.66	Inf	-Inf	2.39	3	Horizontal	6	2.41	-	102.27	31.81	5.49	34.91
PK	5.1476G	58.73	74.00	-15.27	2.55	3	Horizontal	6	2.41	-	56.18	32.00	5.47	34.92
PK	5.178G	115.80	Inf	-Inf	2.41	3	Horizontal	6	2.41	-	113.39	31.83	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54134G	49.64	54.00	-4.36	13.17	3	Vertical	337	2.97	-	36.47	38.49	9.79	35.11
PK	10.3608G	55.18	68.20	-13.02	12.17	3	Vertical	75	2.73	-	43.01	39.48	7.93	35.24
PK	15.53642G	65.80	74.00	-8.20	13.19	3	Vertical	337	2.97	-	52.61	38.52	9.78	35.11

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54009G	50.53	54.00	-3.47	13.18	3	Horizontal	309	2.49	-	37.35	38.50	9.79	35.11
PK	10.34812G	54.01	68.20	-14.19	12.11	3	Horizontal	10	1.50	-	41.90	39.44	7.92	35.25
PK	15.5417G	66.35	74.00	-7.65	13.17	3	Horizontal	309	2.49	-	53.18	38.49	9.79	35.11

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.99	54.00	-7.01	2.55	3	Vertical	289	2.16	-	44.44	32.00	5.47	34.92
AV	5.2004G	109.17	Inf	-Inf	2.29	3	Vertical	289	2.16	-	106.88	31.70	5.50	34.91
PK	5.148G	58.77	74.00	-15.23	2.55	3	Vertical	289	2.16	-	56.22	32.00	5.47	34.92
PK	5.2004G	120.29	Inf	-Inf	2.29	3	Vertical	289	2.16	-	118.00	31.70	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	43.70	54.00	-10.30	2.55	3	Horizontal	7	1.50	-	41.15	32.00	5.47	34.92
AV	5.2012G	102.88	Inf	-Inf	2.28	3	Horizontal	7	1.50	-	100.60	31.69	5.50	34.91
PK	5.1428G	56.46	74.00	-17.54	2.55	3	Horizontal	7	1.50	-	53.91	32.00	5.47	34.92
PK	5.2008G	113.45	Inf	-Inf	2.29	3	Horizontal	7	1.50	-	111.16	31.70	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59998G	50.53	54.00	-3.47	12.85	3	Vertical	334	2.01	-	37.68	38.20	9.80	35.15
PK	10.40085G	55.46	68.20	-12.74	12.35	3	Vertical	74	2.64	-	43.11	39.60	7.94	35.19
PK	15.59926G	65.91	74.00	-8.09	12.85	3	Vertical	334	2.01	-	53.06	38.20	9.80	35.15

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60176G	49.95	54.00	-4.05	12.85	3	Horizontal	312	2.49	-	37.10	38.20	9.80	35.15
PK	10.40034G	56.75	68.20	-11.45	12.35	3	Horizontal	58	2.01	-	44.40	39.60	7.94	35.19
PK	15.60185G	65.41	74.00	-8.59	12.85	3	Horizontal	312	2.49	-	52.56	38.20	9.80	35.15

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.67	54.00	-7.33	2.55	3	Vertical	304	2.09	-	44.12	32.00	5.47	34.92
AV	5.243G	112.12	Inf	-Inf	2.08	3	Vertical	304	2.09	-	110.04	31.44	5.54	34.90
AV	5.3528G	42.98	54.00	-11.02	2.09	3	Vertical	304	2.09	-	40.89	31.32	5.65	34.88
PK	5.144G	57.68	74.00	-16.32	2.55	3	Vertical	304	2.09	-	55.13	32.00	5.47	34.92
PK	5.2412G	123.27	Inf	-Inf	2.09	3	Vertical	304	2.09	-	121.18	31.45	5.54	34.90
PK	5.3594G	56.05	74.00	-17.95	2.14	3	Vertical	304	2.09	-	53.91	31.36	5.66	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	42.92	54.00	-11.08	2.55	3	Horizontal	15	1.26	-	40.37	32.00	5.47	34.92
AV	5.2406G	105.11	Inf	-Inf	2.10	3	Horizontal	15	1.26	-	103.01	31.46	5.54	34.90
AV	5.3894G	41.29	54.00	-12.71	2.35	3	Horizontal	15	1.26	-	38.94	31.54	5.69	34.88
PK	5.1344G	55.47	74.00	-18.53	2.55	3	Horizontal	15	1.26	-	52.92	32.00	5.47	34.92
PK	5.2394G	115.76	Inf	-Inf	2.10	3	Horizontal	15	1.26	-	113.66	31.46	5.54	34.90
PK	5.3726G	54.28	74.00	-19.72	2.23	3	Horizontal	15	1.26	-	52.05	31.44	5.67	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71864G	50.65	54.00	-3.35	12.81	3	Vertical	339	1.00	-	37.84	38.21	9.83	35.23
PK	10.48026G	56.10	68.20	-12.10	12.72	3	Vertical	77	2.81	-	43.38	39.84	7.97	35.09
PK	15.71744G	66.19	74.00	-7.81	12.81	3	Vertical	339	1.00	-	53.38	38.21	9.83	35.23

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72042G	48.54	54.00	-5.46	12.80	3	Horizontal	10	1.74	-	35.74	38.20	9.83	35.23
PK	10.47892G	55.28	68.20	-12.92	12.71	3	Horizontal	54	2.05	-	42.57	39.84	7.97	35.10
PK	15.72181G	63.30	74.00	-10.70	12.78	3	Horizontal	10	1.74	-	50.52	38.19	9.83	35.24

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	110.28	Inf	-Inf	2.95	3	Vertical	277	3.00	-	107.33	32.08	5.80	34.93
PK	5.619G	56.81	68.20	-11.39	2.70	3	Vertical	277	3.00	-	54.11	31.80	5.80	34.90
PK	5.7426G	120.52	Inf	-Inf	2.94	3	Vertical	277	3.00	-	117.58	32.07	5.80	34.93
PK	5.9766G	55.73	68.20	-12.47	3.44	3	Vertical	277	3.00	-	52.29	32.55	5.89	35.00

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	107.58	Inf	-Inf	2.96	3	Horizontal	10	1.00	-	104.62	32.09	5.80	34.93
PK	5.6298G	55.33	68.20	-12.87	2.70	3	Horizontal	10	1.00	-	52.63	31.80	5.80	34.90
PK	5.7438G	118.85	Inf	-Inf	2.95	3	Horizontal	10	1.00	-	115.90	32.08	5.80	34.93
PK	6.0078G	55.94	68.20	-12.26	3.39	3	Horizontal	10	1.00	-	52.55	32.50	5.90	35.01

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48935G	50.54	54.00	-3.46	13.66	3	Vertical	94	2.33	-	36.88	40.09	8.32	34.75
PK	11.48962G	65.01	74.00	-8.99	13.66	3	Vertical	94	2.33	-	51.35	40.09	8.32	34.75
PK	17.23676G	62.00	68.20	-6.20	15.77	3	Vertical	154	1.00	-	46.23	40.11	10.27	34.61

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48879G	46.23	54.00	-7.77	13.66	3	Horizontal	335	2.13	-	32.57	40.09	8.32	34.75
PK	11.489G	60.16	74.00	-13.84	13.66	3	Horizontal	335	2.13	-	46.50	40.09	8.32	34.75
PK	17.23436G	63.65	68.20	-4.55	15.76	3	Horizontal	161	2.19	-	47.89	40.10	10.27	34.61

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.785G	108.91	Inf	-Inf	3.02	3	Vertical	288	1.73	-	105.89	32.17	5.80	34.95
PK	5.509G	55.42	68.20	-12.78	2.79	3	Vertical	288	1.73	-	52.63	31.90	5.75	34.86
PK	5.7862G	120.01	Inf	-Inf	3.02	3	Vertical	288	1.73	-	116.99	32.17	5.80	34.95
PK	5.9698G	55.54	68.20	-12.66	3.44	3	Vertical	288	1.73	-	52.10	32.56	5.88	35.00

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	107.74	Inf	-Inf	3.02	3	Horizontal	11	1.00	-	104.72	32.17	5.80	34.95
PK	5.5354G	55.40	68.20	-12.80	2.80	3	Horizontal	11	1.00	-	52.60	31.90	5.77	34.87
PK	5.7826G	117.85	Inf	-Inf	3.03	3	Horizontal	11	1.00	-	114.82	32.17	5.80	34.94
PK	5.959G	55.72	68.20	-12.48	3.46	3	Horizontal	11	1.00	-	52.26	32.58	5.88	35.00

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57207G	50.64	54.00	-3.36	13.47	3	Vertical	280	1.91	-	37.17	39.88	8.35	34.76
PK	11.57153G	68.08	74.00	-5.92	13.48	3	Vertical	280	1.91	-	54.60	39.89	8.35	34.76
PK	17.35645G	64.82	68.20	-3.38	16.39	3	Vertical	322	2.92	-	48.43	40.75	10.31	34.67

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5697G	46.68	54.00	-7.32	13.48	3	Horizontal	298	1.83	-	33.20	39.89	8.35	34.76
PK	11.5691G	62.44	74.00	-11.56	13.48	3	Horizontal	298	1.83	-	48.96	39.89	8.35	34.76
PK	17.35675G	64.08	68.20	-4.12	16.39	3	Horizontal	16	2.58	-	47.69	40.75	10.31	34.67

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.49	Inf	-Inf	3.15	3	Vertical	307	2.37	-	108.34	32.30	5.81	34.96
PK	5.5622G	55.50	68.20	-12.70	2.78	3	Vertical	307	2.37	-	52.72	31.88	5.78	34.88
PK	5.8226G	121.13	Inf	-Inf	3.14	3	Vertical	307	2.37	-	117.99	32.29	5.81	34.96
PK	5.9594G	56.11	68.20	-12.09	3.46	3	Vertical	307	2.37	-	52.65	32.58	5.88	35.00

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8238G	105.22	Inf	-Inf	3.15	3	Horizontal	289	2.69	-	102.07	32.30	5.81	34.96
PK	5.5502G	55.17	68.20	-13.03	2.80	3	Horizontal	289	2.69	-	52.37	31.90	5.78	34.88
PK	5.8238G	115.45	Inf	-Inf	3.15	3	Horizontal	289	2.69	-	112.30	32.30	5.81	34.96
PK	5.9666G	55.72	68.20	-12.48	3.45	3	Horizontal	289	2.69	-	52.27	32.57	5.88	35.00

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6489G	50.53	54.00	-3.47	13.16	3	Vertical	72	1.97	-	37.37	39.56	8.38	34.78
PK	11.6488G	67.33	74.00	-6.67	13.16	3	Vertical	72	1.97	-	54.17	39.56	8.38	34.78
PK	17.47474G	61.58	68.20	-6.62	17.08	3	Vertical	31	1.98	-	44.50	41.47	10.34	34.73

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6474G	46.43	54.00	-7.57	13.16	3	Horizontal	158	1.02	-	33.27	39.56	8.38	34.78
PK	11.64752G	62.60	74.00	-11.40	13.16	3	Horizontal	158	1.02	-	49.44	39.56	8.38	34.78
PK	17.47681G	63.70	68.20	-4.50	17.09	3	Horizontal	320	2.42	-	46.61	41.48	10.34	34.73

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1492G	50.94	54.00	-3.06	5.42	3	Vertical	253	2.20	-	45.52	31.90	7.57	34.05
AV	5.18G	108.81	Inf	-Inf	5.26	3	Vertical	253	2.20	-	103.55	31.72	7.59	34.05
PK	5.1488G	63.74	74.00	-10.26	5.42	3	Vertical	253	2.20	-	58.32	31.90	7.57	34.05
PK	5.1762G	116.80	Inf	-Inf	5.28	3	Vertical	253	2.20	-	111.52	31.74	7.59	34.05

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	46.54	54.00	-7.46	5.44	3	Horizontal	289	2.28	-	41.10	31.92	7.57	34.05
AV	5.18G	99.61	Inf	-Inf	5.26	3	Horizontal	289	2.28	-	94.35	31.72	7.59	34.05
PK	5.1482G	58.77	74.00	-15.23	5.42	3	Horizontal	289	2.28	-	53.35	31.90	7.57	34.05
PK	5.176G	107.89	Inf	-Inf	5.28	3	Horizontal	289	2.28	-	102.61	31.74	7.59	34.05

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54522G	39.92	54.00	-14.08	7.21	3	Vertical	230	1.50	-	32.71	38.32	10.91	42.02
PK	10.35204G	59.89	68.20	-8.31	5.98	3	Vertical	22	2.96	-	53.91	39.41	9.69	43.12
PK	15.5451G	52.10	74.00	-21.90	7.21	3	Vertical	230	1.50	-	44.89	38.32	10.91	42.02

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53904G	41.37	54.00	-12.63	7.24	3	Horizontal	334	1.86	-	34.13	38.34	10.91	42.01
PK	10.35118G	58.29	68.20	-9.91	5.97	3	Horizontal	25	2.20	-	52.32	39.40	9.69	43.12
PK	15.546G	55.79	74.00	-18.21	7.21	3	Horizontal	334	1.86	-	48.58	38.32	10.91	42.02

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.104G	49.27	54.00	-4.73	5.49	3	Vertical	259	2.10	-	43.78	31.99	7.55	34.05
AV	5.2028G	110.18	Inf	-Inf	5.13	3	Vertical	259	2.10	-	105.05	31.58	7.60	34.05
PK	5.1044G	60.98	74.00	-13.02	5.49	3	Vertical	259	2.10	-	55.49	31.99	7.55	34.05
PK	5.2016G	119.67	Inf	-Inf	5.14	3	Vertical	259	2.10	-	114.53	31.59	7.60	34.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1088G	45.51	54.00	-8.49	5.48	3	Horizontal	5	1.11	-	40.03	31.98	7.55	34.05
AV	5.1968G	100.46	Inf	-Inf	5.17	3	Horizontal	5	1.11	-	95.29	31.62	7.60	34.05
PK	5.146G	57.82	74.00	-16.18	5.43	3	Horizontal	5	1.11	-	52.39	31.91	7.57	34.05
PK	5.1976G	109.24	Inf	-Inf	5.16	3	Horizontal	5	1.11	-	104.08	31.61	7.60	34.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60384G	46.32	54.00	-7.68	6.96	3	Vertical	236	1.66	-	39.36	38.09	10.92	42.05
PK	10.3919G	60.14	68.20	-8.06	6.14	3	Vertical	23	3.00	-	54.00	39.57	9.70	43.13
PK	15.6063G	60.55	74.00	-13.45	6.96	3	Vertical	236	1.66	-	53.59	38.09	10.92	42.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5961G	49.91	54.00	-4.09	6.99	3	Horizontal	326	2.02	-	42.92	38.12	10.92	42.05
PK	10.40714G	59.86	68.20	-8.34	6.17	3	Horizontal	25	2.18	-	53.69	39.61	9.70	43.14
PK	15.60642G	64.97	74.00	-9.03	6.96	3	Horizontal	326	2.02	-	58.01	38.09	10.92	42.05

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.38	54.00	-6.62	5.43	3	Vertical	249	2.07	-	41.95	31.91	7.57	34.05
AV	5.243G	110.58	Inf	-Inf	4.91	3	Vertical	249	2.07	-	105.67	31.34	7.62	34.05
AV	5.3534G	45.25	54.00	-8.75	4.84	3	Vertical	249	2.07	-	40.41	31.22	7.68	34.06
PK	5.144G	58.61	74.00	-15.39	5.43	3	Vertical	249	2.07	-	53.18	31.91	7.57	34.05
PK	5.2364G	120.18	Inf	-Inf	4.95	3	Vertical	249	2.07	-	115.23	31.38	7.62	34.05
PK	5.3708G	57.69	74.00	-16.31	4.95	3	Vertical	249	2.07	-	52.74	31.32	7.69	34.06

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0936G	45.41	54.00	-8.59	5.49	3	Horizontal	37	2.29	-	39.92	31.99	7.55	34.05
AV	5.24G	103.84	Inf	-Inf	4.93	3	Horizontal	37	2.29	-	98.91	31.36	7.62	34.05
AV	5.3828G	44.11	54.00	-9.89	5.03	3	Horizontal	37	2.29	-	39.08	31.40	7.69	34.06
PK	5.1218G	58.10	74.00	-15.90	5.47	3	Horizontal	37	2.29	-	52.63	31.96	7.56	34.05
PK	5.2418G	113.20	Inf	-Inf	4.92	3	Horizontal	37	2.29	-	108.28	31.35	7.62	34.05
PK	5.3696G	55.76	74.00	-18.24	4.94	3	Horizontal	37	2.29	-	50.82	31.32	7.68	34.06

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71556G	50.46	54.00	-3.54	6.69	3	Vertical	317	2.88	-	43.77	37.87	10.94	42.12
PK	10.47862G	59.91	68.20	-8.29	6.25	3	Vertical	22	2.84	-	53.66	39.68	9.72	43.15
PK	15.72636G	65.54	74.00	-8.46	6.68	3	Vertical	317	2.88	-	58.86	37.85	10.95	42.12

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71586G	49.72	54.00	-4.28	6.69	3	Horizontal	327	2.05	-	43.03	37.87	10.94	42.12
PK	10.47214G	59.79	68.20	-8.41	6.24	3	Horizontal	20	2.66	-	53.55	39.67	9.72	43.15
PK	15.72624G	64.65	74.00	-9.35	6.68	3	Horizontal	327	2.05	-	57.97	37.85	10.95	42.12

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	103.24	Inf	-Inf	5.69	3	Vertical	236	2.09	-	97.55	31.89	7.87	34.07
PK	5.5662G	58.42	68.20	-9.78	5.38	3	Vertical	236	2.09	-	53.04	31.67	7.78	34.07
PK	5.7438G	112.49	Inf	-Inf	5.69	3	Vertical	236	2.09	-	106.80	31.89	7.87	34.07
PK	5.9538G	58.10	68.20	-10.10	6.30	3	Vertical	236	2.09	-	51.80	32.40	7.98	34.08

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	99.38	Inf	-Inf	5.69	3	Horizontal	310	2.10	-	93.69	31.89	7.87	34.07
PK	5.6058G	57.27	68.20	-10.93	5.34	3	Horizontal	310	2.10	-	51.93	31.61	7.80	34.07
PK	5.7486G	108.41	Inf	-Inf	5.70	3	Horizontal	310	2.10	-	102.71	31.90	7.87	34.07
PK	5.931G	57.34	68.20	-10.86	6.29	3	Horizontal	310	2.10	-	51.05	32.40	7.97	34.08

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4951G	48.35	54.00	-5.65	7.25	3	Vertical	269	1.79	-	41.10	39.90	9.97	42.62
PK	11.4924G	61.20	74.00	-12.80	7.24	3	Vertical	269	1.79	-	53.96	39.89	9.97	42.62
PK	17.24172G	60.33	68.20	-7.87	11.13	3	Vertical	321	2.50	-	49.20	40.23	11.56	40.66

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48988G	50.97	54.00	-3.03	7.24	3	Horizontal	13	2.83	-	43.73	39.89	9.97	42.62
PK	11.48784G	64.30	74.00	-9.70	7.24	3	Horizontal	13	2.83	-	57.06	39.89	9.97	42.62
PK	17.23902G	56.07	68.20	-12.13	11.11	3	Horizontal	147	2.02	-	44.96	40.22	11.56	40.67

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	107.11	Inf	-Inf	5.84	3	Vertical	236	2.13	-	101.27	32.03	7.89	34.08
PK	5.6446G	58.02	68.20	-10.18	5.44	3	Vertical	236	2.13	-	52.58	31.69	7.82	34.07
PK	5.7814G	116.12	Inf	-Inf	5.84	3	Vertical	236	2.13	-	110.28	32.03	7.89	34.08
PK	5.9698G	57.88	68.20	-10.32	6.30	3	Vertical	236	2.13	-	51.58	32.40	7.98	34.08

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.64	Inf	-Inf	5.86	3	Horizontal	45	2.35	-	94.78	32.05	7.89	34.08
PK	5.7822G	57.01	68.20	-11.19	5.36	3	Horizontal	45	2.35	-	51.65	31.64	7.79	34.07
PK	5.7862G	110.94	Inf	-Inf	5.85	3	Horizontal	45	2.35	-	105.09	32.04	7.89	34.08
PK	5.9566G	58.38	68.20	-9.82	6.30	3	Horizontal	45	2.35	-	52.08	32.40	7.98	34.08

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56844G	49.79	54.00	-4.21	7.23	3	Vertical	122	3.00	-	42.56	39.83	9.99	42.59
PK	11.56898G	62.39	74.00	-11.61	7.23	3	Vertical	122	3.00	-	55.16	39.83	9.99	42.59
PK	17.3538G	62.97	68.20	-5.23	11.77	3	Vertical	323	2.74	-	51.20	40.72	11.61	40.56

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56664G	49.92	54.00	-4.08	7.23	3	Horizontal	15	2.80	-	42.69	39.83	9.99	42.59
PK	11.56538G	62.46	74.00	-11.54	7.23	3	Horizontal	15	2.80	-	55.23	39.83	9.99	42.59
PK	17.36202G	57.82	68.20	-10.38	11.83	3	Horizontal	301	1.53	-	45.99	40.77	11.61	40.55

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.34	Inf	-Inf	6.02	3	Vertical	243	2.04	-	100.32	32.19	7.91	34.08
PK	5.5598G	56.44	68.20	-11.76	5.39	3	Vertical	243	2.04	-	51.05	31.68	7.78	34.07
PK	5.8226G	115.56	Inf	-Inf	6.02	3	Vertical	243	2.04	-	109.54	32.19	7.91	34.08
PK	5.9294G	57.18	68.20	-11.02	6.28	3	Vertical	243	2.04	-	50.90	32.40	7.96	34.08

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	99.95	Inf	-Inf	6.04	3	Horizontal	316	2.42	-	93.91	32.21	7.91	34.08
PK	5.5766G	57.43	68.20	-10.77	5.37	3	Horizontal	316	2.42	-	52.06	31.65	7.79	34.07
PK	5.8214G	109.24	Inf	-Inf	6.02	3	Horizontal	316	2.42	-	103.22	32.19	7.91	34.08
PK	5.9858G	57.03	68.20	-11.17	6.31	3	Horizontal	316	2.42	-	50.72	32.40	7.99	34.08

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.647G	48.99	54.00	-5.01	6.98	3	Vertical	143	3.00	-	42.01	39.52	10.01	42.55
PK	11.6437G	57.74	74.00	-16.26	7.00	3	Vertical	143	3.00	-	50.74	39.54	10.01	42.55
PK	17.47602G	63.08	68.20	-5.12	12.68	3	Vertical	321	2.79	-	50.40	41.46	11.66	40.44

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64646G	49.46	54.00	-4.54	6.98	3	Horizontal	13	2.94	-	42.48	39.52	10.01	42.55
PK	11.64904G	61.68	74.00	-12.32	6.97	3	Horizontal	13	2.94	-	54.71	39.51	10.01	42.55
PK	17.4813G	58.44	68.20	-9.76	12.72	3	Horizontal	138	1.50	-	45.72	41.49	11.67	40.44

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.97	54.00	-3.03	5.42	3	Vertical	239	2.34	-	45.55	31.90	7.57	34.05
AV	5.19G	104.56	Inf	-Inf	5.20	3	Vertical	239	2.34	-	99.36	31.66	7.59	34.05
PK	5.15G	64.18	74.00	-9.82	5.42	3	Vertical	239	2.34	-	58.76	31.90	7.57	34.05
PK	5.19G	109.68	Inf	-Inf	5.20	3	Vertical	239	2.34	-	104.48	31.66	7.59	34.05

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.42	54.00	-7.58	5.42	3	Horizontal	11	2.33	-	41.00	31.90	7.57	34.05
AV	5.19G	97.89	Inf	-Inf	5.20	3	Horizontal	11	2.33	-	92.69	31.66	7.59	34.05
PK	5.1488G	59.61	74.00	-14.39	5.42	3	Horizontal	11	2.33	-	54.19	31.90	7.57	34.05
PK	5.19G	102.77	Inf	-Inf	5.20	3	Horizontal	11	2.33	-	97.57	31.66	7.59	34.05

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5632G	41.75	54.00	-12.25	7.13	3	Vertical	339	2.31	-	34.62	38.25	10.91	42.03
PK	10.37992G	55.43	68.20	-12.77	6.08	3	Vertical	321	1.88	-	49.35	39.52	9.69	43.13
PK	15.56204G	53.83	74.00	-20.17	7.13	3	Vertical	339	2.31	-	46.70	38.25	10.91	42.03

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57104G	42.11	54.00	-11.89	7.10	3	Horizontal	297	2.38	-	35.01	38.22	10.91	42.03
PK	10.37979G	54.61	68.20	-13.59	6.08	3	Horizontal	148	1.00	-	48.53	39.52	9.69	43.13
PK	15.57996G	54.06	74.00	-19.94	7.06	3	Horizontal	297	2.38	-	47.00	38.18	10.92	42.04

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	49.75	54.00	-4.25	5.45	3	Vertical	286	2.21	-	44.30	31.93	7.57	34.05
AV	5.2312G	108.12	Inf	-Inf	4.98	3	Vertical	286	2.21	-	103.14	31.41	7.62	34.05
PK	5.1392G	67.09	74.00	-6.91	5.44	3	Vertical	286	2.21	-	61.65	31.92	7.57	34.05
PK	5.2224G	116.08	Inf	-Inf	5.03	3	Vertical	286	2.21	-	111.05	31.47	7.61	34.05

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	47.02	54.00	-6.98	5.44	3	Horizontal	21	1.50	-	41.58	31.92	7.57	34.05
AV	5.236G	99.40	Inf	-Inf	4.95	3	Horizontal	21	1.50	-	94.45	31.38	7.62	34.05
PK	5.1476G	59.54	74.00	-14.46	5.42	3	Horizontal	21	1.50	-	54.12	31.90	7.57	34.05
PK	5.2344G	107.48	Inf	-Inf	4.96	3	Horizontal	21	1.50	-	102.52	31.39	7.62	34.05

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.685G	50.12	54.00	-3.88	6.77	3	Vertical	317	2.90	-	43.35	37.93	10.94	42.10
PK	10.45984G	57.89	68.20	-10.31	6.22	3	Vertical	137	3.00	-	51.67	39.66	9.71	43.15
PK	15.6963G	61.71	74.00	-12.29	6.75	3	Vertical	317	2.90	-	54.96	37.91	10.94	42.10

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6963G	44.68	54.00	-9.32	6.75	3	Horizontal	80	1.00	-	37.93	37.91	10.94	42.10
PK	10.45864G	54.70	68.20	-13.50	6.22	3	Horizontal	32	2.04	-	48.48	39.66	9.71	43.15
PK	15.6875G	56.18	74.00	-17.82	6.76	3	Horizontal	80	1.00	-	49.42	37.92	10.94	42.10

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	101.87	Inf	-Inf	5.69	3	Vertical	280	2.00	-	96.18	31.89	7.87	34.07
PK	5.6398G	61.78	68.20	-6.42	5.43	3	Vertical	280	2.00	-	56.35	31.68	7.82	34.07
PK	5.7478G	110.30	Inf	-Inf	5.70	3	Vertical	280	2.00	-	104.60	31.90	7.87	34.07
PK	5.9842G	58.57	68.20	-9.63	6.31	3	Vertical	280	2.00	-	52.26	32.40	7.99	34.08

802.11ac VHT40_Nss1_2TX

5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	97.01	Inf	-Inf	5.70	3	Horizontal	7	2.59	-	91.31	31.90	7.87	34.07
PK	5.647G	58.36	68.20	-9.84	5.44	3	Horizontal	7	2.59	-	52.92	31.69	7.82	34.07
PK	5.7478G	104.97	Inf	-Inf	5.70	3	Horizontal	7	2.59	-	99.27	31.90	7.87	34.07
PK	5.9458G	59.35	68.20	-8.85	6.29	3	Horizontal	7	2.59	-	53.06	32.40	7.97	34.08