


802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50996G	49.54	54.00	-4.46	7.25	3	Horizontal	150	2.85	-	42.29	39.89	9.98	42.62
PK	11.50636G	60.75	74.00	-13.25	7.25	3	Horizontal	150	2.85	-	53.50	39.89	9.98	42.62
PK	17.2637G	56.41	68.20	-11.79	11.22	3	Horizontal	281	1.50	-	45.19	40.29	11.57	40.64

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	100.19	Inf	-Inf	5.90	3	Vertical	291	1.95	-	94.29	32.08	7.90	34.08
PK	5.6354G	59.72	68.20	-8.48	5.42	3	Vertical	291	1.95	-	54.30	31.67	7.82	34.07
PK	5.7926G	108.42	Inf	-Inf	5.89	3	Vertical	291	1.95	-	102.53	32.07	7.90	34.08
PK	5.9534G	58.16	68.20	-10.04	6.30	3	Vertical	291	1.95	-	51.86	32.40	7.98	34.08

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	91.73	Inf	-Inf	5.87	3	Horizontal	36	1.00	-	85.86	32.06	7.89	34.08
PK	5.789G	99.83	Inf	-Inf	5.87	3	Horizontal	36	1.00	-	93.96	32.06	7.89	34.08
PK	5.9426G	57.75	68.20	-10.45	6.29	3	Horizontal	36	1.00	-	51.46	32.40	7.97	34.08

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5898G	50.96	54.00	-3.04	7.23	3	Vertical	228	2.08	-	43.73	39.81	10.00	42.58
PK	11.58648G	62.80	74.00	-11.20	7.23	3	Vertical	228	2.08	-	55.57	39.81	10.00	42.58
PK	17.38106G	56.76	68.20	-11.44	11.98	3	Vertical	239	1.03	-	44.78	40.89	11.62	40.53

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58992G	50.78	54.00	-3.22	7.23	3	Horizontal	150	2.94	-	43.55	39.81	10.00	42.58
PK	11.5886G	62.48	74.00	-11.52	7.23	3	Horizontal	150	2.94	-	55.25	39.81	10.00	42.58
PK	17.38116G	56.95	68.20	-11.25	11.98	3	Horizontal	77	2.36	-	44.97	40.89	11.62	40.53

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.138G	50.93	54.00	-3.07	5.44	3	Vertical	280	2.04	-	45.49	31.92	7.57	34.05
AV	5.189G	95.64	Inf	-Inf	5.21	3	Vertical	280	2.04	-	90.43	31.67	7.59	34.05
AV	5.354G	47.10	54.00	-6.90	4.84	3	Vertical	280	2.04	-	42.26	31.22	7.68	34.06
PK	5.127G	61.05	74.00	-12.95	5.46	3	Vertical	280	2.04	-	55.59	31.95	7.56	34.05
PK	5.208G	103.86	Inf	-Inf	5.10	3	Vertical	280	2.04	-	98.76	31.55	7.60	34.05
PK	5.357G	56.94	74.00	-17.06	4.86	3	Vertical	280	2.04	-	52.08	31.24	7.68	34.06

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.145G	46.62	54.00	-7.38	5.43	3	Horizontal	164	1.50	-	41.19	31.91	7.57	34.05
AV	5.222G	85.13	Inf	-Inf	5.03	3	Horizontal	164	1.50	-	80.10	31.47	7.61	34.05
AV	5.456G	45.80	54.00	-8.20	5.28	3	Horizontal	164	1.50	-	40.52	31.62	7.73	34.07
PK	5.105G	57.89	74.00	-16.11	5.49	3	Horizontal	164	1.50	-	52.40	31.99	7.55	34.05
PK	5.221G	93.98	Inf	-Inf	5.03	3	Horizontal	164	1.50	-	88.95	31.47	7.61	34.05
PK	5.432G	58.04	74.00	-15.96	5.21	3	Horizontal	164	1.50	-	52.83	31.56	7.72	34.07

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63576G	40.02	54.00	-13.98	6.89	3	Vertical	275	1.50	-	33.13	38.03	10.93	42.07
PK	10.41984G	54.41	68.20	-13.79	6.18	3	Vertical	288	2.96	-	48.23	39.62	9.70	43.14
PK	15.63544G	51.76	74.00	-22.24	6.89	3	Vertical	275	1.50	-	44.87	38.03	10.93	42.07

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65816G	39.97	54.00	-14.03	6.83	3	Horizontal	6	1.50	-	33.14	37.98	10.93	42.08
PK	10.4368G	55.06	68.20	-13.14	6.21	3	Horizontal	103	2.95	-	48.85	39.64	9.71	43.14
PK	15.66264G	52.47	74.00	-21.53	6.82	3	Horizontal	6	1.50	-	45.65	37.97	10.93	42.08

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.76G	101.22	Inf	-Inf	5.74	3	Vertical	289	2.14	-	95.48	31.94	7.88	34.08
PK	5.642G	64.60	68.20	-3.60	5.43	3	Vertical	289	2.14	-	59.17	31.68	7.82	34.07
PK	5.763G	111.05	Inf	-Inf	5.75	3	Vertical	289	2.14	-	105.30	31.95	7.88	34.08
PK	5.928G	61.55	68.20	-6.65	6.28	3	Vertical	289	2.14	-	55.27	32.40	7.96	34.08

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	95.39	Inf	-Inf	5.73	3	Horizontal	29	2.61	-	89.66	31.93	7.88	34.08
PK	5.583G	58.12	68.20	-10.08	5.35	3	Horizontal	29	2.61	-	52.77	31.63	7.79	34.07
PK	5.748G	105.16	Inf	-Inf	5.70	3	Horizontal	29	2.61	-	99.46	31.90	7.87	34.07
PK	5.953G	58.13	68.20	-10.07	6.30	3	Horizontal	29	2.61	-	51.83	32.40	7.98	34.08

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54984G	50.44	54.00	-3.56	7.24	3	Vertical	232	2.18	-	43.20	39.85	9.99	42.60
PK	11.5172G	62.87	74.00	-11.13	7.25	3	Vertical	232	2.18	-	55.62	39.88	9.98	42.61
PK	17.30804G	59.45	68.20	-8.75	11.44	3	Vertical	249	3.00	-	48.01	40.45	11.59	40.60

802.11ac VHT80_Nss1_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54968G	48.61	54.00	-5.39	7.24	3	Horizontal	147	2.70	-	41.37	39.85	9.99	42.60
PK	11.5188G	60.99	74.00	-13.01	7.25	3	Horizontal	147	2.70	-	53.74	39.88	9.98	42.61
PK	17.30772G	57.16	68.20	-11.04	11.44	3	Horizontal	5	2.32	-	45.72	40.45	11.59	40.60



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1_2TX	Pass	QP	33.88M	38.37	40.00	-1.63	3	Vertical	234	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	289.96M	32.83	46.00	-13.17	3	Vertical	360	1.00	-
5775MHz	Pass	PK	534.4M	37.31	46.00	-8.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	767.2M	34.59	46.00	-11.41	3	Vertical	360	1.00	-
5775MHz	Pass	PK	937.92M	41.45	46.00	-4.55	3	Vertical	360	1.00	-
5775MHz	Pass	QP	33.88M	38.37	40.00	-1.63	3	Vertical	234	1.00	-
5775MHz	Pass	QP	59.1M	38.25	40.00	-1.75	3	Vertical	239	1.00	-
5775MHz	Pass	PK	33.88M	35.89	40.00	-4.11	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	115.36M	33.04	43.50	-10.46	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	289.96M	40.24	46.00	-5.76	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	532.46M	40.91	46.00	-5.09	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	714.82M	41.38	46.00	-4.62	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	937.92M	42.59	46.00	-3.41	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1_2TX

26/05/2020


5775MHz_Adapter



802.11ac VHT80_Nss1_2TX

26/05/2020

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	35.84	40.00	-4.16	-5.53	3	Horizontal	0	1.00	-	41.37	21.37	0.78	27.68
PK	115.36M	32.99	43.50	-10.51	-9.05	3	Horizontal	0	1.00	-	42.04	17.13	1.55	27.73
PK	289.96M	40.19	46.00	-5.81	-6.41	3	Horizontal	0	1.00	-	46.60	18.20	2.56	27.17
PK	532.46M	40.87	46.00	-5.13	-1.98	3	Horizontal	0	1.00	-	42.85	23.02	3.56	28.56
PK	714.82M	41.37	46.00	-4.63	0.10	3	Horizontal	0	1.00	-	41.27	24.24	4.23	28.37
PK	937.92M	42.58	46.00	-3.42	3.08	3	Horizontal	0	1.00	-	39.50	25.83	4.88	27.63

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	15.60108G	49.66	54.00	-4.34	3	Horizontal	51	2.73	-
11a-10M_Nss1_2TX	Pass	AV	15.7212G	50.20	54.00	-3.80	3	Horizontal	62	1.08	-
11a-20M_Nss1_2TX	Pass	AV	5.1494G	50.70	54.00	-3.30	3	Vertical	255	1.39	-
11n-5M_Nss1_2TX	Pass	AV	15.54093G	50.70	54.00	-3.30	3	Horizontal	83	2.07	-
11n-10M_Nss1_2TX	Pass	AV	15.53848G	50.39	54.00	-3.61	3	Horizontal	82	2.03	-
802.11ac VHT20_Nss1_2TX	Pass	AV	5.1492G	50.75	54.00	-3.25	3	Vertical	258	2.04	-
802.11ac VHT40_Nss1_2TX	Pass	AV	5.1476G	50.71	54.00	-3.29	3	Vertical	270	2.96	-
802.11ac VHT80_Nss1_2TX	Pass	AV	5.148G	50.97	54.00	-3.03	3	Vertical	258	2.14	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	PK	17.4744G	65.17	68.20	-3.03	3	Horizontal	24	1.21	-
11a-10M_Nss1_2TX	Pass	PK	17.47218G	65.14	68.20	-3.06	3	Vertical	167	1.94	-
11a-20M_Nss1_2TX	Pass	AV	11.56934G	50.96	54.00	-3.04	3	Vertical	23	1.96	-
11n-5M_Nss1_2TX	Pass	AV	11.4918G	50.95	54.00	-3.05	3	Vertical	351	1.94	-
11n-10M_Nss1_2TX	Pass	AV	11.6494G	50.89	54.00	-3.11	3	Vertical	0	2.11	-
802.11ac VHT20_Nss1_2TX	Pass	PK	17.47116G	65.16	68.20	-3.04	3	Vertical	154	1.94	-
802.11ac VHT40_Nss1_2TX	Pass	AV	11.6014G	50.78	54.00	-3.22	3	Vertical	13	2.52	-
802.11ac VHT80_Nss1_2TX	Pass	PK	17.33634G	65.00	68.20	-3.20	3	Vertical	161	1.87	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11a-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1456G	48.17	54.00	-5.83	3	Vertical	4	2.58	-
5180MHz	Pass	AV	5.18G	109.60	Inf	-Inf	3	Vertical	4	2.58	-
5180MHz	Pass	PK	5.1338G	60.66	74.00	-13.34	3	Vertical	4	2.58	-
5180MHz	Pass	PK	5.1812G	120.61	Inf	-Inf	3	Vertical	4	2.58	-
5180MHz	Pass	AV	5.148G	46.99	54.00	-7.01	3	Horizontal	64	2.90	-
5180MHz	Pass	AV	5.18G	107.25	Inf	-Inf	3	Horizontal	64	2.90	-
5180MHz	Pass	PK	5.1368G	59.79	74.00	-14.21	3	Horizontal	64	2.90	-
5180MHz	Pass	PK	5.1798G	118.98	Inf	-Inf	3	Horizontal	64	2.90	-
5180MHz	Pass	AV	15.54132G	48.78	54.00	-5.22	3	Vertical	355	2.44	-
5180MHz	Pass	PK	10.36162G	54.05	68.20	-14.15	3	Vertical	125	2.11	-
5180MHz	Pass	PK	15.53994G	66.12	74.00	-7.88	3	Vertical	355	2.44	-
5180MHz	Pass	AV	15.54114G	48.87	54.00	-5.13	3	Horizontal	88	2.55	-
5180MHz	Pass	PK	10.36012G	52.92	68.20	-15.28	3	Horizontal	296	2.82	-
5180MHz	Pass	PK	15.54114G	66.13	74.00	-7.87	3	Horizontal	88	2.55	-
5200MHz	Pass	AV	5.1496G	46.23	54.00	-7.77	3	Vertical	342	2.44	-
5200MHz	Pass	AV	5.2004G	109.44	Inf	-Inf	3	Vertical	342	2.44	-
5200MHz	Pass	PK	5.1476G	58.73	74.00	-15.27	3	Vertical	342	2.44	-
5200MHz	Pass	PK	5.1996G	120.40	Inf	-Inf	3	Vertical	342	2.44	-
5200MHz	Pass	AV	5.15G	45.92	54.00	-8.08	3	Horizontal	63	2.76	-
5200MHz	Pass	AV	5.2004G	108.16	Inf	-Inf	3	Horizontal	63	2.76	-
5200MHz	Pass	PK	5.1476G	59.29	74.00	-14.71	3	Horizontal	63	2.76	-
5200MHz	Pass	PK	5.1996G	118.80	Inf	-Inf	3	Horizontal	63	2.76	-
5200MHz	Pass	AV	15.60174G	47.51	54.00	-6.49	3	Vertical	231	2.63	-
5200MHz	Pass	PK	10.40102G	56.17	68.20	-12.03	3	Vertical	213	2.58	-
5200MHz	Pass	PK	15.60174G	65.63	74.00	-8.37	3	Vertical	231	2.63	-
5200MHz	Pass	AV	15.60108G	49.66	54.00	-4.34	3	Horizontal	51	2.73	-
5200MHz	Pass	PK	10.40042G	56.02	68.20	-12.18	3	Horizontal	137	2.38	-
5200MHz	Pass	PK	15.60012G	65.15	74.00	-8.85	3	Horizontal	51	2.73	-
5240MHz	Pass	AV	5.1446G	45.98	54.00	-8.02	3	Vertical	356	2.76	-
5240MHz	Pass	AV	5.24G	110.06	Inf	-Inf	3	Vertical	356	2.76	-
5240MHz	Pass	AV	5.3528G	44.47	54.00	-9.53	3	Vertical	356	2.76	-
5240MHz	Pass	PK	5.1446G	58.53	74.00	-15.47	3	Vertical	356	2.76	-
5240MHz	Pass	PK	5.24G	120.94	Inf	-Inf	3	Vertical	356	2.76	-
5240MHz	Pass	PK	5.3534G	57.73	74.00	-16.27	3	Vertical	356	2.76	-
5240MHz	Pass	AV	5.144G	45.64	54.00	-8.36	3	Horizontal	66	2.86	-
5240MHz	Pass	AV	5.2406G	109.15	Inf	-Inf	3	Horizontal	66	2.86	-
5240MHz	Pass	AV	5.3522G	44.58	54.00	-9.42	3	Horizontal	66	2.86	-
5240MHz	Pass	PK	5.1434G	57.67	74.00	-16.33	3	Horizontal	66	2.86	-
5240MHz	Pass	PK	5.2394G	119.55	Inf	-Inf	3	Horizontal	66	2.86	-
5240MHz	Pass	PK	5.3804G	57.23	74.00	-16.77	3	Horizontal	66	2.86	-
5240MHz	Pass	AV	15.72162G	47.61	54.00	-6.39	3	Vertical	252	2.98	-
5240MHz	Pass	PK	10.47838G	57.49	68.20	-10.71	3	Vertical	154	2.25	-
5240MHz	Pass	PK	15.72264G	63.92	74.00	-10.08	3	Vertical	252	2.98	-
5240MHz	Pass	AV	15.7215G	49.60	54.00	-4.40	3	Horizontal	87	2.41	-
5240MHz	Pass	PK	10.48066G	55.37	68.20	-12.83	3	Horizontal	153	2.16	-
5240MHz	Pass	PK	15.72276G	66.92	74.00	-7.08	3	Horizontal	87	2.41	-
5745MHz	Pass	AV	5.445G	44.19	54.00	-9.81	3	Vertical	140	1.00	-
5745MHz	Pass	AV	5.7462G	106.92	Inf	-Inf	3	Vertical	140	1.00	-
5745MHz	Pass	PK	5.5122G	57.32	68.20	-10.88	3	Vertical	140	1.00	-
5745MHz	Pass	PK	5.7462G	116.47	Inf	-Inf	3	Vertical	140	1.00	-
5745MHz	Pass	PK	6.0162G	57.95	68.20	-10.25	3	Vertical	140	1.00	-
5745MHz	Pass	AV	5.4474G	44.23	54.00	-9.77	3	Horizontal	138	2.26	-
5745MHz	Pass	AV	5.7462G	104.02	Inf	-Inf	3	Horizontal	138	2.26	-
5745MHz	Pass	PK	5.5134G	57.66	68.20	-10.54	3	Horizontal	138	2.26	-
5745MHz	Pass	PK	5.745G	113.64	Inf	-Inf	3	Horizontal	138	2.26	-
5745MHz	Pass	PK	6.0366G	58.16	68.20	-10.04	3	Horizontal	138	2.26	-
5745MHz	Pass	AV	11.49072G	50.21	54.00	-3.79	3	Vertical	171	2.01	-
5745MHz	Pass	PK	11.49054G	64.29	74.00	-9.71	3	Vertical	171	2.01	-
5745MHz	Pass	PK	17.23596G	61.19	68.20	-7.01	3	Vertical	112	2.82	-
5745MHz	Pass	AV	11.49168G	45.55	54.00	-8.45	3	Horizontal	54	1.21	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	11.493G	59.30	74.00	-14.70	3	Horizontal	54	1.21	-
5745MHz	Pass	PK	17.23968G	57.71	68.20	-10.49	3	Horizontal	153	1.88	-
5785MHz	Pass	AV	5.785G	106.12	Inf	-Inf	3	Vertical	142	1.02	-
5785MHz	Pass	PK	5.5426G	58.28	68.20	-9.92	3	Vertical	142	1.02	-
5785MHz	Pass	PK	5.7838G	116.33	Inf	-Inf	3	Vertical	142	1.02	-
5785MHz	Pass	PK	6.0238G	58.33	68.20	-9.87	3	Vertical	142	1.02	-
5785MHz	Pass	AV	5.7862G	104.39	Inf	-Inf	3	Horizontal	137	2.39	-
5785MHz	Pass	PK	5.569G	57.55	68.20	-10.65	3	Horizontal	137	2.39	-
5785MHz	Pass	PK	5.785G	115.87	Inf	-Inf	3	Horizontal	137	2.39	-
5785MHz	Pass	PK	6.0214G	57.99	68.20	-10.21	3	Horizontal	137	2.39	-
5785MHz	Pass	AV	11.57102G	50.94	54.00	-3.06	3	Vertical	14	2.14	-
5785MHz	Pass	PK	11.57222G	65.89	74.00	-8.11	3	Vertical	14	2.14	-
5785MHz	Pass	PK	17.3577G	63.32	68.20	-4.88	3	Vertical	122	2.16	-
5785MHz	Pass	AV	11.57042G	43.33	54.00	-10.67	3	Horizontal	11	1.20	-
5785MHz	Pass	PK	11.56916G	55.88	74.00	-18.12	3	Horizontal	11	1.20	-
5785MHz	Pass	PK	17.3553G	61.56	68.20	-6.64	3	Horizontal	20	1.02	-
5825MHz	Pass	AV	5.825G	109.24	Inf	-Inf	3	Vertical	141	1.01	-
5825MHz	Pass	PK	5.6186G	58.28	68.20	-9.92	3	Vertical	141	1.01	-
5825MHz	Pass	PK	5.8262G	120.56	Inf	-Inf	3	Vertical	141	1.01	-
5825MHz	Pass	PK	6.0806G	58.78	68.20	-9.42	3	Vertical	141	1.01	-
5825MHz	Pass	AV	5.8262G	108.11	Inf	-Inf	3	Horizontal	79	2.92	-
5825MHz	Pass	PK	5.531G	57.71	68.20	-10.49	3	Horizontal	79	2.92	-
5825MHz	Pass	PK	5.825G	118.24	Inf	-Inf	3	Horizontal	79	2.92	-
5825MHz	Pass	PK	6.0362G	58.52	68.20	-9.68	3	Horizontal	79	2.92	-
5825MHz	Pass	AV	11.65084G	50.65	54.00	-3.35	3	Vertical	14	2.24	-
5825MHz	Pass	PK	11.64958G	64.70	74.00	-9.30	3	Vertical	14	2.24	-
5825MHz	Pass	PK	17.47524G	63.67	68.20	-4.53	3	Vertical	146	1.55	-
5825MHz	Pass	AV	11.65066G	42.32	54.00	-11.68	3	Horizontal	22	1.01	-
5825MHz	Pass	PK	11.6521G	55.06	74.00	-18.94	3	Horizontal	22	1.01	-
5825MHz	Pass	PK	17.4744G	65.17	68.20	-3.03	3	Horizontal	24	1.21	-
11a-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	47.79	54.00	-6.21	3	Vertical	5	2.82	-
5180MHz	Pass	AV	5.1788G	107.89	Inf	-Inf	3	Vertical	5	2.82	-
5180MHz	Pass	PK	5.1494G	61.03	74.00	-12.97	3	Vertical	5	2.82	-
5180MHz	Pass	PK	5.1788G	118.68	Inf	-Inf	3	Vertical	5	2.82	-
5180MHz	Pass	AV	5.1498G	46.80	54.00	-7.20	3	Horizontal	58	2.95	-
5180MHz	Pass	AV	5.179G	106.52	Inf	-Inf	3	Horizontal	58	2.95	-
5180MHz	Pass	PK	5.1398G	59.38	74.00	-14.62	3	Horizontal	58	2.95	-
5180MHz	Pass	PK	5.1804G	117.57	Inf	-Inf	3	Horizontal	58	2.95	-
5180MHz	Pass	AV	15.54066G	48.72	54.00	-5.28	3	Vertical	288	2.54	-
5180MHz	Pass	PK	10.35898G	57.01	68.20	-11.19	3	Vertical	134	2.12	-
5180MHz	Pass	PK	15.54174G	64.18	74.00	-9.82	3	Vertical	288	2.54	-
5180MHz	Pass	AV	15.53928G	48.84	54.00	-5.16	3	Horizontal	54	2.44	-
5180MHz	Pass	PK	10.35934G	55.25	68.20	-12.95	3	Horizontal	146	2.77	-
5180MHz	Pass	PK	15.54294G	66.42	74.00	-7.58	3	Horizontal	54	2.44	-
5200MHz	Pass	AV	5.1492G	47.10	54.00	-6.90	3	Vertical	358	2.94	-
5200MHz	Pass	AV	5.198G	109.32	Inf	-Inf	3	Vertical	358	2.94	-
5200MHz	Pass	PK	5.1432G	58.93	74.00	-15.07	3	Vertical	358	2.94	-
5200MHz	Pass	PK	5.198G	120.55	Inf	-Inf	3	Vertical	358	2.94	-
5200MHz	Pass	AV	5.1488G	47.01	54.00	-6.99	3	Horizontal	293	2.28	-
5200MHz	Pass	AV	5.1996G	107.81	Inf	-Inf	3	Horizontal	293	2.28	-
5200MHz	Pass	PK	5.1452G	59.22	74.00	-14.78	3	Horizontal	293	2.28	-
5200MHz	Pass	PK	5.1996G	118.19	Inf	-Inf	3	Horizontal	293	2.28	-
5200MHz	Pass	AV	15.59934G	48.82	54.00	-5.18	3	Vertical	320	2.51	-
5200MHz	Pass	PK	10.4018G	55.53	68.20	-12.67	3	Vertical	214	2.57	-
5200MHz	Pass	PK	15.60036G	66.30	74.00	-7.70	3	Vertical	320	2.51	-
5200MHz	Pass	AV	15.6003G	49.55	54.00	-4.45	3	Horizontal	74	2.41	-
5200MHz	Pass	PK	10.41374G	53.53	68.20	-14.67	3	Horizontal	121	2.22	-
5200MHz	Pass	PK	15.5964G	65.35	74.00	-8.65	3	Horizontal	74	2.41	-
5240MHz	Pass	AV	5.1434G	46.75	54.00	-7.25	3	Vertical	339	2.41	-
5240MHz	Pass	AV	5.2412G	109.33	Inf	-Inf	3	Vertical	339	2.41	-
5240MHz	Pass	AV	5.354G	44.86	54.00	-9.14	3	Vertical	339	2.41	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.1374G	58.56	74.00	-15.44	3	Vertical	339	2.41	-
5240MHz	Pass	PK	5.24G	120.05	Inf	-Inf	3	Vertical	339	2.41	-
5240MHz	Pass	PK	5.3732G	57.37	74.00	-16.63	3	Vertical	339	2.41	-
5240MHz	Pass	AV	5.144G	46.26	54.00	-7.74	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	5.2388G	108.75	Inf	-Inf	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	5.3582G	45.06	54.00	-8.94	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.1458G	58.02	74.00	-15.98	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.2412G	119.24	Inf	-Inf	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.3672G	56.78	74.00	-17.22	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	15.71934G	49.56	54.00	-4.44	3	Vertical	301	2.83	-
5240MHz	Pass	PK	10.4797G	56.92	68.20	-11.28	3	Vertical	152	2.38	-
5240MHz	Pass	PK	15.71964G	63.85	74.00	-10.15	3	Vertical	301	2.83	-
5240MHz	Pass	AV	15.7212G	50.20	54.00	-3.80	3	Horizontal	62	1.08	-
5240MHz	Pass	PK	10.47928G	54.15	68.20	-14.05	3	Horizontal	254	2.88	-
5240MHz	Pass	PK	15.7191G	64.65	74.00	-9.35	3	Horizontal	62	1.08	-
5745MHz	Pass	AV	5.7462G	105.48	Inf	-Inf	3	Vertical	139	1.07	-
5745MHz	Pass	PK	5.4702G	57.35	68.20	-10.85	3	Vertical	139	1.07	-
5745MHz	Pass	PK	5.7438G	116.54	Inf	-Inf	3	Vertical	139	1.07	-
5745MHz	Pass	PK	6.015G	58.29	68.20	-9.91	3	Vertical	139	1.07	-
5745MHz	Pass	AV	5.7438G	102.94	Inf	-Inf	3	Horizontal	137	2.34	-
5745MHz	Pass	PK	5.5722G	58.00	68.20	-10.20	3	Horizontal	137	2.34	-
5745MHz	Pass	PK	5.7438G	113.44	Inf	-Inf	3	Horizontal	137	2.34	-
5745MHz	Pass	PK	5.9658G	58.01	68.20	-10.19	3	Horizontal	137	2.34	-
5745MHz	Pass	AV	11.48934G	50.25	54.00	-3.75	3	Vertical	23	2.74	-
5745MHz	Pass	PK	11.49198G	63.28	74.00	-10.72	3	Vertical	23	2.74	-
5745MHz	Pass	PK	17.2353G	59.03	68.20	-9.17	3	Vertical	310	2.21	-
5745MHz	Pass	AV	11.4894G	43.56	54.00	-10.44	3	Horizontal	310	2.14	-
5745MHz	Pass	PK	11.49198G	56.67	74.00	-17.33	3	Horizontal	310	2.14	-
5745MHz	Pass	PK	17.23164G	58.93	68.20	-9.27	3	Horizontal	25	1.05	-
5785MHz	Pass	AV	5.7838G	104.32	Inf	-Inf	3	Vertical	138	1.00	-
5785MHz	Pass	PK	5.587G	57.44	68.20	-10.76	3	Vertical	138	1.00	-
5785MHz	Pass	PK	5.7838G	115.11	Inf	-Inf	3	Vertical	138	1.00	-
5785MHz	Pass	PK	6.013G	58.02	68.20	-10.18	3	Vertical	138	1.00	-
5785MHz	Pass	AV	5.7838G	103.24	Inf	-Inf	3	Horizontal	139	2.25	-
5785MHz	Pass	PK	5.5966G	58.60	68.20	-9.60	3	Horizontal	139	2.25	-
5785MHz	Pass	PK	5.7838G	113.68	Inf	-Inf	3	Horizontal	139	2.25	-
5785MHz	Pass	PK	6.0514G	58.49	68.20	-9.71	3	Horizontal	139	2.25	-
5785MHz	Pass	AV	11.56922G	50.57	54.00	-3.43	3	Vertical	52	2.32	-
5785MHz	Pass	PK	11.56688G	63.40	74.00	-10.60	3	Vertical	52	2.32	-
5785MHz	Pass	PK	17.34618G	58.90	68.20	-9.30	3	Vertical	142	1.81	-
5785MHz	Pass	AV	11.56886G	42.09	54.00	-11.91	3	Horizontal	225	2.35	-
5785MHz	Pass	PK	11.57054G	54.59	74.00	-19.41	3	Horizontal	225	2.35	-
5785MHz	Pass	PK	17.3583G	57.58	68.20	-10.62	3	Horizontal	89	1.24	-
5825MHz	Pass	AV	5.8262G	108.10	Inf	-Inf	3	Vertical	141	1.00	-
5825MHz	Pass	PK	5.6066G	58.15	68.20	-10.05	3	Vertical	141	1.00	-
5825MHz	Pass	PK	5.8262G	118.63	Inf	-Inf	3	Vertical	141	1.00	-
5825MHz	Pass	PK	6.041G	58.15	68.20	-10.05	3	Vertical	141	1.00	-
5825MHz	Pass	AV	5.8238G	106.13	Inf	-Inf	3	Horizontal	163	2.38	-
5825MHz	Pass	PK	5.6258G	56.95	68.20	-11.25	3	Horizontal	163	2.38	-
5825MHz	Pass	PK	5.825G	116.48	Inf	-Inf	3	Horizontal	163	2.38	-
5825MHz	Pass	PK	6.0122G	58.57	68.20	-9.63	3	Horizontal	163	2.38	-
5825MHz	Pass	AV	11.65138G	45.45	54.00	-8.55	3	Vertical	321	2.14	-
5825MHz	Pass	PK	11.65162G	60.95	74.00	-13.05	3	Vertical	321	2.14	-
5825MHz	Pass	PK	17.47218G	65.14	68.20	-3.06	3	Vertical	167	1.94	-
5825MHz	Pass	AV	11.6512G	42.13	54.00	-11.87	3	Horizontal	338	3.00	-
5825MHz	Pass	PK	11.65348G	54.76	74.00	-19.24	3	Horizontal	338	3.00	-
5825MHz	Pass	PK	17.4744G	64.14	68.20	-4.06	3	Horizontal	12	1.45	-
11a-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	50.70	54.00	-3.30	3	Vertical	255	1.39	-
5180MHz	Pass	AV	5.1812G	105.02	Inf	-Inf	3	Vertical	255	1.39	-
5180MHz	Pass	PK	5.149G	63.06	74.00	-10.94	3	Vertical	255	1.39	-
5180MHz	Pass	PK	5.1838G	115.70	Inf	-Inf	3	Vertical	255	1.39	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	AV	5.1492G	49.73	54.00	-4.27	3	Horizontal	167	2.49	-
5180MHz	Pass	AV	5.1762G	103.87	Inf	-Inf	3	Horizontal	167	2.49	-
5180MHz	Pass	PK	5.1446G	61.68	74.00	-12.32	3	Horizontal	167	2.49	-
5180MHz	Pass	PK	5.1788G	114.09	Inf	-Inf	3	Horizontal	167	2.49	-
5180MHz	Pass	AV	15.5418G	49.58	54.00	-4.42	3	Vertical	341	2.77	-
5180MHz	Pass	PK	10.35454G	56.17	68.20	-12.03	3	Vertical	151	2.97	-
5180MHz	Pass	PK	15.53616G	66.56	74.00	-7.44	3	Vertical	341	2.77	-
5180MHz	Pass	AV	15.54366G	49.89	54.00	-4.11	3	Horizontal	121	2.52	-
5180MHz	Pass	PK	10.35784G	53.48	68.20	-14.72	3	Horizontal	152	2.37	-
5180MHz	Pass	PK	15.5439G	64.25	74.00	-9.75	3	Horizontal	121	2.52	-
5200MHz	Pass	AV	5.15G	48.18	54.00	-5.82	3	Vertical	347	2.86	-
5200MHz	Pass	AV	5.198G	107.26	Inf	-Inf	3	Vertical	347	2.86	-
5200MHz	Pass	PK	5.1372G	59.92	74.00	-14.08	3	Vertical	347	2.86	-
5200MHz	Pass	PK	5.2032G	117.05	Inf	-Inf	3	Vertical	347	2.86	-
5200MHz	Pass	AV	5.1496G	47.60	54.00	-6.40	3	Horizontal	294	2.18	-
5200MHz	Pass	AV	5.1996G	106.32	Inf	-Inf	3	Horizontal	294	2.18	-
5200MHz	Pass	PK	5.1488G	60.70	74.00	-13.30	3	Horizontal	294	2.18	-
5200MHz	Pass	PK	5.2016G	116.52	Inf	-Inf	3	Horizontal	294	2.18	-
5200MHz	Pass	AV	15.59658G	49.05	54.00	-4.95	3	Vertical	321	2.78	-
5200MHz	Pass	PK	10.39976G	56.38	68.20	-11.82	3	Vertical	154	2.95	-
5200MHz	Pass	PK	15.59364G	64.63	74.00	-9.37	3	Vertical	321	2.78	-
5200MHz	Pass	AV	15.60018G	48.03	54.00	-5.97	3	Horizontal	75	2.32	-
5200MHz	Pass	PK	10.4021G	55.12	68.20	-13.08	3	Horizontal	122	1.12	-
5200MHz	Pass	PK	15.59328G	62.32	74.00	-11.68	3	Horizontal	75	2.32	-
5240MHz	Pass	AV	5.144G	46.78	54.00	-7.22	3	Vertical	337	2.40	-
5240MHz	Pass	AV	5.2424G	107.17	Inf	-Inf	3	Vertical	337	2.40	-
5240MHz	Pass	AV	5.3654G	45.40	54.00	-8.60	3	Vertical	337	2.40	-
5240MHz	Pass	PK	5.147G	58.67	74.00	-15.33	3	Vertical	337	2.40	-
5240MHz	Pass	PK	5.2418G	116.57	Inf	-Inf	3	Vertical	337	2.40	-
5240MHz	Pass	PK	5.3504G	58.09	74.00	-15.91	3	Vertical	337	2.40	-
5240MHz	Pass	AV	5.144G	46.21	54.00	-7.79	3	Horizontal	62	3.00	-
5240MHz	Pass	AV	5.2382G	106.34	Inf	-Inf	3	Horizontal	62	3.00	-
5240MHz	Pass	AV	5.3528G	45.53	54.00	-8.47	3	Horizontal	62	3.00	-
5240MHz	Pass	PK	5.1362G	58.37	74.00	-15.63	3	Horizontal	62	3.00	-
5240MHz	Pass	PK	5.2424G	116.11	Inf	-Inf	3	Horizontal	62	3.00	-
5240MHz	Pass	PK	5.3624G	57.88	74.00	-16.12	3	Horizontal	62	3.00	-
5240MHz	Pass	AV	15.71904G	49.92	54.00	-4.08	3	Vertical	319	2.14	-
5240MHz	Pass	PK	10.47994G	57.14	68.20	-11.06	3	Vertical	174	2.62	-
5240MHz	Pass	PK	15.71634G	64.84	74.00	-9.16	3	Vertical	319	2.14	-
5240MHz	Pass	AV	15.71994G	49.47	54.00	-4.53	3	Horizontal	74	1.72	-
5240MHz	Pass	PK	10.47838G	54.37	68.20	-13.83	3	Horizontal	131	2.11	-
5240MHz	Pass	PK	15.71748G	63.71	74.00	-10.29	3	Horizontal	74	1.72	-
5745MHz	Pass	AV	5.4462G	44.93	54.00	-9.07	3	Vertical	142	2.42	-
5745MHz	Pass	AV	5.7426G	108.26	Inf	-Inf	3	Vertical	142	2.42	-
5745MHz	Pass	PK	5.5638G	58.14	68.20	-10.06	3	Vertical	142	2.42	-
5745MHz	Pass	PK	5.7426G	118.60	Inf	-Inf	3	Vertical	142	2.42	-
5745MHz	Pass	PK	5.9406G	58.67	68.20	-9.53	3	Vertical	142	2.42	-
5745MHz	Pass	AV	5.4546G	45.01	54.00	-8.99	3	Horizontal	138	2.34	-
5745MHz	Pass	AV	5.7474G	105.53	Inf	-Inf	3	Horizontal	138	2.34	-
5745MHz	Pass	PK	5.6358G	57.72	68.20	-10.48	3	Horizontal	138	2.34	-
5745MHz	Pass	PK	5.7426G	115.37	Inf	-Inf	3	Horizontal	138	2.34	-
5745MHz	Pass	PK	6.039G	58.95	68.20	-9.25	3	Horizontal	138	2.34	-
5745MHz	Pass	AV	11.4894G	50.48	54.00	-3.52	3	Vertical	121	2.22	-
5745MHz	Pass	PK	11.48892G	65.01	74.00	-8.99	3	Vertical	121	2.22	-
5745MHz	Pass	PK	17.2401G	63.81	68.20	-4.39	3	Vertical	182	2.12	-
5745MHz	Pass	AV	11.48916G	42.37	54.00	-11.63	3	Horizontal	22	1.75	-
5745MHz	Pass	PK	11.49006G	57.81	74.00	-16.19	3	Horizontal	22	1.75	-
5745MHz	Pass	PK	17.24178G	60.89	68.20	-7.31	3	Horizontal	163	1.82	-
5785MHz	Pass	AV	5.7826G	105.25	Inf	-Inf	3	Vertical	142	1.00	-
5785MHz	Pass	PK	5.5522G	57.61	68.20	-10.59	3	Vertical	142	1.00	-
5785MHz	Pass	PK	5.7814G	114.51	Inf	-Inf	3	Vertical	142	1.00	-
5785MHz	Pass	PK	6.073G	59.10	68.20	-9.10	3	Vertical	142	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7838G	103.33	Inf	-Inf	3	Horizontal	140	2.38	-
5785MHz	Pass	PK	5.5318G	58.42	68.20	-9.78	3	Horizontal	140	2.38	-
5785MHz	Pass	PK	5.7826G	112.99	Inf	-Inf	3	Horizontal	140	2.38	-
5785MHz	Pass	PK	6.0802G	58.44	68.20	-9.76	3	Horizontal	140	2.38	-
5785MHz	Pass	AV	11.56934G	50.96	54.00	-3.04	3	Vertical	23	1.96	-
5785MHz	Pass	PK	11.564G	65.99	74.00	-8.01	3	Vertical	23	1.96	-
5785MHz	Pass	PK	17.3532G	64.97	68.20	-3.23	3	Vertical	104	2.87	-
5785MHz	Pass	AV	11.57G	43.71	54.00	-10.29	3	Horizontal	157	2.25	-
5785MHz	Pass	PK	11.57072G	55.52	74.00	-18.48	3	Horizontal	157	2.25	-
5785MHz	Pass	PK	17.35494G	58.26	68.20	-9.94	3	Horizontal	135	1.46	-
5825MHz	Pass	AV	5.8238G	105.67	Inf	-Inf	3	Vertical	142	1.00	-
5825MHz	Pass	PK	5.6114G	58.11	68.20	-10.09	3	Vertical	142	1.00	-
5825MHz	Pass	PK	5.8274G	115.83	Inf	-Inf	3	Vertical	142	1.00	-
5825MHz	Pass	PK	6.0746G	58.33	68.20	-9.87	3	Vertical	142	1.00	-
5825MHz	Pass	AV	5.8286G	104.72	Inf	-Inf	3	Horizontal	79	2.91	-
5825MHz	Pass	PK	5.6474G	57.69	68.20	-10.51	3	Horizontal	79	2.91	-
5825MHz	Pass	PK	5.8238G	114.39	Inf	-Inf	3	Horizontal	79	2.91	-
5825MHz	Pass	PK	5.9978G	59.13	68.20	-9.07	3	Horizontal	79	2.91	-
5825MHz	Pass	AV	11.64844G	49.15	54.00	-4.85	3	Vertical	13	2.52	-
5825MHz	Pass	PK	11.6536G	62.75	74.00	-11.25	3	Vertical	13	2.52	-
5825MHz	Pass	PK	17.46858G	65.14	68.20	-3.06	3	Vertical	112	1.62	-
5825MHz	Pass	AV	11.65294G	42.90	54.00	-11.10	3	Horizontal	52	1.51	-
5825MHz	Pass	PK	11.65738G	54.77	74.00	-19.23	3	Horizontal	52	1.51	-
5825MHz	Pass	PK	17.47686G	60.99	68.20	-7.21	3	Horizontal	12	1.18	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1324G	47.41	54.00	-6.59	3	Vertical	185	2.92	-
5180MHz	Pass	AV	5.1798G	110.17	Inf	-Inf	3	Vertical	185	2.92	-
5180MHz	Pass	PK	5.1482G	59.14	74.00	-14.86	3	Vertical	185	2.92	-
5180MHz	Pass	PK	5.1796G	120.40	Inf	-Inf	3	Vertical	185	2.92	-
5180MHz	Pass	AV	5.1324G	46.28	54.00	-7.72	3	Horizontal	99	2.99	-
5180MHz	Pass	AV	5.1808G	108.37	Inf	-Inf	3	Horizontal	99	2.99	-
5180MHz	Pass	PK	5.1498G	59.26	74.00	-14.74	3	Horizontal	99	2.99	-
5180MHz	Pass	PK	5.181G	119.57	Inf	-Inf	3	Horizontal	99	2.99	-
5180MHz	Pass	AV	15.54109G	47.22	54.00	-6.78	3	Vertical	85	1.99	-
5180MHz	Pass	PK	10.3606G	55.75	68.20	-12.45	3	Vertical	79	2.86	-
5180MHz	Pass	PK	15.54341G	63.24	74.00	-10.76	3	Vertical	85	1.99	-
5180MHz	Pass	AV	15.54093G	50.70	54.00	-3.30	3	Horizontal	83	2.07	-
5180MHz	Pass	PK	10.36338G	54.44	68.20	-13.76	3	Horizontal	39	2.74	-
5180MHz	Pass	PK	15.53869G	67.32	74.00	-6.68	3	Horizontal	83	2.07	-
5200MHz	Pass	AV	5.1044G	45.91	54.00	-8.09	3	Vertical	184	2.94	-
5200MHz	Pass	AV	5.2G	110.42	Inf	-Inf	3	Vertical	184	2.94	-
5200MHz	Pass	PK	5.1496G	58.91	74.00	-15.09	3	Vertical	184	2.94	-
5200MHz	Pass	PK	5.2G	120.75	Inf	-Inf	3	Vertical	184	2.94	-
5200MHz	Pass	AV	5.15G	45.19	54.00	-8.81	3	Horizontal	102	3.00	-
5200MHz	Pass	AV	5.2004G	107.74	Inf	-Inf	3	Horizontal	102	3.00	-
5200MHz	Pass	PK	5.15G	57.54	74.00	-16.46	3	Horizontal	102	3.00	-
5200MHz	Pass	PK	5.2G	119.22	Inf	-Inf	3	Horizontal	102	3.00	-
5200MHz	Pass	AV	15.602G	45.78	54.00	-8.22	3	Vertical	39	1.98	-
5200MHz	Pass	PK	10.39975G	56.92	68.20	-11.28	3	Vertical	64	3.00	-
5200MHz	Pass	PK	15.60192G	62.20	74.00	-11.80	3	Vertical	39	1.98	-
5200MHz	Pass	AV	15.60098G	49.99	54.00	-4.01	3	Horizontal	81	1.92	-
5200MHz	Pass	PK	10.39789G	55.16	68.20	-13.04	3	Horizontal	110	2.46	-
5200MHz	Pass	PK	15.5984G	64.63	74.00	-9.37	3	Horizontal	81	1.92	-
5240MHz	Pass	AV	5.1446G	45.56	54.00	-8.44	3	Vertical	183	2.89	-
5240MHz	Pass	AV	5.24G	112.29	Inf	-Inf	3	Vertical	183	2.89	-
5240MHz	Pass	AV	5.3846G	41.68	54.00	-12.32	3	Vertical	183	2.89	-
5240MHz	Pass	PK	5.1446G	57.16	74.00	-16.84	3	Vertical	183	2.89	-
5240MHz	Pass	PK	5.2394G	122.01	Inf	-Inf	3	Vertical	183	2.89	-
5240MHz	Pass	PK	5.3852G	54.58	74.00	-19.42	3	Vertical	183	2.89	-
5240MHz	Pass	AV	5.1446G	44.85	54.00	-9.15	3	Horizontal	103	2.92	-
5240MHz	Pass	AV	5.2406G	109.28	Inf	-Inf	3	Horizontal	103	2.92	-
5240MHz	Pass	AV	5.387G	41.13	54.00	-12.87	3	Horizontal	103	2.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.1434G	57.32	74.00	-16.68	3	Horizontal	103	2.92	-
5240MHz	Pass	PK	5.2406G	118.92	Inf	-Inf	3	Horizontal	103	2.92	-
5240MHz	Pass	PK	5.3588G	54.36	74.00	-19.64	3	Horizontal	103	2.92	-
5240MHz	Pass	AV	15.72168G	49.83	54.00	-4.17	3	Vertical	320	2.08	-
5240MHz	Pass	PK	10.48125G	56.27	68.20	-11.93	3	Vertical	67	2.57	-
5240MHz	Pass	PK	15.72264G	66.39	74.00	-7.61	3	Vertical	320	2.08	-
5240MHz	Pass	AV	15.72078G	50.62	54.00	-3.38	3	Horizontal	84	1.94	-
5240MHz	Pass	PK	10.4815G	55.86	68.20	-12.34	3	Horizontal	55	1.96	-
5240MHz	Pass	PK	15.71814G	67.69	74.00	-6.31	3	Horizontal	84	1.94	-
5745MHz	Pass	AV	5.745G	111.71	Inf	-Inf	3	Vertical	324	2.49	-
5745MHz	Pass	PK	5.559G	54.81	68.20	-13.39	3	Vertical	324	2.49	-
5745MHz	Pass	PK	5.745G	120.22	Inf	-Inf	3	Vertical	324	2.49	-
5745MHz	Pass	PK	5.925G	54.77	68.20	-13.43	3	Vertical	324	2.49	-
5745MHz	Pass	AV	5.7438G	105.39	Inf	-Inf	3	Horizontal	104	3.00	-
5745MHz	Pass	PK	5.5854G	56.26	68.20	-11.94	3	Horizontal	104	3.00	-
5745MHz	Pass	PK	5.7462G	117.14	Inf	-Inf	3	Horizontal	104	3.00	-
5745MHz	Pass	PK	5.9382G	56.23	68.20	-11.97	3	Horizontal	104	3.00	-
5745MHz	Pass	AV	11.4918G	50.95	54.00	-3.05	3	Vertical	351	1.94	-
5745MHz	Pass	PK	11.49226G	63.39	74.00	-10.61	3	Vertical	351	1.94	-
5745MHz	Pass	PK	17.23754G	64.98	68.20	-3.22	3	Vertical	315	1.82	-
5745MHz	Pass	AV	11.48934G	48.14	54.00	-5.86	3	Horizontal	90	2.11	-
5745MHz	Pass	PK	11.4885G	61.94	74.00	-12.06	3	Horizontal	90	2.11	-
5745MHz	Pass	PK	17.2358G	64.43	68.20	-3.77	3	Horizontal	88	1.95	-
5785MHz	Pass	AV	5.785G	109.33	Inf	-Inf	3	Vertical	332	2.67	-
5785MHz	Pass	PK	5.6194G	54.63	68.20	-13.57	3	Vertical	332	2.67	-
5785MHz	Pass	PK	5.785G	118.24	Inf	-Inf	3	Vertical	332	2.67	-
5785MHz	Pass	PK	6.0358G	55.47	68.20	-12.73	3	Vertical	332	2.67	-
5785MHz	Pass	AV	5.7838G	106.46	Inf	-Inf	3	Horizontal	104	2.98	-
5785MHz	Pass	PK	5.5942G	55.38	68.20	-12.82	3	Horizontal	104	2.98	-
5785MHz	Pass	PK	5.7862G	117.54	Inf	-Inf	3	Horizontal	104	2.98	-
5785MHz	Pass	PK	5.9602G	55.43	68.20	-12.77	3	Horizontal	104	2.98	-
5785MHz	Pass	AV	11.57028G	50.94	54.00	-3.06	3	Vertical	360	2.00	-
5785MHz	Pass	PK	11.57036G	63.69	74.00	-10.31	3	Vertical	360	2.00	-
5785MHz	Pass	PK	17.3594G	61.09	68.20	-7.11	3	Vertical	305	2.71	-
5785MHz	Pass	AV	11.56952G	48.07	54.00	-5.93	3	Horizontal	90	2.10	-
5785MHz	Pass	PK	11.5685G	60.78	74.00	-13.22	3	Horizontal	90	2.10	-
5785MHz	Pass	PK	17.3566G	62.01	68.20	-6.19	3	Horizontal	169	2.83	-
5825MHz	Pass	AV	5.825G	111.12	Inf	-Inf	3	Vertical	357	2.40	-
5825MHz	Pass	PK	5.597G	54.75	68.20	-13.45	3	Vertical	357	2.40	-
5825MHz	Pass	PK	5.825G	120.92	Inf	-Inf	3	Vertical	357	2.40	-
5825MHz	Pass	PK	6.0146G	55.32	68.20	-12.88	3	Vertical	357	2.40	-
5825MHz	Pass	AV	5.8238G	109.15	Inf	-Inf	3	Horizontal	104	2.94	-
5825MHz	Pass	PK	5.6042G	55.66	68.20	-12.54	3	Horizontal	104	2.94	-
5825MHz	Pass	PK	5.8262G	121.23	Inf	-Inf	3	Horizontal	104	2.94	-
5825MHz	Pass	PK	5.927G	55.57	68.20	-12.63	3	Horizontal	104	2.94	-
5825MHz	Pass	AV	11.65051G	50.69	54.00	-3.31	3	Vertical	0	1.97	-
5825MHz	Pass	PK	11.65015G	67.71	74.00	-6.29	3	Vertical	0	1.97	-
5825MHz	Pass	PK	17.47557G	61.91	68.20	-6.29	3	Vertical	294	2.92	-
5825MHz	Pass	AV	11.65048G	45.10	54.00	-8.90	3	Horizontal	330	2.02	-
5825MHz	Pass	PK	11.65021G	62.19	74.00	-11.81	3	Horizontal	330	2.02	-
5825MHz	Pass	PK	17.47674G	63.48	68.20	-4.72	3	Horizontal	121	2.64	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1318G	47.77	54.00	-6.23	3	Vertical	184	3.00	-
5180MHz	Pass	AV	5.1792G	108.14	Inf	-Inf	3	Vertical	184	3.00	-
5180MHz	Pass	PK	5.1498G	59.80	74.00	-14.20	3	Vertical	184	3.00	-
5180MHz	Pass	PK	5.1794G	118.88	Inf	-Inf	3	Vertical	184	3.00	-
5180MHz	Pass	AV	5.15G	46.12	54.00	-7.88	3	Horizontal	104	2.97	-
5180MHz	Pass	AV	5.1792G	106.60	Inf	-Inf	3	Horizontal	104	2.97	-
5180MHz	Pass	PK	5.1314G	59.37	74.00	-14.63	3	Horizontal	104	2.97	-
5180MHz	Pass	PK	5.1808G	117.31	Inf	-Inf	3	Horizontal	104	2.97	-
5180MHz	Pass	AV	15.54044G	46.80	54.00	-7.20	3	Vertical	39	1.93	-
5180MHz	Pass	PK	10.35672G	53.67	68.20	-14.53	3	Vertical	328	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	15.53652G	62.40	74.00	-11.60	3	Vertical	39	1.93	-
5180MHz	Pass	AV	15.53848G	50.39	54.00	-3.61	3	Horizontal	82	2.03	-
5180MHz	Pass	PK	10.36228G	53.90	68.20	-14.30	3	Horizontal	208	1.47	-
5180MHz	Pass	PK	15.53884G	66.86	74.00	-7.14	3	Horizontal	82	2.03	-
5200MHz	Pass	AV	5.15G	45.92	54.00	-8.08	3	Vertical	185	2.94	-
5200MHz	Pass	AV	5.1988G	108.97	Inf	-Inf	3	Vertical	185	2.94	-
5200MHz	Pass	PK	5.1496G	59.66	74.00	-14.34	3	Vertical	185	2.94	-
5200MHz	Pass	PK	5.1988G	119.53	Inf	-Inf	3	Vertical	185	2.94	-
5200MHz	Pass	AV	5.15G	44.46	54.00	-9.54	3	Horizontal	117	3.00	-
5200MHz	Pass	AV	5.1988G	106.16	Inf	-Inf	3	Horizontal	117	3.00	-
5200MHz	Pass	PK	5.1496G	57.23	74.00	-16.77	3	Horizontal	117	3.00	-
5200MHz	Pass	PK	5.1988G	116.96	Inf	-Inf	3	Horizontal	117	3.00	-
5200MHz	Pass	AV	15.59984G	45.98	54.00	-8.02	3	Vertical	44	3.00	-
5200MHz	Pass	PK	10.39904G	54.83	68.20	-13.37	3	Vertical	311	2.97	-
5200MHz	Pass	PK	15.59904G	61.95	74.00	-12.05	3	Vertical	44	3.00	-
5200MHz	Pass	AV	15.59876G	50.25	54.00	-3.75	3	Horizontal	82	2.02	-
5200MHz	Pass	PK	10.4094G	54.09	68.20	-14.11	3	Horizontal	334	1.50	-
5200MHz	Pass	PK	15.59752G	67.01	74.00	-6.99	3	Horizontal	82	2.02	-
5240MHz	Pass	AV	5.144G	44.19	54.00	-9.81	3	Vertical	186	2.92	-
5240MHz	Pass	AV	5.2388G	107.90	Inf	-Inf	3	Vertical	186	2.92	-
5240MHz	Pass	AV	5.354G	41.61	54.00	-12.39	3	Vertical	186	2.92	-
5240MHz	Pass	PK	5.1284G	56.19	74.00	-17.81	3	Vertical	186	2.92	-
5240MHz	Pass	PK	5.243G	118.07	Inf	-Inf	3	Vertical	186	2.92	-
5240MHz	Pass	PK	5.3654G	54.50	74.00	-19.50	3	Vertical	186	2.92	-
5240MHz	Pass	AV	5.144G	43.14	54.00	-10.86	3	Horizontal	120	2.94	-
5240MHz	Pass	AV	5.2388G	105.61	Inf	-Inf	3	Horizontal	120	2.94	-
5240MHz	Pass	AV	5.3654G	41.34	54.00	-12.66	3	Horizontal	120	2.94	-
5240MHz	Pass	PK	5.1446G	56.09	74.00	-17.91	3	Horizontal	120	2.94	-
5240MHz	Pass	PK	5.2382G	116.42	Inf	-Inf	3	Horizontal	120	2.94	-
5240MHz	Pass	PK	5.3504G	54.13	74.00	-19.87	3	Horizontal	120	2.94	-
5240MHz	Pass	AV	15.7212G	44.46	54.00	-9.54	3	Vertical	55	1.90	-
5240MHz	Pass	PK	10.47948G	54.86	68.20	-13.34	3	Vertical	35	1.80	-
5240MHz	Pass	PK	15.72128G	58.63	74.00	-15.37	3	Vertical	55	1.90	-
5240MHz	Pass	AV	15.71956G	48.58	54.00	-5.42	3	Horizontal	83	1.97	-
5240MHz	Pass	PK	10.48012G	54.30	68.20	-13.90	3	Horizontal	334	1.50	-
5240MHz	Pass	PK	15.71888G	64.09	74.00	-9.91	3	Horizontal	83	1.97	-
5745MHz	Pass	AV	5.7438G	107.82	Inf	-Inf	3	Vertical	315	1.50	-
5745MHz	Pass	PK	5.643G	55.30	68.20	-12.90	3	Vertical	315	1.50	-
5745MHz	Pass	PK	5.7438G	118.88	Inf	-Inf	3	Vertical	315	1.50	-
5745MHz	Pass	PK	5.9274G	55.09	68.20	-13.11	3	Vertical	315	1.50	-
5745MHz	Pass	AV	5.7462G	105.85	Inf	-Inf	3	Horizontal	103	2.93	-
5745MHz	Pass	PK	5.5986G	55.89	68.20	-12.31	3	Horizontal	103	2.93	-
5745MHz	Pass	PK	5.7462G	115.49	Inf	-Inf	3	Horizontal	103	2.93	-
5745MHz	Pass	PK	5.973G	55.35	68.20	-12.85	3	Horizontal	103	2.93	-
5745MHz	Pass	AV	11.49108G	48.54	54.00	-5.46	3	Vertical	176	2.20	-
5745MHz	Pass	PK	11.49138G	62.75	74.00	-11.25	3	Vertical	176	2.20	-
5745MHz	Pass	PK	17.23614G	64.98	68.20	-3.22	3	Vertical	314	1.97	-
5745MHz	Pass	AV	11.48982G	43.76	54.00	-10.24	3	Horizontal	35	2.58	-
5745MHz	Pass	PK	11.48838G	57.09	74.00	-16.91	3	Horizontal	35	2.58	-
5745MHz	Pass	PK	17.23761G	63.46	68.20	-4.74	3	Horizontal	85	2.00	-
5785MHz	Pass	AV	5.7862G	109.52	Inf	-Inf	3	Vertical	328	2.71	-
5785MHz	Pass	PK	5.5354G	54.92	68.20	-13.28	3	Vertical	328	2.71	-
5785MHz	Pass	PK	5.785G	119.37	Inf	-Inf	3	Vertical	328	2.71	-
5785MHz	Pass	PK	6.0466G	55.13	68.20	-13.07	3	Vertical	328	2.71	-
5785MHz	Pass	AV	5.7862G	106.97	Inf	-Inf	3	Horizontal	108	3.00	-
5785MHz	Pass	PK	5.605G	55.85	68.20	-12.35	3	Horizontal	108	3.00	-
5785MHz	Pass	PK	5.7862G	116.88	Inf	-Inf	3	Horizontal	108	3.00	-
5785MHz	Pass	PK	5.9314G	55.81	68.20	-12.39	3	Horizontal	108	3.00	-
5785MHz	Pass	AV	11.56895G	50.32	54.00	-3.68	3	Vertical	179	2.09	-
5785MHz	Pass	PK	11.56805G	67.03	74.00	-6.97	3	Vertical	179	2.09	-
5785MHz	Pass	PK	17.35368G	64.27	68.20	-3.93	3	Vertical	68	1.78	-
5785MHz	Pass	AV	11.57024G	44.37	54.00	-9.63	3	Horizontal	37	2.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	11.56913G	60.47	74.00	-13.53	3	Horizontal	37	2.71	-
5785MHz	Pass	PK	17.35011G	64.23	68.20	-3.97	3	Horizontal	169	1.81	-
5825MHz	Pass	AV	5.825G	107.32	Inf	-Inf	3	Vertical	35	2.37	-
5825MHz	Pass	PK	5.6498G	54.99	68.20	-13.21	3	Vertical	35	2.37	-
5825MHz	Pass	PK	5.8238G	117.76	Inf	-Inf	3	Vertical	35	2.37	-
5825MHz	Pass	PK	5.9426G	55.19	68.20	-13.01	3	Vertical	35	2.37	-
5825MHz	Pass	AV	5.8262G	108.17	Inf	-Inf	3	Horizontal	103	2.91	-
5825MHz	Pass	PK	5.5946G	56.19	68.20	-12.01	3	Horizontal	103	2.91	-
5825MHz	Pass	PK	5.8226G	117.92	Inf	-Inf	3	Horizontal	103	2.91	-
5825MHz	Pass	PK	5.9918G	55.55	68.20	-12.65	3	Horizontal	103	2.91	-
5825MHz	Pass	AV	11.6494G	50.89	54.00	-3.11	3	Vertical	0	2.11	-
5825MHz	Pass	PK	11.64913G	68.06	74.00	-5.94	3	Vertical	0	2.11	-
5825MHz	Pass	PK	17.47563G	61.24	68.20	-6.96	3	Vertical	17	1.78	-
5825MHz	Pass	AV	11.64862G	45.69	54.00	-8.31	3	Horizontal	328	1.99	-
5825MHz	Pass	PK	11.64916G	61.44	74.00	-12.56	3	Horizontal	328	1.99	-
5825MHz	Pass	PK	17.47185G	64.95	68.20	-3.25	3	Horizontal	87	2.45	-
802.11ac VHT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	50.75	54.00	-3.25	3	Vertical	258	2.04	-
5180MHz	Pass	AV	5.18G	106.91	Inf	-Inf	3	Vertical	258	2.04	-
5180MHz	Pass	PK	5.1484G	64.54	74.00	-9.46	3	Vertical	258	2.04	-
5180MHz	Pass	PK	5.1798G	116.28	Inf	-Inf	3	Vertical	258	2.04	-
5180MHz	Pass	AV	5.1484G	49.49	54.00	-4.51	3	Horizontal	168	2.85	-
5180MHz	Pass	AV	5.18G	103.56	Inf	-Inf	3	Horizontal	168	2.85	-
5180MHz	Pass	PK	5.1466G	62.18	74.00	-11.82	3	Horizontal	168	2.85	-
5180MHz	Pass	PK	5.18G	112.78	Inf	-Inf	3	Horizontal	168	2.85	-
5180MHz	Pass	AV	15.53778G	49.97	54.00	-4.03	3	Vertical	323	2.72	-
5180MHz	Pass	PK	10.36G	56.53	68.20	-11.67	3	Vertical	286	2.35	-
5180MHz	Pass	PK	15.54492G	66.33	74.00	-7.67	3	Vertical	323	2.72	-
5180MHz	Pass	AV	15.53634G	48.60	54.00	-5.40	3	Horizontal	94	2.70	-
5180MHz	Pass	PK	10.35712G	54.62	68.20	-13.58	3	Horizontal	140	2.44	-
5180MHz	Pass	PK	15.53628G	64.55	74.00	-9.45	3	Horizontal	94	2.70	-
5200MHz	Pass	AV	5.1496G	48.48	54.00	-5.52	3	Vertical	349	2.83	-
5200MHz	Pass	AV	5.2024G	107.56	Inf	-Inf	3	Vertical	349	2.83	-
5200MHz	Pass	PK	5.146G	60.39	74.00	-13.61	3	Vertical	349	2.83	-
5200MHz	Pass	PK	5.2G	117.58	Inf	-Inf	3	Vertical	349	2.83	-
5200MHz	Pass	AV	5.1492G	47.93	54.00	-6.07	3	Horizontal	293	2.21	-
5200MHz	Pass	AV	5.1988G	106.42	Inf	-Inf	3	Horizontal	293	2.21	-
5200MHz	Pass	PK	5.1432G	60.06	74.00	-13.94	3	Horizontal	293	2.21	-
5200MHz	Pass	PK	5.1988G	116.52	Inf	-Inf	3	Horizontal	293	2.21	-
5200MHz	Pass	AV	15.59598G	49.48	54.00	-4.52	3	Vertical	319	2.68	-
5200MHz	Pass	PK	10.40012G	56.80	68.20	-11.40	3	Vertical	181	2.59	-
5200MHz	Pass	PK	15.59616G	65.28	74.00	-8.72	3	Vertical	319	2.68	-
5200MHz	Pass	AV	15.60156G	48.02	54.00	-5.98	3	Horizontal	85	2.61	-
5200MHz	Pass	PK	10.3919G	55.36	68.20	-12.84	3	Horizontal	135	2.71	-
5200MHz	Pass	PK	15.6033G	63.32	74.00	-10.68	3	Horizontal	85	2.61	-
5240MHz	Pass	AV	5.1434G	46.59	54.00	-7.41	3	Vertical	352	2.43	-
5240MHz	Pass	AV	5.2388G	107.11	Inf	-Inf	3	Vertical	352	2.43	-
5240MHz	Pass	AV	5.3528G	45.39	54.00	-8.61	3	Vertical	352	2.43	-
5240MHz	Pass	PK	5.15G	58.17	74.00	-15.83	3	Vertical	352	2.43	-
5240MHz	Pass	PK	5.2406G	116.56	Inf	-Inf	3	Vertical	352	2.43	-
5240MHz	Pass	PK	5.3852G	57.80	74.00	-16.20	3	Vertical	352	2.43	-
5240MHz	Pass	AV	5.1434G	46.35	54.00	-7.65	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	5.2412G	107.11	Inf	-Inf	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	5.3576G	45.41	54.00	-8.59	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.1374G	58.39	74.00	-15.61	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.24G	117.08	Inf	-Inf	3	Horizontal	63	3.00	-
5240MHz	Pass	PK	5.3876G	57.47	74.00	-16.53	3	Horizontal	63	3.00	-
5240MHz	Pass	AV	15.72258G	49.25	54.00	-4.75	3	Vertical	325	1.97	-
5240MHz	Pass	PK	10.47238G	55.00	68.20	-13.20	3	Vertical	161	2.76	-
5240MHz	Pass	PK	15.72336G	64.56	74.00	-9.44	3	Vertical	325	1.97	-
5240MHz	Pass	AV	15.71988G	50.12	54.00	-3.88	3	Horizontal	91	1.75	-
5240MHz	Pass	PK	10.47526G	54.99	68.20	-13.21	3	Horizontal	152	2.01	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.72114G	63.91	74.00	-10.09	3	Horizontal	91	1.75	-
5745MHz	Pass	AV	5.7438G	108.32	Inf	-Inf	3	Vertical	141	1.49	-
5745MHz	Pass	PK	5.643G	58.22	68.20	-9.98	3	Vertical	141	1.49	-
5745MHz	Pass	PK	5.7426G	117.89	Inf	-Inf	3	Vertical	141	1.49	-
5745MHz	Pass	PK	6.033G	58.07	68.20	-10.13	3	Vertical	141	1.49	-
5745MHz	Pass	AV	5.7462G	105.85	Inf	-Inf	3	Horizontal	138	2.35	-
5745MHz	Pass	PK	5.6286G	57.84	68.20	-10.36	3	Horizontal	138	2.35	-
5745MHz	Pass	PK	5.7474G	115.47	Inf	-Inf	3	Horizontal	138	2.35	-
5745MHz	Pass	PK	6.0174G	59.20	68.20	-9.00	3	Horizontal	138	2.35	-
5745MHz	Pass	AV	11.48754G	50.16	54.00	-3.84	3	Vertical	23	2.13	-
5745MHz	Pass	PK	11.48934G	64.62	74.00	-9.38	3	Vertical	23	2.13	-
5745MHz	Pass	PK	17.23908G	64.59	68.20	-3.61	3	Vertical	317	2.46	-
5745MHz	Pass	AV	11.48778G	43.29	54.00	-10.71	3	Horizontal	18	1.97	-
5745MHz	Pass	PK	11.48502G	57.06	74.00	-16.94	3	Horizontal	18	1.97	-
5745MHz	Pass	PK	17.23992G	63.70	68.20	-4.50	3	Horizontal	145	3.00	-
5785MHz	Pass	AV	5.7826G	107.98	Inf	-Inf	3	Vertical	139	1.00	-
5785MHz	Pass	PK	5.533G	58.51	68.20	-9.69	3	Vertical	139	1.00	-
5785MHz	Pass	PK	5.7838G	117.58	Inf	-Inf	3	Vertical	139	1.00	-
5785MHz	Pass	PK	6.0586G	58.92	68.20	-9.28	3	Vertical	139	1.00	-
5785MHz	Pass	AV	5.7826G	101.22	Inf	-Inf	3	Horizontal	153	2.21	-
5785MHz	Pass	PK	5.6266G	58.15	68.20	-10.05	3	Horizontal	153	2.21	-
5785MHz	Pass	PK	5.7838G	110.54	Inf	-Inf	3	Horizontal	153	2.21	-
5785MHz	Pass	PK	5.9902G	59.43	68.20	-8.77	3	Horizontal	153	2.21	-
5785MHz	Pass	AV	11.56472G	49.69	54.00	-4.31	3	Vertical	55	2.51	-
5785MHz	Pass	PK	11.56724G	64.08	74.00	-9.92	3	Vertical	55	2.51	-
5785MHz	Pass	PK	17.3544G	64.96	68.20	-3.24	3	Vertical	177	2.52	-
5785MHz	Pass	AV	11.56922G	42.73	54.00	-11.27	3	Horizontal	181	2.21	-
5785MHz	Pass	PK	11.56868G	55.72	74.00	-18.28	3	Horizontal	181	2.21	-
5785MHz	Pass	PK	17.34948G	63.20	68.20	-5.00	3	Horizontal	58	1.24	-
5825MHz	Pass	AV	5.8238G	106.66	Inf	-Inf	3	Vertical	337	2.97	-
5825MHz	Pass	PK	5.6162G	57.18	68.20	-11.02	3	Vertical	337	2.97	-
5825MHz	Pass	PK	5.8238G	115.95	Inf	-Inf	3	Vertical	337	2.97	-
5825MHz	Pass	PK	6.0554G	59.21	68.20	-8.99	3	Vertical	337	2.97	-
5825MHz	Pass	AV	5.8262G	105.82	Inf	-Inf	3	Horizontal	139	2.21	-
5825MHz	Pass	PK	5.525G	57.70	68.20	-10.50	3	Horizontal	139	2.21	-
5825MHz	Pass	PK	5.8262G	116.06	Inf	-Inf	3	Horizontal	139	2.21	-
5825MHz	Pass	PK	5.927G	59.63	68.20	-8.57	3	Horizontal	139	2.21	-
5825MHz	Pass	AV	11.65738G	45.99	54.00	-8.01	3	Vertical	311	2.21	-
5825MHz	Pass	PK	11.64112G	62.41	74.00	-11.59	3	Vertical	311	2.21	-
5825MHz	Pass	PK	17.47116G	65.16	68.20	-3.04	3	Vertical	154	1.94	-
5825MHz	Pass	AV	11.65444G	47.37	54.00	-6.63	3	Horizontal	194	2.32	-
5825MHz	Pass	PK	11.65492G	56.13	74.00	-17.87	3	Horizontal	194	2.32	-
5825MHz	Pass	PK	17.46714G	62.71	68.20	-5.49	3	Horizontal	28	1.12	-
802.11ac VHT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1476G	50.71	54.00	-3.29	3	Vertical	270	2.96	-
5190MHz	Pass	AV	5.19G	105.02	Inf	-Inf	3	Vertical	270	2.96	-
5190MHz	Pass	PK	5.1488G	66.80	74.00	-7.20	3	Vertical	270	2.96	-
5190MHz	Pass	PK	5.19G	109.50	Inf	-Inf	3	Vertical	270	2.96	-
5190MHz	Pass	AV	5.1432G	49.66	54.00	-4.34	3	Horizontal	162	2.60	-
5190MHz	Pass	AV	5.19G	103.33	Inf	-Inf	3	Horizontal	162	2.60	-
5190MHz	Pass	PK	5.1492G	61.63	74.00	-12.37	3	Horizontal	162	2.60	-
5190MHz	Pass	PK	5.19G	107.92	Inf	-Inf	3	Horizontal	162	2.60	-
5190MHz	Pass	AV	15.56832G	40.20	54.00	-13.80	3	Vertical	104	1.49	-
5190MHz	Pass	PK	10.39026G	54.84	68.20	-13.36	3	Vertical	180	3.00	-
5190MHz	Pass	PK	15.5571G	54.09	74.00	-19.91	3	Vertical	104	1.49	-
5190MHz	Pass	AV	15.56214G	41.03	54.00	-12.97	3	Horizontal	105	1.83	-
5190MHz	Pass	PK	10.38936G	53.86	68.20	-14.34	3	Horizontal	144	2.25	-
5190MHz	Pass	PK	15.58416G	53.16	74.00	-20.84	3	Horizontal	105	1.83	-
5230MHz	Pass	PK	5.1456G	64.25	74.00	-9.75	3	Vertical	255	2.12	-
5230MHz	Pass	AV	5.15G	50.63	54.00	-3.37	3	Vertical	255	2.12	-
5230MHz	Pass	PK	5.2344G	116.72	Inf	-Inf	3	Vertical	255	2.12	-
5230MHz	Pass	AV	5.2364G	106.74	Inf	-Inf	3	Vertical	255	2.12	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.1484G	49.57	54.00	-4.43	3	Horizontal	171	2.69	-
5230MHz	Pass	AV	5.2348G	104.05	Inf	-Inf	3	Horizontal	171	2.69	-
5230MHz	Pass	PK	5.148G	63.93	74.00	-10.07	3	Horizontal	171	2.69	-
5230MHz	Pass	PK	5.2348G	113.68	Inf	-Inf	3	Horizontal	171	2.69	-
5230MHz	Pass	AV	15.69354G	50.02	54.00	-3.98	3	Vertical	312	2.81	-
5230MHz	Pass	PK	10.45988G	57.68	68.20	-10.52	3	Vertical	178	2.94	-
5230MHz	Pass	PK	15.70122G	64.37	74.00	-9.63	3	Vertical	312	2.81	-
5230MHz	Pass	AV	15.6912G	48.41	54.00	-5.59	3	Horizontal	77	1.53	-
5230MHz	Pass	PK	10.45742G	55.10	68.20	-13.10	3	Horizontal	145	2.22	-
5230MHz	Pass	PK	15.68178G	63.05	74.00	-10.95	3	Horizontal	77	1.53	-
5755MHz	Pass	AV	5.4574G	45.62	54.00	-8.38	3	Vertical	141	1.00	-
5755MHz	Pass	AV	5.7466G	106.91	Inf	-Inf	3	Vertical	141	1.00	-
5755MHz	Pass	PK	5.539G	58.36	68.20	-9.84	3	Vertical	141	1.00	-
5755MHz	Pass	PK	5.7454G	116.12	Inf	-Inf	3	Vertical	141	1.00	-
5755MHz	Pass	PK	5.9602G	59.55	68.20	-8.65	3	Vertical	141	1.00	-
5755MHz	Pass	AV	5.4598G	45.49	54.00	-8.51	3	Horizontal	141	2.38	-
5755MHz	Pass	AV	5.7574G	103.74	Inf	-Inf	3	Horizontal	141	2.38	-
5755MHz	Pass	PK	5.6302G	60.73	68.20	-7.47	3	Horizontal	141	2.38	-
5755MHz	Pass	PK	5.7634G	113.34	Inf	-Inf	3	Horizontal	141	2.38	-
5755MHz	Pass	PK	5.9434G	62.15	68.20	-6.05	3	Horizontal	141	2.38	-
5755MHz	Pass	AV	11.5055G	50.29	54.00	-3.71	3	Vertical	13	2.76	-
5755MHz	Pass	PK	11.50778G	62.59	74.00	-11.41	3	Vertical	13	2.76	-
5755MHz	Pass	PK	17.26098G	64.40	68.20	-3.80	3	Vertical	135	1.82	-
5755MHz	Pass	AV	11.51006G	44.11	54.00	-9.89	3	Horizontal	136	2.15	-
5755MHz	Pass	PK	11.5076G	55.76	74.00	-18.24	3	Horizontal	136	2.15	-
5755MHz	Pass	PK	17.26932G	63.91	68.20	-4.29	3	Horizontal	46	1.14	-
5795MHz	Pass	AV	5.7866G	105.45	Inf	-Inf	3	Vertical	338	2.71	-
5795MHz	Pass	PK	5.6354G	58.98	68.20	-9.22	3	Vertical	338	2.71	-
5795MHz	Pass	PK	5.7866G	114.60	Inf	-Inf	3	Vertical	338	2.71	-
5795MHz	Pass	PK	5.9294G	62.07	68.20	-6.13	3	Vertical	338	2.71	-
5795MHz	Pass	AV	5.7878G	104.15	Inf	-Inf	3	Horizontal	139	2.49	-
5795MHz	Pass	PK	5.6138G	58.75	68.20	-9.45	3	Horizontal	139	2.49	-
5795MHz	Pass	PK	5.7878G	113.27	Inf	-Inf	3	Horizontal	139	2.49	-
5795MHz	Pass	PK	5.9438G	63.17	68.20	-5.03	3	Horizontal	139	2.49	-
5795MHz	Pass	AV	11.6014G	50.78	54.00	-3.22	3	Vertical	13	2.52	-
5795MHz	Pass	PK	11.60008G	63.50	74.00	-10.50	3	Vertical	13	2.52	-
5795MHz	Pass	PK	17.37414G	64.86	68.20	-3.34	3	Vertical	121	1.87	-
5795MHz	Pass	AV	11.58796G	43.44	54.00	-10.56	3	Horizontal	185	2.12	-
5795MHz	Pass	PK	11.5903G	56.74	74.00	-17.26	3	Horizontal	185	2.12	-
5795MHz	Pass	PK	17.37258G	63.39	68.20	-4.81	3	Horizontal	46	1.10	-
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	50.97	54.00	-3.03	3	Vertical	258	2.14	-
5210MHz	Pass	AV	5.21G	100.66	Inf	-Inf	3	Vertical	258	2.14	-
5210MHz	Pass	AV	5.35G	48.16	54.00	-5.84	3	Vertical	258	2.14	-
5210MHz	Pass	PK	5.15G	62.94	74.00	-11.06	3	Vertical	258	2.14	-
5210MHz	Pass	PK	5.21G	104.12	Inf	-Inf	3	Vertical	258	2.14	-
5210MHz	Pass	PK	5.379G	59.99	74.00	-14.01	3	Vertical	258	2.14	-
5210MHz	Pass	AV	5.148G	50.16	54.00	-3.84	3	Horizontal	167	2.94	-
5210MHz	Pass	AV	5.21G	99.40	Inf	-Inf	3	Horizontal	167	2.94	-
5210MHz	Pass	AV	5.356G	49.12	54.00	-4.88	3	Horizontal	167	2.94	-
5210MHz	Pass	PK	5.127G	61.30	74.00	-12.70	3	Horizontal	167	2.94	-
5210MHz	Pass	PK	5.21G	103.22	Inf	-Inf	3	Horizontal	167	2.94	-
5210MHz	Pass	PK	5.357G	60.04	74.00	-13.96	3	Horizontal	167	2.94	-
5210MHz	Pass	AV	15.63576G	40.04	54.00	-13.96	3	Vertical	281	2.07	-
5210MHz	Pass	PK	10.42018G	56.04	68.20	-12.16	3	Vertical	180	2.95	-
5210MHz	Pass	PK	15.63984G	52.31	74.00	-21.69	3	Vertical	281	2.07	-
5210MHz	Pass	AV	15.62184G	39.87	54.00	-14.13	3	Horizontal	304	2.14	-
5210MHz	Pass	PK	10.42552G	54.38	68.20	-13.82	3	Horizontal	180	1.11	-
5210MHz	Pass	PK	15.61956G	52.94	74.00	-21.06	3	Horizontal	304	2.14	-
5775MHz	Pass	AV	5.7642G	103.34	Inf	-Inf	3	Vertical	140	1.12	-
5775MHz	Pass	PK	5.6514G	64.34	69.24	-4.90	3	Vertical	140	1.12	-
5775MHz	Pass	PK	5.7618G	112.68	Inf	-Inf	3	Vertical	140	1.12	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.9382G	60.76	68.20	-7.44	3	Vertical	140	1.12	-
5775MHz	Pass	AV	5.7558G	101.15	Inf	-Inf	3	Horizontal	140	2.40	-
5775MHz	Pass	PK	5.6466G	61.81	68.20	-6.39	3	Horizontal	140	2.40	-
5775MHz	Pass	PK	5.7486G	110.82	Inf	-Inf	3	Horizontal	140	2.40	-
5775MHz	Pass	PK	5.943G	62.95	68.20	-5.25	3	Horizontal	140	2.40	-
5775MHz	Pass	AV	11.54364G	48.65	54.00	-5.35	3	Vertical	32	2.78	-
5775MHz	Pass	PK	11.56128G	63.63	74.00	-10.37	3	Vertical	32	2.78	-
5775MHz	Pass	PK	17.33634G	65.00	68.20	-3.20	3	Vertical	161	1.87	-
5775MHz	Pass	AV	11.54982G	41.39	54.00	-12.61	3	Horizontal	254	1.82	-
5775MHz	Pass	PK	11.55216G	53.99	74.00	-20.01	3	Horizontal	254	1.82	-
5775MHz	Pass	PK	17.31666G	60.23	68.20	-7.97	3	Horizontal	28	1.07	-

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	48.17	54.00	-5.83	6.69	3	Vertical	4	2.58	-	41.48	32.00	8.52	33.83
AV	5.18G	109.60	Inf	-Inf	6.59	3	Vertical	4	2.58	-	103.01	31.88	8.55	33.84
PK	5.1338G	60.66	74.00	-13.34	6.68	3	Vertical	4	2.58	-	53.98	32.00	8.51	33.83
PK	5.1812G	120.61	Inf	-Inf	6.59	3	Vertical	4	2.58	-	114.02	31.88	8.55	33.84

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.99	54.00	-7.01	6.68	3	Horizontal	64	2.90	-	40.31	32.00	8.52	33.84
AV	5.18G	107.25	Inf	-Inf	6.59	3	Horizontal	64	2.90	-	100.66	31.88	8.55	33.84
PK	5.1368G	59.79	74.00	-14.21	6.68	3	Horizontal	64	2.90	-	53.11	32.00	8.51	33.83
PK	5.1798G	118.98	Inf	-Inf	6.59	3	Horizontal	64	2.90	-	112.39	31.88	8.55	33.84

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54132G	48.78	54.00	-5.22	3.93	3	Vertical	355	2.44	-	44.85	42.56	14.61	53.24
PK	10.36162G	54.05	68.20	-14.15	-3.31	3	Vertical	125	2.11	-	57.36	39.02	12.18	54.51
PK	15.53994G	66.12	74.00	-7.88	3.93	3	Vertical	355	2.44	-	62.19	42.56	14.61	53.24

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54114G	48.87	54.00	-5.13	3.93	3	Horizontal	88	2.55	-	44.94	42.56	14.61	53.24
PK	10.36012G	52.92	68.20	-15.28	-3.31	3	Horizontal	296	2.82	-	56.23	39.02	12.18	54.51
PK	15.54114G	66.13	74.00	-7.87	3.93	3	Horizontal	88	2.55	-	62.20	42.56	14.61	53.24

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.23	54.00	-7.77	6.68	3	Vertical	342	2.44	-	39.55	32.00	8.52	33.84
AV	5.2004G	109.44	Inf	-Inf	6.52	3	Vertical	342	2.44	-	102.92	31.80	8.57	33.85
PK	5.1476G	58.73	74.00	-15.27	6.68	3	Vertical	342	2.44	-	52.05	32.00	8.52	33.84
PK	5.1996G	120.40	Inf	-Inf	6.52	3	Vertical	342	2.44	-	113.88	31.80	8.57	33.85

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.92	54.00	-8.08	6.68	3	Horizontal	63	2.76	-	39.24	32.00	8.52	33.84
AV	5.2004G	108.16	Inf	-Inf	6.52	3	Horizontal	63	2.76	-	101.64	31.80	8.57	33.85
PK	5.1476G	59.29	74.00	-14.71	6.68	3	Horizontal	63	2.76	-	52.61	32.00	8.52	33.84
PK	5.1996G	118.80	Inf	-Inf	6.52	3	Horizontal	63	2.76	-	112.28	31.80	8.57	33.85

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60174G	47.51	54.00	-6.49	3.91	3	Vertical	231	2.63	-	43.60	42.50	14.62	53.21
PK	10.40102G	56.17	68.20	-12.03	-3.21	3	Vertical	213	2.58	-	59.38	39.10	12.20	54.51
PK	15.60174G	65.63	74.00	-8.37	3.91	3	Vertical	231	2.63	-	61.72	42.50	14.62	53.21

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60108G	49.66	54.00	-4.34	3.91	3	Horizontal	51	2.73	-	45.75	42.50	14.62	53.21
PK	10.40042G	56.02	68.20	-12.18	-3.21	3	Horizontal	137	2.38	-	59.23	39.10	12.20	54.51
PK	15.60012G	65.15	74.00	-8.85	3.91	3	Horizontal	51	2.73	-	61.24	42.50	14.62	53.21

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	45.98	54.00	-8.02	6.69	3	Vertical	356	2.76	-	39.29	32.00	8.52	33.83
AV	5.24G	110.06	Inf	-Inf	6.28	3	Vertical	356	2.76	-	103.78	31.56	8.58	33.86
AV	5.3528G	44.47	54.00	-9.53	6.04	3	Vertical	356	2.76	-	38.43	31.32	8.60	33.88
PK	5.1446G	58.53	74.00	-15.47	6.69	3	Vertical	356	2.76	-	51.84	32.00	8.52	33.83
PK	5.24G	120.94	Inf	-Inf	6.28	3	Vertical	356	2.76	-	114.66	31.56	8.58	33.86
PK	5.3534G	57.73	74.00	-16.27	6.04	3	Vertical	356	2.76	-	51.69	31.32	8.60	33.88

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.64	54.00	-8.36	6.69	3	Horizontal	66	2.86	-	38.95	32.00	8.52	33.83
AV	5.2406G	109.15	Inf	-Inf	6.28	3	Horizontal	66	2.86	-	102.87	31.56	8.58	33.86
AV	5.3522G	44.58	54.00	-9.42	6.03	3	Horizontal	66	2.86	-	38.55	31.31	8.60	33.88
PK	5.1434G	57.67	74.00	-16.33	6.69	3	Horizontal	66	2.86	-	50.98	32.00	8.52	33.83
PK	5.2394G	119.55	Inf	-Inf	6.28	3	Horizontal	66	2.86	-	113.27	31.56	8.58	33.86
PK	5.3804G	57.23	74.00	-16.77	6.20	3	Horizontal	66	2.86	-	51.03	31.48	8.61	33.89

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72162G	47.61	54.00	-6.39	4.06	3	Vertical	252	2.98	-	43.55	42.56	14.65	53.15
PK	10.47838G	57.49	68.20	-10.71	-3.17	3	Vertical	154	2.25	-	60.66	39.10	12.24	54.51
PK	15.72264G	63.92	74.00	-10.08	4.07	3	Vertical	252	2.98	-	59.85	42.57	14.65	53.15

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7215G	49.60	54.00	-4.40	4.06	3	Horizontal	87	2.41	-	45.54	42.56	14.65	53.15
PK	10.48066G	55.37	68.20	-12.83	-3.17	3	Horizontal	153	2.16	-	58.54	39.10	12.24	54.51
PK	15.72276G	66.92	74.00	-7.08	4.07	3	Horizontal	87	2.41	-	62.85	42.57	14.65	53.15

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	44.19	54.00	-9.81	6.55	3	Vertical	140	1.00	-	37.64	31.78	8.68	33.91
AV	5.7462G	106.92	Inf	-Inf	7.15	3	Vertical	140	1.00	-	99.77	32.08	9.03	33.96
PK	5.5122G	57.32	68.20	-10.88	6.75	3	Vertical	140	1.00	-	50.57	31.90	8.77	33.92
PK	5.7462G	116.47	Inf	-Inf	7.15	3	Vertical	140	1.00	-	109.32	32.08	9.03	33.96
PK	6.0162G	57.95	68.20	-10.25	7.75	3	Vertical	140	1.00	-	50.20	32.57	9.18	34.00

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	44.23	54.00	-9.77	6.56	3	Horizontal	138	2.26	-	37.67	31.79	8.68	33.91
AV	5.7462G	104.02	Inf	-Inf	7.15	3	Horizontal	138	2.26	-	96.87	32.08	9.03	33.96
PK	5.5134G	57.66	68.20	-10.54	6.75	3	Horizontal	138	2.26	-	50.91	31.90	8.77	33.92
PK	5.745G	113.64	Inf	-Inf	7.15	3	Horizontal	138	2.26	-	106.49	32.08	9.03	33.96
PK	6.0366G	58.16	68.20	-10.04	7.73	3	Horizontal	138	2.26	-	50.43	32.53	9.20	34.00

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49072G	50.21	54.00	-3.79	-0.86	3	Vertical	171	2.01	-	51.07	40.69	12.75	54.30
PK	11.49054G	64.29	74.00	-9.71	-0.86	3	Vertical	171	2.01	-	65.15	40.69	12.75	54.30
PK	17.23596G	61.19	68.20	-7.01	7.99	3	Vertical	112	2.82	-	53.20	45.59	15.04	52.64

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49168G	45.55	54.00	-8.45	-0.86	3	Horizontal	54	1.21	-	46.41	40.69	12.75	54.30
PK	11.493G	59.30	74.00	-14.70	-0.86	3	Horizontal	54	1.21	-	60.16	40.69	12.75	54.30
PK	17.23968G	57.71	68.20	-10.49	8.02	3	Horizontal	153	1.88	-	49.69	45.62	15.04	52.64

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	106.12	Inf	-Inf	7.34	3	Vertical	142	1.02	-	98.78	32.24	9.07	33.97
PK	5.5426G	58.28	68.20	-9.92	6.79	3	Vertical	142	1.02	-	51.49	31.90	8.82	33.93
PK	5.7838G	116.33	Inf	-Inf	7.34	3	Vertical	142	1.02	-	108.99	32.24	9.07	33.97
PK	6.0238G	58.33	68.20	-9.87	7.74	3	Vertical	142	1.02	-	50.59	32.55	9.19	34.00

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	104.39	Inf	-Inf	7.34	3	Horizontal	137	2.39	-	97.05	32.24	9.07	33.97
PK	5.569G	57.55	68.20	-10.65	6.79	3	Horizontal	137	2.39	-	50.76	31.86	8.86	33.93
PK	5.785G	115.87	Inf	-Inf	7.34	3	Horizontal	137	2.39	-	108.53	32.24	9.07	33.97
PK	6.0214G	57.99	68.20	-10.21	7.75	3	Horizontal	137	2.39	-	50.24	32.56	9.19	34.00

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57102G	50.94	54.00	-3.06	-0.41	3	Vertical	14	2.14	-	51.35	41.06	12.79	54.26
PK	11.57222G	65.89	74.00	-8.11	-0.41	3	Vertical	14	2.14	-	66.30	41.06	12.79	54.26
PK	17.3577G	63.32	68.20	-4.88	9.29	3	Vertical	122	2.16	-	54.03	46.91	15.07	52.69

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57042G	43.33	54.00	-10.67	-0.42	3	Horizontal	11	1.20	-	43.75	41.05	12.79	54.26
PK	11.56916G	55.88	74.00	-18.12	-0.43	3	Horizontal	11	1.20	-	56.31	41.05	12.79	54.27
PK	17.3553G	61.56	68.20	-6.64	9.25	3	Horizontal	20	1.02	-	52.31	46.87	15.07	52.69

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	109.24	Inf	-Inf	7.47	3	Vertical	141	1.01	-	101.77	32.35	9.09	33.97
PK	5.6186G	58.28	68.20	-9.92	6.78	3	Vertical	141	1.01	-	51.50	31.80	8.92	33.94
PK	5.8262G	120.56	Inf	-Inf	7.47	3	Vertical	141	1.01	-	113.09	32.35	9.09	33.97
PK	6.0806G	58.78	68.20	-9.42	7.79	3	Vertical	141	1.01	-	50.99	32.56	9.23	34.00

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	108.11	Inf	-Inf	7.47	3	Horizontal	79	2.92	-	100.64	32.35	9.09	33.97
PK	5.531G	57.71	68.20	-10.49	6.78	3	Horizontal	79	2.92	-	50.93	31.90	8.80	33.92
PK	5.825G	118.24	Inf	-Inf	7.47	3	Horizontal	79	2.92	-	110.77	32.35	9.09	33.97
PK	6.0362G	58.52	68.20	-9.68	7.73	3	Horizontal	79	2.92	-	50.79	32.53	9.20	34.00

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65084G	50.65	54.00	-3.35	-0.15	3	Vertical	14	2.24	-	50.80	41.25	12.83	54.23
PK	11.64958G	64.70	74.00	-9.30	-0.15	3	Vertical	14	2.24	-	64.85	41.25	12.83	54.23
PK	17.47524G	63.67	68.20	-4.53	10.69	3	Vertical	146	1.55	-	52.98	48.33	15.10	52.74

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65066G	42.32	54.00	-11.68	-0.15	3	Horizontal	22	1.01	-	42.47	41.25	12.83	54.23
PK	11.6521G	55.06	74.00	-18.94	-0.15	3	Horizontal	22	1.01	-	55.21	41.25	12.83	54.23
PK	17.4744G	65.17	68.20	-3.03	10.68	3	Horizontal	24	1.21	-	54.49	48.32	15.10	52.74

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.79	54.00	-6.21	6.68	3	Vertical	5	2.82	-	41.11	32.00	8.52	33.84
AV	5.1788G	107.89	Inf	-Inf	6.59	3	Vertical	5	2.82	-	101.30	31.88	8.55	33.84
PK	5.1494G	61.03	74.00	-12.97	6.68	3	Vertical	5	2.82	-	54.35	32.00	8.52	33.84
PK	5.1788G	118.68	Inf	-Inf	6.59	3	Vertical	5	2.82	-	112.09	31.88	8.55	33.84

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	46.80	54.00	-7.20	6.68	3	Horizontal	58	2.95	-	40.12	32.00	8.52	33.84
AV	5.179G	106.52	Inf	-Inf	6.59	3	Horizontal	58	2.95	-	99.93	31.88	8.55	33.84
PK	5.1398G	59.38	74.00	-14.62	6.68	3	Horizontal	58	2.95	-	52.70	32.00	8.51	33.83
PK	5.1804G	117.57	Inf	-Inf	6.59	3	Horizontal	58	2.95	-	110.98	31.88	8.55	33.84

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54066G	48.72	54.00	-5.28	3.93	3	Vertical	288	2.54	-	44.79	42.56	14.61	53.24
PK	10.35898G	57.01	68.20	-11.19	-3.31	3	Vertical	134	2.12	-	60.32	39.02	12.18	54.51
PK	15.54174G	64.18	74.00	-9.82	3.93	3	Vertical	288	2.54	-	60.25	42.56	14.61	53.24

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53928G	48.84	54.00	-5.16	3.93	3	Horizontal	54	2.44	-	44.91	42.56	14.61	53.24
PK	10.35934G	55.25	68.20	-12.95	-3.31	3	Horizontal	146	2.77	-	58.56	39.02	12.18	54.51
PK	15.54294G	66.42	74.00	-7.58	3.93	3	Horizontal	54	2.44	-	62.49	42.56	14.61	53.24

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.10	54.00	-6.90	6.68	3	Vertical	358	2.94	-	40.42	32.00	8.52	33.84
AV	5.198G	109.32	Inf	-Inf	6.53	3	Vertical	358	2.94	-	102.79	31.81	8.57	33.85
PK	5.1432G	58.93	74.00	-15.07	6.69	3	Vertical	358	2.94	-	52.24	32.00	8.52	33.83
PK	5.198G	120.55	Inf	-Inf	6.53	3	Vertical	358	2.94	-	114.02	31.81	8.57	33.85

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.01	54.00	-6.99	6.68	3	Horizontal	293	2.28	-	40.33	32.00	8.52	33.84
AV	5.1996G	107.81	Inf	-Inf	6.52	3	Horizontal	293	2.28	-	101.29	31.80	8.57	33.85
PK	5.1452G	59.22	74.00	-14.78	6.69	3	Horizontal	293	2.28	-	52.53	32.00	8.52	33.83
PK	5.1996G	118.19	Inf	-Inf	6.52	3	Horizontal	293	2.28	-	111.67	31.80	8.57	33.85

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59934G	48.82	54.00	-5.18	3.91	3	Vertical	320	2.51	-	44.91	42.50	14.62	53.21
PK	10.4018G	55.53	68.20	-12.67	-3.21	3	Vertical	214	2.57	-	58.74	39.10	12.20	54.51
PK	15.60036G	66.30	74.00	-7.70	3.91	3	Vertical	320	2.51	-	62.39	42.50	14.62	53.21

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6003G	49.55	54.00	-4.45	3.91	3	Horizontal	74	2.41	-	45.64	42.50	14.62	53.21
PK	10.41374G	53.53	68.20	-14.67	-3.20	3	Horizontal	121	2.22	-	56.73	39.10	12.21	54.51
PK	15.5964G	65.35	74.00	-8.65	3.91	3	Horizontal	74	2.41	-	61.44	42.50	14.62	53.21

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1434G	46.75	54.00	-7.25	6.69	3	Vertical	339	2.41	-	40.06	32.00	8.52	33.83
AV	5.2412G	109.33	Inf	-Inf	6.27	3	Vertical	339	2.41	-	103.06	31.55	8.58	33.86
AV	5.354G	44.86	54.00	-9.14	6.04	3	Vertical	339	2.41	-	38.82	31.32	8.60	33.88
PK	5.1374G	58.56	74.00	-15.44	6.68	3	Vertical	339	2.41	-	51.88	32.00	8.51	33.83
PK	5.24G	120.05	Inf	-Inf	6.28	3	Vertical	339	2.41	-	113.77	31.56	8.58	33.86
PK	5.3732G	57.37	74.00	-16.63	6.15	3	Vertical	339	2.41	-	51.22	31.44	8.60	33.89

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.26	54.00	-7.74	6.69	3	Horizontal	63	3.00	-	39.57	32.00	8.52	33.83
AV	5.2388G	108.75	Inf	-Inf	6.29	3	Horizontal	63	3.00	-	102.46	31.57	8.58	33.86
AV	5.3582G	45.06	54.00	-8.94	6.06	3	Horizontal	63	3.00	-	39.00	31.35	8.60	33.89
PK	5.1458G	58.02	74.00	-15.98	6.69	3	Horizontal	63	3.00	-	51.33	32.00	8.52	33.83
PK	5.2412G	119.24	Inf	-Inf	6.27	3	Horizontal	63	3.00	-	112.97	31.55	8.58	33.86
PK	5.3672G	56.78	74.00	-17.22	6.11	3	Horizontal	63	3.00	-	50.67	31.40	8.60	33.89

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71934G	49.56	54.00	-4.44	4.06	3	Vertical	301	2.83	-	45.50	42.56	14.65	53.15
PK	10.4797G	56.92	68.20	-11.28	-3.17	3	Vertical	152	2.38	-	60.09	39.10	12.24	54.51
PK	15.71964G	63.85	74.00	-10.15	4.06	3	Vertical	301	2.83	-	59.79	42.56	14.65	53.15

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7212G	50.20	54.00	-3.80	4.06	3	Horizontal	62	1.08	-	46.14	42.56	14.65	53.15
PK	10.47928G	54.15	68.20	-14.05	-3.17	3	Horizontal	254	2.88	-	57.32	39.10	12.24	54.51
PK	15.7191G	64.65	74.00	-9.35	4.06	3	Horizontal	62	1.08	-	60.59	42.56	14.65	53.15

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.48	Inf	-Inf	7.15	3	Vertical	139	1.07	-	98.33	32.08	9.03	33.96
PK	5.4702G	57.35	68.20	-10.85	6.64	3	Vertical	139	1.07	-	50.71	31.84	8.71	33.91
PK	5.7438G	116.54	Inf	-Inf	7.15	3	Vertical	139	1.07	-	109.39	32.08	9.03	33.96
PK	6.015G	58.29	68.20	-9.91	7.75	3	Vertical	139	1.07	-	50.54	32.57	9.18	34.00

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	102.94	Inf	-Inf	7.15	3	Horizontal	137	2.34	-	95.79	32.08	9.03	33.96
PK	5.5722G	58.00	68.20	-10.20	6.79	3	Horizontal	137	2.34	-	51.21	31.86	8.86	33.93
PK	5.7438G	113.44	Inf	-Inf	7.15	3	Horizontal	137	2.34	-	106.29	32.08	9.03	33.96
PK	5.9658G	58.01	68.20	-10.19	7.69	3	Horizontal	137	2.34	-	50.32	32.53	9.15	33.99

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48934G	50.25	54.00	-3.75	-0.86	3	Vertical	23	2.74	-	51.11	40.69	12.75	54.30
PK	11.49198G	63.28	74.00	-10.72	-0.86	3	Vertical	23	2.74	-	64.14	40.69	12.75	54.30
PK	17.2353G	59.03	68.20	-9.17	7.98	3	Vertical	310	2.21	-	51.05	45.58	15.04	52.64

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4894G	43.56	54.00	-10.44	-0.86	3	Horizontal	310	2.14	-	44.42	40.69	12.75	54.30
PK	11.49198G	56.67	74.00	-17.33	-0.86	3	Horizontal	310	2.14	-	57.53	40.69	12.75	54.30
PK	17.23164G	58.93	68.20	-9.27	7.94	3	Horizontal	25	1.05	-	50.99	45.55	15.03	52.64

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	104.32	Inf	-Inf	7.34	3	Vertical	138	1.00	-	96.98	32.24	9.07	33.97
PK	5.587G	57.44	68.20	-10.76	6.78	3	Vertical	138	1.00	-	50.66	31.83	8.88	33.93
PK	5.7838G	115.11	Inf	-Inf	7.34	3	Vertical	138	1.00	-	107.77	32.24	9.07	33.97
PK	6.013G	58.02	68.20	-10.18	7.75	3	Vertical	138	1.00	-	50.27	32.57	9.18	34.00

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	103.24	Inf	-Inf	7.34	3	Horizontal	139	2.25	-	95.90	32.24	9.07	33.97
PK	5.5966G	58.60	68.20	-9.60	6.77	3	Horizontal	139	2.25	-	51.83	31.81	8.90	33.94
PK	5.7838G	113.68	Inf	-Inf	7.34	3	Horizontal	139	2.25	-	106.34	32.24	9.07	33.97
PK	6.0514G	58.49	68.20	-9.71	7.71	3	Horizontal	139	2.25	-	50.78	32.50	9.21	34.00

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56922G	50.57	54.00	-3.43	-0.43	3	Vertical	52	2.32	-	51.00	41.05	12.79	54.27
PK	11.56688G	63.40	74.00	-10.60	-0.45	3	Vertical	52	2.32	-	63.85	41.03	12.79	54.27
PK	17.34618G	58.90	68.20	-9.30	9.12	3	Vertical	142	1.81	-	49.78	46.75	15.06	52.69

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56886G	42.09	54.00	-11.91	-0.44	3	Horizontal	225	2.35	-	42.53	41.04	12.79	54.27
PK	11.57054G	54.59	74.00	-19.41	-0.42	3	Horizontal	225	2.35	-	55.01	41.05	12.79	54.26
PK	17.3583G	57.58	68.20	-10.62	9.30	3	Horizontal	89	1.24	-	48.28	46.92	15.07	52.69

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	108.10	Inf	-Inf	7.47	3	Vertical	141	1.00	-	100.63	32.35	9.09	33.97
PK	5.6066G	58.15	68.20	-10.05	6.77	3	Vertical	141	1.00	-	51.38	31.80	8.91	33.94
PK	5.8262G	118.63	Inf	-Inf	7.47	3	Vertical	141	1.00	-	111.16	32.35	9.09	33.97
PK	6.041G	58.15	68.20	-10.05	7.72	3	Vertical	141	1.00	-	50.43	32.52	9.20	34.00

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.13	Inf	-Inf	7.47	3	Horizontal	163	2.38	-	98.66	32.35	9.09	33.97
PK	5.6258G	56.95	68.20	-11.25	6.78	3	Horizontal	163	2.38	-	50.17	31.80	8.92	33.94
PK	5.825G	116.48	Inf	-Inf	7.47	3	Horizontal	163	2.38	-	109.01	32.35	9.09	33.97
PK	6.0122G	58.57	68.20	-9.63	7.76	3	Horizontal	163	2.38	-	50.81	32.58	9.18	34.00

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65138G	45.45	54.00	-8.55	-0.15	3	Vertical	321	2.14	-	45.60	41.25	12.83	54.23
PK	11.65162G	60.95	74.00	-13.05	-0.15	3	Vertical	321	2.14	-	61.10	41.25	12.83	54.23
PK	17.47218G	65.14	68.20	-3.06	10.65	3	Vertical	167	1.94	-	54.49	48.29	15.10	52.74

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6512G	42.13	54.00	-11.87	-0.15	3	Horizontal	338	3.00	-	42.28	41.25	12.83	54.23
PK	11.65348G	54.76	74.00	-19.24	-0.14	3	Horizontal	338	3.00	-	54.90	41.25	12.84	54.23
PK	17.4744G	64.14	68.20	-4.06	10.68	3	Horizontal	12	1.45	-	53.46	48.32	15.10	52.74

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	50.70	54.00	-3.30	8.88	3	Vertical	255	1.39	-	41.82	34.20	8.52	33.84
AV	5.1812G	105.02	Inf	-Inf	8.91	3	Vertical	255	1.39	-	96.11	34.20	8.55	33.84
PK	5.149G	63.06	74.00	-10.94	8.88	3	Vertical	255	1.39	-	54.18	34.20	8.52	33.84
PK	5.1838G	115.70	Inf	-Inf	8.91	3	Vertical	255	1.39	-	106.79	34.20	8.55	33.84

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.73	54.00	-4.27	8.88	3	Horizontal	167	2.49	-	40.85	34.20	8.52	33.84
AV	5.1762G	103.87	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	94.96	34.20	8.55	33.84
PK	5.1446G	61.68	74.00	-12.32	8.89	3	Horizontal	167	2.49	-	52.79	34.20	8.52	33.83
PK	5.1788G	114.09	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	105.18	34.20	8.55	33.84

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5418G	49.58	54.00	-4.42	-0.54	3	Vertical	341	2.77	-	50.12	38.09	14.61	53.24
PK	10.35454G	56.17	68.20	-12.03	-2.97	3	Vertical	151	2.97	-	59.14	39.36	12.18	54.51
PK	15.53616G	66.56	74.00	-7.44	-0.51	3	Vertical	341	2.77	-	67.07	38.12	14.61	53.24

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54366G	49.89	54.00	-4.11	-0.55	3	Horizontal	121	2.52	-	50.44	38.08	14.61	53.24
PK	10.35784G	53.48	68.20	-14.72	-2.96	3	Horizontal	152	2.37	-	56.44	39.37	12.18	54.51
PK	15.5439G	64.25	74.00	-9.75	-0.55	3	Horizontal	121	2.52	-	64.80	38.08	14.61	53.24

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.18	54.00	-5.82	6.68	3	Vertical	347	2.86	-	41.50	32.00	8.52	33.84
AV	5.198G	107.26	Inf	-Inf	6.53	3	Vertical	347	2.86	-	100.73	31.81	8.57	33.85
PK	5.1372G	59.92	74.00	-14.08	6.68	3	Vertical	347	2.86	-	53.24	32.00	8.51	33.83
PK	5.2032G	117.05	Inf	-Inf	6.50	3	Vertical	347	2.86	-	110.55	31.78	8.57	33.85

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.60	54.00	-6.40	6.68	3	Horizontal	294	2.18	-	40.92	32.00	8.52	33.84
AV	5.1996G	106.32	Inf	-Inf	6.52	3	Horizontal	294	2.18	-	99.80	31.80	8.57	33.85
PK	5.1488G	60.70	74.00	-13.30	6.68	3	Horizontal	294	2.18	-	54.02	32.00	8.52	33.84
PK	5.2016G	116.52	Inf	-Inf	6.51	3	Horizontal	294	2.18	-	110.01	31.79	8.57	33.85

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59658G	49.05	54.00	-4.95	3.91	3	Vertical	321	2.78	-	45.14	42.50	14.62	53.21
PK	10.39976G	56.38	68.20	-11.82	-3.21	3	Vertical	154	2.95	-	59.59	39.10	12.20	54.51
PK	15.59364G	64.63	74.00	-9.37	3.91	3	Vertical	321	2.78	-	60.72	42.51	14.62	53.22

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60018G	48.03	54.00	-5.97	3.91	3	Horizontal	75	2.32	-	44.12	42.50	14.62	53.21
PK	10.4021G	55.12	68.20	-13.08	-3.21	3	Horizontal	122	1.12	-	58.33	39.10	12.20	54.51
PK	15.59328G	62.32	74.00	-11.68	3.91	3	Horizontal	75	2.32	-	58.41	42.51	14.62	53.22

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.78	54.00	-7.22	6.69	3	Vertical	337	2.40	-	40.09	32.00	8.52	33.83
AV	5.2424G	107.17	Inf	-Inf	6.27	3	Vertical	337	2.40	-	100.90	31.55	8.58	33.86
AV	5.3654G	45.40	54.00	-8.60	6.10	3	Vertical	337	2.40	-	39.30	31.39	8.60	33.89
PK	5.147G	58.67	74.00	-15.33	6.68	3	Vertical	337	2.40	-	51.99	32.00	8.52	33.84
PK	5.2418G	116.57	Inf	-Inf	6.27	3	Vertical	337	2.40	-	110.30	31.55	8.58	33.86
PK	5.3504G	58.09	74.00	-15.91	6.02	3	Vertical	337	2.40	-	52.07	31.30	8.60	33.88

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	46.21	54.00	-7.79	6.69	3	Horizontal	62	3.00	-	39.52	32.00	8.52	33.83
AV	5.2382G	106.34	Inf	-Inf	6.29	3	Horizontal	62	3.00	-	100.05	31.57	8.58	33.86
AV	5.3528G	45.53	54.00	-8.47	6.04	3	Horizontal	62	3.00	-	39.49	31.32	8.60	33.88
PK	5.1362G	58.37	74.00	-15.63	6.68	3	Horizontal	62	3.00	-	51.69	32.00	8.51	33.83
PK	5.2424G	116.11	Inf	-Inf	6.27	3	Horizontal	62	3.00	-	109.84	31.55	8.58	33.86
PK	5.3624G	57.88	74.00	-16.12	6.08	3	Horizontal	62	3.00	-	51.80	31.37	8.60	33.89

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71904G	49.92	54.00	-4.08	4.06	3	Vertical	319	2.14	-	45.86	42.56	14.65	53.15
PK	10.47994G	57.14	68.20	-11.06	-3.17	3	Vertical	174	2.62	-	60.31	39.10	12.24	54.51
PK	15.71634G	64.84	74.00	-9.16	4.04	3	Vertical	319	2.14	-	60.80	42.55	14.65	53.16

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71994G	49.47	54.00	-4.53	4.06	3	Horizontal	74	1.72	-	45.41	42.56	14.65	53.15
PK	10.47838G	54.37	68.20	-13.83	-3.17	3	Horizontal	131	2.11	-	57.54	39.10	12.24	54.51
PK	15.71748G	63.71	74.00	-10.29	4.04	3	Horizontal	74	1.72	-	59.67	42.55	14.65	53.16

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	44.93	54.00	-9.07	6.55	3	Vertical	142	2.42	-	38.38	31.78	8.68	33.91
AV	5.7426G	108.26	Inf	-Inf	7.14	3	Vertical	142	2.42	-	101.12	32.07	9.03	33.96
PK	5.5638G	58.14	68.20	-10.06	6.79	3	Vertical	142	2.42	-	51.35	31.87	8.85	33.93
PK	5.7426G	118.60	Inf	-Inf	7.14	3	Vertical	142	2.42	-	111.46	32.07	9.03	33.96
PK	5.9406G	58.67	68.20	-9.53	7.65	3	Vertical	142	2.42	-	51.02	32.50	9.14	33.99

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	45.01	54.00	-8.99	6.59	3	Horizontal	138	2.34	-	38.42	31.81	8.69	33.91
AV	5.7474G	105.53	Inf	-Inf	7.16	3	Horizontal	138	2.34	-	98.37	32.09	9.03	33.96
PK	5.6358G	57.72	68.20	-10.48	6.79	3	Horizontal	138	2.34	-	50.93	31.80	8.93	33.94
PK	5.7426G	115.37	Inf	-Inf	7.14	3	Horizontal	138	2.34	-	108.23	32.07	9.03	33.96
PK	6.039G	58.95	68.20	-9.25	7.72	3	Horizontal	138	2.34	-	51.23	32.52	9.20	34.00

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4894G	50.48	54.00	-3.52	-0.86	3	Vertical	121	2.22	-	51.34	40.69	12.75	54.30
PK	11.48892G	65.01	74.00	-8.99	-0.86	3	Vertical	121	2.22	-	65.87	40.69	12.75	54.30
PK	17.2401G	63.81	68.20	-4.39	8.02	3	Vertical	182	2.12	-	55.79	45.62	15.04	52.64

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48916G	42.37	54.00	-11.63	-0.86	3	Horizontal	22	1.75	-	43.23	40.69	12.75	54.30
PK	11.49006G	57.81	74.00	-16.19	-0.86	3	Horizontal	22	1.75	-	58.67	40.69	12.75	54.30
PK	17.24178G	60.89	68.20	-7.31	8.03	3	Horizontal	163	1.82	-	52.86	45.63	15.04	52.64

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	105.25	Inf	-Inf	7.32	3	Vertical	142	1.00	-	97.93	32.23	9.06	33.97
PK	5.5522G	57.61	68.20	-10.59	6.80	3	Vertical	142	1.00	-	50.81	31.90	8.83	33.93
PK	5.7814G	114.51	Inf	-Inf	7.32	3	Vertical	142	1.00	-	107.19	32.23	9.06	33.97
PK	6.073G	59.10	68.20	-9.10	7.78	3	Vertical	142	1.00	-	51.32	32.55	9.23	34.00

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	103.33	Inf	-Inf	7.34	3	Horizontal	140	2.38	-	95.99	32.24	9.07	33.97
PK	5.5318G	58.42	68.20	-9.78	6.77	3	Horizontal	140	2.38	-	51.65	31.90	8.80	33.93
PK	5.7826G	112.99	Inf	-Inf	7.32	3	Horizontal	140	2.38	-	105.67	32.23	9.06	33.97
PK	6.0802G	58.44	68.20	-9.76	7.79	3	Horizontal	140	2.38	-	50.65	32.56	9.23	34.00

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56934G	50.96	54.00	-3.04	-0.43	3	Vertical	23	1.96	-	51.39	41.05	12.79	54.27
PK	11.564G	65.99	74.00	-8.01	-0.46	3	Vertical	23	1.96	-	66.45	41.02	12.79	54.27
PK	17.3532G	64.97	68.20	-3.23	9.22	3	Vertical	104	2.87	-	55.75	46.84	15.07	52.69

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57G	43.71	54.00	-10.29	-0.42	3	Horizontal	157	2.25	-	44.13	41.05	12.79	54.26
PK	11.57072G	55.52	74.00	-18.48	-0.42	3	Horizontal	157	2.25	-	55.94	41.05	12.79	54.26
PK	17.35494G	58.26	68.20	-9.94	9.25	3	Horizontal	135	1.46	-	49.01	46.87	15.07	52.69

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	105.67	Inf	-Inf	7.47	3	Vertical	142	1.00	-	98.20	32.35	9.09	33.97
PK	5.6114G	58.11	68.20	-10.09	6.77	3	Vertical	142	1.00	-	51.34	31.80	8.91	33.94
PK	5.8274G	115.83	Inf	-Inf	7.47	3	Vertical	142	1.00	-	108.36	32.35	9.09	33.97
PK	6.0746G	58.33	68.20	-9.87	7.78	3	Vertical	142	1.00	-	50.55	32.55	9.23	34.00

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	104.72	Inf	-Inf	7.48	3	Horizontal	79	2.91	-	97.24	32.36	9.09	33.97
PK	5.6474G	57.69	68.20	-10.51	6.80	3	Horizontal	79	2.91	-	50.89	31.80	8.94	33.94
PK	5.8238G	114.39	Inf	-Inf	7.47	3	Horizontal	79	2.91	-	106.92	32.35	9.09	33.97
PK	5.9978G	59.13	68.20	-9.07	7.77	3	Horizontal	79	2.91	-	51.36	32.60	9.17	34.00

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64844G	49.15	54.00	-4.85	-0.15	3	Vertical	13	2.52	-	49.30	41.25	12.83	54.23
PK	11.6536G	62.75	74.00	-11.25	-0.14	3	Vertical	13	2.52	-	62.89	41.25	12.84	54.23
PK	17.46858G	65.14	68.20	-3.06	10.60	3	Vertical	112	1.62	-	54.54	48.25	15.09	52.74

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65294G	42.90	54.00	-11.10	-0.15	3	Horizontal	52	1.51	-	43.05	41.25	12.83	54.23
PK	11.65738G	54.77	74.00	-19.23	-0.13	3	Horizontal	52	1.51	-	54.90	41.26	12.84	54.23
PK	17.47686G	60.99	68.20	-7.21	10.71	3	Horizontal	12	1.18	-	50.28	48.35	15.10	52.74

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1324G	47.41	54.00	-6.59	2.55	3	Vertical	185	2.92	-	44.86	32.00	5.47	34.92
AV	5.1798G	110.17	Inf	-Inf	2.40	3	Vertical	185	2.92	-	107.77	31.82	5.49	34.91
PK	5.1482G	59.14	74.00	-14.86	2.55	3	Vertical	185	2.92	-	56.59	32.00	5.47	34.92
PK	5.1796G	120.40	Inf	-Inf	2.40	3	Vertical	185	2.92	-	118.00	31.82	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	46.28	54.00	-7.72	2.55	3	Horizontal	99	2.99	-	43.73	32.00	5.47	34.92
AV	5.1808G	108.37	Inf	-Inf	2.40	3	Horizontal	99	2.99	-	105.97	31.82	5.49	34.91
PK	5.1498G	59.26	74.00	-14.74	2.55	3	Horizontal	99	2.99	-	56.71	32.00	5.47	34.92
PK	5.181G	119.57	Inf	-Inf	2.39	3	Horizontal	99	2.99	-	117.18	31.81	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54109G	47.22	54.00	-6.78	13.17	3	Vertical	85	1.99	-	34.05	38.49	9.79	35.11
PK	10.3606G	55.75	68.20	-12.45	12.17	3	Vertical	79	2.86	-	43.58	39.48	7.93	35.24
PK	15.54341G	63.24	74.00	-10.76	13.16	3	Vertical	85	1.99	-	50.08	38.48	9.79	35.11

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54093G	50.70	54.00	-3.30	13.18	3	Horizontal	83	2.07	-	37.52	38.50	9.79	35.11
PK	10.36338G	54.44	68.20	-13.76	12.19	3	Horizontal	39	2.74	-	42.25	39.49	7.93	35.23
PK	15.53869G	67.32	74.00	-6.68	13.18	3	Horizontal	83	2.07	-	54.14	38.51	9.78	35.11

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1044G	45.91	54.00	-8.09	2.53	3	Vertical	184	2.94	-	43.38	32.00	5.45	34.92
AV	5.2G	110.42	Inf	-Inf	2.29	3	Vertical	184	2.94	-	108.13	31.70	5.50	34.91
PK	5.1496G	58.91	74.00	-15.09	2.55	3	Vertical	184	2.94	-	56.36	32.00	5.47	34.92
PK	5.2G	120.75	Inf	-Inf	2.29	3	Vertical	184	2.94	-	118.46	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.19	54.00	-8.81	2.55	3	Horizontal	102	3.00	-	42.64	32.00	5.47	34.92
AV	5.2004G	107.74	Inf	-Inf	2.29	3	Horizontal	102	3.00	-	105.45	31.70	5.50	34.91
PK	5.15G	57.54	74.00	-16.46	2.55	3	Horizontal	102	3.00	-	54.99	32.00	5.47	34.92
PK	5.2G	119.22	Inf	-Inf	2.29	3	Horizontal	102	3.00	-	116.93	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.602G	45.78	54.00	-8.22	12.85	3	Vertical	39	1.98	-	32.93	38.20	9.80	35.15
PK	10.39975G	56.92	68.20	-11.28	12.35	3	Vertical	64	3.00	-	44.57	39.60	7.94	35.19
PK	15.60192G	62.20	74.00	-11.80	12.85	3	Vertical	39	1.98	-	49.35	38.20	9.80	35.15

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60098G	49.99	54.00	-4.01	12.85	3	Horizontal	81	1.92	-	37.14	38.20	9.80	35.15
PK	10.39789G	55.16	68.20	-13.04	12.34	3	Horizontal	110	2.46	-	42.82	39.59	7.94	35.19
PK	15.5984G	64.63	74.00	-9.37	12.86	3	Horizontal	81	1.92	-	51.77	38.21	9.80	35.15

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	45.56	54.00	-8.44	2.55	3	Vertical	183	2.89	-	43.01	32.00	5.47	34.92
AV	5.24G	112.29	Inf	-Inf	2.10	3	Vertical	183	2.89	-	110.19	31.46	5.54	34.90
AV	5.3846G	41.68	54.00	-12.32	2.31	3	Vertical	183	2.89	-	39.37	31.51	5.68	34.88
PK	5.1446G	57.16	74.00	-16.84	2.55	3	Vertical	183	2.89	-	54.61	32.00	5.47	34.92
PK	5.2394G	122.01	Inf	-Inf	2.10	3	Vertical	183	2.89	-	119.91	31.46	5.54	34.90
PK	5.3852G	54.58	74.00	-19.42	2.32	3	Vertical	183	2.89	-	52.26	31.51	5.69	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	44.85	54.00	-9.15	2.55	3	Horizontal	103	2.92	-	42.30	32.00	5.47	34.92
AV	5.2406G	109.28	Inf	-Inf	2.10	3	Horizontal	103	2.92	-	107.18	31.46	5.54	34.90
AV	5.387G	41.13	54.00	-12.87	2.33	3	Horizontal	103	2.92	-	38.80	31.52	5.69	34.88
PK	5.1434G	57.32	74.00	-16.68	2.55	3	Horizontal	103	2.92	-	54.77	32.00	5.47	34.92
PK	5.2406G	118.92	Inf	-Inf	2.10	3	Horizontal	103	2.92	-	116.82	31.46	5.54	34.90
PK	5.3588G	54.36	74.00	-19.64	2.13	3	Horizontal	103	2.92	-	52.23	31.35	5.66	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72168G	49.83	54.00	-4.17	12.78	3	Vertical	320	2.08	-	37.05	38.19	9.83	35.24
PK	10.48125G	56.27	68.20	-11.93	12.72	3	Vertical	67	2.57	-	43.55	39.84	7.97	35.09
PK	15.72264G	66.39	74.00	-7.61	12.78	3	Vertical	320	2.08	-	53.61	38.19	9.83	35.24

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72078G	50.62	54.00	-3.38	12.80	3	Horizontal	84	1.94	-	37.82	38.20	9.83	35.23
PK	10.4815G	55.86	68.20	-12.34	12.72	3	Horizontal	55	1.96	-	43.14	39.84	7.97	35.09
PK	15.71814G	67.69	74.00	-6.31	12.81	3	Horizontal	84	1.94	-	54.88	38.21	9.83	35.23

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.745G	111.71	Inf	-Inf	2.95	3	Vertical	324	2.49	-	108.76	32.08	5.80	34.93
PK	5.559G	54.81	68.20	-13.39	2.78	3	Vertical	324	2.49	-	52.03	31.88	5.78	34.88
PK	5.745G	120.22	Inf	-Inf	2.95	3	Vertical	324	2.49	-	117.27	32.08	5.80	34.93
PK	5.925G	54.77	68.20	-13.43	3.42	3	Vertical	324	2.49	-	51.35	32.55	5.86	34.99

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	105.39	Inf	-Inf	2.95	3	Horizontal	104	3.00	-	102.44	32.08	5.80	34.93
PK	5.5854G	56.26	68.20	-11.94	2.73	3	Horizontal	104	3.00	-	53.53	31.83	5.79	34.89
PK	5.7462G	117.14	Inf	-Inf	2.95	3	Horizontal	104	3.00	-	114.19	32.08	5.80	34.93
PK	5.9382G	56.23	68.20	-11.97	3.46	3	Horizontal	104	3.00	-	52.77	32.58	5.87	34.99

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4918G	50.95	54.00	-3.05	13.67	3	Vertical	351	1.94	-	37.28	40.09	8.32	34.74
PK	11.49226G	63.39	74.00	-10.61	13.67	3	Vertical	351	1.94	-	49.72	40.09	8.32	34.74
PK	17.23754G	64.98	68.20	-3.22	15.77	3	Vertical	315	1.82	-	49.21	40.11	10.27	34.61

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48934G	48.14	54.00	-5.86	13.66	3	Horizontal	90	2.11	-	34.48	40.09	8.32	34.75
PK	11.4885G	61.94	74.00	-12.06	13.66	3	Horizontal	90	2.11	-	48.28	40.09	8.32	34.75
PK	17.2358G	64.43	68.20	-3.77	15.77	3	Horizontal	88	1.95	-	48.66	40.11	10.27	34.61

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	109.33	Inf	-Inf	3.02	3	Vertical	332	2.67	-	106.31	32.17	5.80	34.95
PK	5.6194G	54.63	68.20	-13.57	2.70	3	Vertical	332	2.67	-	51.93	31.80	5.80	34.90
PK	5.785G	118.24	Inf	-Inf	3.02	3	Vertical	332	2.67	-	115.22	32.17	5.80	34.95
PK	6.0358G	55.47	68.20	-12.73	3.41	3	Vertical	332	2.67	-	52.06	32.50	5.92	35.01

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.46	Inf	-Inf	3.02	3	Horizontal	104	2.98	-	103.44	32.17	5.80	34.95
PK	5.5942G	55.38	68.20	-12.82	2.72	3	Horizontal	104	2.98	-	52.66	31.81	5.80	34.89
PK	5.7862G	117.54	Inf	-Inf	3.02	3	Horizontal	104	2.98	-	114.52	32.17	5.80	34.95
PK	5.9602G	55.43	68.20	-12.77	3.46	3	Horizontal	104	2.98	-	51.97	32.58	5.88	35.00

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57028G	50.94	54.00	-3.06	13.48	3	Vertical	360	2.00	-	37.46	39.89	8.35	34.76
PK	11.57036G	63.69	74.00	-10.31	13.48	3	Vertical	360	2.00	-	50.21	39.89	8.35	34.76
PK	17.3594G	61.09	68.20	-7.11	16.42	3	Vertical	305	2.71	-	44.67	40.78	10.31	34.67

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56952G	48.07	54.00	-5.93	13.48	3	Horizontal	90	2.10	-	34.59	39.89	8.35	34.76
PK	11.5685G	60.78	74.00	-13.22	13.48	3	Horizontal	90	2.10	-	47.30	39.89	8.35	34.76
PK	17.3566G	62.01	68.20	-6.19	16.39	3	Horizontal	169	2.83	-	45.62	40.75	10.31	34.67

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	111.12	Inf	-Inf	3.15	3	Vertical	357	2.40	-	107.97	32.30	5.81	34.96
PK	5.597G	54.75	68.20	-13.45	2.72	3	Vertical	357	2.40	-	52.03	31.81	5.80	34.89
PK	5.825G	120.92	Inf	-Inf	3.15	3	Vertical	357	2.40	-	117.77	32.30	5.81	34.96
PK	6.0146G	55.32	68.20	-12.88	3.40	3	Vertical	357	2.40	-	51.92	32.50	5.91	35.01

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	109.15	Inf	-Inf	3.15	3	Horizontal	104	2.94	-	106.00	32.30	5.81	34.96
PK	5.6042G	55.66	68.20	-12.54	2.71	3	Horizontal	104	2.94	-	52.95	31.80	5.80	34.89
PK	5.8262G	121.23	Inf	-Inf	3.15	3	Horizontal	104	2.94	-	118.08	32.30	5.81	34.96
PK	5.927G	55.57	68.20	-12.63	3.42	3	Horizontal	104	2.94	-	52.15	32.55	5.86	34.99

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65051G	50.69	54.00	-3.31	13.15	3	Vertical	0	1.97	-	37.54	39.55	8.38	34.78
PK	11.65015G	67.71	74.00	-6.29	13.15	3	Vertical	0	1.97	-	54.56	39.55	8.38	34.78
PK	17.47557G	61.91	68.20	-6.29	17.09	3	Vertical	294	2.92	-	44.82	41.48	10.34	34.73

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65048G	45.10	54.00	-8.90	13.15	3	Horizontal	330	2.02	-	31.95	39.55	8.38	34.78
PK	11.65021G	62.19	74.00	-11.81	13.15	3	Horizontal	330	2.02	-	49.04	39.55	8.38	34.78
PK	17.47674G	63.48	68.20	-4.72	17.09	3	Horizontal	121	2.64	-	46.39	41.48	10.34	34.73

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1318G	47.77	54.00	-6.23	2.55	3	Vertical	184	3.00	-	45.22	32.00	5.47	34.92
AV	5.1792G	108.14	Inf	-Inf	2.40	3	Vertical	184	3.00	-	105.74	31.82	5.49	34.91
PK	5.1498G	59.80	74.00	-14.20	2.55	3	Vertical	184	3.00	-	57.25	32.00	5.47	34.92
PK	5.1794G	118.88	Inf	-Inf	2.40	3	Vertical	184	3.00	-	116.48	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.12	54.00	-7.88	2.55	3	Horizontal	104	2.97	-	43.57	32.00	5.47	34.92
AV	5.1792G	106.60	Inf	-Inf	2.40	3	Horizontal	104	2.97	-	104.20	31.82	5.49	34.91
PK	5.1314G	59.37	74.00	-14.63	2.55	3	Horizontal	104	2.97	-	56.82	32.00	5.47	34.92
PK	5.1808G	117.31	Inf	-Inf	2.40	3	Horizontal	104	2.97	-	114.91	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54044G	46.80	54.00	-7.20	13.18	3	Vertical	39	1.93	-	33.62	38.50	9.79	35.11
PK	10.35672G	53.67	68.20	-14.53	12.15	3	Vertical	328	1.50	-	41.52	39.47	7.92	35.24
PK	15.53652G	62.40	74.00	-11.60	13.19	3	Vertical	39	1.93	-	49.21	38.52	9.78	35.11

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53848G	50.39	54.00	-3.61	13.18	3	Horizontal	82	2.03	-	37.21	38.51	9.78	35.11
PK	10.36228G	53.90	68.20	-14.30	12.18	3	Horizontal	208	1.47	-	41.72	39.49	7.93	35.24
PK	15.53884G	66.86	74.00	-7.14	13.18	3	Horizontal	82	2.03	-	53.68	38.51	9.78	35.11

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.92	54.00	-8.08	2.55	3	Vertical	185	2.94	-	43.37	32.00	5.47	34.92
AV	5.1988G	108.97	Inf	-Inf	2.30	3	Vertical	185	2.94	-	106.67	31.71	5.50	34.91
PK	5.1496G	59.66	74.00	-14.34	2.55	3	Vertical	185	2.94	-	57.11	32.00	5.47	34.92
PK	5.1988G	117.23	Inf	-Inf	2.30	3	Vertical	185	2.94	-	117.23	31.71	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.46	54.00	-9.54	2.55	3	Horizontal	117	3.00	-	41.91	32.00	5.47	34.92
AV	5.1988G	106.16	Inf	-Inf	2.30	3	Horizontal	117	3.00	-	103.86	31.71	5.50	34.91
PK	5.1496G	57.23	74.00	-16.77	2.55	3	Horizontal	117	3.00	-	54.68	32.00	5.47	34.92
PK	5.1988G	116.96	Inf	-Inf	2.30	3	Horizontal	117	3.00	-	114.66	31.71	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59984G	45.98	54.00	-8.02	12.85	3	Vertical	44	3.00	-	33.13	38.20	9.80	35.15
PK	10.39904G	54.83	68.20	-13.37	12.35	3	Vertical	311	2.97	-	42.48	39.60	7.94	35.19
PK	15.59904G	61.95	74.00	-12.05	12.85	3	Vertical	44	3.00	-	49.10	38.20	9.80	35.15

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59876G	50.25	54.00	-3.75	12.86	3	Horizontal	82	2.02	-	37.39	38.21	9.80	35.15
PK	10.4094G	54.09	68.20	-14.11	12.39	3	Horizontal	334	1.50	-	41.70	39.63	7.94	35.18
PK	15.59752G	67.01	74.00	-6.99	12.86	3	Horizontal	82	2.02	-	54.15	38.21	9.80	35.15

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.19	54.00	-9.81	2.55	3	Vertical	186	2.92	-	41.64	32.00	5.47	34.92
AV	5.2388G	107.90	Inf	-Inf	2.11	3	Vertical	186	2.92	-	105.79	31.47	5.54	34.90
AV	5.354G	41.61	54.00	-12.39	2.09	3	Vertical	186	2.92	-	39.52	31.32	5.65	34.88
PK	5.1284G	56.19	74.00	-17.81	2.54	3	Vertical	186	2.92	-	53.65	32.00	5.46	34.92
PK	5.243G	118.07	Inf	-Inf	2.08	3	Vertical	186	2.92	-	115.99	31.44	5.54	34.90
PK	5.3654G	54.50	74.00	-19.50	2.18	3	Vertical	186	2.92	-	52.32	31.39	5.67	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	43.14	54.00	-10.86	2.55	3	Horizontal	120	2.94	-	40.59	32.00	5.47	34.92
AV	5.2388G	105.61	Inf	-Inf	2.11	3	Horizontal	120	2.94	-	103.50	31.47	5.54	34.90
AV	5.3654G	41.34	54.00	-12.66	2.18	3	Horizontal	120	2.94	-	39.16	31.39	5.67	34.88
PK	5.1446G	56.09	74.00	-17.91	2.55	3	Horizontal	120	2.94	-	53.54	32.00	5.47	34.92
PK	5.2382G	116.42	Inf	-Inf	2.11	3	Horizontal	120	2.94	-	114.31	31.47	5.54	34.90
PK	5.3504G	54.13	74.00	-19.87	2.07	3	Horizontal	120	2.94	-	52.06	31.30	5.65	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7212G	44.46	54.00	-9.54	12.79	3	Vertical	55	1.90	-	31.67	38.19	9.83	35.23
PK	10.47948G	54.86	68.20	-13.34	12.72	3	Vertical	35	1.80	-	42.14	39.84	7.97	35.09
PK	15.72128G	58.63	74.00	-15.37	12.79	3	Vertical	55	1.90	-	45.84	38.19	9.83	35.23

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71956G	48.58	54.00	-5.42	12.80	3	Horizontal	83	1.97	-	35.78	38.20	9.83	35.23
PK	10.48012G	54.30	68.20	-13.90	12.72	3	Horizontal	334	1.50	-	41.58	39.84	7.97	35.09
PK	15.71888G	64.09	74.00	-9.91	12.81	3	Horizontal	83	1.97	-	51.28	38.21	9.83	35.23

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	107.82	Inf	-Inf	2.95	3	Vertical	315	1.50	-	104.87	32.08	5.80	34.93
PK	5.643G	55.30	68.20	-12.90	2.70	3	Vertical	315	1.50	-	52.60	31.80	5.80	34.90
PK	5.7438G	118.88	Inf	-Inf	2.95	3	Vertical	315	1.50	-	115.93	32.08	5.80	34.93
PK	5.9274G	55.09	68.20	-13.11	3.42	3	Vertical	315	1.50	-	51.67	32.55	5.86	34.99

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.85	Inf	-Inf	2.95	3	Horizontal	103	2.93	-	102.90	32.08	5.80	34.93
PK	5.5986G	55.89	68.20	-12.31	2.71	3	Horizontal	103	2.93	-	53.18	31.80	5.80	34.89
PK	5.7462G	115.49	Inf	-Inf	2.95	3	Horizontal	103	2.93	-	112.54	32.08	5.80	34.93
PK	5.973G	55.35	68.20	-12.85	3.44	3	Horizontal	103	2.93	-	51.91	32.55	5.89	35.00

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49108G	48.54	54.00	-5.46	13.67	3	Vertical	176	2.20	-	34.87	40.09	8.32	34.74
PK	11.49138G	62.75	74.00	-11.25	13.67	3	Vertical	176	2.20	-	49.08	40.09	8.32	34.74
PK	17.23614G	64.98	68.20	-3.22	15.77	3	Vertical	314	1.97	-	49.21	40.11	10.27	34.61

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48982G	43.76	54.00	-10.24	13.66	3	Horizontal	35	2.58	-	30.10	40.09	8.32	34.75
PK	11.48838G	57.09	74.00	-16.91	13.66	3	Horizontal	35	2.58	-	43.43	40.09	8.32	34.75
PK	17.23761G	63.46	68.20	-4.74	15.77	3	Horizontal	85	2.00	-	47.69	40.11	10.27	34.61

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	109.52	Inf	-Inf	3.02	3	Vertical	328	2.71	-	106.50	32.17	5.80	34.95
PK	5.5354G	54.92	68.20	-13.28	2.80	3	Vertical	328	2.71	-	52.12	31.90	5.77	34.87
PK	5.785G	119.37	Inf	-Inf	3.02	3	Vertical	328	2.71	-	116.35	32.17	5.80	34.95
PK	6.0466G	55.13	68.20	-13.07	3.41	3	Vertical	328	2.71	-	51.72	32.50	5.92	35.01

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	106.97	Inf	-Inf	3.02	3	Horizontal	108	3.00	-	103.95	32.17	5.80	34.95
PK	5.605G	55.85	68.20	-12.35	2.71	3	Horizontal	108	3.00	-	53.14	31.80	5.80	34.89
PK	5.7862G	116.88	Inf	-Inf	3.02	3	Horizontal	108	3.00	-	113.86	32.17	5.80	34.95
PK	5.9314G	55.81	68.20	-12.39	3.44	3	Horizontal	108	3.00	-	52.37	32.56	5.87	34.99

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56895G	50.32	54.00	-3.68	13.48	3	Vertical	179	2.09	-	36.84	39.89	8.35	34.76
PK	11.56805G	67.03	74.00	-6.97	13.49	3	Vertical	179	2.09	-	53.54	39.90	8.35	34.76
PK	17.35368G	64.27	68.20	-3.93	16.37	3	Vertical	68	1.78	-	47.90	40.73	10.31	34.67

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57024G	44.37	54.00	-9.63	13.48	3	Horizontal	37	2.71	-	30.89	39.89	8.35	34.76
PK	11.56913G	60.47	74.00	-13.53	13.48	3	Horizontal	37	2.71	-	46.99	39.89	8.35	34.76
PK	17.35011G	64.23	68.20	-3.97	16.34	3	Horizontal	169	1.81	-	47.89	40.70	10.31	34.67

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	107.32	Inf	-Inf	3.15	3	Vertical	35	2.37	-	104.17	32.30	5.81	34.96
PK	5.6498G	54.99	68.20	-13.21	2.70	3	Vertical	35	2.37	-	52.29	31.80	5.80	34.90
PK	5.8238G	117.76	Inf	-Inf	3.15	3	Vertical	35	2.37	-	114.61	32.30	5.81	34.96
PK	5.9426G	55.19	68.20	-13.01	3.47	3	Vertical	35	2.37	-	51.72	32.59	5.87	34.99

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	108.17	Inf	-Inf	3.15	3	Horizontal	103	2.91	-	105.02	32.30	5.81	34.96
PK	5.5946G	56.19	68.20	-12.01	2.72	3	Horizontal	103	2.91	-	53.47	31.81	5.80	34.89
PK	5.8226G	117.92	Inf	-Inf	3.14	3	Horizontal	103	2.91	-	114.78	32.29	5.81	34.96
PK	5.9918G	55.55	68.20	-12.65	3.41	3	Horizontal	103	2.91	-	52.14	32.52	5.90	35.01

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6494G	50.89	54.00	-3.11	13.15	3	Vertical	0	2.11	-	37.74	39.55	8.38	34.78
PK	11.64913G	68.06	74.00	-5.94	13.15	3	Vertical	0	2.11	-	54.91	39.55	8.38	34.78
PK	17.47563G	61.24	68.20	-6.96	17.09	3	Vertical	17	1.78	-	44.15	41.48	10.34	34.73

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64862G	45.69	54.00	-8.31	13.16	3	Horizontal	328	1.99	-	32.53	39.56	8.38	34.78
PK	11.64916G	61.44	74.00	-12.56	13.15	3	Horizontal	328	1.99	-	48.29	39.55	8.38	34.78
PK	17.47185G	64.95	68.20	-3.25	17.07	3	Horizontal	87	2.45	-	47.88	41.46	10.34	34.73

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.75	54.00	-3.25	8.88	3	Vertical	258	2.04	-	41.87	34.20	8.52	33.84
AV	5.18G	106.91	Inf	-Inf	8.91	3	Vertical	258	2.04	-	98.00	34.20	8.55	33.84
PK	5.1484G	64.54	74.00	-9.46	8.88	3	Vertical	258	2.04	-	55.66	34.20	8.52	33.84
PK	5.1798G	116.28	Inf	-Inf	8.91	3	Vertical	258	2.04	-	107.37	34.20	8.55	33.84

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	49.49	54.00	-4.51	8.88	3	Horizontal	168	2.85	-	40.61	34.20	8.52	33.84
AV	5.18G	103.56	Inf	-Inf	8.91	3	Horizontal	168	2.85	-	94.65	34.20	8.55	33.84
PK	5.1466G	62.18	74.00	-11.82	8.88	3	Horizontal	168	2.85	-	53.30	34.20	8.52	33.84
PK	5.18G	112.78	Inf	-Inf	8.91	3	Horizontal	168	2.85	-	103.87	34.20	8.55	33.84

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53778G	49.97	54.00	-4.03	-0.52	3	Vertical	323	2.72	-	50.49	38.11	14.61	53.24
PK	10.36G	56.53	68.20	-11.67	-2.95	3	Vertical	286	2.35	-	59.48	39.38	12.18	54.51
PK	15.54492G	66.33	74.00	-7.67	-0.55	3	Vertical	323	2.72	-	66.88	38.08	14.61	53.24

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53634G	48.60	54.00	-5.40	-0.51	3	Horizontal	94	2.70	-	49.11	38.12	14.61	53.24
PK	10.35712G	54.62	68.20	-13.58	-2.96	3	Horizontal	140	2.44	-	57.58	39.37	12.18	54.51
PK	15.53628G	64.55	74.00	-9.45	-0.51	3	Horizontal	94	2.70	-	65.06	38.12	14.61	53.24

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	48.48	54.00	-5.52	6.68	3	Vertical	349	2.83	-	41.80	32.00	8.52	33.84
AV	5.2024G	107.56	Inf	-Inf	6.51	3	Vertical	349	2.83	-	101.05	31.79	8.57	33.85
PK	5.146G	60.39	74.00	-13.61	6.68	3	Vertical	349	2.83	-	53.71	32.00	8.52	33.84
PK	5.2G	117.58	Inf	-Inf	6.52	3	Vertical	349	2.83	-	111.06	31.80	8.57	33.85

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.93	54.00	-6.07	6.68	3	Horizontal	293	2.21	-	41.25	32.00	8.52	33.84
AV	5.1988G	106.42	Inf	-Inf	6.52	3	Horizontal	293	2.21	-	99.90	31.80	8.57	33.85
PK	5.1432G	60.06	74.00	-13.94	6.69	3	Horizontal	293	2.21	-	53.37	32.00	8.52	33.83
PK	5.1988G	116.52	Inf	-Inf	6.52	3	Horizontal	293	2.21	-	110.00	31.80	8.57	33.85

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59598G	49.48	54.00	-4.52	3.91	3	Vertical	319	2.68	-	45.57	42.50	14.62	53.21
PK	10.40012G	56.80	68.20	-11.40	-3.21	3	Vertical	181	2.59	-	60.01	39.10	12.20	54.51
PK	15.59616G	65.28	74.00	-8.72	3.91	3	Vertical	319	2.68	-	61.37	42.50	14.62	53.21

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60156G	48.02	54.00	-5.98	3.91	3	Horizontal	85	2.61	-	44.11	42.50	14.62	53.21
PK	10.3919G	55.36	68.20	-12.84	-3.23	3	Horizontal	135	2.71	-	58.59	39.08	12.20	54.51
PK	15.6033G	63.32	74.00	-10.68	3.91	3	Horizontal	85	2.61	-	59.41	42.50	14.62	53.21

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	46.59	54.00	-7.41	6.69	3	Vertical	352	2.43	-	39.90	32.00	8.52	33.83
AV	5.2388G	107.11	Inf	-Inf	6.29	3	Vertical	352	2.43	-	100.82	31.57	8.58	33.86
AV	5.3528G	45.39	54.00	-8.61	6.04	3	Vertical	352	2.43	-	39.35	31.32	8.60	33.88
PK	5.15G	58.17	74.00	-15.83	6.68	3	Vertical	352	2.43	-	51.49	32.00	8.52	33.84
PK	5.2406G	116.56	Inf	-Inf	6.28	3	Vertical	352	2.43	-	110.28	31.56	8.58	33.86
PK	5.3852G	57.80	74.00	-16.20	6.23	3	Vertical	352	2.43	-	51.57	31.51	8.61	33.89

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1434G	46.35	54.00	-7.65	6.69	3	Horizontal	63	3.00	-	39.66	32.00	8.52	33.83
AV	5.2412G	107.11	Inf	-Inf	6.27	3	Horizontal	63	3.00	-	100.84	31.55	8.58	33.86
AV	5.3576G	45.41	54.00	-8.59	6.06	3	Horizontal	63	3.00	-	39.35	31.35	8.60	33.89
PK	5.1374G	58.39	74.00	-15.61	6.68	3	Horizontal	63	3.00	-	51.71	32.00	8.51	33.83
PK	5.24G	117.08	Inf	-Inf	6.28	3	Horizontal	63	3.00	-	110.80	31.56	8.58	33.86
PK	5.3876G	57.47	74.00	-16.53	6.25	3	Horizontal	63	3.00	-	51.22	31.53	8.61	33.89

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72258G	49.25	54.00	-4.75	4.07	3	Vertical	325	1.97	-	45.18	42.57	14.65	53.15
PK	10.47238G	55.00	68.20	-13.20	-3.17	3	Vertical	161	2.76	-	58.17	39.10	12.24	54.51
PK	15.72336G	64.56	74.00	-9.44	4.07	3	Vertical	325	1.97	-	60.49	42.57	14.65	53.15

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71988G	50.12	54.00	-3.88	4.06	3	Horizontal	91	1.75	-	46.06	42.56	14.65	53.15
PK	10.47526G	54.99	68.20	-13.21	-3.17	3	Horizontal	152	2.01	-	58.16	39.10	12.24	54.51
PK	15.72114G	63.91	74.00	-10.09	4.06	3	Horizontal	91	1.75	-	59.85	42.56	14.65	53.15

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	108.32	Inf	-Inf	7.15	3	Vertical	141	1.49	-	101.17	32.08	9.03	33.96
PK	5.643G	58.22	68.20	-9.98	6.80	3	Vertical	141	1.49	-	51.42	31.80	8.94	33.94
PK	5.7426G	117.89	Inf	-Inf	7.14	3	Vertical	141	1.49	-	110.75	32.07	9.03	33.96
PK	6.033G	58.07	68.20	-10.13	7.73	3	Vertical	141	1.49	-	50.34	32.53	9.20	34.00

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.85	Inf	-Inf	7.15	3	Horizontal	138	2.35	-	98.70	32.08	9.03	33.96
PK	5.6286G	57.84	68.20	-10.36	6.79	3	Horizontal	138	2.35	-	51.05	31.80	8.93	33.94
PK	5.7474G	115.47	Inf	-Inf	7.16	3	Horizontal	138	2.35	-	108.31	32.09	9.03	33.96
PK	6.0174G	59.20	68.20	-9.00	7.75	3	Horizontal	138	2.35	-	51.45	32.57	9.18	34.00

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48754G	50.16	54.00	-3.84	-0.86	3	Vertical	23	2.13	-	51.02	40.69	12.75	54.30
PK	11.48934G	64.62	74.00	-9.38	-0.86	3	Vertical	23	2.13	-	65.48	40.69	12.75	54.30
PK	17.23908G	64.59	68.20	-3.61	8.01	3	Vertical	317	2.46	-	56.58	45.61	15.04	52.64

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48778G	43.29	54.00	-10.71	-0.86	3	Horizontal	18	1.97	-	44.15	40.69	12.75	54.30
PK	11.48502G	57.06	74.00	-16.94	-0.86	3	Horizontal	18	1.97	-	57.92	40.69	12.75	54.30
PK	17.23992G	63.70	68.20	-4.50	8.02	3	Horizontal	145	3.00	-	55.68	45.62	15.04	52.64

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	107.98	Inf	-Inf	7.32	3	Vertical	139	1.00	-	100.66	32.23	9.06	33.97
PK	5.533G	58.51	68.20	-9.69	6.77	3	Vertical	139	1.00	-	51.74	31.90	8.80	33.93
PK	5.7838G	117.58	Inf	-Inf	7.34	3	Vertical	139	1.00	-	110.24	32.24	9.07	33.97
PK	6.0586G	58.92	68.20	-9.28	7.74	3	Vertical	139	1.00	-	51.18	32.52	9.22	34.00

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	101.22	Inf	-Inf	7.32	3	Horizontal	153	2.21	-	93.90	32.23	9.06	33.97
PK	5.6266G	58.15	68.20	-10.05	6.78	3	Horizontal	153	2.21	-	51.37	31.80	8.92	33.94
PK	5.7838G	110.54	Inf	-Inf	7.34	3	Horizontal	153	2.21	-	103.20	32.24	9.07	33.97
PK	5.9902G	59.43	68.20	-8.77	7.75	3	Horizontal	153	2.21	-	51.68	32.58	9.17	34.00

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56472G	49.69	54.00	-4.31	-0.46	3	Vertical	55	2.51	-	50.15	41.02	12.79	54.27
PK	11.56724G	64.08	74.00	-9.92	-0.44	3	Vertical	55	2.51	-	64.52	41.04	12.79	54.27
PK	17.3544G	64.96	68.20	-3.24	9.24	3	Vertical	177	2.52	-	55.72	46.86	15.07	52.69

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56922G	42.73	54.00	-11.27	-0.43	3	Horizontal	181	2.21	-	43.16	41.05	12.79	54.27
PK	11.56868G	55.72	74.00	-18.28	-0.44	3	Horizontal	181	2.21	-	56.16	41.04	12.79	54.27
PK	17.34948G	63.20	68.20	-5.00	9.16	3	Horizontal	58	1.24	-	54.04	46.79	15.06	52.69

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.66	Inf	-Inf	7.47	3	Vertical	337	2.97	-	99.19	32.35	9.09	33.97
PK	5.6162G	57.18	68.20	-11.02	6.77	3	Vertical	337	2.97	-	50.41	31.80	8.91	33.94
PK	5.8238G	115.95	Inf	-Inf	7.47	3	Vertical	337	2.97	-	108.48	32.35	9.09	33.97
PK	6.0554G	59.21	68.20	-8.99	7.72	3	Vertical	337	2.97	-	51.49	32.51	9.21	34.00

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	105.82	Inf	-Inf	7.47	3	Horizontal	139	2.21	-	98.35	32.35	9.09	33.97
PK	5.525G	57.70	68.20	-10.50	6.77	3	Horizontal	139	2.21	-	50.93	31.90	8.79	33.92
PK	5.8262G	116.06	Inf	-Inf	7.47	3	Horizontal	139	2.21	-	108.59	32.35	9.09	33.97
PK	5.927G	59.63	68.20	-8.57	7.65	3	Horizontal	139	2.21	-	51.98	32.50	9.14	33.99

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65738G	45.99	54.00	-8.01	-0.13	3	Vertical	311	2.21	-	46.12	41.26	12.84	54.23
PK	11.64112G	62.41	74.00	-11.59	-0.16	3	Vertical	311	2.21	-	62.57	41.24	12.83	54.23
PK	17.47116G	65.16	68.20	-3.04	10.64	3	Vertical	154	1.94	-	54.52	48.28	15.10	52.74

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65444G	47.37	54.00	-6.63	-0.14	3	Horizontal	194	2.32	-	47.51	41.25	12.84	54.23
PK	11.65492G	56.13	74.00	-17.87	-0.14	3	Horizontal	194	2.32	-	56.27	41.25	12.84	54.23
PK	17.46714G	62.71	68.20	-5.49	10.59	3	Horizontal	28	1.12	-	52.12	48.24	15.09	52.74

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	50.71	54.00	-3.29	8.88	3	Vertical	270	2.96	-	41.83	34.20	8.52	33.84
AV	5.19G	105.02	Inf	-Inf	8.91	3	Vertical	270	2.96	-	96.11	34.20	8.56	33.85
PK	5.1488G	66.80	74.00	-7.20	8.88	3	Vertical	270	2.96	-	57.92	34.20	8.52	33.84
PK	5.19G	109.50	Inf	-Inf	8.91	3	Vertical	270	2.96	-	100.59	34.20	8.56	33.85

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	49.66	54.00	-4.34	8.89	3	Horizontal	162	2.60	-	40.77	34.20	8.52	33.83
AV	5.19G	103.33	Inf	-Inf	8.91	3	Horizontal	162	2.60	-	94.42	34.20	8.56	33.85
PK	5.1492G	61.63	74.00	-12.37	8.88	3	Horizontal	162	2.60	-	52.75	34.20	8.52	33.84
PK	5.19G	107.92	Inf	-Inf	8.91	3	Horizontal	162	2.60	-	99.01	34.20	8.56	33.85

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56832G	40.20	54.00	-13.80	-0.66	3	Vertical	104	1.49	-	40.86	37.96	14.61	53.23
PK	10.39026G	54.84	68.20	-13.36	-2.84	3	Vertical	180	3.00	-	57.68	39.47	12.20	54.51
PK	15.5571G	54.09	74.00	-19.91	-0.61	3	Vertical	104	1.49	-	54.70	38.01	14.61	53.23

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56214G	41.03	54.00	-12.97	-0.63	3	Horizontal	105	1.83	-	41.66	37.99	14.61	53.23
PK	10.38936G	53.86	68.20	-14.34	-2.84	3	Horizontal	144	2.25	-	56.70	39.47	12.20	54.51
PK	15.58416G	53.16	74.00	-20.84	-0.72	3	Horizontal	105	1.83	-	53.88	37.88	14.62	53.22

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	64.25	74.00	-9.75	8.89	3	Vertical	255	2.12	-	55.36	34.20	8.52	33.83
AV	5.15G	50.63	54.00	-3.37	8.88	3	Vertical	255	2.12	-	41.75	34.20	8.52	33.84
PK	5.2344G	116.72	Inf	-Inf	8.92	3	Vertical	255	2.12	-	107.80	34.20	8.58	33.86
AV	5.2364G	106.74	Inf	-Inf	8.92	3	Vertical	255	2.12	-	97.82	34.20	8.58	33.86

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	49.57	54.00	-4.43	8.88	3	Horizontal	171	2.69	-	40.69	34.20	8.52	33.84
AV	5.2348G	104.05	Inf	-Inf	8.92	3	Horizontal	171	2.69	-	95.13	34.20	8.58	33.86
PK	5.148G	63.93	74.00	-10.07	8.88	3	Horizontal	171	2.69	-	55.05	34.20	8.52	33.84
PK	5.2348G	113.68	Inf	-Inf	8.92	3	Horizontal	171	2.69	-	104.76	34.20	8.58	33.86

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69354G	50.02	54.00	-3.98	3.97	3	Vertical	312	2.81	-	46.05	42.50	14.64	53.17
PK	10.45988G	57.68	68.20	-10.52	-3.18	3	Vertical	178	2.94	-	60.86	39.10	12.23	54.51
PK	15.70122G	64.37	74.00	-9.63	3.99	3	Vertical	312	2.81	-	60.38	42.50	14.65	53.16

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6912G	48.41	54.00	-5.59	3.97	3	Horizontal	77	1.53	-	44.44	42.50	14.64	53.17
PK	10.45742G	55.10	68.20	-13.10	-3.18	3	Horizontal	145	2.22	-	58.28	39.10	12.23	54.51
PK	15.68178G	63.05	74.00	-10.95	3.97	3	Horizontal	77	1.53	-	59.08	42.50	14.64	53.17

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	45.62	54.00	-8.38	6.59	3	Vertical	141	1.00	-	39.03	31.81	8.69	33.91
AV	5.7466G	106.91	Inf	-Inf	7.16	3	Vertical	141	1.00	-	99.75	32.09	9.03	33.96
PK	5.539G	58.36	68.20	-9.84	6.78	3	Vertical	141	1.00	-	51.58	31.90	8.81	33.93
PK	5.7454G	116.12	Inf	-Inf	7.15	3	Vertical	141	1.00	-	108.97	32.08	9.03	33.96
PK	5.9602G	59.55	68.20	-8.65	7.68	3	Vertical	141	1.00	-	51.87	32.52	9.15	33.99

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4598G	45.49	54.00	-8.51	6.61	3	Horizontal	141	2.38	-	38.88	31.82	8.70	33.91
AV	5.7574G	103.74	Inf	-Inf	7.21	3	Horizontal	141	2.38	-	96.53	32.13	9.04	33.96
PK	5.6302G	60.73	68.20	-7.47	6.79	3	Horizontal	141	2.38	-	53.94	31.80	8.93	33.94
PK	5.7634G	113.34	Inf	-Inf	7.24	3	Horizontal	141	2.38	-	106.10	32.15	9.05	33.96
PK	5.9434G	62.15	68.20	-6.05	7.65	3	Horizontal	141	2.38	-	54.50	32.50	9.14	33.99

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5055G	50.29	54.00	-3.71	-0.80	3	Vertical	13	2.76	-	51.09	40.73	12.76	54.29
PK	11.50778G	62.59	74.00	-11.41	-0.79	3	Vertical	13	2.76	-	63.38	40.74	12.76	54.29
PK	17.26098G	64.40	68.20	-3.80	8.18	3	Vertical	135	1.82	-	56.22	45.79	15.04	52.65

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51006G	44.11	54.00	-9.89	-0.78	3	Horizontal	136	2.15	-	44.89	40.75	12.76	54.29
PK	11.5076G	55.76	74.00	-18.24	-0.79	3	Horizontal	136	2.15	-	56.55	40.74	12.76	54.29
PK	17.26932G	63.91	68.20	-4.29	8.24	3	Horizontal	46	1.14	-	55.67	45.85	15.04	52.65

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	105.45	Inf	-Inf	7.35	3	Vertical	338	2.71	-	98.10	32.25	9.07	33.97
PK	5.6354G	58.98	68.20	-9.22	6.79	3	Vertical	338	2.71	-	52.19	31.80	8.93	33.94
PK	5.7866G	114.60	Inf	-Inf	7.35	3	Vertical	338	2.71	-	107.25	32.25	9.07	33.97
PK	5.9294G	62.07	68.20	-6.13	7.65	3	Vertical	338	2.71	-	54.42	32.50	9.14	33.99

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	104.15	Inf	-Inf	7.35	3	Horizontal	139	2.49	-	96.80	32.25	9.07	33.97
PK	5.6138G	58.75	68.20	-9.45	6.77	3	Horizontal	139	2.49	-	51.98	31.80	8.91	33.94
PK	5.7878G	113.27	Inf	-Inf	7.35	3	Horizontal	139	2.49	-	105.92	32.25	9.07	33.97
PK	5.9438G	63.17	68.20	-5.03	7.65	3	Horizontal	139	2.49	-	55.52	32.50	9.14	33.99

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6014G	50.78	54.00	-3.22	-0.24	3	Vertical	13	2.52	-	51.02	41.20	12.81	54.25
PK	11.60008G	63.50	74.00	-10.50	-0.24	3	Vertical	13	2.52	-	63.74	41.20	12.81	54.25
PK	17.37414G	64.86	68.20	-3.34	9.51	3	Vertical	121	1.87	-	55.35	47.14	15.07	52.70

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58796G	43.44	54.00	-10.56	-0.32	3	Horizontal	185	2.12	-	43.76	41.14	12.80	54.26
PK	11.5903G	56.74	74.00	-17.26	-0.31	3	Horizontal	185	2.12	-	57.05	41.15	12.80	54.26
PK	17.37258G	63.39	68.20	-4.81	9.49	3	Horizontal	46	1.10	-	53.90	47.12	15.07	52.70

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	50.97	54.00	-3.03	8.88	3	Vertical	258	2.14	-	42.09	34.20	8.52	33.84
AV	5.21G	100.66	Inf	-Inf	8.92	3	Vertical	258	2.14	-	91.74	34.20	8.57	33.85
AV	5.35G	48.16	54.00	-5.84	8.92	3	Vertical	258	2.14	-	39.24	34.20	8.60	33.88
PK	5.15G	62.94	74.00	-11.06	8.88	3	Vertical	258	2.14	-	54.06	34.20	8.52	33.84
PK	5.21G	104.12	Inf	-Inf	8.92	3	Vertical	258	2.14	-	95.20	34.20	8.57	33.85
PK	5.379G	59.99	74.00	-14.01	8.92	3	Vertical	258	2.14	-	51.07	34.20	8.61	33.89

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.16	54.00	-3.84	8.88	3	Horizontal	167	2.94	-	41.28	34.20	8.52	33.84
AV	5.21G	99.40	Inf	-Inf	8.92	3	Horizontal	167	2.94	-	90.48	34.20	8.57	33.85
AV	5.356G	49.12	54.00	-4.88	8.91	3	Horizontal	167	2.94	-	40.21	34.20	8.60	33.89
PK	5.127G	61.30	74.00	-12.70	8.87	3	Horizontal	167	2.94	-	52.43	34.20	8.50	33.83
PK	5.21G	103.22	Inf	-Inf	8.92	3	Horizontal	167	2.94	-	94.30	34.20	8.57	33.85
PK	5.357G	60.04	74.00	-13.96	8.91	3	Horizontal	167	2.94	-	51.13	34.20	8.60	33.89

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63576G	40.04	54.00	-13.96	-0.83	3	Vertical	281	2.07	-	40.87	37.73	14.63	53.19
PK	10.42018G	56.04	68.20	-12.16	-2.76	3	Vertical	180	2.95	-	58.80	39.54	12.21	54.51
PK	15.63984G	52.31	74.00	-21.69	-0.84	3	Vertical	281	2.07	-	53.15	37.72	14.63	53.19

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62184G	39.87	54.00	-14.13	-0.81	3	Horizontal	304	2.14	-	40.68	37.76	14.63	53.20
PK	10.42552G	54.38	68.20	-13.82	-2.75	3	Horizontal	180	1.11	-	57.13	39.55	12.21	54.51
PK	15.61956G	52.94	74.00	-21.06	-0.81	3	Horizontal	304	2.14	-	53.75	37.76	14.63	53.20

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7642G	103.34	Inf	-Inf	7.25	3	Vertical	140	1.12	-	96.09	32.16	9.05	33.96
PK	5.6514G	64.34	69.24	-4.90	6.81	3	Vertical	140	1.12	-	57.53	31.80	8.95	33.94
PK	5.7618G	112.68	Inf	-Inf	7.24	3	Vertical	140	1.12	-	105.44	32.15	9.05	33.96
PK	5.9382G	60.76	68.20	-7.44	7.65	3	Vertical	140	1.12	-	53.11	32.50	9.14	33.99

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	101.15	Inf	-Inf	7.20	3	Horizontal	140	2.40	-	93.95	32.12	9.04	33.96
PK	5.6466G	61.81	68.20	-6.39	6.80	3	Horizontal	140	2.40	-	55.01	31.80	8.94	33.94
PK	5.7486G	110.82	Inf	-Inf	7.16	3	Horizontal	140	2.40	-	103.66	32.09	9.03	33.96
PK	5.943G	62.95	68.20	-5.25	7.65	3	Horizontal	140	2.40	-	55.30	32.50	9.14	33.99

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54364G	48.65	54.00	-5.35	-0.58	3	Vertical	32	2.78	-	49.23	40.92	12.78	54.28
PK	11.56128G	63.63	74.00	-10.37	-0.47	3	Vertical	32	2.78	-	64.10	41.01	12.79	54.27
PK	17.33634G	65.00	68.20	-3.20	8.99	3	Vertical	161	1.87	-	56.01	46.61	15.06	52.68

802.11ac VHT80_Nss1_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54982G	41.39	54.00	-12.61	-0.54	3	Horizontal	254	1.82	-	41.93	40.95	12.78	54.27
PK	11.55216G	53.99	74.00	-20.01	-0.53	3	Horizontal	254	1.82	-	54.52	40.96	12.78	54.27
PK	17.31666G	60.23	68.20	-7.97	8.72	3	Horizontal	28	1.07	-	51.51	46.33	15.06	52.67