


802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	46.48	54.00	-7.52	6.74	3	Horizontal	3	2.91	-	39.74	31.90	9.07	34.23
AV	5.202G	105.89	Inf	-Inf	6.53	3	Horizontal	3	2.91	-	99.36	31.69	9.08	34.24
PK	5.1424G	58.88	74.00	-15.12	6.74	3	Horizontal	3	2.91	-	52.14	31.90	9.07	34.23
PK	5.2036G	118.21	Inf	-Inf	6.52	3	Horizontal	3	2.91	-	111.69	31.68	9.08	34.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	20.8094G	40.32	54.00	-13.68	-8.59	3	Vertical	318	1.50	-	48.91	38.22	16.94	54.21
PK	10.3951G	55.47	68.20	-12.73	17.21	3	Vertical	0	1.75	-	38.26	39.48	12.38	34.65
PK	20.8103G	63.47	74.00	-10.53	-8.59	3	Vertical	318	1.50	-	72.06	38.22	16.94	54.21
PK	26.0106G	56.82	68.20	-11.38	-8.40	3	Vertical	317	1.51	-	65.22	40.00	18.64	57.50

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.81G	40.07	54.00	-13.93	-8.59	3	Horizontal	5	2.64	-	48.66	38.22	16.94	54.21
PK	10.4001G	54.67	68.20	-13.53	17.23	3	Horizontal	110	2.52	-	37.44	39.50	12.38	34.65
PK	20.8216G	59.15	74.00	-14.85	-8.57	3	Horizontal	5	2.64	-	67.72	38.24	16.95	54.22
PK	25.98G	43.84	68.20	-24.36	-8.41	3	Horizontal	164	1.50	-	52.25	40.00	18.63	57.50

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.91	54.00	-6.09	6.74	3	Vertical	317	1.69	-	41.17	31.90	9.07	34.23
AV	5.2388G	113.82	Inf	-Inf	6.35	3	Vertical	317	1.69	-	107.47	31.47	9.12	34.24
AV	5.351G	46.38	54.00	-7.62	6.31	3	Vertical	317	1.69	-	40.07	31.31	9.25	34.25
PK	5.15G	59.79	74.00	-14.21	6.74	3	Vertical	317	1.69	-	53.05	31.90	9.07	34.23
PK	5.2388G	124.77	Inf	-Inf	6.35	3	Vertical	317	1.69	-	118.42	31.47	9.12	34.24
PK	5.3612G	58.22	74.00	-15.78	6.40	3	Vertical	317	1.69	-	51.82	31.39	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	45.61	54.00	-8.39	6.74	3	Horizontal	343	2.83	-	38.87	31.90	9.07	34.23
AV	5.2442G	107.83	Inf	-Inf	6.32	3	Horizontal	343	2.83	-	101.51	31.43	9.13	34.24
AV	5.3564G	44.84	54.00	-9.16	6.35	3	Horizontal	343	2.83	-	38.49	31.35	9.25	34.25
PK	5.1446G	57.78	74.00	-16.22	6.74	3	Horizontal	343	2.83	-	51.04	31.90	9.07	34.23
PK	5.2448G	119.25	Inf	-Inf	6.32	3	Horizontal	343	2.83	-	112.93	31.43	9.13	34.24
PK	5.3708G	57.94	74.00	-16.06	6.49	3	Horizontal	343	2.83	-	51.45	31.47	9.27	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.96G	36.94	54.00	-17.06	-8.36	3	Vertical	25	1.49	-	45.30	38.52	17.02	54.36
PK	10.4747G	54.32	68.20	-13.88	17.47	3	Vertical	0	1.79	-	36.85	39.65	12.41	34.59
PK	20.9601G	47.23	74.00	-26.77	-8.36	3	Vertical	25	1.49	-	55.59	38.52	17.02	54.36
PK	26.2149G	46.90	68.20	-21.30	-8.31	3	Vertical	31	1.66	-	55.21	39.91	18.86	57.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	20.9437G	41.27	54.00	-12.73	-8.38	3	Horizontal	4	3.00	-	49.65	38.49	17.01	54.34
PK	10.4928G	55.13	68.20	-13.07	17.53	3	Horizontal	115	1.00	-	37.60	39.69	12.42	34.58
PK	20.946G	65.21	74.00	-8.79	-8.39	3	Horizontal	4	3.00	-	73.60	38.49	17.01	54.35
PK	26.2036G	53.96	68.20	-14.24	-8.31	3	Horizontal	360	2.57	-	62.27	39.92	18.85	57.54

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1364G	53.78	54.00	-0.22	6.74	3	Vertical	323	1.30	-	47.04	31.90	9.07	34.23
AV	5.1968G	107.85	Inf	-Inf	6.55	3	Vertical	323	1.30	-	101.30	31.71	9.08	34.24
PK	5.1364G	66.21	74.00	-7.79	6.74	3	Vertical	323	1.30	-	59.47	31.90	9.07	34.23
PK	5.1772G	119.68	Inf	-Inf	6.64	3	Vertical	323	1.30	-	113.04	31.79	9.08	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	48.79	54.00	-5.21	6.74	3	Horizontal	350	3.00	-	42.05	31.90	9.07	34.23
AV	5.1956G	101.85	Inf	-Inf	6.56	3	Horizontal	350	3.00	-	95.29	31.72	9.08	34.24
PK	5.1364G	60.77	74.00	-13.23	6.74	3	Horizontal	350	3.00	-	54.03	31.90	9.07	34.23
PK	5.1956G	113.10	Inf	-Inf	6.56	3	Horizontal	350	3.00	-	106.54	31.72	9.08	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.7599G	35.20	54.00	-18.80	-8.66	3	Vertical	26	1.48	-	43.86	38.12	16.92	54.16
PK	10.3795G	54.24	68.20	-13.96	17.13	3	Vertical	2	1.84	-	37.11	39.42	12.37	34.66
PK	20.7639G	44.15	74.00	-29.85	-8.65	3	Vertical	26	1.48	-	52.80	38.13	16.92	54.16
PK	25.9318G	44.51	68.20	-23.69	-8.42	3	Vertical	360	2.66	-	52.93	40.00	18.61	57.49

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.7708G	31.95	54.00	-22.05	-8.65	3	Horizontal	341	2.66	-	40.60	38.14	16.92	54.17
PK	10.38G	55.28	68.20	-12.92	17.13	3	Horizontal	115	2.23	-	38.15	39.42	12.37	34.66
PK	20.7658G	52.36	74.00	-21.64	-8.66	3	Horizontal	341	2.66	-	61.02	38.13	16.92	54.17
PK	25.9342G	44.37	68.20	-23.83	-8.42	3	Horizontal	92	2.03	-	52.79	40.00	18.61	57.49

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1364G	53.75	54.00	-0.25	6.74	3	Vertical	320	1.33	-	47.01	31.90	9.07	34.23
AV	5.2364G	111.09	Inf	-Inf	6.36	3	Vertical	320	1.33	-	104.73	31.48	9.12	34.24
PK	5.1372G	67.57	74.00	-6.43	6.74	3	Vertical	320	1.33	-	60.83	31.90	9.07	34.23
PK	5.2164G	121.97	Inf	-Inf	6.46	3	Vertical	320	1.33	-	115.51	31.60	9.10	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	49.04	54.00	-4.96	6.74	3	Horizontal	348	2.98	-	42.30	31.90	9.07	34.23
AV	5.235G	106.01	Inf	-Inf	6.37	3	Horizontal	348	2.98	-	99.64	31.49	9.12	34.24
PK	5.1356G	62.06	74.00	-11.94	6.74	3	Horizontal	348	2.98	-	55.32	31.90	9.07	34.23
PK	5.2356G	116.69	Inf	-Inf	6.37	3	Horizontal	348	2.98	-	110.32	31.49	9.12	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	20.92G	38.53	54.00	-15.47	-8.42	3	Vertical	28	1.46	-	46.95	38.44	17.00	54.32
PK	10.4629G	54.68	68.20	-13.52	17.43	3	Vertical	0	2.83	-	37.25	39.63	12.40	34.60
PK	20.91996G	47.42	74.00	-26.58	-8.42	3	Vertical	28	1.46	-	55.84	38.44	17.00	54.32
PK	26.1719G	45.39	68.20	-22.81	-8.32	3	Vertical	0	1.47	-	53.71	39.93	18.82	57.53

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.92G	34.83	54.00	-19.17	-8.42	3	Horizontal	36	1.48	-	43.25	38.44	17.00	54.32
PK	10.4834G	54.78	68.20	-13.42	17.50	3	Horizontal	25	1.27	-	37.28	39.67	12.41	34.58
PK	20.92452G	50.50	74.00	-23.50	-8.41	3	Horizontal	36	1.48	-	58.91	38.45	17.00	54.32
PK	26.1733G	44.87	68.20	-23.33	-8.32	3	Horizontal	13	1.50	-	53.19	39.93	18.82	57.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	53.32	54.00	-0.68	6.74	3	Vertical	321	1.38	-	46.58	31.90	9.07	34.23
AV	5.217G	103.86	Inf	-Inf	6.46	3	Vertical	321	1.38	-	97.40	31.60	9.10	34.24
AV	5.355G	45.57	54.00	-8.43	6.34	3	Vertical	321	1.38	-	39.23	31.34	9.25	34.25
PK	5.138G	65.39	74.00	-8.61	6.74	3	Vertical	321	1.38	-	58.65	31.90	9.07	34.23
PK	5.216G	115.01	Inf	-Inf	6.46	3	Vertical	321	1.38	-	108.55	31.60	9.10	34.24
PK	5.35G	58.16	74.00	-15.84	6.30	3	Vertical	321	1.38	-	51.86	31.30	9.25	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	48.60	54.00	-5.40	6.74	3	Horizontal	350	2.97	-	41.86	31.90	9.07	34.23
AV	5.217G	97.61	Inf	-Inf	6.46	3	Horizontal	350	2.97	-	91.15	31.60	9.10	34.24
AV	5.376G	44.73	54.00	-9.27	6.53	3	Horizontal	350	2.97	-	38.20	31.51	9.27	34.25
PK	5.136G	59.55	74.00	-14.45	6.74	3	Horizontal	350	2.97	-	52.81	31.90	9.07	34.23
PK	5.216G	110.59	Inf	-Inf	6.46	3	Horizontal	350	2.97	-	104.13	31.60	9.10	34.24
PK	5.387G	56.69	74.00	-17.31	6.64	3	Horizontal	350	2.97	-	50.05	31.60	9.29	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.84G	36.98	54.00	-17.02	-8.54	3	Vertical	26	1.49	-	45.52	38.28	16.96	54.24
PK	10.4252G	54.58	68.20	-13.62	17.31	3	Vertical	9	1.00	-	37.27	39.55	12.39	34.63
PK	20.84G	45.82	74.00	-28.18	-8.54	3	Vertical	26	1.49	-	54.36	38.28	16.96	54.24
PK	26.0703G	45.16	68.20	-23.04	-8.37	3	Vertical	253	1.50	-	53.53	39.97	18.71	57.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	20.84004G	32.54	54.00	-21.46	-8.54	3	Horizontal	360	1.40	-	41.08	38.28	16.96	54.24
PK	10.4203G	54.12	68.20	-14.08	17.30	3	Horizontal	25	1.37	-	36.82	39.54	12.39	34.63
PK	20.8474G	44.82	74.00	-29.18	-8.54	3	Horizontal	360	1.40	-	53.36	38.29	16.96	54.25
PK	26.0513G	46.48	68.20	-21.72	-8.38	3	Horizontal	176	1.50	-	54.86	39.98	18.69	57.51



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	30M	36.48	40.00	-3.52	3	Vertical	360	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	37.76M	35.99	40.00	-4.01	3	Vertical	0	1.00	-
5775MHz	Pass	PK	103.72M	34.26	43.50	-9.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	181.32M	31.29	43.50	-12.21	3	Vertical	0	1.00	-
5775MHz	Pass	PK	330.7M	40.07	46.00	-5.93	3	Vertical	0	1.00	-
5775MHz	Pass	PK	447.1M	31.48	46.00	-14.52	3	Vertical	0	1.00	-
5775MHz	Pass	PK	571.26M	31.83	46.00	-14.17	3	Vertical	0	1.00	-
5775MHz	Pass	PK	55.22M	28.99	40.00	-11.01	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	103.72M	31.99	43.50	-11.51	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	181.32M	31.89	43.50	-11.61	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	326.82M	39.57	46.00	-6.43	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	396.66M	33.63	46.00	-12.37	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	561.56M	30.75	46.00	-15.25	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	30M	36.48	40.00	-3.52	3	Vertical	360	1.00	-
5775MHz	Pass	PK	64.92M	30.50	40.00	-9.50	3	Vertical	360	1.00	-
5775MHz	Pass	PK	177.44M	35.08	43.50	-8.42	3	Vertical	360	1.00	-
5775MHz	Pass	PK	326.82M	35.31	46.00	-10.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	396.66M	37.43	46.00	-8.57	3	Vertical	360	1.00	-
5775MHz	Pass	PK	563.5M	36.76	46.00	-9.24	3	Vertical	360	1.00	-
5775MHz	Pass	PK	30M	33.70	40.00	-6.30	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	123.12M	29.79	43.50	-13.71	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	181.32M	34.70	43.50	-8.80	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	276.38M	31.82	46.00	-14.18	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	353.98M	37.82	46.00	-8.18	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	421.88M	35.56	46.00	-10.44	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	35.99	40.00	-4.01	-7.31	3	Vertical	0	1.00	-	43.30	19.02	0.94	27.27
PK	103.72M	34.26	43.50	-9.24	-9.71	3	Vertical	0	1.00	-	43.97	16.63	1.44	27.78
PK	181.32M	31.29	43.50	-12.21	-11.13	3	Vertical	0	1.00	-	42.42	14.45	1.87	27.45
PK	330.7M	40.07	46.00	-5.93	-5.86	3	Vertical	0	1.00	-	45.93	18.89	2.48	27.23
PK	447.1M	31.48	46.00	-14.52	-3.30	3	Vertical	0	1.00	-	34.78	21.86	2.89	28.05
PK	571.26M	31.83	46.00	-14.17	-1.19	3	Vertical	0	1.00	-	33.02	23.91	3.27	28.37

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	55.22M	28.99	40.00	-11.01	-14.62	3	Horizontal	360	1.00	-	43.61	12.01	1.10	27.73
PK	103.72M	31.99	43.50	-11.51	-9.71	3	Horizontal	360	1.00	-	41.70	16.63	1.44	27.78
PK	181.32M	31.89	43.50	-11.61	-11.13	3	Horizontal	360	1.00	-	43.02	14.45	1.87	27.45
PK	326.82M	39.57	46.00	-6.43	-5.90	3	Horizontal	360	1.00	-	45.47	18.84	2.46	27.20
PK	396.66M	33.63	46.00	-12.37	-4.23	3	Horizontal	360	1.00	-	37.86	20.79	2.73	27.75
PK	561.56M	30.75	46.00	-15.25	-1.12	3	Horizontal	360	1.00	-	31.87	24.00	3.23	28.35

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	36.48	40.00	-3.52	-2.87	3	Vertical	360	1.00	-	39.35	23.26	0.86	26.99
PK	64.92M	30.50	40.00	-9.50	-15.19	3	Vertical	360	1.00	-	45.69	11.43	1.18	27.80
PK	177.44M	35.08	43.50	-8.42	-10.99	3	Vertical	360	1.00	-	46.07	14.63	1.85	27.47
PK	326.82M	35.31	46.00	-10.69	-5.90	3	Vertical	360	1.00	-	41.21	18.84	2.46	27.20
PK	396.66M	37.43	46.00	-8.57	-4.23	3	Vertical	360	1.00	-	41.66	20.79	2.73	27.75
PK	563.5M	36.76	46.00	-9.24	-1.14	3	Vertical	360	1.00	-	37.90	23.97	3.24	28.35

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.70	40.00	-6.30	-2.87	3	Horizontal	0	1.00	-	36.57	23.26	0.86	26.99
PK	123.12M	29.79	43.50	-13.71	-8.86	3	Horizontal	0	1.00	-	38.65	17.35	1.56	27.77
PK	181.32M	34.70	43.50	-8.80	-11.13	3	Horizontal	0	1.00	-	45.83	14.45	1.87	27.45
PK	276.38M	31.82	46.00	-14.18	-6.79	3	Horizontal	0	1.00	-	38.61	17.99	2.26	27.04
PK	353.98M	37.82	46.00	-8.18	-5.06	3	Horizontal	0	1.00	-	42.88	19.74	2.57	27.37
PK	421.88M	35.56	46.00	-10.44	-3.30	3	Horizontal	0	1.00	-	38.86	21.80	2.81	27.91

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.1486G	53.11	54.00	-0.89	3	Vertical	328	1.50	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	319	1.80	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	AV	5.138G	53.70	54.00	-0.30	3	Vertical	334	1.50	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.137G	53.55	54.00	-0.45	3	Vertical	333	1.43	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	17.34696G	65.73	68.20	-2.47	3	Vertical	318	1.51	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.47986G	65.70	68.20	-2.50	3	Vertical	326	1.50	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	PK	17.38916G	63.51	68.20	-4.69	3	Vertical	358	1.27	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	5.65G	68.00	68.20	-0.20	3	Vertical	321	1.66	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	53.11	54.00	-0.89	3	Vertical	328	1.50	-
5180MHz	Pass	AV	5.1872G	113.73	Inf	-Inf	3	Vertical	328	1.50	-
5180MHz	Pass	PK	5.149G	66.88	74.00	-7.12	3	Vertical	328	1.50	-
5180MHz	Pass	PK	5.1874G	122.99	Inf	-Inf	3	Vertical	328	1.50	-
5180MHz	Pass	AV	5.15G	50.21	54.00	-3.79	3	Horizontal	340	1.56	-
5180MHz	Pass	AV	5.1748G	111.56	Inf	-Inf	3	Horizontal	340	1.56	-
5180MHz	Pass	PK	5.141G	62.67	74.00	-11.33	3	Horizontal	340	1.56	-
5180MHz	Pass	PK	5.175G	120.94	Inf	-Inf	3	Horizontal	340	1.56	-
5180MHz	Pass	AV	15.53987G	47.66	54.00	-6.34	3	Vertical	20	1.50	-
5180MHz	Pass	PK	10.35971G	57.28	68.20	-10.92	3	Vertical	320	2.90	-
5180MHz	Pass	PK	15.53932G	61.15	74.00	-12.85	3	Vertical	20	1.50	-
5180MHz	Pass	AV	15.5408G	47.53	54.00	-6.47	3	Horizontal	322	1.50	-
5180MHz	Pass	PK	10.36012G	61.44	68.20	-6.76	3	Horizontal	360	1.74	-
5180MHz	Pass	PK	15.53919G	60.79	74.00	-13.21	3	Horizontal	322	1.50	-
5200MHz	Pass	AV	5.1464G	50.54	54.00	-3.46	3	Vertical	52	1.80	-
5200MHz	Pass	AV	5.1988G	117.26	Inf	-Inf	3	Vertical	52	1.80	-
5200MHz	Pass	PK	5.1468G	63.31	74.00	-10.69	3	Vertical	52	1.80	-
5200MHz	Pass	PK	5.1984G	126.39	Inf	-Inf	3	Vertical	52	1.80	-
5200MHz	Pass	AV	5.15G	51.29	54.00	-2.71	3	Horizontal	28	1.80	-
5200MHz	Pass	AV	5.194G	111.81	Inf	-Inf	3	Horizontal	28	1.80	-
5200MHz	Pass	PK	5.15G	67.17	74.00	-6.83	3	Horizontal	28	1.80	-
5200MHz	Pass	PK	5.1944G	121.33	Inf	-Inf	3	Horizontal	28	1.80	-
5200MHz	Pass	AV	15.60108G	47.05	54.00	-6.95	3	Vertical	54	1.84	-
5200MHz	Pass	PK	10.40008G	57.45	68.20	-10.75	3	Vertical	33	2.31	-
5200MHz	Pass	PK	15.60064G	60.19	74.00	-13.81	3	Vertical	54	1.84	-
5200MHz	Pass	AV	15.59712G	47.45	54.00	-6.55	3	Horizontal	0	2.36	-
5200MHz	Pass	PK	10.39992G	59.29	68.20	-8.91	3	Horizontal	0	1.66	-
5200MHz	Pass	PK	15.59712G	61.37	74.00	-12.63	3	Horizontal	0	2.36	-
5240MHz	Pass	AV	5.1494G	48.66	54.00	-5.34	3	Vertical	56	1.76	-
5240MHz	Pass	AV	5.2412G	117.69	Inf	-Inf	3	Vertical	56	1.76	-
5240MHz	Pass	AV	5.3876G	47.80	54.00	-6.20	3	Vertical	56	1.76	-
5240MHz	Pass	PK	5.1194G	62.41	74.00	-11.59	3	Vertical	56	1.76	-
5240MHz	Pass	PK	5.2406G	126.54	Inf	-Inf	3	Vertical	56	1.76	-
5240MHz	Pass	PK	5.36G	63.34	74.00	-10.66	3	Vertical	56	1.76	-
5240MHz	Pass	AV	5.1452G	46.67	54.00	-7.33	3	Horizontal	32	1.72	-
5240MHz	Pass	AV	5.237G	111.65	Inf	-Inf	3	Horizontal	32	1.72	-
5240MHz	Pass	AV	5.384G	46.07	54.00	-7.93	3	Horizontal	32	1.72	-
5240MHz	Pass	PK	5.1482G	58.31	74.00	-15.69	3	Horizontal	32	1.72	-
5240MHz	Pass	PK	5.2376G	121.06	Inf	-Inf	3	Horizontal	32	1.72	-
5240MHz	Pass	PK	5.3816G	58.66	74.00	-15.34	3	Horizontal	32	1.72	-
5240MHz	Pass	AV	15.71544G	46.32	54.00	-7.68	3	Vertical	321	2.86	-
5240MHz	Pass	PK	10.47992G	57.89	68.20	-10.31	3	Vertical	356	1.25	-
5240MHz	Pass	PK	15.71668G	59.78	74.00	-14.22	3	Vertical	321	2.86	-
5240MHz	Pass	AV	15.71884G	45.82	54.00	-8.18	3	Horizontal	0	1.80	-
5240MHz	Pass	PK	10.48004G	59.15	68.20	-9.05	3	Horizontal	26	1.90	-
5240MHz	Pass	PK	15.71504G	58.90	74.00	-15.10	3	Horizontal	0	1.80	-
5745MHz	Pass	AV	5.7486G	116.55	Inf	-Inf	3	Vertical	64	1.50	-
5745MHz	Pass	PK	5.5554G	59.02	68.20	-9.18	3	Vertical	64	1.50	-
5745MHz	Pass	PK	5.7486G	125.80	Inf	-Inf	3	Vertical	64	1.50	-
5745MHz	Pass	PK	5.9418G	57.84	68.20	-10.36	3	Vertical	64	1.50	-
5745MHz	Pass	AV	5.7378G	111.79	Inf	-Inf	3	Horizontal	24	1.61	-
5745MHz	Pass	PK	5.6442G	58.45	68.20	-9.75	3	Horizontal	24	1.61	-
5745MHz	Pass	PK	5.739G	120.60	Inf	-Inf	3	Horizontal	24	1.61	-
5745MHz	Pass	PK	6.003G	58.73	68.20	-9.47	3	Horizontal	24	1.61	-
5745MHz	Pass	AV	11.48984G	47.92	54.00	-6.08	3	Vertical	26	1.34	-
5745MHz	Pass	PK	11.49044G	60.63	74.00	-13.37	3	Vertical	26	1.34	-
5745MHz	Pass	PK	17.23136G	64.98	68.20	-3.22	3	Vertical	318	1.50	-
5745MHz	Pass	AV	11.48996G	49.48	54.00	-4.52	3	Horizontal	0	2.72	-
5745MHz	Pass	PK	11.49008G	60.35	74.00	-13.65	3	Horizontal	0	2.72	-
5745MHz	Pass	PK	17.2432G	63.85	68.20	-4.35	3	Horizontal	322	1.47	-



RSE TX above 1GHz_Non-Beamforming_Radio0+2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7886G	117.34	Inf	-Inf	3	Vertical	320	2.86	-
5785MHz	Pass	PK	5.6494G	59.48	68.20	-8.72	3	Vertical	320	2.86	-
5785MHz	Pass	PK	5.7886G	126.42	Inf	-Inf	3	Vertical	320	2.86	-
5785MHz	Pass	PK	5.9302G	60.69	68.20	-7.51	3	Vertical	320	2.86	-
5785MHz	Pass	AV	5.7922G	114.26	Inf	-Inf	3	Horizontal	360	3.00	-
5785MHz	Pass	PK	5.635G	58.78	68.20	-9.42	3	Horizontal	360	3.00	-
5785MHz	Pass	PK	5.7922G	123.58	Inf	-Inf	3	Horizontal	360	3.00	-
5785MHz	Pass	PK	5.929G	59.78	68.20	-8.42	3	Horizontal	360	3.00	-
5785MHz	Pass	AV	11.56992G	47.78	54.00	-6.22	3	Vertical	25	1.36	-
5785MHz	Pass	PK	11.57016G	60.69	74.00	-13.31	3	Vertical	25	1.36	-
5785MHz	Pass	PK	17.34696G	65.73	68.20	-2.47	3	Vertical	318	1.51	-
5785MHz	Pass	AV	11.57G	48.40	54.00	-5.60	3	Horizontal	348	2.38	-
5785MHz	Pass	PK	11.56992G	56.78	74.00	-17.22	3	Horizontal	348	2.38	-
5785MHz	Pass	PK	17.35064G	63.98	68.20	-4.22	3	Horizontal	334	1.49	-
5825MHz	Pass	AV	5.8274G	117.82	Inf	-Inf	3	Vertical	320	1.50	-
5825MHz	Pass	PK	5.6366G	60.17	68.20	-8.03	3	Vertical	320	1.50	-
5825MHz	Pass	PK	5.8274G	127.17	Inf	-Inf	3	Vertical	320	1.50	-
5825MHz	Pass	PK	5.9258G	61.60	68.20	-6.60	3	Vertical	320	1.50	-
5825MHz	Pass	AV	5.8286G	113.87	Inf	-Inf	3	Horizontal	17	2.98	-
5825MHz	Pass	PK	5.639G	58.13	68.20	-10.07	3	Horizontal	17	2.98	-
5825MHz	Pass	PK	5.8286G	123.02	Inf	-Inf	3	Horizontal	17	2.98	-
5825MHz	Pass	PK	5.927G	59.56	68.20	-8.64	3	Horizontal	17	2.98	-
5825MHz	Pass	AV	11.64988G	48.84	54.00	-5.16	3	Vertical	331	1.40	-
5825MHz	Pass	PK	11.65056G	60.74	74.00	-13.26	3	Vertical	331	1.40	-
5825MHz	Pass	PK	17.48344G	63.39	68.20	-4.81	3	Vertical	27	1.50	-
5825MHz	Pass	AV	11.64992G	48.52	54.00	-5.48	3	Horizontal	19	2.21	-
5825MHz	Pass	PK	11.65028G	59.23	74.00	-14.77	3	Horizontal	19	2.21	-
5825MHz	Pass	PK	17.48224G	64.70	68.20	-3.50	3	Horizontal	337	1.48	-
802.11ax HEW20_Nss1(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	319	1.80	-
5180MHz	Pass	AV	5.1832G	112.75	Inf	-Inf	3	Vertical	319	1.80	-
5180MHz	Pass	PK	5.143G	68.93	74.00	-5.07	3	Vertical	319	1.80	-
5180MHz	Pass	PK	5.183G	125.38	Inf	-Inf	3	Vertical	319	1.80	-
5180MHz	Pass	AV	5.1486G	50.55	54.00	-3.45	3	Horizontal	31	2.80	-
5180MHz	Pass	AV	5.1834G	109.61	Inf	-Inf	3	Horizontal	31	2.80	-
5180MHz	Pass	PK	5.149G	65.76	74.00	-8.24	3	Horizontal	31	2.80	-
5180MHz	Pass	PK	5.1822G	121.78	Inf	-Inf	3	Horizontal	31	2.80	-
5180MHz	Pass	AV	15.53348G	46.96	54.00	-7.04	3	Vertical	302	1.80	-
5180MHz	Pass	PK	10.35984G	57.31	68.20	-10.89	3	Vertical	352	1.12	-
5180MHz	Pass	PK	15.5368G	60.45	74.00	-13.55	3	Vertical	302	1.80	-
5180MHz	Pass	AV	15.53356G	46.97	54.00	-7.03	3	Horizontal	317	1.67	-
5180MHz	Pass	PK	10.35992G	60.82	68.20	-7.38	3	Horizontal	3	1.63	-
5180MHz	Pass	PK	15.53096G	60.82	74.00	-13.18	3	Horizontal	317	1.67	-
5200MHz	Pass	AV	5.15G	51.61	54.00	-2.39	3	Vertical	36	1.80	-
5200MHz	Pass	AV	5.192G	114.72	Inf	-Inf	3	Vertical	36	1.80	-
5200MHz	Pass	PK	5.1492G	63.84	74.00	-10.16	3	Vertical	36	1.80	-
5200MHz	Pass	PK	5.192G	126.89	Inf	-Inf	3	Vertical	36	1.80	-
5200MHz	Pass	AV	5.1472G	49.43	54.00	-4.57	3	Horizontal	31	2.29	-
5200MHz	Pass	AV	5.1988G	113.37	Inf	-Inf	3	Horizontal	31	2.29	-
5200MHz	Pass	PK	5.1464G	62.56	74.00	-11.44	3	Horizontal	31	2.29	-
5200MHz	Pass	PK	5.1984G	125.81	Inf	-Inf	3	Horizontal	31	2.29	-
5200MHz	Pass	AV	15.59316G	46.56	54.00	-7.44	3	Vertical	49	2.14	-
5200MHz	Pass	PK	10.39968G	57.31	68.20	-10.89	3	Vertical	360	1.16	-
5200MHz	Pass	PK	15.59956G	64.26	74.00	-9.74	3	Vertical	49	2.14	-
5200MHz	Pass	AV	15.59352G	47.11	54.00	-6.89	3	Horizontal	39	1.89	-
5200MHz	Pass	PK	10.40004G	60.12	68.20	-8.08	3	Horizontal	1	1.69	-
5200MHz	Pass	PK	15.59048G	64.20	74.00	-9.80	3	Horizontal	39	1.89	-
5240MHz	Pass	AV	5.1416G	48.35	54.00	-5.65	3	Vertical	61	1.68	-
5240MHz	Pass	AV	5.2364G	116.71	Inf	-Inf	3	Vertical	61	1.68	-
5240MHz	Pass	AV	5.3588G	47.42	54.00	-6.58	3	Vertical	61	1.68	-
5240MHz	Pass	PK	5.12G	60.33	74.00	-13.67	3	Vertical	61	1.68	-
5240MHz	Pass	PK	5.2352G	129.46	Inf	-Inf	3	Vertical	61	1.68	-



RSE TX above 1GHz_Non-Beamforming_Radio0+2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3588G	59.77	74.00	-14.23	3	Vertical	61	1.68	-
5240MHz	Pass	AV	5.1428G	46.88	54.00	-7.12	3	Horizontal	343	3.00	-
5240MHz	Pass	AV	5.2322G	113.14	Inf	-Inf	3	Horizontal	343	3.00	-
5240MHz	Pass	AV	5.3864G	46.64	54.00	-7.36	3	Horizontal	343	3.00	-
5240MHz	Pass	PK	5.0954G	58.86	74.00	-15.14	3	Horizontal	343	3.00	-
5240MHz	Pass	PK	5.2328G	124.23	Inf	-Inf	3	Horizontal	343	3.00	-
5240MHz	Pass	PK	5.3564G	58.75	74.00	-15.25	3	Horizontal	343	3.00	-
5240MHz	Pass	AV	15.72016G	46.02	54.00	-7.98	3	Vertical	44	1.80	-
5240MHz	Pass	PK	10.47992G	57.76	68.20	-10.44	3	Vertical	0	1.24	-
5240MHz	Pass	PK	15.7194G	60.47	74.00	-13.53	3	Vertical	44	1.80	-
5240MHz	Pass	AV	15.72284G	45.34	54.00	-8.66	3	Horizontal	356	1.73	-
5240MHz	Pass	PK	10.48G	58.82	68.20	-9.38	3	Horizontal	25	1.90	-
5240MHz	Pass	PK	15.72368G	59.77	74.00	-14.23	3	Horizontal	356	1.73	-
5745MHz	Pass	AV	5.7438G	115.49	Inf	-Inf	3	Vertical	58	1.80	-
5745MHz	Pass	PK	5.6226G	61.71	68.20	-6.49	3	Vertical	58	1.80	-
5745MHz	Pass	PK	5.7426G	127.93	Inf	-Inf	3	Vertical	58	1.80	-
5745MHz	Pass	PK	5.937G	59.99	68.20	-8.21	3	Vertical	58	1.80	-
5745MHz	Pass	AV	5.7498G	112.89	Inf	-Inf	3	Horizontal	308	1.80	-
5745MHz	Pass	PK	5.6454G	59.06	68.20	-9.14	3	Horizontal	308	1.80	-
5745MHz	Pass	PK	5.7498G	124.62	Inf	-Inf	3	Horizontal	308	1.80	-
5745MHz	Pass	PK	6.0246G	59.51	68.20	-8.69	3	Horizontal	308	1.80	-
5745MHz	Pass	AV	11.49592G	49.26	54.00	-4.74	3	Vertical	47	2.15	-
5745MHz	Pass	PK	11.49232G	63.67	74.00	-10.33	3	Vertical	47	2.15	-
5745MHz	Pass	PK	17.24368G	63.82	68.20	-4.38	3	Vertical	327	1.74	-
5745MHz	Pass	AV	11.49G	48.23	54.00	-5.77	3	Horizontal	347	1.69	-
5745MHz	Pass	PK	11.48996G	57.04	74.00	-16.96	3	Horizontal	347	1.69	-
5745MHz	Pass	PK	17.24188G	63.75	68.20	-4.45	3	Horizontal	328	1.80	-
5785MHz	Pass	AV	5.791G	115.68	Inf	-Inf	3	Vertical	320	1.00	-
5785MHz	Pass	PK	5.5978G	61.89	68.20	-6.31	3	Vertical	320	1.00	-
5785MHz	Pass	PK	5.791G	125.93	Inf	-Inf	3	Vertical	320	1.00	-
5785MHz	Pass	PK	6.0322G	59.69	68.20	-8.51	3	Vertical	320	1.00	-
5785MHz	Pass	AV	5.7898G	112.18	Inf	-Inf	3	Horizontal	308	1.80	-
5785MHz	Pass	PK	5.6446G	59.25	68.20	-8.95	3	Horizontal	308	1.80	-
5785MHz	Pass	PK	5.7898G	124.13	Inf	-Inf	3	Horizontal	308	1.80	-
5785MHz	Pass	PK	6.0766G	58.67	68.20	-9.53	3	Horizontal	308	1.80	-
5785MHz	Pass	AV	11.57G	45.54	54.00	-8.46	3	Vertical	351	1.80	-
5785MHz	Pass	PK	11.57G	58.13	74.00	-15.87	3	Vertical	351	1.80	-
5785MHz	Pass	PK	17.36056G	64.08	68.20	-4.12	3	Vertical	53	1.80	-
5785MHz	Pass	AV	11.56996G	47.78	54.00	-6.22	3	Horizontal	350	2.24	-
5785MHz	Pass	PK	11.57948G	57.50	74.00	-16.50	3	Horizontal	350	2.24	-
5785MHz	Pass	PK	17.35052G	63.61	68.20	-4.59	3	Horizontal	3	1.00	-
5825MHz	Pass	AV	5.8238G	115.12	Inf	-Inf	3	Vertical	302	1.74	-
5825MHz	Pass	PK	5.639G	59.55	68.20	-8.65	3	Vertical	302	1.74	-
5825MHz	Pass	PK	5.8226G	125.00	Inf	-Inf	3	Vertical	302	1.74	-
5825MHz	Pass	PK	5.9258G	62.39	68.20	-5.81	3	Vertical	302	1.74	-
5825MHz	Pass	AV	5.8202G	112.81	Inf	-Inf	3	Horizontal	25	1.32	-
5825MHz	Pass	PK	5.5514G	57.41	68.20	-10.79	3	Horizontal	25	1.32	-
5825MHz	Pass	PK	5.8202G	125.66	Inf	-Inf	3	Horizontal	25	1.32	-
5825MHz	Pass	PK	5.927G	59.49	68.20	-8.71	3	Horizontal	25	1.32	-
5825MHz	Pass	AV	11.64796G	45.85	54.00	-8.15	3	Vertical	22	1.96	-
5825MHz	Pass	PK	11.64616G	58.24	74.00	-15.76	3	Vertical	22	1.96	-
5825MHz	Pass	PK	17.47986G	65.70	68.20	-2.50	3	Vertical	326	1.50	-
5825MHz	Pass	AV	11.65G	48.96	54.00	-5.04	3	Horizontal	0	2.46	-
5825MHz	Pass	PK	11.65006G	58.61	74.00	-15.39	3	Horizontal	0	2.46	-
5825MHz	Pass	PK	17.48004G	64.44	68.20	-3.76	3	Horizontal	360	2.96	-
802.11ax HEW40_Nss1(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.46	54.00	-0.54	3	Vertical	333	1.50	-
5190MHz	Pass	AV	5.198G	109.02	Inf	-Inf	3	Vertical	333	1.50	-
5190MHz	Pass	PK	5.15G	65.43	74.00	-8.57	3	Vertical	333	1.50	-
5190MHz	Pass	PK	5.1976G	120.30	Inf	-Inf	3	Vertical	333	1.50	-
5190MHz	Pass	AV	5.1396G	52.09	54.00	-1.91	3	Horizontal	344	1.28	-
5190MHz	Pass	AV	5.1992G	106.22	Inf	-Inf	3	Horizontal	344	1.28	-



RSE TX above 1GHz_Non-Beamforming_Radio0+2

Appendix E.6


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.14G	64.66	74.00	-9.34	3	Horizontal	344	1.28	-
5190MHz	Pass	PK	5.2004G	117.65	Inf	-Inf	3	Horizontal	344	1.28	-
5190MHz	Pass	AV	15.552G	46.62	54.00	-7.38	3	Vertical	4	2.85	-
5190MHz	Pass	PK	10.38008G	57.63	68.20	-10.57	3	Vertical	354	1.61	-
5190MHz	Pass	PK	15.57392G	59.78	74.00	-14.22	3	Vertical	4	2.85	-
5190MHz	Pass	AV	15.55072G	46.59	54.00	-7.41	3	Horizontal	239	1.50	-
5190MHz	Pass	PK	10.37992G	61.65	68.20	-6.55	3	Horizontal	10	1.50	-
5190MHz	Pass	PK	15.5512G	59.63	74.00	-14.37	3	Horizontal	239	1.50	-
5230MHz	Pass	AV	5.138G	53.70	54.00	-0.30	3	Vertical	334	1.50	-
5230MHz	Pass	AV	5.2376G	113.09	Inf	-Inf	3	Vertical	334	1.50	-
5230MHz	Pass	PK	5.1388G	66.65	74.00	-7.35	3	Vertical	334	1.50	-
5230MHz	Pass	PK	5.2392G	124.83	Inf	-Inf	3	Vertical	334	1.50	-
5230MHz	Pass	AV	5.1388G	53.55	54.00	-0.45	3	Horizontal	340	1.27	-
5230MHz	Pass	AV	5.2388G	110.38	Inf	-Inf	3	Horizontal	340	1.27	-
5230MHz	Pass	PK	5.1384G	67.01	74.00	-6.99	3	Horizontal	340	1.27	-
5230MHz	Pass	PK	5.2384G	122.16	Inf	-Inf	3	Horizontal	340	1.27	-
5230MHz	Pass	AV	15.68288G	45.62	54.00	-8.38	3	Vertical	334	2.99	-
5230MHz	Pass	PK	10.45984G	56.56	68.20	-11.64	3	Vertical	358	1.27	-
5230MHz	Pass	PK	15.67064G	58.37	74.00	-15.63	3	Vertical	334	2.99	-
5230MHz	Pass	AV	15.67328G	45.41	54.00	-8.59	3	Horizontal	330	1.50	-
5230MHz	Pass	PK	10.45992G	58.76	68.20	-9.44	3	Horizontal	11	1.50	-
5230MHz	Pass	PK	15.67544G	58.83	74.00	-15.17	3	Horizontal	330	1.50	-
5755MHz	Pass	AV	5.7562G	113.30	Inf	-Inf	3	Vertical	58	2.42	-
5755MHz	Pass	PK	5.6506G	62.57	68.64	-6.07	3	Vertical	58	2.42	-
5755MHz	Pass	PK	5.7574G	124.31	Inf	-Inf	3	Vertical	58	2.42	-
5755MHz	Pass	PK	6.0478G	58.98	68.20	-9.22	3	Vertical	58	2.42	-
5755MHz	Pass	AV	5.749G	110.24	Inf	-Inf	3	Horizontal	24	1.48	-
5755MHz	Pass	PK	5.6326G	61.70	68.20	-6.50	3	Horizontal	24	1.48	-
5755MHz	Pass	PK	5.7478G	121.28	Inf	-Inf	3	Horizontal	24	1.48	-
5755MHz	Pass	PK	5.9362G	60.60	68.20	-7.60	3	Horizontal	24	1.48	-
5755MHz	Pass	AV	11.50984G	44.34	54.00	-9.66	3	Vertical	157	1.50	-
5755MHz	Pass	PK	11.50992G	56.73	74.00	-17.27	3	Vertical	157	1.50	-
5755MHz	Pass	PK	17.25084G	62.00	68.20	-6.20	3	Vertical	278	2.88	-
5755MHz	Pass	AV	11.50992G	49.13	54.00	-4.87	3	Horizontal	3	2.57	-
5755MHz	Pass	PK	11.50984G	59.29	74.00	-14.71	3	Horizontal	3	2.57	-
5755MHz	Pass	PK	17.28412G	62.21	68.20	-5.99	3	Horizontal	244	1.11	-
5795MHz	Pass	AV	5.7842G	113.61	Inf	-Inf	3	Vertical	57	1.40	-
5795MHz	Pass	PK	5.5982G	60.44	68.20	-7.76	3	Vertical	57	1.40	-
5795MHz	Pass	PK	5.7842G	123.41	Inf	-Inf	3	Vertical	57	1.40	-
5795MHz	Pass	PK	5.9246G	60.30	68.50	-8.20	3	Vertical	57	1.40	-
5795MHz	Pass	AV	5.7878G	108.27	Inf	-Inf	3	Horizontal	62	1.50	-
5795MHz	Pass	PK	5.543G	57.63	68.20	-10.57	3	Horizontal	62	1.50	-
5795MHz	Pass	PK	5.789G	120.30	Inf	-Inf	3	Horizontal	62	1.50	-
5795MHz	Pass	PK	5.9354G	58.84	68.20	-9.36	3	Horizontal	62	1.50	-
5795MHz	Pass	AV	11.59768G	44.80	54.00	-9.20	3	Vertical	39	1.50	-
5795MHz	Pass	PK	11.5988G	57.45	74.00	-16.55	3	Vertical	39	1.50	-
5795MHz	Pass	PK	17.38916G	63.51	68.20	-4.69	3	Vertical	358	1.27	-
5795MHz	Pass	AV	11.58992G	46.99	54.00	-7.01	3	Horizontal	44	2.36	-
5795MHz	Pass	PK	11.5896G	56.56	74.00	-17.44	3	Horizontal	44	2.36	-
5795MHz	Pass	PK	17.40196G	63.47	68.20	-4.73	3	Horizontal	89	1.69	-
802.11ax HEW80_Nss1.(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.137G	53.55	54.00	-0.45	3	Vertical	333	1.43	-
5210MHz	Pass	AV	5.198G	104.12	Inf	-Inf	3	Vertical	333	1.43	-
5210MHz	Pass	AV	5.356G	45.73	54.00	-8.27	3	Vertical	333	1.43	-
5210MHz	Pass	PK	5.138G	65.98	74.00	-8.02	3	Vertical	333	1.43	-
5210MHz	Pass	PK	5.237G	115.23	Inf	-Inf	3	Vertical	333	1.43	-
5210MHz	Pass	PK	5.369G	58.14	74.00	-15.86	3	Vertical	333	1.43	-
5210MHz	Pass	AV	5.139G	52.22	54.00	-1.78	3	Horizontal	341	1.30	-
5210MHz	Pass	AV	5.199G	101.58	Inf	-Inf	3	Horizontal	341	1.30	-
5210MHz	Pass	AV	5.392G	45.32	54.00	-8.68	3	Horizontal	341	1.30	-
5210MHz	Pass	PK	5.14G	64.51	74.00	-9.49	3	Horizontal	341	1.30	-
5210MHz	Pass	PK	5.199G	112.36	Inf	-Inf	3	Horizontal	341	1.30	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.371G	57.04	74.00	-16.96	3	Horizontal	341	1.30	-
5210MHz	Pass	AV	15.59224G	45.75	54.00	-8.25	3	Vertical	60	1.57	-
5210MHz	Pass	PK	10.41996G	56.78	68.20	-11.42	3	Vertical	353	1.62	-
5210MHz	Pass	PK	15.60712G	58.68	74.00	-15.32	3	Vertical	60	1.57	-
5210MHz	Pass	AV	15.5916G	45.63	54.00	-8.37	3	Horizontal	25	2.99	-
5210MHz	Pass	PK	10.42004G	59.93	68.20	-8.27	3	Horizontal	9	1.50	-
5210MHz	Pass	PK	15.63784G	58.75	74.00	-15.25	3	Horizontal	25	2.99	-
5775MHz	Pass	AV	5.77G	109.61	Inf	-Inf	3	Vertical	321	1.66	-
5775MHz	Pass	PK	5.65G	68.00	68.20	-0.20	3	Vertical	321	1.66	-
5775MHz	Pass	PK	5.771G	120.62	Inf	-Inf	3	Vertical	321	1.66	-
5775MHz	Pass	PK	5.934G	63.26	68.20	-4.94	3	Vertical	321	1.66	-
5775MHz	Pass	AV	5.768G	105.22	Inf	-Inf	3	Horizontal	23	1.67	-
5775MHz	Pass	PK	5.65G	67.95	68.20	-0.25	3	Horizontal	23	1.67	-
5775MHz	Pass	PK	5.767G	115.96	Inf	-Inf	3	Horizontal	23	1.67	-
5775MHz	Pass	PK	5.925G	65.03	68.20	-3.17	3	Horizontal	23	1.67	-
5775MHz	Pass	AV	11.55G	44.37	54.00	-9.63	3	Vertical	157	1.58	-
5775MHz	Pass	PK	11.53576G	55.66	74.00	-18.34	3	Vertical	157	1.58	-
5775MHz	Pass	PK	17.36276G	62.58	68.20	-5.62	3	Vertical	308	1.82	-
5775MHz	Pass	AV	11.55G	44.26	54.00	-9.74	3	Horizontal	330	2.54	-
5775MHz	Pass	PK	11.52664G	56.04	74.00	-17.96	3	Horizontal	330	2.54	-
5775MHz	Pass	PK	17.34148G	63.14	68.20	-5.06	3	Horizontal	43	2.52	-

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	53.11	54.00	-0.89	6.84	3	Vertical	328	1.50	-	46.27	31.90	9.07	34.13
AV	5.1872G	113.73	Inf	-Inf	6.70	3	Vertical	328	1.50	-	107.03	31.75	9.08	34.13
PK	5.149G	66.88	74.00	-7.12	6.84	3	Vertical	328	1.50	-	60.04	31.90	9.07	34.13
PK	5.1874G	122.99	Inf	-Inf	6.70	3	Vertical	328	1.50	-	116.29	31.75	9.08	34.13

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.21	54.00	-3.79	6.84	3	Horizontal	340	1.56	-	43.37	31.90	9.07	34.13
AV	5.1748G	111.56	Inf	-Inf	6.75	3	Horizontal	340	1.56	-	104.81	31.80	9.08	34.13
PK	5.141G	62.67	74.00	-11.33	6.84	3	Horizontal	340	1.56	-	55.83	31.90	9.07	34.13
PK	5.175G	120.94	Inf	-Inf	6.75	3	Horizontal	340	1.56	-	114.19	31.80	9.08	34.13

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53987G	47.66	54.00	-6.34	18.34	3	Vertical	20	1.50	-	29.32	37.96	14.81	34.43
PK	10.35971G	57.28	68.20	-10.92	17.11	3	Vertical	320	2.90	-	40.17	39.34	12.36	34.59
PK	15.53932G	61.15	74.00	-12.85	18.33	3	Vertical	20	1.50	-	42.82	37.96	14.80	34.43

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5408G	47.53	54.00	-6.47	18.34	3	Horizontal	322	1.50	-	29.19	37.96	14.81	34.43
PK	10.36012G	61.44	68.20	-6.76	17.11	3	Horizontal	360	1.74	-	44.33	39.34	12.36	34.59
PK	15.53919G	60.79	74.00	-13.21	18.33	3	Horizontal	322	1.50	-	42.46	37.96	14.80	34.43

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	50.54	54.00	-3.46	6.84	3	Vertical	52	1.80	-	43.70	31.90	9.07	34.13
AV	5.1988G	117.26	Inf	-Inf	6.64	3	Vertical	52	1.80	-	110.62	31.70	9.08	34.14
PK	5.1468G	63.31	74.00	-10.69	6.84	3	Vertical	52	1.80	-	56.47	31.90	9.07	34.13
PK	5.1984G	126.39	Inf	-Inf	6.65	3	Vertical	52	1.80	-	119.74	31.71	9.08	34.14

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.29	54.00	-2.71	6.84	3	Horizontal	28	1.80	-	44.45	31.90	9.07	34.13
AV	5.194G	111.81	Inf	-Inf	6.67	3	Horizontal	28	1.80	-	105.14	31.72	9.08	34.13
PK	5.15G	67.17	74.00	-6.83	6.84	3	Horizontal	28	1.80	-	60.33	31.90	9.07	34.13
PK	5.1944G	121.33	Inf	-Inf	6.67	3	Horizontal	28	1.80	-	114.66	31.72	9.08	34.13

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60108G	47.05	54.00	-6.95	17.95	3	Vertical	54	1.84	-	29.10	37.60	14.82	34.47
PK	10.40008G	57.45	68.20	-10.75	17.32	3	Vertical	33	2.31	-	40.13	39.50	12.38	34.56
PK	15.60064G	60.19	74.00	-13.81	17.95	3	Vertical	54	1.84	-	42.24	37.60	14.82	34.47

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59712G	47.45	54.00	-6.55	17.98	3	Horizontal	0	2.36	-	29.47	37.62	14.82	34.46
PK	10.39992G	59.29	68.20	-8.91	17.32	3	Horizontal	0	1.66	-	41.97	39.50	12.38	34.56
PK	15.59712G	61.37	74.00	-12.63	17.98	3	Horizontal	0	2.36	-	43.39	37.62	14.82	34.46

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.66	54.00	-5.34	6.84	3	Vertical	56	1.76	-	41.82	31.90	9.07	34.13
AV	5.2412G	117.69	Inf	-Inf	6.44	3	Vertical	56	1.76	-	111.25	31.45	9.13	34.14
AV	5.3876G	47.80	54.00	-6.20	6.72	3	Vertical	56	1.76	-	41.08	31.60	9.29	34.17
PK	5.1194G	62.41	74.00	-11.59	6.85	3	Vertical	56	1.76	-	55.56	31.90	9.07	34.12
PK	5.2406G	126.54	Inf	-Inf	6.44	3	Vertical	56	1.76	-	120.10	31.46	9.12	34.14
PK	5.36G	63.34	74.00	-10.66	6.48	3	Vertical	56	1.76	-	56.86	31.38	9.26	34.16

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1452G	46.67	54.00	-7.33	6.84	3	Horizontal	32	1.72	-	39.83	31.90	9.07	34.13
AV	5.237G	111.65	Inf	-Inf	6.46	3	Horizontal	32	1.72	-	105.19	31.48	9.12	34.14
AV	5.384G	46.07	54.00	-7.93	6.68	3	Horizontal	32	1.72	-	39.39	31.57	9.28	34.17
PK	5.1482G	58.31	74.00	-15.69	6.84	3	Horizontal	32	1.72	-	51.47	31.90	9.07	34.13
PK	5.2376G	121.06	Inf	-Inf	6.45	3	Horizontal	32	1.72	-	114.61	31.47	9.12	34.14
PK	5.3816G	58.66	74.00	-15.34	6.66	3	Horizontal	32	1.72	-	52.00	31.55	9.28	34.17

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71544G	46.32	54.00	-7.68	17.95	3	Vertical	321	2.86	-	28.37	37.62	14.86	34.53
PK	10.47992G	57.89	68.20	-10.31	17.57	3	Vertical	356	1.25	-	40.32	39.66	12.41	34.50
PK	15.71668G	59.78	74.00	-14.22	17.95	3	Vertical	321	2.86	-	41.83	37.62	14.86	34.53

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71884G	45.82	54.00	-8.18	17.94	3	Horizontal	0	1.80	-	27.88	37.61	14.86	34.53
PK	10.48004G	59.15	68.20	-9.05	17.57	3	Horizontal	26	1.90	-	41.58	39.66	12.41	34.50
PK	15.71504G	58.90	74.00	-15.10	17.95	3	Horizontal	0	1.80	-	40.95	37.62	14.86	34.53

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	116.55	Inf	-Inf	7.30	3	Vertical	64	1.50	-	109.25	32.00	9.50	34.20
PK	5.5554G	59.02	68.20	-9.18	7.02	3	Vertical	64	1.50	-	52.00	31.79	9.42	34.19
PK	5.7486G	125.80	Inf	-Inf	7.30	3	Vertical	64	1.50	-	118.50	32.00	9.50	34.20
PK	5.9418G	57.84	68.20	-10.36	7.91	3	Vertical	64	1.50	-	49.93	32.50	9.63	34.22

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	111.79	Inf	-Inf	7.28	3	Horizontal	24	1.61	-	104.51	31.98	9.50	34.20
PK	5.6442G	58.45	68.20	-9.75	6.88	3	Horizontal	24	1.61	-	51.57	31.61	9.47	34.20
PK	5.739G	120.60	Inf	-Inf	7.28	3	Horizontal	24	1.61	-	113.32	31.98	9.50	34.20
PK	6.003G	58.73	68.20	-9.47	7.96	3	Horizontal	24	1.61	-	50.77	32.50	9.68	34.22

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48984G	47.92	54.00	-6.08	18.86	3	Vertical	26	1.34	-	29.06	40.08	12.84	34.06
PK	11.49044G	60.63	74.00	-13.37	18.86	3	Vertical	26	1.34	-	41.77	40.08	12.84	34.06
PK	17.23136G	64.98	68.20	-3.22	21.93	3	Vertical	318	1.50	-	43.05	39.53	15.67	33.27

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48996G	49.48	54.00	-4.52	18.86	3	Horizontal	0	2.72	-	30.62	40.08	12.84	34.06
PK	11.49008G	60.35	74.00	-13.65	18.86	3	Horizontal	0	2.72	-	41.49	40.08	12.84	34.06
PK	17.2432G	63.85	68.20	-4.35	21.95	3	Horizontal	322	1.47	-	41.90	39.54	15.68	33.27

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7886G	117.34	Inf	-Inf	7.39	3	Vertical	320	2.86	-	109.95	32.08	9.52	34.21
PK	5.6494G	59.48	68.20	-8.72	6.87	3	Vertical	320	2.86	-	52.61	31.60	9.47	34.20
PK	5.7886G	126.42	Inf	-Inf	7.39	3	Vertical	320	2.86	-	119.03	32.08	9.52	34.21
PK	5.9302G	60.69	68.20	-7.51	7.90	3	Vertical	320	2.86	-	52.79	32.50	9.62	34.22

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7922G	114.26	Inf	-Inf	7.39	3	Horizontal	360	3.00	-	106.87	32.08	9.52	34.21
PK	5.635G	58.78	68.20	-9.42	6.90	3	Horizontal	360	3.00	-	51.88	31.63	9.47	34.20
PK	5.7922G	123.58	Inf	-Inf	7.39	3	Horizontal	360	3.00	-	116.19	32.08	9.52	34.21
PK	5.929G	59.78	68.20	-8.42	7.90	3	Horizontal	360	3.00	-	51.88	32.50	9.62	34.22

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56992G	47.78	54.00	-6.22	18.66	3	Vertical	25	1.36	-	29.12	39.89	12.87	34.10
PK	11.57016G	60.69	74.00	-13.31	18.66	3	Vertical	25	1.36	-	42.03	39.89	12.87	34.10
PK	17.34696G	65.73	68.20	-2.47	22.57	3	Vertical	318	1.51	-	43.16	40.07	15.74	33.24

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	48.40	54.00	-5.60	18.66	3	Horizontal	348	2.38	-	29.74	39.89	12.87	34.10
PK	11.56992G	56.78	74.00	-17.22	18.66	3	Horizontal	348	2.38	-	38.12	39.89	12.87	34.10
PK	17.35064G	63.98	68.20	-4.22	22.61	3	Horizontal	334	1.49	-	41.37	40.11	15.74	33.24

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	117.82	Inf	-Inf	7.54	3	Vertical	320	1.50	-	110.28	32.21	9.54	34.21
PK	5.6366G	60.17	68.20	-8.03	6.90	3	Vertical	320	1.50	-	53.27	31.63	9.47	34.20
PK	5.8274G	127.17	Inf	-Inf	7.54	3	Vertical	320	1.50	-	119.63	32.21	9.54	34.21
PK	5.9258G	61.60	68.20	-6.60	7.90	3	Vertical	320	1.50	-	53.70	32.50	9.62	34.22

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	113.87	Inf	-Inf	7.54	3	Horizontal	17	2.98	-	106.33	32.21	9.54	34.21
PK	5.639G	58.13	68.20	-10.07	6.89	3	Horizontal	17	2.98	-	51.24	31.62	9.47	34.20
PK	5.8286G	123.02	Inf	-Inf	7.54	3	Horizontal	17	2.98	-	115.48	32.21	9.54	34.21
PK	5.927G	59.56	68.20	-8.64	7.90	3	Horizontal	17	2.98	-	51.66	32.50	9.62	34.22

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64988G	48.84	54.00	-5.16	18.26	3	Vertical	331	1.40	-	30.58	39.50	12.90	34.14
PK	11.65056G	60.74	74.00	-13.26	18.26	3	Vertical	331	1.40	-	42.48	39.50	12.90	34.14
PK	17.48344G	63.39	68.20	-4.81	23.47	3	Vertical	27	1.50	-	39.92	40.85	15.82	33.20

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64992G	48.52	54.00	-5.48	18.26	3	Horizontal	19	2.21	-	30.26	39.50	12.90	34.14
PK	11.65028G	59.23	74.00	-14.77	18.26	3	Horizontal	19	2.21	-	40.97	39.50	12.90	34.14
PK	17.48224G	64.70	68.20	-3.50	23.47	3	Horizontal	337	1.48	-	41.23	40.85	15.82	33.20

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.42	54.00	-0.58	6.84	3	Vertical	319	1.80	-	46.58	31.90	9.07	34.13
AV	5.1832G	112.75	Inf	-Inf	6.72	3	Vertical	319	1.80	-	106.03	31.77	9.08	34.13
PK	5.143G	68.93	74.00	-5.07	6.84	3	Vertical	319	1.80	-	62.09	31.90	9.07	34.13
PK	5.183G	125.38	Inf	-Inf	6.72	3	Vertical	319	1.80	-	118.66	31.77	9.08	34.13

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	50.55	54.00	-3.45	6.84	3	Horizontal	31	2.80	-	43.71	31.90	9.07	34.13
AV	5.1834G	109.61	Inf	-Inf	6.72	3	Horizontal	31	2.80	-	102.89	31.77	9.08	34.13
PK	5.149G	65.76	74.00	-8.24	6.84	3	Horizontal	31	2.80	-	58.92	31.90	9.07	34.13
PK	5.1822G	121.78	Inf	-Inf	6.72	3	Horizontal	31	2.80	-	115.06	31.77	9.08	34.13

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53348G	46.96	54.00	-7.04	18.37	3	Vertical	302	1.80	-	28.59	38.00	14.80	34.43
PK	10.35984G	57.31	68.20	-10.89	17.11	3	Vertical	352	1.12	-	40.20	39.34	12.36	34.59
PK	15.5368G	60.45	74.00	-13.55	18.35	3	Vertical	302	1.80	-	42.10	37.98	14.80	34.43

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53356G	46.97	54.00	-7.03	18.37	3	Horizontal	317	1.67	-	28.60	38.00	14.80	34.43
PK	10.35992G	60.82	68.20	-7.38	17.11	3	Horizontal	3	1.63	-	43.71	39.34	12.36	34.59
PK	15.53096G	60.82	74.00	-13.18	18.38	3	Horizontal	317	1.67	-	42.44	38.01	14.80	34.43

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.61	54.00	-2.39	6.84	3	Vertical	36	1.80	-	44.77	31.90	9.07	34.13
AV	5.192G	114.72	Inf	-Inf	6.68	3	Vertical	36	1.80	-	108.04	31.73	9.08	34.13
PK	5.1492G	63.84	74.00	-10.16	6.84	3	Vertical	36	1.80	-	57.00	31.90	9.07	34.13
PK	5.192G	126.89	Inf	-Inf	6.68	3	Vertical	36	1.80	-	120.21	31.73	9.08	34.13

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.43	54.00	-4.57	6.84	3	Horizontal	31	2.29	-	42.59	31.90	9.07	34.13
AV	5.1988G	113.37	Inf	-Inf	6.64	3	Horizontal	31	2.29	-	106.73	31.70	9.08	34.14
PK	5.1464G	62.56	74.00	-11.44	6.84	3	Horizontal	31	2.29	-	55.72	31.90	9.07	34.13
PK	5.1984G	125.81	Inf	-Inf	6.65	3	Horizontal	31	2.29	-	119.16	31.71	9.08	34.14

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59316G	46.56	54.00	-7.44	18.00	3	Vertical	49	2.14	-	28.56	37.64	14.82	34.46
PK	10.39968G	57.31	68.20	-10.89	17.32	3	Vertical	360	1.16	-	39.99	39.50	12.38	34.56
PK	15.59956G	64.26	74.00	-9.74	17.95	3	Vertical	49	2.14	-	46.31	37.60	14.82	34.47

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59352G	47.11	54.00	-6.89	18.00	3	Horizontal	39	1.89	-	29.11	37.64	14.82	34.46
PK	10.40004G	60.12	68.20	-8.08	17.32	3	Horizontal	1	1.69	-	42.80	39.50	12.38	34.56
PK	15.59048G	64.20	74.00	-9.80	18.02	3	Horizontal	39	1.89	-	46.18	37.66	14.82	34.46

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	48.35	54.00	-5.65	6.84	3	Vertical	61	1.68	-	41.51	31.90	9.07	34.13
AV	5.2364G	116.71	Inf	-Inf	6.46	3	Vertical	61	1.68	-	110.25	31.48	9.12	34.14
AV	5.3588G	47.42	54.00	-6.58	6.46	3	Vertical	61	1.68	-	40.96	31.37	9.25	34.16
PK	5.12G	60.33	74.00	-13.67	6.85	3	Vertical	61	1.68	-	53.48	31.90	9.07	34.12
PK	5.2352G	129.46	Inf	-Inf	6.47	3	Vertical	61	1.68	-	122.99	31.49	9.12	34.14
PK	5.3588G	59.77	74.00	-14.23	6.46	3	Vertical	61	1.68	-	53.31	31.37	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	46.88	54.00	-7.12	6.84	3	Horizontal	343	3.00	-	40.04	31.90	9.07	34.13
AV	5.2322G	113.14	Inf	-Inf	6.49	3	Horizontal	343	3.00	-	106.65	31.51	9.12	34.14
AV	5.3864G	46.64	54.00	-7.36	6.71	3	Horizontal	343	3.00	-	39.93	31.59	9.29	34.17
PK	5.0954G	58.86	74.00	-15.14	6.83	3	Horizontal	343	3.00	-	52.03	31.89	9.06	34.12
PK	5.2328G	124.23	Inf	-Inf	6.48	3	Horizontal	343	3.00	-	117.75	31.50	9.12	34.14
PK	5.3564G	58.75	74.00	-15.25	6.44	3	Horizontal	343	3.00	-	52.31	31.35	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72016G	46.02	54.00	-7.98	17.93	3	Vertical	44	1.80	-	28.09	37.60	14.86	34.53
PK	10.47992G	57.76	68.20	-10.44	17.57	3	Vertical	0	1.24	-	40.19	39.66	12.41	34.50
PK	15.7194G	60.47	74.00	-13.53	17.93	3	Vertical	44	1.80	-	42.54	37.60	14.86	34.53

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72284G	45.34	54.00	-8.66	17.92	3	Horizontal	356	1.73	-	27.42	37.59	14.86	34.53
PK	10.48G	58.82	68.20	-9.38	17.57	3	Horizontal	25	1.90	-	41.25	39.66	12.41	34.50
PK	15.72368G	59.77	74.00	-14.23	17.90	3	Horizontal	356	1.73	-	41.87	37.58	14.86	34.54

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	115.49	Inf	-Inf	7.29	3	Vertical	58	1.80	-	108.20	31.99	9.50	34.20
PK	5.6226G	61.71	68.20	-6.49	6.92	3	Vertical	58	1.80	-	54.79	31.65	9.47	34.20
PK	5.7426G	127.93	Inf	-Inf	7.29	3	Vertical	58	1.80	-	120.64	31.99	9.50	34.20
PK	5.937G	59.99	68.20	-8.21	7.91	3	Vertical	58	1.80	-	52.08	32.50	9.63	34.22

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	112.89	Inf	-Inf	7.30	3	Horizontal	308	1.80	-	105.59	32.00	9.50	34.20
PK	5.6454G	59.06	68.20	-9.14	6.88	3	Horizontal	308	1.80	-	52.18	31.61	9.47	34.20
PK	5.7498G	124.62	Inf	-Inf	7.30	3	Horizontal	308	1.80	-	117.32	32.00	9.50	34.20
PK	6.0246G	59.51	68.20	-8.69	7.98	3	Horizontal	308	1.80	-	51.53	32.50	9.70	34.22

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49592G	49.26	54.00	-4.74	18.87	3	Vertical	47	2.15	-	30.39	40.09	12.84	34.06
PK	11.49232G	63.67	74.00	-10.33	18.86	3	Vertical	47	2.15	-	44.81	40.08	12.84	34.06
PK	17.24368G	63.82	68.20	-4.38	21.95	3	Vertical	327	1.74	-	41.87	39.54	15.68	33.27

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	48.23	54.00	-5.77	18.86	3	Horizontal	347	1.69	-	29.37	40.08	12.84	34.06
PK	11.48996G	57.04	74.00	-16.96	18.86	3	Horizontal	347	1.69	-	38.18	40.08	12.84	34.06
PK	17.24188G	63.75	68.20	-4.45	21.95	3	Horizontal	328	1.80	-	41.80	39.54	15.68	33.27

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	115.68	Inf	-Inf	7.39	3	Vertical	320	1.00	-	108.29	32.08	9.52	34.21
PK	5.5978G	61.89	68.20	-6.31	6.96	3	Vertical	320	1.00	-	54.93	31.70	9.46	34.20
PK	5.791G	125.93	Inf	-Inf	7.39	3	Vertical	320	1.00	-	118.54	32.08	9.52	34.21
PK	6.0322G	59.69	68.20	-8.51	7.99	3	Vertical	320	1.00	-	51.70	32.50	9.71	34.22

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7898G	112.18	Inf	-Inf	7.39	3	Horizontal	308	1.80	-	104.79	32.08	9.52	34.21
PK	5.6446G	59.25	68.20	-8.95	6.88	3	Horizontal	308	1.80	-	52.37	31.61	9.47	34.20
PK	5.7898G	124.13	Inf	-Inf	7.39	3	Horizontal	308	1.80	-	116.74	32.08	9.52	34.21
PK	6.0766G	58.67	68.20	-9.53	7.96	3	Horizontal	308	1.80	-	50.71	32.45	9.74	34.23

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57G	45.54	54.00	-8.46	18.66	3	Vertical	351	1.80	-	26.88	39.89	12.87	34.10
PK	11.57G	58.13	74.00	-15.87	18.66	3	Vertical	351	1.80	-	39.47	39.89	12.87	34.10
PK	17.36056G	64.08	68.20	-4.12	22.72	3	Vertical	53	1.80	-	41.36	40.21	15.75	33.24

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56996G	47.78	54.00	-6.22	18.66	3	Horizontal	350	2.24	-	29.12	39.89	12.87	34.10
PK	11.57948G	57.50	74.00	-16.50	18.63	3	Horizontal	350	2.24	-	38.87	39.86	12.87	34.10
PK	17.35052G	63.61	68.20	-4.59	22.61	3	Horizontal	3	1.00	-	41.00	40.11	15.74	33.24

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	115.12	Inf	-Inf	7.53	3	Vertical	302	1.74	-	107.59	32.20	9.54	34.21
PK	5.639G	59.55	68.20	-8.65	6.89	3	Vertical	302	1.74	-	52.66	31.62	9.47	34.20
PK	5.8226G	125.00	Inf	-Inf	7.52	3	Vertical	302	1.74	-	117.48	32.19	9.54	34.21
PK	5.9258G	62.39	68.20	-5.81	7.90	3	Vertical	302	1.74	-	54.49	32.50	9.62	34.22

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	112.81	Inf	-Inf	7.51	3	Horizontal	25	1.32	-	105.30	32.18	9.54	34.21
PK	5.5514G	57.41	68.20	-10.79	7.03	3	Horizontal	25	1.32	-	50.38	31.80	9.42	34.19
PK	5.8202G	125.66	Inf	-Inf	7.51	3	Horizontal	25	1.32	-	118.15	32.18	9.54	34.21
PK	5.927G	59.49	68.20	-8.71	7.90	3	Horizontal	25	1.32	-	51.59	32.50	9.62	34.22

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64796G	45.85	54.00	-8.15	18.27	3	Vertical	22	1.96	-	27.58	39.51	12.90	34.14
PK	11.64616G	58.24	74.00	-15.76	18.28	3	Vertical	22	1.96	-	39.96	39.52	12.90	34.14
PK	17.47986G	65.70	68.20	-2.50	23.45	3	Vertical	326	1.50	-	42.25	40.84	15.82	33.21

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	48.96	54.00	-5.04	18.26	3	Horizontal	0	2.46	-	30.70	39.50	12.90	34.14
PK	11.65006G	58.61	74.00	-15.39	18.26	3	Horizontal	0	2.46	-	40.35	39.50	12.90	34.14
PK	17.48004G	64.44	68.20	-3.76	23.45	3	Horizontal	360	2.96	-	40.99	40.84	15.82	33.21

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.46	54.00	-0.54	6.84	3	Vertical	333	1.50	-	46.62	31.90	9.07	34.13
AV	5.198G	109.02	Inf	-Inf	6.65	3	Vertical	333	1.50	-	102.37	31.71	9.08	34.14
PK	5.15G	65.43	74.00	-8.57	6.84	3	Vertical	333	1.50	-	58.59	31.90	9.07	34.13
PK	5.1976G	120.30	Inf	-Inf	6.65	3	Vertical	333	1.50	-	113.65	31.71	9.08	34.14

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	52.09	54.00	-1.91	6.84	3	Horizontal	344	1.28	-	45.25	31.90	9.07	34.13
AV	5.1992G	106.22	Inf	-Inf	6.64	3	Horizontal	344	1.28	-	99.58	31.70	9.08	34.14
PK	5.14G	64.66	74.00	-9.34	6.84	3	Horizontal	344	1.28	-	57.82	31.90	9.07	34.13
PK	5.2004G	117.65	Inf	-Inf	6.64	3	Horizontal	344	1.28	-	111.01	31.70	9.08	34.14

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.552G	46.62	54.00	-7.38	18.26	3	Vertical	4	2.85	-	28.36	37.89	14.81	34.44
PK	10.38008G	57.63	68.20	-10.57	17.21	3	Vertical	354	1.61	-	40.42	39.42	12.37	34.58
PK	15.57392G	59.78	74.00	-14.22	18.13	3	Vertical	4	2.85	-	41.65	37.76	14.82	34.45

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.55072G	46.59	54.00	-7.41	18.27	3	Horizontal	239	1.50	-	28.32	37.90	14.81	34.44
PK	10.37992G	61.65	68.20	-6.55	17.21	3	Horizontal	10	1.50	-	44.44	39.42	12.37	34.58
PK	15.5512G	59.63	74.00	-14.37	18.26	3	Horizontal	239	1.50	-	41.37	37.89	14.81	34.44

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	53.70	54.00	-0.30	6.85	3	Vertical	334	1.50	-	46.85	31.90	9.07	34.12
AV	5.2376G	113.09	Inf	-Inf	6.45	3	Vertical	334	1.50	-	106.64	31.47	9.12	34.14
PK	5.1388G	66.65	74.00	-7.35	6.85	3	Vertical	334	1.50	-	59.80	31.90	9.07	34.12
PK	5.2392G	124.83	Inf	-Inf	6.44	3	Vertical	334	1.50	-	118.39	31.46	9.12	34.14

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	53.55	54.00	-0.45	6.85	3	Horizontal	340	1.27	-	46.70	31.90	9.07	34.12
AV	5.2388G	110.38	Inf	-Inf	6.45	3	Horizontal	340	1.27	-	103.93	31.47	9.12	34.14
PK	5.1384G	67.01	74.00	-6.99	6.85	3	Horizontal	340	1.27	-	60.16	31.90	9.07	34.12
PK	5.2384G	122.16	Inf	-Inf	6.45	3	Horizontal	340	1.27	-	115.71	31.47	9.12	34.14

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68288G	45.62	54.00	-8.38	18.02	3	Vertical	334	2.99	-	27.60	37.68	14.85	34.51
PK	10.45984G	56.56	68.20	-11.64	17.50	3	Vertical	358	1.27	-	39.06	39.62	12.40	34.52
PK	15.67064G	58.37	74.00	-15.63	18.01	3	Vertical	334	2.99	-	40.36	37.67	14.85	34.51

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.67328G	45.41	54.00	-8.59	18.01	3	Horizontal	330	1.50	-	27.40	37.67	14.85	34.51
PK	10.45992G	58.76	68.20	-9.44	17.50	3	Horizontal	11	1.50	-	41.26	39.62	12.40	34.52
PK	15.67544G	58.83	74.00	-15.17	18.02	3	Horizontal	330	1.50	-	40.81	37.68	14.85	34.51

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7562G	113.30	Inf	-Inf	7.31	3	Vertical	58	2.42	-	105.99	32.01	9.51	34.21
PK	5.6506G	62.57	68.64	-6.07	6.88	3	Vertical	58	2.42	-	55.69	31.60	9.48	34.20
PK	5.7574G	124.31	Inf	-Inf	7.31	3	Vertical	58	2.42	-	117.00	32.01	9.51	34.21
PK	6.0478G	58.98	68.20	-9.22	8.00	3	Vertical	58	2.42	-	50.98	32.50	9.72	34.22

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	110.24	Inf	-Inf	7.30	3	Horizontal	24	1.48	-	102.94	32.00	9.50	34.20
PK	5.6326G	61.70	68.20	-6.50	6.90	3	Horizontal	24	1.48	-	54.80	31.63	9.47	34.20
PK	5.7478G	121.28	Inf	-Inf	7.30	3	Horizontal	24	1.48	-	113.98	32.00	9.50	34.20
PK	5.9362G	60.60	68.20	-7.60	7.91	3	Horizontal	24	1.48	-	52.69	32.50	9.63	34.22

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50984G	44.34	54.00	-9.66	18.84	3	Vertical	157	1.50	-	25.50	40.07	12.84	34.07
PK	11.50992G	56.73	74.00	-17.27	18.84	3	Vertical	157	1.50	-	37.89	40.07	12.84	34.07
PK	17.25084G	62.00	68.20	-6.20	21.97	3	Vertical	278	2.88	-	40.03	39.55	15.68	33.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50992G	49.13	54.00	-4.87	18.84	3	Horizontal	3	2.57	-	30.29	40.07	12.84	34.07
PK	11.50984G	59.29	74.00	-14.71	18.84	3	Horizontal	3	2.57	-	40.45	40.07	12.84	34.07
PK	17.28412G	62.21	68.20	-5.99	22.02	3	Horizontal	244	1.11	-	40.19	39.58	15.70	33.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7842G	113.61	Inf	-Inf	7.38	3	Vertical	57	1.40	-	106.23	32.07	9.52	34.21
PK	5.5982G	60.44	68.20	-7.76	6.96	3	Vertical	57	1.40	-	53.48	31.70	9.46	34.20
PK	5.7842G	123.41	Inf	-Inf	7.38	3	Vertical	57	1.40	-	116.03	32.07	9.52	34.21
PK	5.9246G	60.30	68.50	-8.20	7.90	3	Vertical	57	1.40	-	52.40	32.50	9.62	34.22

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	108.27	Inf	-Inf	7.39	3	Horizontal	62	1.50	-	100.88	32.08	9.52	34.21
PK	5.543G	57.63	68.20	-10.57	7.02	3	Horizontal	62	1.50	-	50.61	31.80	9.41	34.19
PK	5.789G	120.30	Inf	-Inf	7.39	3	Horizontal	62	1.50	-	112.91	32.08	9.52	34.21
PK	5.9354G	58.84	68.20	-9.36	7.91	3	Horizontal	62	1.50	-	50.93	32.50	9.63	34.22

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59768G	44.80	54.00	-9.20	18.58	3	Vertical	39	1.50	-	26.22	39.81	12.88	34.11
PK	11.5988G	57.45	74.00	-16.55	18.57	3	Vertical	39	1.50	-	38.88	39.80	12.88	34.11
PK	17.38916G	63.51	68.20	-4.69	23.02	3	Vertical	358	1.27	-	40.49	40.49	15.76	33.23

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58992G	46.99	54.00	-7.01	18.60	3	Horizontal	44	2.36	-	28.39	39.83	12.88	34.11
PK	11.5896G	56.56	74.00	-17.44	18.60	3	Horizontal	44	2.36	-	37.96	39.83	12.88	34.11
PK	17.40196G	63.47	68.20	-4.73	23.15	3	Horizontal	89	1.69	-	40.32	40.61	15.77	33.23

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	53.55	54.00	-0.45	6.85	3	Vertical	333	1.43	-	46.70	31.90	9.07	34.12
AV	5.198G	104.12	Inf	-Inf	6.65	3	Vertical	333	1.43	-	97.47	31.71	9.08	34.14
AV	5.356G	45.73	54.00	-8.27	6.44	3	Vertical	333	1.43	-	39.29	31.35	9.25	34.16
PK	5.138G	65.98	74.00	-8.02	6.85	3	Vertical	333	1.43	-	59.13	31.90	9.07	34.12
PK	5.237G	115.23	Inf	-Inf	6.46	3	Vertical	333	1.43	-	108.77	31.48	9.12	34.14
PK	5.369G	58.14	74.00	-15.86	6.55	3	Vertical	333	1.43	-	51.59	31.45	9.27	34.17

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	52.22	54.00	-1.78	6.84	3	Horizontal	341	1.30	-	45.38	31.90	9.07	34.13
AV	5.199G	101.58	Inf	-Inf	6.64	3	Horizontal	341	1.30	-	94.94	31.70	9.08	34.14
AV	5.392G	45.32	54.00	-8.68	6.76	3	Horizontal	341	1.30	-	38.56	31.64	9.29	34.17
PK	5.14G	64.51	74.00	-9.49	6.84	3	Horizontal	341	1.30	-	57.67	31.90	9.07	34.13
PK	5.199G	112.36	Inf	-Inf	6.64	3	Horizontal	341	1.30	-	105.72	31.70	9.08	34.14
PK	5.371G	57.04	74.00	-16.96	6.57	3	Horizontal	341	1.30	-	50.47	31.47	9.27	34.17

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59224G	45.75	54.00	-8.25	18.01	3	Vertical	60	1.57	-	27.74	37.65	14.82	34.46
PK	10.41996G	56.78	68.20	-11.42	17.38	3	Vertical	353	1.62	-	39.40	39.54	12.39	34.55
PK	15.60712G	58.68	74.00	-15.32	17.97	3	Vertical	60	1.57	-	40.71	37.61	14.83	34.47

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5916G	45.63	54.00	-8.37	18.01	3	Horizontal	25	2.99	-	27.62	37.65	14.82	34.46
PK	10.42004G	59.93	68.20	-8.27	17.38	3	Horizontal	9	1.50	-	42.55	39.54	12.39	34.55
PK	15.63784G	58.75	74.00	-15.25	17.99	3	Horizontal	25	2.99	-	40.76	37.64	14.84	34.49

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.77G	109.61	Inf	-Inf	7.34	3	Vertical	321	1.66	-	102.27	32.04	9.51	34.21
PK	5.65G	68.00	68.20	-0.20	6.88	3	Vertical	321	1.66	-	61.12	31.60	9.48	34.20
PK	5.771G	120.62	Inf	-Inf	7.34	3	Vertical	321	1.66	-	113.28	32.04	9.51	34.21
PK	5.934G	63.26	68.20	-4.94	7.91	3	Vertical	321	1.66	-	55.35	32.50	9.63	34.22

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.768G	105.22	Inf	-Inf	7.34	3	Horizontal	23	1.67	-	97.88	32.04	9.51	34.21
PK	5.65G	67.95	68.20	-0.25	6.88	3	Horizontal	23	1.67	-	61.07	31.60	9.48	34.20
PK	5.767G	115.96	Inf	-Inf	7.33	3	Horizontal	23	1.67	-	108.63	32.03	9.51	34.21
PK	5.925G	65.03	68.20	-3.17	7.90	3	Horizontal	23	1.67	-	57.13	32.50	9.62	34.22

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	44.37	54.00	-9.63	18.72	3	Vertical	157	1.58	-	25.65	39.95	12.86	34.09
PK	11.53576G	55.66	74.00	-18.34	18.77	3	Vertical	157	1.58	-	36.89	39.99	12.86	34.08
PK	17.36276G	62.58	68.20	-5.62	22.74	3	Vertical	308	1.82	-	39.84	40.23	15.75	33.24

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	44.26	54.00	-9.74	18.72	3	Horizontal	330	2.54	-	25.54	39.95	12.86	34.09
PK	11.52664G	56.04	74.00	-17.96	18.80	3	Horizontal	330	2.54	-	37.24	40.02	12.85	34.07
PK	17.34148G	63.14	68.20	-5.06	22.50	3	Horizontal	43	2.52	-	40.64	40.01	15.73	33.24



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	30M	36.52	40.00	-3.48	3	Horizontal	360	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	35.82M	36.46	40.00	-3.54	3	Vertical	0	1.00	-
5775MHz	Pass	PK	80.44M	33.52	40.00	-6.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	152.22M	28.80	43.50	-14.70	3	Vertical	0	1.00	-
5775MHz	Pass	PK	249.22M	27.43	46.00	-18.57	3	Vertical	0	1.00	-
5775MHz	Pass	PK	441.28M	33.32	46.00	-12.68	3	Vertical	0	1.00	-
5775MHz	Pass	PK	466.5M	35.05	46.00	-10.95	3	Vertical	0	1.00	-
5775MHz	Pass	PK	35.82M	35.90	40.00	-4.10	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	163.86M	33.30	43.50	-10.20	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	264.74M	32.01	46.00	-13.99	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	291.9M	31.18	46.00	-14.82	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	381.14M	34.53	46.00	-11.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	466.5M	31.11	46.00	-14.89	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	45.52M	35.22	40.00	-4.78	3	Vertical	0	1.00	-
5775MHz	Pass	PK	59.1M	35.14	40.00	-4.86	3	Vertical	0	1.00	-
5775MHz	Pass	PK	200.72M	37.19	43.50	-6.31	3	Vertical	0	1.00	-
5775MHz	Pass	PK	350.1M	36.99	46.00	-9.01	3	Vertical	0	1.00	-
5775MHz	Pass	PK	383.08M	35.23	46.00	-10.77	3	Vertical	0	1.00	-
5775MHz	Pass	PK	563.5M	33.78	46.00	-12.22	3	Vertical	0	1.00	-
5775MHz	Pass	PK	30M	36.52	40.00	-3.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	99.84M	32.86	43.50	-10.64	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	214.3M	38.83	43.50	-4.67	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	348.16M	36.46	46.00	-9.54	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	429.64M	33.58	46.00	-12.42	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	685.72M	34.27	46.00	-11.73	3	Horizontal	360	1.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	36.46	40.00	-3.54	-6.09	3	Vertical	0	1.00	-	42.55	20.17	0.92	27.18
PK	80.44M	33.52	40.00	-6.48	-14.39	3	Vertical	0	1.00	-	47.91	12.16	1.30	27.85
PK	152.22M	28.80	43.50	-14.70	-10.25	3	Vertical	0	1.00	-	39.05	15.58	1.72	27.55
PK	249.22M	27.43	46.00	-18.57	-7.40	3	Vertical	0	1.00	-	34.83	17.47	2.15	27.02
PK	441.28M	33.32	46.00	-12.68	-3.37	3	Vertical	0	1.00	-	36.69	21.78	2.87	28.02
PK	466.5M	35.05	46.00	-10.95	-2.83	3	Vertical	0	1.00	-	37.88	22.37	2.96	28.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	35.90	40.00	-4.10	-6.09	3	Horizontal	360	1.00	-	41.99	20.17	0.92	27.18
PK	163.86M	33.30	43.50	-10.20	-10.61	3	Horizontal	360	1.00	-	43.91	15.11	1.79	27.51
PK	264.74M	32.01	46.00	-13.99	-6.23	3	Horizontal	360	1.00	-	38.24	18.59	2.21	27.03
PK	291.9M	31.18	46.00	-14.82	-6.55	3	Horizontal	360	1.00	-	37.73	18.17	2.33	27.05
PK	381.14M	34.53	46.00	-11.47	-4.77	3	Horizontal	360	1.00	-	39.30	20.17	2.67	27.61
PK	466.5M	31.11	46.00	-14.89	-2.83	3	Horizontal	360	1.00	-	33.94	22.37	2.96	28.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	35.22	40.00	-4.78	-11.58	3	Vertical	0	1.00	-	46.80	14.97	1.03	27.58
PK	59.1M	35.14	40.00	-4.86	-15.06	3	Vertical	0	1.00	-	50.20	11.57	1.13	27.76
PK	200.72M	37.19	43.50	-6.31	-10.80	3	Vertical	0	1.00	-	47.99	14.56	1.96	27.32
PK	350.1M	36.99	46.00	-9.01	-5.19	3	Vertical	0	1.00	-	42.18	19.59	2.55	27.33
PK	383.08M	35.23	46.00	-10.77	-4.74	3	Vertical	0	1.00	-	39.97	20.21	2.68	27.63
PK	563.5M	33.78	46.00	-12.22	-1.14	3	Vertical	0	1.00	-	34.92	23.97	3.24	28.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.52	40.00	-3.48	-2.87	3	Horizontal	360	1.00	-	39.39	23.26	0.86	26.99
PK	99.84M	32.86	43.50	-10.64	-10.35	3	Horizontal	360	1.00	-	43.21	16.00	1.42	27.77
PK	214.3M	38.83	43.50	-4.67	-11.08	3	Horizontal	360	1.00	-	49.91	14.14	2.01	27.23
PK	348.16M	36.46	46.00	-9.54	-5.27	3	Horizontal	360	1.00	-	41.73	19.51	2.54	27.32
PK	429.64M	33.58	46.00	-12.42	-3.37	3	Horizontal	360	1.00	-	36.95	21.75	2.83	27.95
PK	685.72M	34.27	46.00	-11.73	-0.48	3	Horizontal	360	1.00	-	34.75	24.19	3.56	28.23

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.9634G	61.96	68.20	-6.24	3	Vertical	40	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6338G	63.48	68.20	-4.72	3	Horizontal	22	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.655G	69.25	71.90	-2.65	3	Vertical	0	2.58	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7426G	105.82	Inf	-Inf	3	Vertical	40	1.49	-
5745MHz	Pass	PK	5.5662G	60.24	68.20	-7.96	3	Vertical	40	1.49	-
5745MHz	Pass	PK	5.7474G	116.86	Inf	-Inf	3	Vertical	40	1.49	-
5745MHz	Pass	PK	5.9634G	61.96	68.20	-6.24	3	Vertical	40	1.49	-
5745MHz	Pass	AV	5.7474G	106.13	Inf	-Inf	3	Horizontal	52	1.01	-
5745MHz	Pass	PK	5.481G	60.65	68.20	-7.55	3	Horizontal	52	1.01	-
5745MHz	Pass	PK	5.7426G	116.33	Inf	-Inf	3	Horizontal	52	1.01	-
5745MHz	Pass	PK	5.9406G	60.48	68.20	-7.72	3	Horizontal	52	1.01	-
5745MHz	Pass	AV	11.48996G	44.21	54.00	-9.79	3	Vertical	0	1.46	-
5745MHz	Pass	PK	11.4914G	56.98	74.00	-17.02	3	Vertical	0	1.46	-
5745MHz	Pass	AV	11.49072G	43.92	54.00	-10.08	3	Horizontal	19	1.49	-
5745MHz	Pass	PK	11.4906G	57.12	74.00	-16.88	3	Horizontal	19	1.49	-
5785MHz	Pass	AV	5.7874G	106.71	Inf	-Inf	3	Vertical	7	2.18	-
5785MHz	Pass	PK	5.6242G	60.46	68.20	-7.74	3	Vertical	7	2.18	-
5785MHz	Pass	PK	5.7802G	117.03	Inf	-Inf	3	Vertical	7	2.18	-
5785MHz	Pass	PK	6.0778G	61.01	68.20	-7.19	3	Vertical	7	2.18	-
5785MHz	Pass	AV	5.779G	104.96	Inf	-Inf	3	Horizontal	353	1.49	-
5785MHz	Pass	PK	5.5066G	60.48	68.20	-7.72	3	Horizontal	353	1.49	-
5785MHz	Pass	PK	5.7862G	113.84	Inf	-Inf	3	Horizontal	353	1.49	-
5785MHz	Pass	PK	5.9986G	61.26	68.20	-6.94	3	Horizontal	353	1.49	-
5785MHz	Pass	AV	11.56996G	44.75	54.00	-9.25	3	Vertical	350	1.74	-
5785MHz	Pass	PK	11.56152G	56.60	74.00	-17.40	3	Vertical	350	1.74	-
5785MHz	Pass	AV	11.57G	43.74	54.00	-10.26	3	Horizontal	360	1.54	-
5785MHz	Pass	PK	11.57224G	56.49	74.00	-17.51	3	Horizontal	360	1.54	-
5825MHz	Pass	AV	5.8226G	106.90	Inf	-Inf	3	Vertical	38	1.57	-
5825MHz	Pass	PK	5.6498G	61.31	68.20	-6.89	3	Vertical	38	1.57	-
5825MHz	Pass	PK	5.8226G	116.01	Inf	-Inf	3	Vertical	38	1.57	-
5825MHz	Pass	PK	5.957G	61.44	68.20	-6.76	3	Vertical	38	1.57	-
5825MHz	Pass	AV	5.8274G	107.23	Inf	-Inf	3	Horizontal	86	1.89	-
5825MHz	Pass	PK	5.633G	60.62	68.20	-7.58	3	Horizontal	86	1.89	-
5825MHz	Pass	PK	5.8262G	117.55	Inf	-Inf	3	Horizontal	86	1.89	-
5825MHz	Pass	PK	5.9246G	60.92	68.50	-7.58	3	Horizontal	86	1.89	-
5825MHz	Pass	AV	11.65G	45.05	54.00	-8.95	3	Vertical	345	1.83	-
5825MHz	Pass	PK	11.65092G	56.93	74.00	-17.07	3	Vertical	345	1.83	-
5825MHz	Pass	AV	11.65596G	43.59	54.00	-10.41	3	Horizontal	10	1.50	-
5825MHz	Pass	PK	11.65684G	56.76	74.00	-17.24	3	Horizontal	10	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.7466G	107.56	Inf	-Inf	3	Vertical	35	1.48	-
5755MHz	Pass	PK	5.6434G	62.01	68.20	-6.19	3	Vertical	35	1.48	-
5755MHz	Pass	PK	5.7418G	112.14	Inf	-Inf	3	Vertical	35	1.48	-
5755MHz	Pass	PK	5.9866G	61.08	68.20	-7.12	3	Vertical	35	1.48	-
5755MHz	Pass	AV	5.7526G	103.35	Inf	-Inf	3	Horizontal	22	1.50	-
5755MHz	Pass	PK	5.6338G	63.48	68.20	-4.72	3	Horizontal	22	1.50	-
5755MHz	Pass	PK	5.7682G	112.53	Inf	-Inf	3	Horizontal	22	1.50	-
5755MHz	Pass	PK	5.9638G	60.79	68.20	-7.41	3	Horizontal	22	1.50	-
5755MHz	Pass	AV	11.51032G	44.03	54.00	-9.97	3	Vertical	2	1.50	-
5755MHz	Pass	PK	11.50792G	56.89	74.00	-17.11	3	Vertical	2	1.50	-
5755MHz	Pass	AV	11.51104G	43.94	54.00	-10.06	3	Horizontal	2	2.74	-
5755MHz	Pass	PK	11.51116G	56.93	74.00	-17.07	3	Horizontal	2	2.74	-
5795MHz	Pass	AV	5.7986G	103.03	Inf	-Inf	3	Vertical	33	1.84	-
5795MHz	Pass	PK	5.579G	60.91	68.20	-7.29	3	Vertical	33	1.84	-
5795MHz	Pass	PK	5.7986G	112.39	Inf	-Inf	3	Vertical	33	1.84	-
5795MHz	Pass	PK	5.9306G	61.48	68.20	-6.72	3	Vertical	33	1.84	-
5795MHz	Pass	AV	5.7914G	101.51	Inf	-Inf	3	Horizontal	22	1.50	-
5795MHz	Pass	PK	5.6234G	60.61	68.20	-7.59	3	Horizontal	22	1.50	-
5795MHz	Pass	PK	5.8082G	112.05	Inf	-Inf	3	Horizontal	22	1.50	-
5795MHz	Pass	PK	6.0434G	61.40	68.20	-6.80	3	Horizontal	22	1.50	-
5795MHz	Pass	AV	11.59G	45.20	54.00	-8.80	3	Vertical	346	1.75	-
5795MHz	Pass	PK	11.58996G	56.89	74.00	-17.11	3	Vertical	346	1.75	-
5795MHz	Pass	AV	11.59684G	43.26	54.00	-10.74	3	Horizontal	29	2.08	-




RSE TX above 1GHz_Beamforming_Radio0

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	PK	11.58724G	56.14	74.00	-17.86	3	Horizontal	29	2.08	-
802.11ax HEW80-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7762G	98.90	Inf	-Inf	3	Vertical	0	2.58	-
5775MHz	Pass	PK	5.655G	69.25	71.90	-2.65	3	Vertical	0	2.58	-
5775MHz	Pass	PK	5.781G	109.99	Inf	-Inf	3	Vertical	0	2.58	-
5775MHz	Pass	PK	5.9742G	61.55	68.20	-6.65	3	Vertical	0	2.58	-
5775MHz	Pass	AV	5.763G	98.22	Inf	-Inf	3	Horizontal	49	1.92	-
5775MHz	Pass	PK	5.6526G	67.26	70.12	-2.86	3	Horizontal	49	1.92	-
5775MHz	Pass	PK	5.7594G	110.15	Inf	-Inf	3	Horizontal	49	1.92	-
5775MHz	Pass	PK	5.937G	61.07	68.20	-7.13	3	Horizontal	49	1.92	-
5775MHz	Pass	AV	11.55004G	45.66	54.00	-8.34	3	Vertical	347	1.86	-
5775MHz	Pass	PK	11.54992G	56.53	74.00	-17.47	3	Vertical	347	1.86	-
5775MHz	Pass	AV	11.54452G	44.28	54.00	-9.72	3	Horizontal	21	1.77	-
5775MHz	Pass	PK	11.55016G	56.32	74.00	-17.68	3	Horizontal	21	1.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	105.82	Inf	-Inf	11.28	3	Vertical	40	1.49	-	94.54	31.99	9.50	30.21
PK	5.5662G	60.24	68.20	-7.96	11.06	3	Vertical	40	1.49	-	49.18	31.77	9.43	30.14
PK	5.7474G	116.86	Inf	-Inf	11.28	3	Vertical	40	1.49	-	105.58	31.99	9.50	30.21
PK	5.9634G	61.96	68.20	-6.24	11.85	3	Vertical	40	1.49	-	50.11	32.50	9.65	30.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	106.13	Inf	-Inf	11.28	3	Horizontal	52	1.01	-	94.85	31.99	9.50	30.21
PK	5.481G	60.65	68.20	-7.55	11.01	3	Horizontal	52	1.01	-	49.64	31.76	9.36	30.11
PK	5.7426G	116.33	Inf	-Inf	11.28	3	Horizontal	52	1.01	-	105.05	31.99	9.50	30.21
PK	5.9406G	60.48	68.20	-7.72	11.84	3	Horizontal	52	1.01	-	48.64	32.50	9.63	30.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48996G	44.21	54.00	-9.79	21.97	3	Vertical	0	1.46	-	22.24	40.08	12.84	30.95
PK	11.4914G	56.98	74.00	-17.02	21.97	3	Vertical	0	1.46	-	35.01	40.08	12.84	30.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49072G	43.92	54.00	-10.08	21.97	3	Horizontal	19	1.49	-	21.95	40.08	12.84	30.95
PK	11.4906G	57.12	74.00	-16.88	21.97	3	Horizontal	19	1.49	-	35.15	40.08	12.84	30.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	106.71	Inf	-Inf	11.37	3	Vertical	7	2.18	-	95.34	32.07	9.52	30.22
PK	5.6242G	60.46	68.20	-7.74	10.96	3	Vertical	7	2.18	-	49.50	31.65	9.47	30.16
PK	5.7802G	117.03	Inf	-Inf	11.35	3	Vertical	7	2.18	-	105.68	32.06	9.51	30.22
PK	6.0778G	61.01	68.20	-7.19	11.83	3	Vertical	7	2.18	-	49.18	32.44	9.74	30.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	104.96	Inf	-Inf	11.35	3	Horizontal	353	1.49	-	93.61	32.06	9.51	30.22
PK	5.5066G	60.48	68.20	-7.72	11.08	3	Horizontal	353	1.49	-	49.40	31.80	9.39	30.11
PK	5.7862G	113.84	Inf	-Inf	11.37	3	Horizontal	353	1.49	-	102.47	32.07	9.52	30.22
PK	5.9986G	61.26	68.20	-6.94	11.87	3	Horizontal	353	1.49	-	49.39	32.50	9.68	30.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56996G	44.75	54.00	-9.25	21.81	3	Vertical	350	1.74	-	22.94	39.89	12.87	30.95
PK	11.56152G	56.60	74.00	-17.40	21.84	3	Vertical	350	1.74	-	34.76	39.92	12.87	30.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57G	43.74	54.00	-10.26	21.81	3	Horizontal	360	1.54	-	21.93	39.89	12.87	30.95
PK	11.57224G	56.49	74.00	-17.51	21.80	3	Horizontal	360	1.54	-	34.69	39.88	12.87	30.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.90	Inf	-Inf	11.49	3	Vertical	38	1.57	-	95.41	32.19	9.54	30.24
PK	5.6498G	61.31	68.20	-6.89	10.90	3	Vertical	38	1.57	-	50.41	31.60	9.47	30.17
PK	5.8226G	116.01	Inf	-Inf	11.49	3	Vertical	38	1.57	-	104.52	32.19	9.54	30.24
PK	5.957G	61.44	68.20	-6.76	11.86	3	Vertical	38	1.57	-	49.58	32.50	9.65	30.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	107.23	Inf	-Inf	11.51	3	Horizontal	86	1.89	-	95.72	32.21	9.54	30.24
PK	5.633G	60.62	68.20	-7.58	10.94	3	Horizontal	86	1.89	-	49.68	31.63	9.47	30.16
PK	5.8262G	117.55	Inf	-Inf	11.50	3	Horizontal	86	1.89	-	106.05	32.20	9.54	30.24
PK	5.9246G	60.92	68.50	-7.58	11.84	3	Horizontal	86	1.89	-	49.08	32.50	9.62	30.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	45.05	54.00	-8.95	21.45	3	Vertical	345	1.83	-	23.60	39.50	12.90	30.95
PK	11.65092G	56.93	74.00	-17.07	21.44	3	Vertical	345	1.83	-	35.49	39.49	12.90	30.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65596G	43.59	54.00	-10.41	21.42	3	Horizontal	10	1.50	-	22.17	39.46	12.91	30.95
PK	11.65684G	56.76	74.00	-17.24	21.42	3	Horizontal	10	1.50	-	35.34	39.46	12.91	30.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	107.56	Inf	-Inf	11.28	3	Vertical	35	1.48	-	96.28	31.99	9.50	30.21
PK	5.6434G	62.01	68.20	-6.19	10.91	3	Vertical	35	1.48	-	51.10	31.61	9.47	30.17
PK	5.7418G	112.14	Inf	-Inf	11.27	3	Vertical	35	1.48	-	100.87	31.98	9.50	30.21
PK	5.9866G	61.08	68.20	-7.12	11.87	3	Vertical	35	1.48	-	49.21	32.50	9.67	30.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	103.35	Inf	-Inf	11.31	3	Horizontal	22	1.50	-	92.04	32.01	9.51	30.21
PK	5.6338G	63.48	68.20	-4.72	10.94	3	Horizontal	22	1.50	-	52.54	31.63	9.47	30.16
PK	5.7682G	112.53	Inf	-Inf	11.33	3	Horizontal	22	1.50	-	101.20	32.04	9.51	30.22
PK	5.9638G	60.79	68.20	-7.41	11.85	3	Horizontal	22	1.50	-	48.94	32.50	9.65	30.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51032G	44.03	54.00	-9.97	21.96	3	Vertical	2	1.50	-	22.07	40.07	12.84	30.95
PK	11.50792G	56.89	74.00	-17.11	21.97	3	Vertical	2	1.50	-	34.92	40.08	12.84	30.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51104G	43.94	54.00	-10.06	21.96	3	Horizontal	2	2.74	-	21.98	40.07	12.84	30.95
PK	11.51116G	56.93	74.00	-17.07	21.96	3	Horizontal	2	2.74	-	34.97	40.07	12.84	30.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	103.03	Inf	-Inf	11.39	3	Vertical	33	1.84	-	91.64	32.10	9.52	30.23
PK	5.799G	60.91	68.20	-7.29	11.04	3	Vertical	33	1.84	-	49.87	31.74	9.44	30.14
PK	5.7986G	112.39	Inf	-Inf	11.39	3	Vertical	33	1.84	-	101.00	32.10	9.52	30.23
PK	5.9306G	61.48	68.20	-6.72	11.84	3	Vertical	33	1.84	-	49.64	32.50	9.62	30.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7914G	101.51	Inf	-Inf	11.37	3	Horizontal	22	1.50	-	90.14	32.08	9.52	30.23
PK	5.6234G	60.61	68.20	-7.59	10.96	3	Horizontal	22	1.50	-	49.65	31.65	9.47	30.16
PK	5.8082G	112.05	Inf	-Inf	11.43	3	Horizontal	22	1.50	-	100.62	32.13	9.53	30.23
PK	6.0434G	61.40	68.20	-6.80	11.88	3	Horizontal	22	1.50	-	49.52	32.50	9.71	30.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59G	45.20	54.00	-8.80	21.76	3	Vertical	346	1.75	-	23.44	39.83	12.88	30.95
PK	11.58996G	56.89	74.00	-17.11	21.76	3	Vertical	346	1.75	-	35.13	39.83	12.88	30.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59684G	43.26	54.00	-10.74	21.74	3	Horizontal	29	2.08	-	21.52	39.81	12.88	30.95
PK	11.58724G	56.14	74.00	-17.86	21.77	3	Horizontal	29	2.08	-	34.37	39.84	12.88	30.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	98.90	Inf	-Inf	11.34	3	Vertical	0	2.58	-	87.56	32.05	9.51	30.22
PK	5.655G	69.25	71.90	-2.65	10.94	3	Vertical	0	2.58	-	58.31	31.63	9.48	30.17
PK	5.781G	109.99	Inf	-Inf	11.35	3	Vertical	0	2.58	-	98.64	32.06	9.51	30.22
PK	5.9742G	61.55	68.20	-6.65	11.86	3	Vertical	0	2.58	-	49.69	32.50	9.66	30.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	98.22	Inf	-Inf	11.32	3	Horizontal	49	1.92	-	86.90	32.03	9.51	30.22
PK	5.6526G	67.26	70.12	-2.86	10.93	3	Horizontal	49	1.92	-	56.33	31.62	9.48	30.17
PK	5.7594G	110.15	Inf	-Inf	11.32	3	Horizontal	49	1.92	-	98.83	32.02	9.51	30.21
PK	5.937G	61.07	68.20	-7.13	11.85	3	Horizontal	49	1.92	-	49.22	32.50	9.63	30.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55004G	45.66	54.00	-8.34	21.86	3	Vertical	347	1.86	-	23.80	39.95	12.86	30.95
PK	11.54992G	56.53	74.00	-17.47	21.86	3	Vertical	347	1.86	-	34.67	39.95	12.86	30.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54452G	44.28	54.00	-9.72	21.88	3	Horizontal	21	1.77	-	22.40	39.97	12.86	30.95
PK	11.55016G	56.32	74.00	-17.68	21.86	3	Horizontal	21	1.77	-	34.46	39.95	12.86	30.95



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	338.46M	42.47	46.00	-3.53	3	Horizontal	0	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	PK	45.52M	35.59	40.00	-4.41	3	Vertical	360	1.00	-
5210MHz	Pass	PK	78.5M	33.96	40.00	-6.04	3	Vertical	360	1.00	-
5210MHz	Pass	PK	163.86M	28.15	43.50	-15.35	3	Vertical	360	1.00	-
5210MHz	Pass	PK	249.22M	28.88	46.00	-17.12	3	Vertical	360	1.00	-
5210MHz	Pass	PK	268.62M	29.04	46.00	-16.96	3	Vertical	360	1.00	-
5210MHz	Pass	PK	466.5M	36.81	46.00	-9.19	3	Vertical	360	1.00	-
5210MHz	Pass	PK	43.58M	35.52	40.00	-4.48	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	103.72M	31.19	43.50	-12.31	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	119.24M	33.22	43.50	-10.28	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	167.74M	34.01	43.50	-9.49	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	268.62M	33.46	46.00	-12.54	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	383.08M	34.42	46.00	-11.58	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	62.98M	35.91	40.00	-4.09	3	Vertical	360	1.00	-
5210MHz	Pass	PK	95.96M	30.35	43.50	-13.15	3	Vertical	360	1.00	-
5210MHz	Pass	PK	336.52M	40.46	46.00	-5.54	3	Vertical	360	1.00	-
5210MHz	Pass	PK	350.1M	40.38	46.00	-5.62	3	Vertical	360	1.00	-
5210MHz	Pass	PK	433.52M	36.37	46.00	-9.63	3	Vertical	360	1.00	-
5210MHz	Pass	PK	557.68M	34.92	46.00	-11.08	3	Vertical	360	1.00	-
5210MHz	Pass	PK	94.02M	32.22	43.50	-11.28	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	159.98M	31.32	43.50	-12.18	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	293.84M	37.83	46.00	-8.17	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	338.46M	42.47	46.00	-3.53	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	371.44M	40.96	46.00	-5.04	3	Horizontal	0	1.00	-
5210MHz	Pass	PK	612M	36.02	46.00	-9.98	3	Horizontal	0	1.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	35.59	40.00	-4.41	-11.58	3	Vertical	360	1.00	-	47.17	14.97	1.03	27.58
PK	78.5M	33.96	40.00	-6.04	-14.63	3	Vertical	360	1.00	-	48.59	11.93	1.29	27.85
PK	163.86M	28.15	43.50	-15.35	-10.61	3	Vertical	360	1.00	-	38.76	15.11	1.79	27.51
PK	249.22M	28.88	46.00	-17.12	-7.40	3	Vertical	360	1.00	-	36.28	17.47	2.15	27.02
PK	268.62M	29.04	46.00	-16.96	-6.59	3	Vertical	360	1.00	-	35.63	18.21	2.23	27.03
PK	466.5M	36.81	46.00	-9.19	-2.83	3	Vertical	360	1.00	-	39.64	22.37	2.96	28.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	35.52	40.00	-4.48	-10.69	3	Horizontal	0	1.00	-	46.21	15.82	1.00	27.51
PK	103.72M	31.19	43.50	-12.31	-9.71	3	Horizontal	0	1.00	-	40.90	16.63	1.44	27.78
PK	119.24M	33.22	43.50	-10.28	-8.78	3	Horizontal	0	1.00	-	42.00	17.48	1.54	27.80
PK	167.74M	34.01	43.50	-9.49	-10.73	3	Horizontal	0	1.00	-	44.74	14.97	1.80	27.50
PK	268.62M	33.46	46.00	-12.54	-6.59	3	Horizontal	0	1.00	-	40.05	18.21	2.23	27.03
PK	383.08M	34.42	46.00	-11.58	-4.74	3	Horizontal	0	1.00	-	39.16	20.21	2.68	27.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	35.91	40.00	-4.09	-15.10	3	Vertical	360	1.00	-	51.01	11.53	1.16	27.79
PK	95.96M	30.35	43.50	-13.15	-11.00	3	Vertical	360	1.00	-	41.35	15.37	1.40	27.77
PK	336.52M	40.46	46.00	-5.54	-5.72	3	Vertical	360	1.00	-	46.18	19.04	2.50	27.26
PK	350.1M	40.38	46.00	-5.62	-5.19	3	Vertical	360	1.00	-	45.57	19.59	2.55	27.33
PK	433.52M	36.37	46.00	-9.63	-3.36	3	Vertical	360	1.00	-	39.73	21.76	2.85	27.97
PK	557.68M	34.92	46.00	-11.08	-1.10	3	Vertical	360	1.00	-	36.02	24.02	3.22	28.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	94.02M	32.22	43.50	-11.28	-11.48	3	Horizontal	0	1.00	-	43.70	14.92	1.38	27.78
PK	159.98M	31.32	43.50	-12.18	-10.53	3	Horizontal	0	1.00	-	41.85	15.22	1.77	27.52
PK	293.84M	37.83	46.00	-8.17	-6.52	3	Horizontal	0	1.00	-	44.35	18.21	2.33	27.06
PK	338.46M	42.47	46.00	-3.53	-5.66	3	Horizontal	0	1.00	-	48.13	19.10	2.51	27.27
PK	371.44M	40.96	46.00	-5.04	-4.88	3	Horizontal	0	1.00	-	45.84	20.01	2.63	27.52
PK	612M	36.02	46.00	-9.98	-0.90	3	Horizontal	0	1.00	-	36.92	24.08	3.39	28.37

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	52.84	54.00	-1.16	3	Vertical	52	1.58	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.66	54.00	-0.34	3	Vertical	56	1.75	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149G	51.07	54.00	-2.93	3	Vertical	53	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	52.84	54.00	-1.16	3	Vertical	52	1.58	-
5180MHz	Pass	AV	5.1858G	107.27	Inf	-Inf	3	Vertical	52	1.58	-
5180MHz	Pass	PK	5.1474G	65.95	74.00	-8.05	3	Vertical	52	1.58	-
5180MHz	Pass	PK	5.1838G	119.40	Inf	-Inf	3	Vertical	52	1.58	-
5180MHz	Pass	AV	5.1496G	49.95	54.00	-4.05	3	Horizontal	360	2.91	-
5180MHz	Pass	AV	5.1822G	101.99	Inf	-Inf	3	Horizontal	360	2.91	-
5180MHz	Pass	PK	5.1482G	62.40	74.00	-11.60	3	Horizontal	360	2.91	-
5180MHz	Pass	PK	5.1816G	113.76	Inf	-Inf	3	Horizontal	360	2.91	-
5180MHz	Pass	PK	10.35996G	56.33	68.20	-11.87	3	Vertical	350	2.58	-
5180MHz	Pass	PK	10.35976G	56.54	68.20	-11.66	3	Horizontal	258	1.68	-
5200MHz	Pass	AV	5.1488G	51.16	54.00	-2.84	3	Vertical	64	2.18	-
5200MHz	Pass	AV	5.2024G	109.96	Inf	-Inf	3	Vertical	64	2.18	-
5200MHz	Pass	PK	5.15G	63.83	74.00	-10.17	3	Vertical	64	2.18	-
5200MHz	Pass	PK	5.1964G	119.11	Inf	-Inf	3	Vertical	64	2.18	-
5200MHz	Pass	AV	5.1496G	49.61	54.00	-4.39	3	Horizontal	341	2.89	-
5200MHz	Pass	AV	5.198G	103.68	Inf	-Inf	3	Horizontal	341	2.89	-
5200MHz	Pass	PK	5.1464G	61.84	74.00	-12.16	3	Horizontal	341	2.89	-
5200MHz	Pass	PK	5.206G	115.16	Inf	-Inf	3	Horizontal	341	2.89	-
5200MHz	Pass	PK	10.39048G	56.50	68.20	-11.70	3	Vertical	15	1.10	-
5200MHz	Pass	PK	10.40004G	56.73	68.20	-11.47	3	Horizontal	271	1.04	-
5240MHz	Pass	AV	5.1494G	49.14	54.00	-4.86	3	Vertical	66	2.28	-
5240MHz	Pass	AV	5.2424G	111.29	Inf	-Inf	3	Vertical	66	2.28	-
5240MHz	Pass	AV	5.3516G	48.18	54.00	-5.82	3	Vertical	66	2.28	-
5240MHz	Pass	PK	5.1464G	61.00	74.00	-13.00	3	Vertical	66	2.28	-
5240MHz	Pass	PK	5.2424G	121.47	Inf	-Inf	3	Vertical	66	2.28	-
5240MHz	Pass	PK	5.357G	59.87	74.00	-14.13	3	Vertical	66	2.28	-
5240MHz	Pass	AV	5.147G	48.23	54.00	-5.77	3	Horizontal	8	2.98	-
5240MHz	Pass	AV	5.2334G	104.55	Inf	-Inf	3	Horizontal	8	2.98	-
5240MHz	Pass	AV	5.366G	47.81	54.00	-6.19	3	Horizontal	8	2.98	-
5240MHz	Pass	PK	5.1002G	61.10	74.00	-12.90	3	Horizontal	8	2.98	-
5240MHz	Pass	PK	5.246G	114.92	Inf	-Inf	3	Horizontal	8	2.98	-
5240MHz	Pass	PK	5.3852G	60.52	74.00	-13.48	3	Horizontal	8	2.98	-
5240MHz	Pass	PK	10.47864G	59.12	68.20	-9.08	3	Vertical	342	2.04	-
5240MHz	Pass	PK	10.47992G	56.98	68.20	-11.22	3	Horizontal	336	2.38	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Vertical	56	1.75	-
5190MHz	Pass	AV	5.1868G	106.55	Inf	-Inf	3	Vertical	56	1.75	-
5190MHz	Pass	PK	5.1412G	66.34	74.00	-7.66	3	Vertical	56	1.75	-
5190MHz	Pass	PK	5.1828G	117.54	Inf	-Inf	3	Vertical	56	1.75	-
5190MHz	Pass	AV	5.1492G	50.07	54.00	-3.93	3	Horizontal	336	1.00	-
5190MHz	Pass	AV	5.192G	101.19	Inf	-Inf	3	Horizontal	336	1.00	-
5190MHz	Pass	PK	5.1424G	62.40	74.00	-11.60	3	Horizontal	336	1.00	-
5190MHz	Pass	PK	5.1932G	113.88	Inf	-Inf	3	Horizontal	336	1.00	-
5190MHz	Pass	PK	10.38G	56.59	68.20	-11.61	3	Vertical	332	1.50	-
5190MHz	Pass	PK	10.38004G	56.96	68.20	-11.24	3	Horizontal	256	1.67	-
5230MHz	Pass	AV	5.1484G	52.39	54.00	-1.61	3	Vertical	59	1.87	-
5230MHz	Pass	AV	5.2268G	106.82	Inf	-Inf	3	Vertical	59	1.87	-
5230MHz	Pass	PK	5.1464G	64.87	74.00	-9.13	3	Vertical	59	1.87	-
5230MHz	Pass	PK	5.2224G	117.91	Inf	-Inf	3	Vertical	59	1.87	-
5230MHz	Pass	AV	5.1496G	50.10	54.00	-3.90	3	Horizontal	338	2.58	-
5230MHz	Pass	AV	5.238G	101.22	Inf	-Inf	3	Horizontal	338	2.58	-
5230MHz	Pass	PK	5.1436G	63.18	74.00	-10.82	3	Horizontal	338	2.58	-
5230MHz	Pass	PK	5.234G	112.53	Inf	-Inf	3	Horizontal	338	2.58	-
5230MHz	Pass	PK	10.4404G	58.64	68.20	-9.56	3	Vertical	22	1.04	-
5230MHz	Pass	PK	10.46G	56.50	68.20	-11.70	3	Horizontal	57	1.78	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	51.07	54.00	-2.93	3	Vertical	53	1.50	-
5210MHz	Pass	AV	5.207G	99.75	Inf	-Inf	3	Vertical	53	1.50	-
5210MHz	Pass	AV	5.357G	48.94	54.00	-5.06	3	Vertical	53	1.50	-
5210MHz	Pass	PK	5.142G	64.87	74.00	-9.13	3	Vertical	53	1.50	-




RSE TX above 1GHz_Beamforming_Radio2

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.202G	110.24	Inf	-Inf	3	Vertical	53	1.50	-
5210MHz	Pass	PK	5.382G	60.63	74.00	-13.37	3	Vertical	53	1.50	-
5210MHz	Pass	AV	5.149G	50.11	54.00	-3.89	3	Horizontal	23	3.00	-
5210MHz	Pass	AV	5.2G	100.37	Inf	-Inf	3	Horizontal	23	3.00	-
5210MHz	Pass	AV	5.405G	48.85	54.00	-5.15	3	Horizontal	23	3.00	-
5210MHz	Pass	PK	5.14G	61.56	74.00	-12.44	3	Horizontal	23	3.00	-
5210MHz	Pass	PK	5.199G	109.20	Inf	-Inf	3	Horizontal	23	3.00	-
5210MHz	Pass	PK	5.377G	60.09	74.00	-13.91	3	Horizontal	23	3.00	-
5210MHz	Pass	PK	10.44704G	56.01	68.20	-12.19	3	Vertical	0	2.29	-
5210MHz	Pass	PK	10.43088G	56.18	68.20	-12.02	3	Horizontal	0	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.84	54.00	-1.16	10.80	3	Vertical	52	1.58	-	42.04	31.90	9.07	30.17
AV	5.1858G	107.27	Inf	-Inf	10.68	3	Vertical	52	1.58	-	96.59	31.76	9.08	30.16
PK	5.1474G	65.95	74.00	-8.05	10.80	3	Vertical	52	1.58	-	55.15	31.90	9.07	30.17
PK	5.1838G	119.40	Inf	-Inf	10.68	3	Vertical	52	1.58	-	108.72	31.76	9.08	30.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.95	54.00	-4.05	10.80	3	Horizontal	360	2.91	-	39.15	31.90	9.07	30.17
AV	5.1822G	101.99	Inf	-Inf	10.69	3	Horizontal	360	2.91	-	91.30	31.77	9.08	30.16
PK	5.1482G	62.40	74.00	-11.60	10.80	3	Horizontal	360	2.91	-	51.60	31.90	9.07	30.17
PK	5.1816G	113.76	Inf	-Inf	10.69	3	Horizontal	360	2.91	-	103.07	31.77	9.08	30.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35996G	56.33	68.20	-11.87	20.77	3	Vertical	350	2.58	-	35.56	39.34	12.36	30.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35976G	56.54	68.20	-11.66	20.77	3	Horizontal	258	1.68	-	35.77	39.34	12.36	30.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.16	54.00	-2.84	10.80	3	Vertical	64	2.18	-	40.36	31.90	9.07	30.17
AV	5.2024G	109.96	Inf	-Inf	10.61	3	Vertical	64	2.18	-	99.35	31.69	9.08	30.16
PK	5.15G	63.83	74.00	-10.17	10.80	3	Vertical	64	2.18	-	53.03	31.90	9.07	30.17
PK	5.1964G	119.11	Inf	-Inf	10.63	3	Vertical	64	2.18	-	108.48	31.71	9.08	30.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.61	54.00	-4.39	10.80	3	Horizontal	341	2.89	-	38.81	31.90	9.07	30.17
AV	5.198G	103.68	Inf	-Inf	10.63	3	Horizontal	341	2.89	-	93.05	31.71	9.08	30.16
PK	5.1464G	61.84	74.00	-12.16	10.80	3	Horizontal	341	2.89	-	51.04	31.90	9.07	30.17
PK	5.206G	115.16	Inf	-Inf	10.59	3	Horizontal	341	2.89	-	104.57	31.66	9.09	30.16



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39048G	56.50	68.20	-11.70	20.90	3	Vertical	15	1.10	-	35.60	39.46	12.37	30.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.40004G	56.73	68.20	-11.47	20.95	3	Horizontal	271	1.04	-	35.78	39.50	12.38	30.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	49.14	54.00	-4.86	10.80	3	Vertical	66	2.28	-	38.34	31.90	9.07	30.17
AV	5.2424G	111.29	Inf	-Inf	10.43	3	Vertical	66	2.28	-	100.86	31.45	9.13	30.15
AV	5.3516G	48.18	54.00	-5.82	10.43	3	Vertical	66	2.28	-	37.75	31.31	9.25	30.13
PK	5.1464G	61.00	74.00	-13.00	10.80	3	Vertical	66	2.28	-	50.20	31.90	9.07	30.17
PK	5.2424G	121.47	Inf	-Inf	10.43	3	Vertical	66	2.28	-	111.04	31.45	9.13	30.15
PK	5.357G	59.87	74.00	-14.13	10.48	3	Vertical	66	2.28	-	49.39	31.36	9.25	30.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	48.23	54.00	-5.77	10.80	3	Horizontal	8	2.98	-	37.43	31.90	9.07	30.17
AV	5.2334G	104.55	Inf	-Inf	10.47	3	Horizontal	8	2.98	-	94.08	31.50	9.12	30.15
AV	5.366G	47.81	54.00	-6.19	10.56	3	Horizontal	8	2.98	-	37.25	31.43	9.26	30.13
PK	5.1002G	61.10	74.00	-12.90	10.80	3	Horizontal	8	2.98	-	50.30	31.90	9.07	30.17
PK	5.246G	114.92	Inf	-Inf	10.40	3	Horizontal	8	2.98	-	104.52	31.42	9.13	30.15
PK	5.3852G	60.52	74.00	-13.48	10.73	3	Horizontal	8	2.98	-	49.79	31.58	9.28	30.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.47864G	59.12	68.20	-9.08	21.13	3	Vertical	342	2.04	-	37.99	39.66	12.41	30.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47992G	56.98	68.20	-11.22	21.13	3	Horizontal	336	2.38	-	35.85	39.66	12.41	30.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.66	54.00	-0.34	10.80	3	Vertical	56	1.75	-	42.86	31.90	9.07	30.17
AV	5.1868G	106.55	Inf	-Inf	10.67	3	Vertical	56	1.75	-	95.88	31.75	9.08	30.16
PK	5.1412G	66.34	74.00	-7.66	10.80	3	Vertical	56	1.75	-	55.54	31.90	9.07	30.17
PK	5.1828G	117.54	Inf	-Inf	10.69	3	Vertical	56	1.75	-	106.85	31.77	9.08	30.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.07	54.00	-3.93	10.80	3	Horizontal	336	1.00	-	39.27	31.90	9.07	30.17
AV	5.192G	101.19	Inf	-Inf	10.65	3	Horizontal	336	1.00	-	90.54	31.73	9.08	30.16
PK	5.1424G	62.40	74.00	-11.60	10.80	3	Horizontal	336	1.00	-	51.60	31.90	9.07	30.17
PK	5.1932G	113.88	Inf	-Inf	10.65	3	Horizontal	336	1.00	-	103.23	31.73	9.08	30.16



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38G	56.59	68.20	-11.61	20.86	3	Vertical	332	1.50	-	35.73	39.42	12.37	30.93



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38004G	56.96	68.20	-11.24	20.86	3	Horizontal	256	1.67	-	36.10	39.42	12.37	30.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.39	54.00	-1.61	10.80	3	Vertical	59	1.87	-	41.59	31.90	9.07	30.17
AV	5.2268G	106.82	Inf	-Inf	10.50	3	Vertical	59	1.87	-	96.32	31.54	9.11	30.15
PK	5.1464G	64.87	74.00	-9.13	10.80	3	Vertical	59	1.87	-	54.07	31.90	9.07	30.17
PK	5.2224G	117.91	Inf	-Inf	10.52	3	Vertical	59	1.87	-	107.39	31.57	9.10	30.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.10	54.00	-3.90	10.80	3	Horizontal	338	2.58	-	39.30	31.90	9.07	30.17
AV	5.238G	101.22	Inf	-Inf	10.44	3	Horizontal	338	2.58	-	90.78	31.47	9.12	30.15
PK	5.1436G	63.18	74.00	-10.82	10.80	3	Horizontal	338	2.58	-	52.38	31.90	9.07	30.17
PK	5.234G	112.53	Inf	-Inf	10.47	3	Horizontal	338	2.58	-	102.06	31.50	9.12	30.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.4404G	58.64	68.20	-9.56	21.04	3	Vertical	22	1.04	-	37.60	39.58	12.39	30.93



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46G	56.50	68.20	-11.70	21.08	3	Horizontal	57	1.78	-	35.42	39.62	12.40	30.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	51.07	54.00	-2.93	10.80	3	Vertical	53	1.50	-	40.27	31.90	9.07	30.17
AV	5.207G	99.75	Inf	-Inf	10.59	3	Vertical	53	1.50	-	89.16	31.66	9.09	30.16
AV	5.357G	48.94	54.00	-5.06	10.48	3	Vertical	53	1.50	-	38.46	31.36	9.25	30.13
PK	5.142G	64.87	74.00	-9.13	10.80	3	Vertical	53	1.50	-	54.07	31.90	9.07	30.17
PK	5.202G	110.24	Inf	-Inf	10.61	3	Vertical	53	1.50	-	99.63	31.69	9.08	30.16
PK	5.382G	60.63	74.00	-13.37	10.71	3	Vertical	53	1.50	-	49.92	31.56	9.28	30.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	50.11	54.00	-3.89	10.80	3	Horizontal	23	3.00	-	39.31	31.90	9.07	30.17
AV	5.2G	100.37	Inf	-Inf	10.62	3	Horizontal	23	3.00	-	89.75	31.70	9.08	30.16
AV	5.405G	48.85	54.00	-5.15	10.87	3	Horizontal	23	3.00	-	37.98	31.70	9.30	30.13
PK	5.14G	61.56	74.00	-12.44	10.80	3	Horizontal	23	3.00	-	50.76	31.90	9.07	30.17
PK	5.199G	109.20	Inf	-Inf	10.62	3	Horizontal	23	3.00	-	98.58	31.70	9.08	30.16
PK	5.377G	60.09	74.00	-13.91	10.66	3	Horizontal	23	3.00	-	49.43	31.52	9.27	30.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44704G	56.01	68.20	-12.19	21.06	3	Vertical	0	2.29	-	34.95	39.59	12.40	30.93



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43088G	56.18	68.20	-12.02	21.02	3	Horizontal	0	2.56	-	35.16	39.56	12.39	30.93



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	Pass	PK	30M	36.36	40.00	-3.64	3	Horizontal	0	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	36.05	40.00	-3.95	3	Vertical	0	1.00	-
5775MHz	Pass	PK	45.52M	35.91	40.00	-4.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	92.08M	36.67	43.50	-6.83	3	Vertical	0	1.00	-
5775MHz	Pass	PK	161.92M	30.84	43.50	-12.66	3	Vertical	0	1.00	-
5775MHz	Pass	PK	330.7M	36.44	46.00	-9.56	3	Vertical	0	1.00	-
5775MHz	Pass	PK	359.8M	39.12	46.00	-6.88	3	Vertical	0	1.00	-
5775MHz	Pass	PK	30M	35.19	40.00	-4.81	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	95.96M	31.57	43.50	-11.93	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	161.92M	30.09	43.50	-13.41	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	334.58M	38.10	46.00	-7.90	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	359.8M	37.23	46.00	-8.77	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	427.7M	32.13	46.00	-13.87	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	30M	35.08	40.00	-4.92	3	Vertical	360	1.00	-
5775MHz	Pass	PK	45.52M	32.33	40.00	-7.67	3	Vertical	360	1.00	-
5775MHz	Pass	PK	165.8M	33.90	43.50	-9.60	3	Vertical	360	1.00	-
5775MHz	Pass	PK	355.92M	38.92	46.00	-7.08	3	Vertical	360	1.00	-
5775MHz	Pass	PK	396.66M	38.33	46.00	-7.67	3	Vertical	360	1.00	-
5775MHz	Pass	PK	532.46M	35.80	46.00	-10.20	3	Vertical	360	1.00	-
5775MHz	Pass	PK	30M	36.36	40.00	-3.64	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	119.24M	29.33	43.50	-14.17	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	179.38M	35.51	43.50	-7.99	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	353.98M	36.74	46.00	-9.26	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	394.72M	37.83	46.00	-8.17	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	427.7M	36.74	46.00	-9.26	3	Horizontal	0	1.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.05	40.00	-3.95	-2.87	3	Vertical	0	1.00	-	38.92	23.26	0.86	26.99
PK	45.52M	35.91	40.00	-4.09	-11.58	3	Vertical	0	1.00	-	47.49	14.97	1.03	27.58
PK	92.08M	36.67	43.50	-6.83	-11.89	3	Vertical	0	1.00	-	48.56	14.55	1.37	27.81
PK	161.92M	30.84	43.50	-12.66	-10.63	3	Vertical	0	1.00	-	41.47	15.10	1.78	27.51
PK	330.7M	36.44	46.00	-9.56	-5.86	3	Vertical	0	1.00	-	42.30	18.89	2.48	27.23
PK	359.8M	39.12	46.00	-6.88	-4.90	3	Vertical	0	1.00	-	44.02	19.93	2.59	27.42

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.19	40.00	-4.81	-2.87	3	Horizontal	360	1.00	-	38.06	23.26	0.86	26.99
PK	95.96M	31.57	43.50	-11.93	-11.00	3	Horizontal	360	1.00	-	42.57	15.37	1.40	27.77
PK	161.92M	30.09	43.50	-13.41	-10.63	3	Horizontal	360	1.00	-	40.72	15.10	1.78	27.51
PK	334.58M	38.10	46.00	-7.90	-5.77	3	Horizontal	360	1.00	-	43.87	18.99	2.49	27.25
PK	359.8M	37.23	46.00	-8.77	-4.90	3	Horizontal	360	1.00	-	42.13	19.93	2.59	27.42
PK	427.7M	32.13	46.00	-13.87	-3.34	3	Horizontal	360	1.00	-	35.47	21.77	2.83	27.94

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.08	40.00	-4.92	-2.87	3	Vertical	360	1.00	-	37.95	23.26	0.86	26.99
PK	45.52M	32.33	40.00	-7.67	-11.58	3	Vertical	360	1.00	-	43.91	14.97	1.03	27.58
PK	165.8M	33.90	43.50	-9.60	-10.62	3	Vertical	360	1.00	-	44.52	15.08	1.80	27.50
PK	355.92M	38.92	46.00	-7.08	-5.00	3	Vertical	360	1.00	-	43.92	19.81	2.57	27.38
PK	396.66M	38.33	46.00	-7.67	-4.23	3	Vertical	360	1.00	-	42.56	20.79	2.73	27.75
PK	532.46M	35.80	46.00	-10.20	-2.29	3	Vertical	360	1.00	-	38.09	22.89	3.15	28.33

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.36	40.00	-3.64	-2.87	3	Horizontal	0	1.00	-	39.23	23.26	0.86	26.99
PK	119.24M	29.33	43.50	-14.17	-8.78	3	Horizontal	0	1.00	-	38.11	17.48	1.54	27.80
PK	179.38M	35.51	43.50	-7.99	-11.09	3	Horizontal	0	1.00	-	46.60	14.51	1.86	27.46
PK	353.98M	36.74	46.00	-9.26	-5.06	3	Horizontal	0	1.00	-	41.80	19.74	2.57	27.37
PK	394.72M	37.83	46.00	-8.17	-4.35	3	Horizontal	0	1.00	-	42.18	20.66	2.72	27.73
PK	427.7M	36.74	46.00	-9.26	-3.34	3	Horizontal	0	1.00	-	40.08	21.77	2.83	27.94

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	Pass	AV	5.1494G	52.10	54.00	-1.90	3	Vertical	342	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	Pass	AV	5.1484G	53.71	54.00	-0.29	3	Vertical	334	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	Pass	AV	5.149G	53.73	54.00	-0.27	3	Vertical	353	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	Pass	PK	17.35188G	63.86	68.20	-4.34	3	Vertical	301	1.31	-
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	Pass	PK	17.38331G	65.11	68.20	-3.09	3	Horizontal	127	2.31	-
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	Pass	PK	5.655G	69.16	71.90	-2.74	3	Horizontal	48	1.83	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.10	54.00	-1.90	3	Vertical	342	1.50	-
5180MHz	Pass	AV	5.1718G	109.23	Inf	-Inf	3	Vertical	342	1.50	-
5180MHz	Pass	PK	5.1468G	67.14	74.00	-6.86	3	Vertical	342	1.50	-
5180MHz	Pass	PK	5.1724G	120.23	Inf	-Inf	3	Vertical	342	1.50	-
5180MHz	Pass	AV	5.1486G	50.68	54.00	-3.32	3	Horizontal	338	1.46	-
5180MHz	Pass	AV	5.1734G	105.82	Inf	-Inf	3	Horizontal	338	1.46	-
5180MHz	Pass	PK	5.1494G	62.01	74.00	-11.99	3	Horizontal	338	1.46	-
5180MHz	Pass	PK	5.1834G	118.81	Inf	-Inf	3	Horizontal	338	1.46	-
5180MHz	Pass	AV	15.5342G	47.33	54.00	-6.67	3	Vertical	186	2.91	-
5180MHz	Pass	PK	10.36012G	58.57	68.20	-9.63	3	Vertical	352	1.73	-
5180MHz	Pass	PK	15.5344G	60.20	74.00	-13.80	3	Vertical	186	2.91	-
5180MHz	Pass	AV	15.53172G	47.32	54.00	-6.68	3	Horizontal	160	2.42	-
5180MHz	Pass	PK	10.36G	60.18	68.20	-8.02	3	Horizontal	9	1.50	-
5180MHz	Pass	PK	15.54388G	60.39	74.00	-13.61	3	Horizontal	160	2.42	-
5200MHz	Pass	AV	5.15G	48.61	54.00	-5.39	3	Vertical	52	1.64	-
5200MHz	Pass	AV	5.2064G	109.28	Inf	-Inf	3	Vertical	52	1.64	-
5200MHz	Pass	PK	5.1036G	60.54	74.00	-13.46	3	Vertical	52	1.64	-
5200MHz	Pass	PK	5.2044G	120.78	Inf	-Inf	3	Vertical	52	1.64	-
5200MHz	Pass	AV	5.1496G	49.27	54.00	-4.73	3	Horizontal	341	1.50	-
5200MHz	Pass	AV	5.1936G	110.46	Inf	-Inf	3	Horizontal	341	1.50	-
5200MHz	Pass	PK	5.148G	60.92	74.00	-13.08	3	Horizontal	341	1.50	-
5200MHz	Pass	PK	5.1956G	119.53	Inf	-Inf	3	Horizontal	341	1.50	-
5200MHz	Pass	AV	15.59076G	45.98	54.00	-8.02	3	Vertical	236	1.98	-
5200MHz	Pass	PK	10.39976G	57.51	68.20	-10.69	3	Vertical	321	3.00	-
5200MHz	Pass	PK	15.60304G	58.30	74.00	-15.70	3	Vertical	236	1.98	-
5200MHz	Pass	AV	15.59456G	46.00	54.00	-8.00	3	Horizontal	221	1.08	-
5200MHz	Pass	PK	10.39988G	59.70	68.20	-8.50	3	Horizontal	8	1.50	-
5200MHz	Pass	PK	15.5908G	59.42	74.00	-14.58	3	Horizontal	221	1.08	-
5240MHz	Pass	AV	5.15G	47.57	54.00	-6.43	3	Vertical	330	1.20	-
5240MHz	Pass	AV	5.2466G	110.14	Inf	-Inf	3	Vertical	330	1.20	-
5240MHz	Pass	AV	5.3882G	46.42	54.00	-7.58	3	Vertical	330	1.20	-
5240MHz	Pass	PK	5.1266G	58.87	74.00	-15.13	3	Vertical	330	1.20	-
5240MHz	Pass	PK	5.2382G	120.21	Inf	-Inf	3	Vertical	330	1.20	-
5240MHz	Pass	PK	5.3606G	58.86	74.00	-15.14	3	Vertical	330	1.20	-
5240MHz	Pass	AV	5.1482G	46.61	54.00	-7.39	3	Horizontal	342	1.50	-
5240MHz	Pass	AV	5.2376G	108.92	Inf	-Inf	3	Horizontal	342	1.50	-
5240MHz	Pass	AV	5.3864G	45.94	54.00	-8.06	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.1494G	58.33	74.00	-15.67	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.2376G	118.34	Inf	-Inf	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.3852G	57.96	74.00	-16.04	3	Horizontal	342	1.50	-
5240MHz	Pass	AV	15.71608G	45.99	54.00	-8.01	3	Vertical	165	1.93	-
5240MHz	Pass	PK	10.48012G	58.18	68.20	-10.02	3	Vertical	356	2.58	-
5240MHz	Pass	PK	15.72504G	59.02	74.00	-14.98	3	Vertical	165	1.93	-
5240MHz	Pass	AV	15.72232G	46.55	54.00	-7.45	3	Horizontal	65	1.50	-
5240MHz	Pass	PK	10.47992G	59.40	68.20	-8.80	3	Horizontal	334	1.50	-
5240MHz	Pass	PK	15.7196G	59.66	74.00	-14.34	3	Horizontal	65	1.50	-
5745MHz	Pass	AV	5.7474G	111.88	Inf	-Inf	3	Vertical	300	1.63	-
5745MHz	Pass	PK	5.5494G	59.52	68.20	-8.68	3	Vertical	300	1.63	-
5745MHz	Pass	PK	5.7474G	120.35	Inf	-Inf	3	Vertical	300	1.63	-
5745MHz	Pass	PK	6.0234G	58.01	68.20	-10.19	3	Vertical	300	1.63	-
5745MHz	Pass	AV	5.7474G	108.64	Inf	-Inf	3	Horizontal	21	1.33	-
5745MHz	Pass	PK	5.6442G	57.59	68.20	-10.61	3	Horizontal	21	1.33	-
5745MHz	Pass	PK	5.7414G	116.29	Inf	-Inf	3	Horizontal	21	1.33	-
5745MHz	Pass	PK	6.0162G	58.42	68.20	-9.78	3	Horizontal	21	1.33	-
5745MHz	Pass	AV	11.49012G	45.53	54.00	-8.47	3	Vertical	1	1.65	-
5745MHz	Pass	PK	11.49052G	55.62	74.00	-18.38	3	Vertical	1	1.65	-
5745MHz	Pass	PK	17.24496G	63.27	68.20	-4.93	3	Vertical	224	2.00	-
5745MHz	Pass	AV	11.49008G	48.63	54.00	-5.37	3	Horizontal	26	1.50	-
5745MHz	Pass	PK	11.48988G	56.78	74.00	-17.22	3	Horizontal	26	1.50	-
5745MHz	Pass	PK	17.23628G	63.62	68.20	-4.58	3	Horizontal	204	1.21	-



RSE TX above 1GHz_Beamforming_Radio0+2

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.791G	111.83	Inf	-Inf	3	Vertical	327	1.39	-
5785MHz	Pass	PK	5.6002G	58.04	68.20	-10.16	3	Vertical	327	1.39	-
5785MHz	Pass	PK	5.7814G	119.27	Inf	-Inf	3	Vertical	327	1.39	-
5785MHz	Pass	PK	6.0286G	59.53	68.20	-8.67	3	Vertical	327	1.39	-
5785MHz	Pass	AV	5.791G	107.49	Inf	-Inf	3	Horizontal	17	1.50	-
5785MHz	Pass	PK	5.587G	57.58	68.20	-10.62	3	Horizontal	17	1.50	-
5785MHz	Pass	PK	5.7922G	115.93	Inf	-Inf	3	Horizontal	17	1.50	-
5785MHz	Pass	PK	6.019G	58.23	68.20	-9.97	3	Horizontal	17	1.50	-
5785MHz	Pass	AV	11.56904G	45.46	54.00	-8.54	3	Vertical	348	1.50	-
5785MHz	Pass	PK	11.56792G	55.26	74.00	-18.74	3	Vertical	348	1.50	-
5785MHz	Pass	PK	17.35188G	63.86	68.20	-4.34	3	Vertical	301	1.31	-
5785MHz	Pass	AV	11.57004G	46.56	54.00	-7.44	3	Horizontal	16	2.78	-
5785MHz	Pass	PK	11.57044G	58.15	74.00	-15.85	3	Horizontal	16	2.78	-
5785MHz	Pass	PK	17.35244G	63.56	68.20	-4.64	3	Horizontal	270	1.37	-
5825MHz	Pass	AV	5.8274G	112.20	Inf	-Inf	3	Vertical	60	2.92	-
5825MHz	Pass	PK	5.5802G	58.38	68.20	-9.82	3	Vertical	60	2.92	-
5825MHz	Pass	PK	5.8274G	120.20	Inf	-Inf	3	Vertical	60	2.92	-
5825MHz	Pass	PK	5.9246G	59.50	68.50	-9.00	3	Vertical	60	2.92	-
5825MHz	Pass	AV	5.8322G	107.61	Inf	-Inf	3	Horizontal	62	1.50	-
5825MHz	Pass	PK	5.6162G	57.76	68.20	-10.44	3	Horizontal	62	1.50	-
5825MHz	Pass	PK	5.8214G	118.78	Inf	-Inf	3	Horizontal	62	1.50	-
5825MHz	Pass	PK	6.053G	58.45	68.20	-9.75	3	Horizontal	62	1.50	-
5825MHz	Pass	AV	11.64996G	46.08	54.00	-7.92	3	Vertical	345	1.13	-
5825MHz	Pass	PK	11.64972G	56.61	74.00	-17.39	3	Vertical	345	1.13	-
5825MHz	Pass	PK	17.47964G	63.35	68.20	-4.85	3	Vertical	170	1.95	-
5825MHz	Pass	PK	11.65G	57.16	74.00	-16.84	3	Horizontal	18	2.30	-
5825MHz	Pass	AV	11.65004G	47.59	54.00	-6.41	3	Horizontal	18	2.30	-
5825MHz	Pass	PK	17.48012G	62.80	68.20	-5.40	3	Horizontal	254	2.23	-
802.11ax HEW40-BF_Nss1(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	53.71	54.00	-0.29	3	Vertical	334	1.50	-
5190MHz	Pass	AV	5.1868G	104.83	Inf	-Inf	3	Vertical	334	1.50	-
5190MHz	Pass	PK	5.15G	66.17	74.00	-7.83	3	Vertical	334	1.50	-
5190MHz	Pass	PK	5.1956G	115.94	Inf	-Inf	3	Vertical	334	1.50	-
5190MHz	Pass	AV	5.15G	51.04	54.00	-2.96	3	Horizontal	338	1.16	-
5190MHz	Pass	AV	5.2036G	103.99	Inf	-Inf	3	Horizontal	338	1.16	-
5190MHz	Pass	PK	5.148G	61.45	74.00	-12.55	3	Horizontal	338	1.16	-
5190MHz	Pass	PK	5.1868G	113.37	Inf	-Inf	3	Horizontal	338	1.16	-
5190MHz	Pass	AV	15.56752G	47.60	54.00	-6.40	3	Vertical	203	1.56	-
5190MHz	Pass	PK	10.37998G	57.31	68.20	-10.89	3	Vertical	322	2.91	-
5190MHz	Pass	PK	15.57209G	59.93	74.00	-14.07	3	Vertical	203	1.56	-
5190MHz	Pass	AV	15.56822G	47.75	54.00	-6.25	3	Horizontal	21	2.25	-
5190MHz	Pass	PK	10.38006G	61.38	68.20	-6.82	3	Horizontal	10	1.50	-
5190MHz	Pass	PK	15.57165G	60.05	74.00	-13.95	3	Horizontal	21	2.25	-
5230MHz	Pass	AV	5.1464G	49.94	54.00	-4.06	3	Vertical	332	1.50	-
5230MHz	Pass	AV	5.2268G	106.50	Inf	-Inf	3	Vertical	332	1.50	-
5230MHz	Pass	PK	5.1484G	61.51	74.00	-12.49	3	Vertical	332	1.50	-
5230MHz	Pass	PK	5.2176G	119.14	Inf	-Inf	3	Vertical	332	1.50	-
5230MHz	Pass	AV	5.1416G	47.48	54.00	-6.52	3	Horizontal	360	1.23	-
5230MHz	Pass	AV	5.2176G	106.88	Inf	-Inf	3	Horizontal	360	1.23	-
5230MHz	Pass	PK	5.132G	58.47	74.00	-15.53	3	Horizontal	360	1.23	-
5230MHz	Pass	PK	5.2172G	115.28	Inf	-Inf	3	Horizontal	360	1.23	-
5230MHz	Pass	AV	15.68837G	46.88	54.00	-7.12	3	Vertical	32	1.86	-
5230MHz	Pass	PK	10.46006G	58.67	68.20	-9.53	3	Vertical	324	2.36	-
5230MHz	Pass	PK	15.6922G	58.97	74.00	-15.03	3	Vertical	32	1.86	-
5230MHz	Pass	AV	15.69029G	47.04	54.00	-6.96	3	Horizontal	206	2.33	-
5230MHz	Pass	PK	10.45995G	60.63	68.20	-7.57	3	Horizontal	9	1.60	-
5230MHz	Pass	PK	15.68977G	58.66	74.00	-15.34	3	Horizontal	206	2.33	-
5755MHz	Pass	AV	5.7442G	107.66	Inf	-Inf	3	Vertical	53	3.00	-
5755MHz	Pass	PK	5.6338G	60.27	68.20	-7.93	3	Vertical	53	3.00	-
5755MHz	Pass	PK	5.7514G	116.59	Inf	-Inf	3	Vertical	53	3.00	-
5755MHz	Pass	PK	6.0238G	58.64	68.20	-9.56	3	Vertical	53	3.00	-
5755MHz	Pass	AV	5.7574G	103.56	Inf	-Inf	3	Horizontal	0	2.96	-




RSE TX above 1GHz_Beamforming_Radio0+2

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.635G	59.98	68.20	-8.22	3	Horizontal	0	2.96	-
5755MHz	Pass	PK	5.761G	114.73	Inf	-Inf	3	Horizontal	0	2.96	-
5755MHz	Pass	PK	6.0274G	58.99	68.20	-9.21	3	Horizontal	0	2.96	-
5755MHz	Pass	AV	11.50998G	46.18	54.00	-7.82	3	Vertical	35	1.49	-
5755MHz	Pass	PK	11.5101G	57.43	74.00	-16.57	3	Vertical	35	1.49	-
5755MHz	Pass	PK	17.26483G	63.48	68.20	-4.72	3	Vertical	301	2.26	-
5755MHz	Pass	AV	11.50994G	49.96	54.00	-4.04	3	Horizontal	356	2.54	-
5755MHz	Pass	PK	11.51001G	58.30	74.00	-15.70	3	Horizontal	356	2.54	-
5755MHz	Pass	PK	17.26676G	63.53	68.20	-4.67	3	Horizontal	296	1.21	-
5795MHz	Pass	AV	5.7866G	107.09	Inf	-Inf	3	Vertical	321	1.74	-
5795MHz	Pass	PK	5.6162G	59.73	68.20	-8.47	3	Vertical	321	1.74	-
5795MHz	Pass	PK	5.7806G	123.51	Inf	-Inf	3	Vertical	321	1.74	-
5795MHz	Pass	PK	5.915G	66.84	75.60	-8.76	3	Vertical	321	1.74	-
5795MHz	Pass	AV	5.7782G	103.93	Inf	-Inf	3	Horizontal	10	1.70	-
5795MHz	Pass	PK	5.5778G	58.07	68.20	-10.13	3	Horizontal	10	1.70	-
5795MHz	Pass	PK	5.801G	112.21	Inf	-Inf	3	Horizontal	10	1.70	-
5795MHz	Pass	PK	5.9606G	57.91	68.20	-10.29	3	Horizontal	10	1.70	-
5795MHz	Pass	AV	11.59G	47.23	54.00	-6.77	3	Vertical	346	1.00	-
5795MHz	Pass	PK	11.59016G	57.05	74.00	-16.95	3	Vertical	346	1.00	-
5795MHz	Pass	PK	17.38414G	64.58	68.20	-3.62	3	Vertical	110	1.62	-
5795MHz	Pass	AV	11.58999G	47.92	54.00	-6.08	3	Horizontal	5	2.53	-
5795MHz	Pass	PK	11.59136G	58.27	74.00	-15.73	3	Horizontal	5	2.53	-
5795MHz	Pass	PK	17.38331G	65.11	68.20	-3.09	3	Horizontal	127	2.31	-
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.73	54.00	-0.27	3	Vertical	353	1.50	-
5210MHz	Pass	AV	5.194G	105.84	Inf	-Inf	3	Vertical	353	1.50	-
5210MHz	Pass	AV	5.399G	46.67	54.00	-7.33	3	Vertical	353	1.50	-
5210MHz	Pass	PK	5.147G	62.76	74.00	-11.24	3	Vertical	353	1.50	-
5210MHz	Pass	PK	5.204G	110.61	Inf	-Inf	3	Vertical	353	1.50	-
5210MHz	Pass	PK	5.372G	57.54	74.00	-16.46	3	Vertical	353	1.50	-
5210MHz	Pass	AV	5.101G	49.62	54.00	-4.38	3	Horizontal	4	1.50	-
5210MHz	Pass	AV	5.206G	95.02	Inf	-Inf	3	Horizontal	4	1.50	-
5210MHz	Pass	AV	5.422G	46.05	54.00	-7.95	3	Horizontal	4	1.50	-
5210MHz	Pass	PK	5.15G	59.50	74.00	-14.50	3	Horizontal	4	1.50	-
5210MHz	Pass	PK	5.194G	108.52	Inf	-Inf	3	Horizontal	4	1.50	-
5210MHz	Pass	PK	5.365G	56.87	74.00	-17.13	3	Horizontal	4	1.50	-
5210MHz	Pass	AV	15.62797G	46.70	54.00	-7.30	3	Vertical	105	1.95	-
5210MHz	Pass	PK	10.42003G	59.52	68.20	-8.68	3	Vertical	196	1.59	-
5210MHz	Pass	PK	15.63032G	58.65	74.00	-15.35	3	Vertical	105	1.95	-
5210MHz	Pass	AV	15.63027G	46.76	54.00	-7.24	3	Horizontal	69	1.86	-
5210MHz	Pass	PK	10.41953G	58.66	68.20	-9.54	3	Horizontal	280	2.40	-
5210MHz	Pass	PK	15.62934G	59.10	74.00	-14.90	3	Horizontal	69	1.86	-
5775MHz	Pass	AV	5.7642G	101.42	Inf	-Inf	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.6538G	65.90	71.01	-5.11	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.7426G	120.99	Inf	-Inf	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.9274G	61.02	68.20	-7.18	3	Vertical	330	1.50	-
5775MHz	Pass	AV	5.7546G	96.58	Inf	-Inf	3	Horizontal	48	1.83	-
5775MHz	Pass	PK	5.655G	69.16	71.90	-2.74	3	Horizontal	48	1.83	-
5775MHz	Pass	PK	5.7726G	109.69	Inf	-Inf	3	Horizontal	48	1.83	-
5775MHz	Pass	PK	5.9562G	58.28	68.20	-9.92	3	Horizontal	48	1.83	-
5775MHz	Pass	AV	11.55084G	45.43	54.00	-8.57	3	Vertical	257	2.43	-
5775MHz	Pass	PK	11.55055G	57.57	74.00	-16.43	3	Vertical	257	2.43	-
5775MHz	Pass	PK	17.32307G	63.42	68.20	-4.78	3	Vertical	222	1.03	-
5775MHz	Pass	AV	11.55001G	47.05	54.00	-6.95	3	Horizontal	231	2.45	-
5775MHz	Pass	PK	11.55033G	58.30	74.00	-15.70	3	Horizontal	231	2.45	-
5775MHz	Pass	PK	17.3244G	63.73	68.20	-4.47	3	Horizontal	308	1.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.10	54.00	-1.90	6.84	3	Vertical	342	1.50	-	45.26	31.90	9.07	34.13
AV	5.1718G	109.23	Inf	-Inf	6.76	3	Vertical	342	1.50	-	102.47	31.81	9.08	34.13
PK	5.1468G	67.14	74.00	-6.86	6.84	3	Vertical	342	1.50	-	60.30	31.90	9.07	34.13
PK	5.1724G	120.23	Inf	-Inf	6.76	3	Vertical	342	1.50	-	113.47	31.81	9.08	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	50.68	54.00	-3.32	6.84	3	Horizontal	338	1.46	-	43.84	31.90	9.07	34.13
AV	5.1734G	105.82	Inf	-Inf	6.76	3	Horizontal	338	1.46	-	99.06	31.81	9.08	34.13
PK	5.1494G	62.01	74.00	-11.99	6.84	3	Horizontal	338	1.46	-	55.17	31.90	9.07	34.13
PK	5.1834G	118.81	Inf	-Inf	6.72	3	Horizontal	338	1.46	-	112.09	31.77	9.08	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5342G	47.33	54.00	-6.67	18.36	3	Vertical	186	2.91	-	28.97	37.99	14.80	34.43
PK	10.36012G	58.57	68.20	-9.63	17.11	3	Vertical	352	1.73	-	41.46	39.34	12.36	34.59
PK	15.5344G	60.20	74.00	-13.80	18.36	3	Vertical	186	2.91	-	41.84	37.99	14.80	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53172G	47.32	54.00	-6.68	18.38	3	Horizontal	160	2.42	-	28.94	38.01	14.80	34.43
PK	10.36G	60.18	68.20	-8.02	17.11	3	Horizontal	9	1.50	-	43.07	39.34	12.36	34.59
PK	15.54388G	60.39	74.00	-13.61	18.32	3	Horizontal	160	2.42	-	42.07	37.94	14.81	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.61	54.00	-5.39	6.84	3	Vertical	52	1.64	-	41.77	31.90	9.07	34.13
AV	5.2064G	109.28	Inf	-Inf	6.61	3	Vertical	52	1.64	-	102.67	31.66	9.09	34.14
PK	5.1036G	60.54	74.00	-13.46	6.85	3	Vertical	52	1.64	-	53.69	31.90	9.07	34.12
PK	5.2044G	120.78	Inf	-Inf	6.61	3	Vertical	52	1.64	-	114.17	31.67	9.08	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.27	54.00	-4.73	6.84	3	Horizontal	341	1.50	-	42.43	31.90	9.07	34.13
AV	5.1936G	110.46	Inf	-Inf	6.68	3	Horizontal	341	1.50	-	103.78	31.73	9.08	34.13
PK	5.148G	60.92	74.00	-13.08	6.84	3	Horizontal	341	1.50	-	54.08	31.90	9.07	34.13
PK	5.1956G	119.53	Inf	-Inf	6.66	3	Horizontal	341	1.50	-	112.87	31.72	9.08	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59076G	45.98	54.00	-8.02	18.02	3	Vertical	236	1.98	-	27.96	37.66	14.82	34.46
PK	10.39976G	57.51	68.20	-10.69	17.32	3	Vertical	321	3.00	-	40.19	39.50	12.38	34.56
PK	15.60304G	58.30	74.00	-15.70	17.95	3	Vertical	236	1.98	-	40.35	37.60	14.82	34.47

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59456G	46.00	54.00	-8.00	17.99	3	Horizontal	221	1.08	-	28.01	37.63	14.82	34.46
PK	10.39988G	59.70	68.20	-8.50	17.32	3	Horizontal	8	1.50	-	42.38	39.50	12.38	34.56
PK	15.5908G	59.42	74.00	-14.58	18.02	3	Horizontal	221	1.08	-	41.40	37.66	14.82	34.46

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.57	54.00	-6.43	6.84	3	Vertical	330	1.20	-	40.73	31.90	9.07	34.13
AV	5.2466G	110.14	Inf	-Inf	6.41	3	Vertical	330	1.20	-	103.73	31.42	9.13	34.14
AV	5.3882G	46.42	54.00	-7.58	6.73	3	Vertical	330	1.20	-	39.69	31.61	9.29	34.17
PK	5.1266G	58.87	74.00	-15.13	6.85	3	Vertical	330	1.20	-	52.02	31.90	9.07	34.12
PK	5.2382G	120.21	Inf	-Inf	6.45	3	Vertical	330	1.20	-	113.76	31.47	9.12	34.14
PK	5.3606G	58.86	74.00	-15.14	6.48	3	Vertical	330	1.20	-	52.38	31.38	9.26	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	46.61	54.00	-7.39	6.84	3	Horizontal	342	1.50	-	39.77	31.90	9.07	34.13
AV	5.2376G	108.92	Inf	-Inf	6.45	3	Horizontal	342	1.50	-	102.47	31.47	9.12	34.14
AV	5.3864G	45.94	54.00	-8.06	6.71	3	Horizontal	342	1.50	-	39.23	31.59	9.29	34.17
PK	5.1494G	58.33	74.00	-15.67	6.84	3	Horizontal	342	1.50	-	51.49	31.90	9.07	34.13
PK	5.2376G	118.34	Inf	-Inf	6.45	3	Horizontal	342	1.50	-	111.89	31.47	9.12	34.14
PK	5.3852G	57.96	74.00	-16.04	6.69	3	Horizontal	342	1.50	-	51.27	31.58	9.28	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71608G	45.99	54.00	-8.01	17.95	3	Vertical	165	1.93	-	28.04	37.62	14.86	34.53
PK	10.48012G	58.18	68.20	-10.02	17.57	3	Vertical	356	2.58	-	40.61	39.66	12.41	34.50
PK	15.72504G	59.02	74.00	-14.98	17.89	3	Vertical	165	1.93	-	41.13	37.57	14.86	34.54

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72232G	46.55	54.00	-7.45	17.92	3	Horizontal	65	1.50	-	28.63	37.59	14.86	34.53
PK	10.47992G	59.40	68.20	-8.80	17.57	3	Horizontal	334	1.50	-	41.83	39.66	12.41	34.50
PK	15.7196G	59.66	74.00	-14.34	17.93	3	Horizontal	65	1.50	-	41.73	37.60	14.86	34.53

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	111.88	Inf	-Inf	7.29	3	Vertical	300	1.63	-	104.59	31.99	9.50	34.20
PK	5.5494G	59.52	68.20	-8.68	7.03	3	Vertical	300	1.63	-	52.49	31.80	9.42	34.19
PK	5.7474G	120.35	Inf	-Inf	7.29	3	Vertical	300	1.63	-	113.06	31.99	9.50	34.20
PK	6.0234G	58.01	68.20	-10.19	7.98	3	Vertical	300	1.63	-	50.03	32.50	9.70	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	108.64	Inf	-Inf	7.29	3	Horizontal	21	1.33	-	101.35	31.99	9.50	34.20
PK	5.6442G	57.59	68.20	-10.61	6.88	3	Horizontal	21	1.33	-	50.71	31.61	9.47	34.20
PK	5.7414G	116.29	Inf	-Inf	7.28	3	Horizontal	21	1.33	-	109.01	31.98	9.50	34.20
PK	6.0162G	58.42	68.20	-9.78	7.97	3	Horizontal	21	1.33	-	50.45	32.50	9.69	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49012G	45.53	54.00	-8.47	18.86	3	Vertical	1	1.65	-	26.67	40.08	12.84	34.06
PK	11.49052G	55.62	74.00	-18.38	18.86	3	Vertical	1	1.65	-	36.76	40.08	12.84	34.06
PK	17.24496G	63.27	68.20	-4.93	21.95	3	Vertical	224	2.00	-	41.32	39.54	15.68	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49008G	48.63	54.00	-5.37	18.86	3	Horizontal	26	1.50	-	29.77	40.08	12.84	34.06
PK	11.48988G	56.78	74.00	-17.22	18.86	3	Horizontal	26	1.50	-	37.92	40.08	12.84	34.06
PK	17.23628G	63.62	68.20	-4.58	21.94	3	Horizontal	204	1.21	-	41.68	39.54	15.67	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	111.83	Inf	-Inf	7.39	3	Vertical	327	1.39	-	104.44	32.08	9.52	34.21
PK	5.6002G	58.04	68.20	-10.16	6.96	3	Vertical	327	1.39	-	51.08	31.70	9.46	34.20
PK	5.7814G	119.27	Inf	-Inf	7.36	3	Vertical	327	1.39	-	111.91	32.06	9.51	34.21
PK	6.0286G	59.53	68.20	-8.67	7.98	3	Vertical	327	1.39	-	51.55	32.50	9.70	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	107.49	Inf	-Inf	7.39	3	Horizontal	17	1.50	-	100.10	32.08	9.52	34.21
PK	5.587G	57.58	68.20	-10.62	6.98	3	Horizontal	17	1.50	-	50.60	31.73	9.45	34.20
PK	5.7922G	115.93	Inf	-Inf	7.39	3	Horizontal	17	1.50	-	108.54	32.08	9.52	34.21
PK	6.019G	58.23	68.20	-9.97	7.98	3	Horizontal	17	1.50	-	50.25	32.50	9.70	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56904G	45.46	54.00	-8.54	18.66	3	Vertical	348	1.50	-	26.80	39.89	12.87	34.10
PK	11.56792G	55.26	74.00	-18.74	18.67	3	Vertical	348	1.50	-	36.59	39.90	12.87	34.10
PK	17.35188G	63.86	68.20	-4.34	22.62	3	Vertical	301	1.31	-	41.24	40.12	15.74	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57004G	46.56	54.00	-7.44	18.66	3	Horizontal	16	2.78	-	27.90	39.89	12.87	34.10
PK	11.57044G	58.15	74.00	-15.85	18.66	3	Horizontal	16	2.78	-	39.49	39.89	12.87	34.10
PK	17.35244G	63.56	68.20	-4.64	22.62	3	Horizontal	270	1.37	-	40.94	40.12	15.74	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8274G	112.20	Inf	-Inf	7.54	3	Vertical	60	2.92	-	104.66	32.21	9.54	34.21
PK	5.8274G	58.38	68.20	-9.82	6.99	3	Vertical	60	2.92	-	51.39	31.74	9.44	34.19
PK	5.8274G	120.20	Inf	-Inf	7.54	3	Vertical	60	2.92	-	112.66	32.21	9.54	34.21
PK	5.9246G	59.50	68.50	-9.00	7.90	3	Vertical	60	2.92	-	51.60	32.50	9.62	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	107.61	Inf	-Inf	7.57	3	Horizontal	62	1.50	-	100.04	32.23	9.55	34.21
PK	5.6162G	57.76	68.20	-10.44	6.93	3	Horizontal	62	1.50	-	50.83	31.67	9.46	34.20
PK	5.8214G	118.78	Inf	-Inf	7.52	3	Horizontal	62	1.50	-	111.26	32.19	9.54	34.21
PK	6.053G	58.45	68.20	-9.75	7.99	3	Horizontal	62	1.50	-	50.46	32.49	9.72	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64996G	46.08	54.00	-7.92	18.26	3	Vertical	345	1.13	-	27.82	39.50	12.90	34.14
PK	11.64972G	56.61	74.00	-17.39	18.26	3	Vertical	345	1.13	-	38.35	39.50	12.90	34.14
PK	17.47964G	63.35	68.20	-4.85	23.45	3	Vertical	170	1.95	-	39.90	40.84	15.82	33.21

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	57.16	74.00	-16.84	18.26	3	Horizontal	18	2.30	-	38.90	39.50	12.90	34.14
AV	11.65004G	47.59	54.00	-6.41	18.26	3	Horizontal	18	2.30	-	29.33	39.50	12.90	34.14
PK	17.48012G	62.80	68.20	-5.40	23.45	3	Horizontal	254	2.23	-	39.35	40.84	15.82	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.71	54.00	-0.29	6.84	3	Vertical	334	1.50	-	46.87	31.90	9.07	34.13
AV	5.1868G	104.83	Inf	-Inf	6.70	3	Vertical	334	1.50	-	98.13	31.75	9.08	34.13
PK	5.15G	66.17	74.00	-7.83	6.84	3	Vertical	334	1.50	-	59.33	31.90	9.07	34.13
PK	5.1956G	115.94	Inf	-Inf	6.66	3	Vertical	334	1.50	-	109.28	31.72	9.08	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.04	54.00	-2.96	6.84	3	Horizontal	338	1.16	-	44.20	31.90	9.07	34.13
AV	5.2036G	103.99	Inf	-Inf	6.62	3	Horizontal	338	1.16	-	97.37	31.68	9.08	34.14
PK	5.148G	61.45	74.00	-12.55	6.84	3	Horizontal	338	1.16	-	54.61	31.90	9.07	34.13
PK	5.1868G	113.37	Inf	-Inf	6.70	3	Horizontal	338	1.16	-	106.67	31.75	9.08	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56752G	47.60	54.00	-6.40	18.15	3	Vertical	203	1.56	-	29.45	37.79	14.81	34.45
PK	10.37998G	57.31	68.20	-10.89	17.21	3	Vertical	322	2.91	-	40.10	39.42	12.37	34.58
PK	15.57209G	59.93	74.00	-14.07	18.14	3	Vertical	203	1.56	-	41.79	37.77	14.82	34.45

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56822G	47.75	54.00	-6.25	18.15	3	Horizontal	21	2.25	-	29.60	37.79	14.81	34.45
PK	10.38006G	61.38	68.20	-6.82	17.21	3	Horizontal	10	1.50	-	44.17	39.42	12.37	34.58
PK	15.57165G	60.05	74.00	-13.95	18.14	3	Horizontal	21	2.25	-	41.91	37.77	14.82	34.45

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	49.94	54.00	-4.06	6.84	3	Vertical	332	1.50	-	43.10	31.90	9.07	34.13
AV	5.2268G	106.50	Inf	-Inf	6.51	3	Vertical	332	1.50	-	99.99	31.54	9.11	34.14
PK	5.1484G	61.51	74.00	-12.49	6.84	3	Vertical	332	1.50	-	54.67	31.90	9.07	34.13
PK	5.2176G	119.14	Inf	-Inf	6.55	3	Vertical	332	1.50	-	112.59	31.59	9.10	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.48	54.00	-6.52	6.84	3	Horizontal	360	1.23	-	40.64	31.90	9.07	34.13
AV	5.2176G	106.88	Inf	-Inf	6.55	3	Horizontal	360	1.23	-	100.33	31.59	9.10	34.14
PK	5.132G	58.47	74.00	-15.53	6.85	3	Horizontal	360	1.23	-	51.62	31.90	9.07	34.12
PK	5.2172G	115.28	Inf	-Inf	6.56	3	Horizontal	360	1.23	-	108.72	31.60	9.10	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68837G	46.88	54.00	-7.12	18.02	3	Vertical	32	1.86	-	28.86	37.69	14.85	34.52
PK	10.46006G	58.67	68.20	-9.53	17.50	3	Vertical	324	2.36	-	41.17	39.62	12.40	34.52
PK	15.6922G	58.97	74.00	-15.03	18.02	3	Vertical	32	1.86	-	40.95	37.69	14.85	34.52

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69029G	47.04	54.00	-6.96	18.02	3	Horizontal	206	2.33	-	29.02	37.69	14.85	34.52
PK	10.45995G	60.63	68.20	-7.57	17.50	3	Horizontal	9	1.60	-	43.13	39.62	12.40	34.52
PK	15.68977G	58.66	74.00	-15.34	18.02	3	Horizontal	206	2.33	-	40.64	37.69	14.85	34.52

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	107.66	Inf	-Inf	7.29	3	Vertical	53	3.00	-	100.37	31.99	9.50	34.20
PK	5.6338G	60.27	68.20	-7.93	6.90	3	Vertical	53	3.00	-	53.37	31.63	9.47	34.20
PK	5.7514G	116.59	Inf	-Inf	7.30	3	Vertical	53	3.00	-	109.29	32.00	9.51	34.21
PK	6.0238G	58.64	68.20	-9.56	7.98	3	Vertical	53	3.00	-	50.66	32.50	9.70	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7574G	103.56	Inf	-Inf	7.31	3	Horizontal	0	2.96	-	96.25	32.01	9.51	34.21
PK	5.635G	59.98	68.20	-8.22	6.90	3	Horizontal	0	2.96	-	53.08	31.63	9.47	34.20
PK	5.761G	114.73	Inf	-Inf	7.32	3	Horizontal	0	2.96	-	107.41	32.02	9.51	34.21
PK	6.0274G	58.99	68.20	-9.21	7.98	3	Horizontal	0	2.96	-	51.01	32.50	9.70	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50998G	46.18	54.00	-7.82	18.84	3	Vertical	35	1.49	-	27.34	40.07	12.84	34.07
PK	11.5101G	57.43	74.00	-16.57	18.84	3	Vertical	35	1.49	-	38.59	40.07	12.84	34.07
PK	17.26483G	63.48	68.20	-4.72	21.99	3	Vertical	301	2.26	-	41.49	39.56	15.69	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50994G	49.96	54.00	-4.04	18.84	3	Horizontal	356	2.54	-	31.12	40.07	12.84	34.07
PK	11.51001G	58.30	74.00	-15.70	18.84	3	Horizontal	356	2.54	-	39.46	40.07	12.84	34.07
PK	17.26676G	63.53	68.20	-4.67	22.00	3	Horizontal	296	1.21	-	41.53	39.57	15.69	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	107.09	Inf	-Inf	7.38	3	Vertical	321	1.74	-	99.71	32.07	9.52	34.21
PK	5.6162G	59.73	68.20	-8.47	6.93	3	Vertical	321	1.74	-	52.80	31.67	9.46	34.20
PK	5.7806G	123.51	Inf	-Inf	7.36	3	Vertical	321	1.74	-	116.15	32.06	9.51	34.21
PK	5.915G	66.84	75.60	-8.76	7.90	3	Vertical	321	1.74	-	58.94	32.50	9.61	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	103.93	Inf	-Inf	7.36	3	Horizontal	10	1.70	-	96.57	32.06	9.51	34.21
PK	5.778G	58.07	68.20	-10.13	6.99	3	Horizontal	10	1.70	-	51.08	31.74	9.44	34.19
PK	5.801G	112.21	Inf	-Inf	7.41	3	Horizontal	10	1.70	-	104.80	32.10	9.52	34.21
PK	5.9606G	57.91	68.20	-10.29	7.93	3	Horizontal	10	1.70	-	49.98	32.50	9.65	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59G	47.23	54.00	-6.77	18.60	3	Vertical	346	1.00	-	28.63	39.83	12.88	34.11
PK	11.59016G	57.05	74.00	-16.95	18.60	3	Vertical	346	1.00	-	38.45	39.83	12.88	34.11
PK	17.38414G	64.58	68.20	-3.62	22.97	3	Vertical	110	1.62	-	41.61	40.44	15.76	33.23

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58999G	47.92	54.00	-6.08	18.60	3	Horizontal	5	2.53	-	29.32	39.83	12.88	34.11
PK	11.59136G	58.27	74.00	-15.73	18.60	3	Horizontal	5	2.53	-	39.67	39.83	12.88	34.11
PK	17.38331G	65.11	68.20	-3.09	22.96	3	Horizontal	127	2.31	-	42.15	40.43	15.76	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.73	54.00	-0.27	6.84	3	Vertical	353	1.50	-	46.89	31.90	9.07	34.13
AV	5.194G	105.84	Inf	-Inf	6.67	3	Vertical	353	1.50	-	99.17	31.72	9.08	34.13
AV	5.399G	46.67	54.00	-7.33	6.82	3	Vertical	353	1.50	-	39.85	31.69	9.30	34.17
PK	5.147G	62.76	74.00	-11.24	6.84	3	Vertical	353	1.50	-	55.92	31.90	9.07	34.13
PK	5.204G	110.61	Inf	-Inf	6.62	3	Vertical	353	1.50	-	103.99	31.68	9.08	34.14
PK	5.372G	57.54	74.00	-16.46	6.58	3	Vertical	353	1.50	-	50.96	31.48	9.27	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.101G	49.62	54.00	-4.38	6.85	3	Horizontal	4	1.50	-	42.77	31.90	9.07	34.12
AV	5.206G	95.02	Inf	-Inf	6.61	3	Horizontal	4	1.50	-	88.41	31.66	9.09	34.14
AV	5.422G	46.05	54.00	-7.95	6.84	3	Horizontal	4	1.50	-	39.21	31.70	9.32	34.18
PK	5.15G	59.50	74.00	-14.50	6.84	3	Horizontal	4	1.50	-	52.66	31.90	9.07	34.13
PK	5.194G	108.52	Inf	-Inf	6.67	3	Horizontal	4	1.50	-	101.85	31.72	9.08	34.13
PK	5.365G	56.87	74.00	-17.13	6.51	3	Horizontal	4	1.50	-	50.36	31.42	9.26	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62797G	46.70	54.00	-7.30	17.98	3	Vertical	105	1.95	-	28.72	37.63	14.83	34.48
PK	10.42003G	59.52	68.20	-8.68	17.38	3	Vertical	196	1.59	-	42.14	39.54	12.39	34.55
PK	15.63032G	58.65	74.00	-15.35	17.98	3	Vertical	105	1.95	-	40.67	37.63	14.83	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63027G	46.76	54.00	-7.24	17.98	3	Horizontal	69	1.86	-	28.78	37.63	14.83	34.48
PK	10.41953G	58.66	68.20	-9.54	17.38	3	Horizontal	280	2.40	-	41.28	39.54	12.39	34.55
PK	15.62934G	59.10	74.00	-14.90	17.98	3	Horizontal	69	1.86	-	41.12	37.63	14.83	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7642G	101.42	Inf	-Inf	7.33	3	Vertical	330	1.50	-	94.09	32.03	9.51	34.21
PK	5.6538G	65.90	71.01	-5.11	6.90	3	Vertical	330	1.50	-	59.00	31.62	9.48	34.20
PK	5.7426G	120.99	Inf	-Inf	7.29	3	Vertical	330	1.50	-	113.70	31.99	9.50	34.20
PK	5.9274G	61.02	68.20	-7.18	7.90	3	Vertical	330	1.50	-	53.12	32.50	9.62	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7546G	96.58	Inf	-Inf	7.31	3	Horizontal	48	1.83	-	89.27	32.01	9.51	34.21
PK	5.655G	69.16	71.90	-2.74	6.91	3	Horizontal	48	1.83	-	62.25	31.63	9.48	34.20
PK	5.7726G	109.69	Inf	-Inf	7.35	3	Horizontal	48	1.83	-	102.34	32.05	9.51	34.21
PK	5.9562G	58.28	68.20	-9.92	7.92	3	Horizontal	48	1.83	-	50.36	32.50	9.64	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55084G	45.43	54.00	-8.57	18.72	3	Vertical	257	2.43	-	26.71	39.95	12.86	34.09
PK	11.55055G	57.57	74.00	-16.43	18.72	3	Vertical	257	2.43	-	38.85	39.95	12.86	34.09
PK	17.32307G	63.42	68.20	-4.78	22.30	3	Vertical	222	1.03	-	41.12	39.83	15.72	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55001G	47.05	54.00	-6.95	18.72	3	Horizontal	231	2.45	-	28.33	39.95	12.86	34.09
PK	11.55033G	58.30	74.00	-15.70	18.72	3	Horizontal	231	2.45	-	39.58	39.95	12.86	34.09
PK	17.3244G	63.73	68.20	-4.47	22.31	3	Horizontal	308	1.85	-	41.42	39.84	15.72	33.25


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	17.23743G	50.16	54.00	-3.84	Horizontal

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.92239G	33.58	54.00	-20.42	3	Vertical	314	1.50	-
Mode 1	Pass	AV	7.38638G	39.59	54.00	-14.41	3	Vertical	69	1.77	-
Mode 1	Pass	AV	11.49234G	45.48	54.00	-8.52	3	Vertical	179	2.97	-
Mode 1	Pass	AV	17.23665G	50.08	54.00	-3.92	3	Vertical	174	1.50	-
Mode 1	Pass	PK	4.92229G	44.31	74.00	-29.69	3	Vertical	314	1.50	-
Mode 1	Pass	PK	7.38409G	50.53	74.00	-23.47	3	Vertical	69	1.77	-
Mode 1	Pass	PK	11.49218G	56.64	74.00	-17.36	3	Vertical	179	2.97	-
Mode 1	Pass	PK	17.2362G	60.82	74.00	-13.18	3	Vertical	174	1.50	-
Mode 1	Pass	AV	4.92184G	33.60	54.00	-20.40	3	Horizontal	248	1.50	-
Mode 1	Pass	AV	7.38483G	39.59	54.00	-14.41	3	Horizontal	125	2.97	-
Mode 1	Pass	AV	11.49242G	44.83	54.00	-9.17	3	Horizontal	37	1.50	-
Mode 1	Pass	AV	17.23743G	50.16	54.00	-3.84	3	Horizontal	139	1.50	-
Mode 1	Pass	PK	4.92162G	44.10	74.00	-29.90	3	Horizontal	248	1.50	-
Mode 1	Pass	PK	7.38381G	50.42	74.00	-23.58	3	Horizontal	125	2.97	-
Mode 1	Pass	PK	11.49206G	56.39	74.00	-17.61	3	Horizontal	37	1.50	-
Mode 1	Pass	PK	17.23649G	61.07	74.00	-12.93	3	Horizontal	139	1.50	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92239G	33.58	54.00	-20.42	3.16	3	Vertical	314	1.50	-	30.42	31.19	6.75	34.78
AV	7.38638G	39.59	54.00	-14.41	9.35	3	Vertical	69	1.77	-	30.24	36.23	7.95	34.83
AV	11.49234G	45.48	54.00	-8.52	14.65	3	Vertical	179	2.97	-	30.83	39.90	9.36	34.61
AV	17.23665G	50.08	54.00	-3.92	18.46	3	Vertical	174	1.50	-	31.62	39.80	12.92	34.26
PK	4.92229G	44.31	74.00	-29.69	3.16	3	Vertical	314	1.50	-	41.15	31.19	6.75	34.78
PK	7.38409G	50.53	74.00	-23.47	9.35	3	Vertical	69	1.77	-	41.18	36.23	7.95	34.83
PK	11.49218G	56.64	74.00	-17.36	14.65	3	Vertical	179	2.97	-	41.99	39.90	9.36	34.61
PK	17.2362G	60.82	74.00	-13.18	18.46	3	Vertical	174	1.50	-	42.36	39.80	12.92	34.26

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92184G	33.60	54.00	-20.40	3.16	3	Horizontal	248	1.50	-	30.44	31.19	6.75	34.78
AV	7.38483G	39.59	54.00	-14.41	9.35	3	Horizontal	125	2.97	-	30.24	36.23	7.95	34.83
AV	11.49242G	44.83	54.00	-9.17	14.65	3	Horizontal	37	1.50	-	30.18	39.90	9.36	34.61
AV	17.23743G	50.16	54.00	-3.84	18.46	3	Horizontal	139	1.50	-	31.70	39.80	12.92	34.26
PK	4.92162G	44.10	74.00	-29.90	3.16	3	Horizontal	248	1.50	-	40.94	31.19	6.75	34.78
PK	7.38381G	50.42	74.00	-23.58	9.35	3	Horizontal	125	2.97	-	41.07	36.23	7.95	34.83
PK	11.49206G	56.39	74.00	-17.61	14.65	3	Horizontal	37	1.50	-	41.74	39.90	9.36	34.61
PK	17.23649G	61.07	74.00	-12.93	18.46	3	Horizontal	139	1.50	-	42.61	39.80	12.92	34.26