





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	42.86	54.00	11.14	37.09	V	319.8	2.00
1	2,390.000	42.88	54.00	11.12	37.10	V	319.8	2.00
1	2,417.350	86.18			37.47	V	319.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.97	74.00	23.03	39.95	54.00	14.05	14.76	V	266.3	2.00
2	7,311.000	55.96	74.00	18.04	44.99	54.00	9.01	21.05	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,462.920	85.22			37.83	H	128.6	1.00
2	2,483.500	44.26	54.00	9.74	37.88	H	231.5	2.00
2	2,483.680	44.27	54.00	9.73	37.88	H	231.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,454.280	94.06			37.79	V	275.6	2.00
2	2,483.500	58.52	74.00	15.48	37.88	V	1.8	2.00
2	2,484.280	58.66	74.00	15.34	37.88	V	355	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,454.160	83.55			37.79	V	275.7	2.00
2	2,483.500	43.61	54.00	10.39	37.88	V	100	2.00
2	2,485.120	43.57	54.00	10.43	37.88	V	100	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2462MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.638	43.42	54.00	10.58	37.08	H	128.5	1.00
3	2,390.000	43.34	54.00	10.66	37.10	H	128.5	1.00
3	2,411.925	80.23			37.40	H	187.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,347.463	57.51	74.00	16.49	36.88	V	355.6	2.00
3	2,390.000	55.86	74.00	18.14	37.10	V	144.2	2.00
3	2,419.688	91.00			37.49	V	321.1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,341.050	42.99	54.00	11.01	36.90	V	307.9	1.00
3	2,390.000	42.75	54.00	11.25	37.10	V	218.2	1.00
3	2,420.025	80.01			37.50	V	321.1	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.07	74.00	23.93	39.59	54.00	14.41	14.76	V	343.8	1.00
2	7,311.000	55.56	74.00	18.44	44.85	54.00	9.15	21.05	V	1	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,454.780	80.99			37.79	H	188.5	2.00
4	2,483.500	44.32	54.00	9.68	37.88	H	172.9	1.00
4	2,483.680	44.36	54.00	9.64	37.88	H	172.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,448.320	88.96			37.75	V	97.7	2.00
4	2,483.500	57.42	74.00	16.58	37.88	V	263.7	1.00
4	2,491.160	58.44	74.00	15.56	37.90	V	321.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,449.680	77.70			37.76	V	98.8	2.00
4	2,483.500	43.75	54.00	10.25	37.88	V	319.9	2.00
4	2,484.020	43.78	54.00	10.22	37.88	V	319.9	2.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.



BELOW 1GHz WORST-CASE DATA






CHANNEL			TX Channel 19		DETECTOR FUNCTION		Quasi-Peak (QP)		
FREQUENCY RANGE			30MHz ~ 1GHz						
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M									
Rg	Frequency [MHz]	QPK Level [dBμV/m]	QPK Limit [dBμV/m]	QPK Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. BW [kHz]
1	38.585	32.61	40.00	7.39	-11.53	V	1	1.00	120.000
1	74.669	16.28	40.00	23.72	-15.85	V	359	2.00	120.000
1	152.608	15.25	43.50	28.25	-15.07	V	359.1	1.00	120.000
1	321.049	23.79	46.00	22.21	-6.91	V	213.8	2.00	120.000
1	498.850	22.95	46.00	23.05	-3.91	V	299.2	1.00	120.000
1	664.235	22.18	46.00	23.82	-3.17	V	213.8	2.00	120.000

REMARKS:


1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. The other emission levels were very low against the limit.
4. Margin value = Limit value – Emission Level



ABOVE 1GHz TEST DATA

Note:


1. For radiated emissions testing , the full testing range of different modes have been scanned , only the worst case harmonic data is reported in the sheet.
2. All other emissions were greater than 20dB below the limit was not recorded





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	2,389.000	43.07	54.00	10.93	37.08	H	128.6	1.00
5	2,390.000	43.14	54.00	10.86	37.10	H	128.6	1.00
5	2,402.500	102.00			37.27	H	52.1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	2,335.000	57.67	74.00	16.33	36.91	V	230.3	2.00
5	2,390.000	56.49	74.00	17.51	37.10	V	95.2	2.00
5	2,402.500	103.95			37.27	V	319.9	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value–Emission level.
3. 2402MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,880.000	51.05	74.00	22.95	39.19	54.00	14.81	14.77	V	359	2.00
2	7,320.000	55.40	74.00	18.60	45.05	54.00	8.95	21.11	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value–Emission level.
3. 2440MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	2,480.000	104.94			37.87	H	176.5	1.00
6	2,483.500	46.64	54.00	7.36	37.88	H	176.5	1.00
6	2,483.750	46.48	54.00	7.52	37.88	H	176.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	2,480.000	98.23			37.87	V	94	2.00
6	2,483.500	57.64	74.00	16.36	37.88	V	221.9	1.00
6	2,484.500	59.56	74.00	14.44	37.88	V	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	2,480.000	97.34			37.87	V	274.5	2.00
6	2,483.500	44.36	54.00	9.64	37.88	V	92.8	2.00
6	2,483.750	44.28	54.00	9.72	37.88	V	92.8	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value–Emission level.
3. 2480MHz: Fundamental frequency.