


APPENDIX D: LABEL AND LABEL LOCATION



PHOTOGRAPH 1: FCC ID LABEL LOCATION ON BOTTOM OF TOUCH SCREEN REMOTE CONTROL



PHOTOGRAPH 2: FCC ID LABEL LOCATION ON BOTTOM OF DOCKING STATION

Please refer to the following page for a sample of the FCC ID label.





ALL RIGHTS ARE RESERVED. REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED WITHOUT THE WRITTEN CONSENT OF THE COPYRIGHT OWNER.



e


f

- Basic product tool : 3104-204-2055
- Printing requirements :
acc. to UAN-D1235 : App0-Rda1-Rcs2-Scr4-Rap
- Lacquering requirements :
acc. to UAN-D1235 : App0-2xRda0-Rcs2-Scr2
- Minimal paintthickness 15 microns



SCALE 1:1

3 PRINT 1 : ON FRONT
Masterdrawing : 8204-160-9545.1
Colour : Gray acc to sample SP421



QDS SHEET 399

ENVIRONMENTAL REQUIREMENT: NO BANNED SUBSTANCES ACC. TO UAT-0480/100

CN: -----		Set Name: -----	
☒ ☐ ☐ UN-D 28 Ra in um		TOLERANCES UNLESS OTHERWISE STATED DIMENSIONS ANGLE ±0.2 ±0.5	
☐ ☐ ☐ UN-D 603		ITEM	
GENERAL ROUGHNESS		UNIT	
0.8		mm	
MATERIAL		3104-204-2055	
SCALE		PROJ FIRST ANGLE	
1:1		Print 2 : Spraypainted	
TREATMENT		Colour : Silver acc to sample Mz405	
CLASS NO.		2XX000	
NAME		CUYPERS ROGER	
PL		CHECK	
SUPERS		xxxx xxx xxxx	
DATE		2003-04-22	
2		10	
110 - 1		A3	
2003-05-23		1 2003-05-23	
BATTERYLID ASSY RC5400/U1S		3104-207-8044	
KONINKLIJKE PHILIPS ELECTRONICS N.V.			