

Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

Low Channel (Horizontal) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-05-30




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2340.88	53.83	15.95	37.88	74.00	-20.17	214	227 Peak		Horizontal		
2 *	2402.00	102.63	64.70	37.93	74.00	28.63	214	227 Peak		Horizontal		
3	2767.96	55.25	16.97	38.28	74.00	-18.75	214	227 Peak		Horizontal		

Low Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-05-30




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2333.84	54.37	16.56	37.81	74.00	-19.63	335	128 Peak		Vertical		
2 *	2402.00	97.73	59.80	37.93	74.00	23.73	335	128 Peak		Vertical		
3	2877.82	56.35	17.62	38.73	74.00	-17.65	335	128 Peak		Vertical		

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2355.19	40.32	2.37	37.95	54.00	-13.68		214	227	Average	Horizontal	
2 *	2402.00	91.93	54.00	37.93	54.00	37.93		214	227	Average	Horizontal	
3	2895.87	41.70	2.92	38.78	54.00	-12.30		214	227	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2359.68	40.25	2.30	37.95	54.00	-13.75		335	128	Average	Vertical	
2 *	2402.00	88.06	50.13	37.93	54.00	34.06		335	128	Average	Vertical	
3	2638.87	41.62	3.21	38.41	54.00	-12.38		335	128	Average	Vertical	

BLE_1M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2336.43	53.40	15.57	37.83	74.00	-20.60		214	210 Peak	Horizontal		
2 *	2440.00	102.63	64.43	38.20	74.00	28.63		214	210 Peak	Horizontal		
3	2823.89	56.34	17.73	38.61	74.00	-17.66		214	210 Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2313.19	53.40	15.78	37.62	74.00	-20.60		330	185 Peak	Vertical		
2 *	2440.00	93.52	55.32	38.20	74.00	19.52		330	185 Peak	Vertical		
3	2608.66	55.38	16.94	38.44	74.00	-18.62		330	185 Peak	Vertical		

BLE_1M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2350.47	40.36	2.40	37.96	54.00	-13.64		214	210	Average	Horizontal	
2 *	2440.00	92.26	54.06	38.20	54.00	38.26		214	210	Average	Horizontal	
3	2800.29	41.88	3.30	38.58	54.00	-12.12		214	210	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2360.86	40.30	2.35	37.95	54.00	-13.70		330	185	Average	Vertical	
2 *	2440.00	94.33	46.13	38.20	54.00	39.33		330	185	Average	Vertical	
3	2897.99	41.69	2.90	38.79	54.00	-12.31		330	185	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2325.34	53.89	16.16	37.73	74.00	-20.11		321	241	Peak	Horizontal	
2 *	2488.00	102.47	64.16	38.31	74.00	28.47		321	241	Peak	Horizontal	
3	2529.01	55.85	17.61	38.24	74.00	-18.15		321	241	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2348.00	53.37	15.44	37.93	74.00	-20.63		362	142	Peak	Vertical	
2 *	2488.00	99.94	61.63	38.31	74.00	25.94		362	142	Peak	Vertical	
3	2638.16	55.19	16.78	38.41	74.00	-18.81		362	142	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2369.59	40.23	2.29	37.94	54.00	-13.77	321	241	Average	Horizontal			
2 *	2480.00	92.05	53.74	38.31	54.00	38.05	321	241	Average	Horizontal			
3	2483.46	42.13	3.82	38.31	54.00	-11.87	321	241	Average	Horizontal			

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2359.83	40.36	2.40	37.96	54.00	-13.64	362	142	Average	Vertical			
2 *	2480.00	89.97	51.66	38.31	54.00	35.97	362	142	Average	Vertical			
3	2483.58	41.72	3.41	38.31	54.00	-12.28	362	142	Average	Vertical			

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.38	54.52	16.59	37.93	74.00	-19.48	190	199	Peak	Horizontal		
2 *	2402.00	102.30	64.37	37.93	74.00	28.30	190	199	Peak	Horizontal		
3	2636.39	55.62	17.20	38.42	74.00	-18.38	190	199	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.50	53.85	15.90	37.95	74.00	-20.15	343	132	Peak	Vertical		
2 *	2402.00	97.38	59.45	37.93	74.00	23.38	343	132	Peak	Vertical		
3	2814.21	54.63	16.04	38.59	74.00	-19.37	343	132	Peak	Vertical		

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.02	42.12	4.18	37.94	54.00	-11.88	190	199	Average	Horizontal	
2 *	2402.00	99.80	61.87	37.93	54.00	45.80	190	199	Average	Horizontal	
3	2809.14	43.30	4.71	38.59	54.00	-10.70	190	199	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.39	42.10	4.15	37.95	54.00	-11.90	343	132	Average	Vertical	
2 *	2402.00	94.78	56.85	37.93	54.00	40.78	343	132	Average	Vertical	
3	2819.76	43.69	5.09	38.60	54.00	-10.31	343	132	Average	Vertical	


BLE_2M

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2316.37	53.91	16.26	37.65	74.00	-20.09	336	208	Peak	Horizontal				
2 *	2440.00	102.40	64.20	38.20	74.00	28.40	336	208	Peak	Horizontal				
3	2619.63	55.65	17.22	38.43	74.00	-18.35	336	208	Peak	Horizontal				



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2342.57	53.58	15.69	37.89	74.00	-20.42	363	110	Peak	Vertical				
2 *	2440.00	98.24	60.04	38.20	74.00	24.24	363	110	Peak	Vertical				
3	2804.66	54.81	16.23	38.58	74.00	-19.19	363	110	Peak	Vertical				

BLE_2M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2328.17	42.06	4.39	37.76	54.00	-11.94	336	208 Average	Horizontal	
2 *	2440.00	99.86	61.66	38.20	54.00	45.86	336	208 Average	Horizontal	
3	2841.83	43.39	4.76	38.63	54.00	-10.61	336	208 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.11	41.88	3.94	37.94	54.00	-12.12	363	110 Average	Vertical	
2 *	2440.00	95.68	57.48	38.20	54.00	41.68	363	110 Average	Vertical	
3	2635.00	43.51	5.09	38.42	54.00	-10.49	363	110 Average	Vertical	

BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.32	53.47	15.53	37.94	74.00	-20.53		359	238	Peak	Horizontal	
2 *	2480.00	101.57	63.26	38.31	74.00	27.57		359	238	Peak	Horizontal	
3	2624.47	55.79	17.37	38.42	74.00	-18.21		359	238	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.14	53.78	15.83	37.95	74.00	-20.22		400	137	Peak	Vertical	
2 *	2480.00	96.76	58.45	38.31	74.00	22.76		400	137	Peak	Vertical	
3	2790.50	55.55	17.06	38.49	74.00	-18.45		400	137	Peak	Vertical	

BLE_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2351.89	42.05	4.09	37.96	54.00	-11.95	359	238	Average	Horizontal		
2 *	2480.00	99.13	60.82	38.31	54.00	45.13	359	238	Average	Horizontal		
3	2483.46	43.63	5.32	38.31	54.00	-10.37	359	238	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2386.70	42.17	4.24	37.93	54.00	-11.83	400	137	Average	Vertical		
2 *	2480.00	94.27	55.96	38.31	54.00	40.27	400	137	Average	Vertical		
3	2811.38	43.44	4.85	38.59	54.00	-10.56	400	137	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_2M

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	60.81	43.09	17.72	127.60	-66.79	100	51 Peak	Open	
2	0.03	60.32	41.38	18.94	119.18	-58.86	100	183 Peak	Open	
3	0.05	41.78	22.73	19.05	113.13	-71.35	100	330 Peak	Open	
4	0.06	40.77	21.94	18.83	111.72	-70.95	100	201 Peak	Open	
5	0.09	28.68	10.51	18.17	108.56	-79.88	100	293 Peak	Open	
6	0.12	29.17	11.15	18.82	105.70	-76.53	100	125 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.30	37.07	18.34	18.73	98.88	-61.01	100	8 Peak	Open	
2	2.48	32.31	12.84	19.47	69.50	-37.19	100	78 Peak	Open	
3	5.40	33.06	13.46	19.60	69.50	-36.44	100	355 Peak	Open	
4	11.70	34.95	13.35	21.60	69.50	-34.55	100	53 Peak	Open	
5	16.45	35.18	13.25	21.93	69.50	-34.32	100	258 Peak	Open	
6	23.13	35.24	13.05	22.19	69.50	-34.26	100	15 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	52.31	22.85	28.52	-5.67	40.00	-17.15	400	270 Peak	Horizontal	
2	163.86	21.61	27.28	-5.67	43.50	-21.89	100	295 Peak	Horizontal	
3	275.41	22.03	27.58	-5.55	46.00	-23.97	100	149 Peak	Horizontal	
4	416.06	26.12	28.75	-2.63	46.00	-19.88	400	148 Peak	Horizontal	
5	659.53	29.61	28.35	1.26	46.00	-16.39	356	360 Peak	Horizontal	
6	645.77	34.69	30.59	4.10	46.00	-11.31	300	155 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	81.41	23.45	34.65	-11.20	40.00	-16.55	200	227 Peak	Vertical	
2	148.34	24.36	30.64	-6.28	43.50	-19.14	100	164 Peak	Vertical	
3	399.57	25.49	28.43	-2.94	46.00	-20.51	300	44 Peak	Vertical	
4	603.27	28.90	28.50	0.40	46.00	-17.10	100	105 Peak	Vertical	
5	749.74	32.06	28.96	3.10	46.00	-13.94	300	105 Peak	Vertical	
6	645.77	34.30	30.20	4.10	46.00	-11.70	100	123 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	29.43	37.29	-7.86	54.00	-24.57	274	360	Average	Horizontal		
2	4894.00	38.26	46.12	-7.86	74.00	-35.74	274	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	29.27	37.13	-7.86	54.00	-24.73	100	323	Average	Vertical		
2	4894.00	38.82	46.68	-7.86	74.00	-35.18	100	323	Peak	Vertical		


BLE_1M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7320.00	46.30	51.86	-5.56	54.00	-7.70	300	207	Average	Horizontal		
2	7320.00	52.19	57.75	-5.56	74.00	-21.81	300	207	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7320.00	45.60	51.16	-5.56	54.00	-8.40	100	81	Average	Vertical		
2	7320.00	52.20	57.76	-5.56	74.00	-21.80	100	81	Peak	Vertical		


BLE_1M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	45.13	50.78	-5.65	54.00	-8.87	300	196	Average	Horizontal		
2	7440.00	50.22	55.87	-5.65	74.00	-23.78	300	196	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	44.66	50.31	-5.65	54.00	-9.34	100	95	Average	Vertical		
2	7440.00	50.82	56.47	-5.65	74.00	-23.18	100	95	Peak	Vertical		


BLE_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4884.00	29.40	37.26	-7.86	54.00	-24.60	400	56	Average	Horizontal		
2	4884.00	39.10	46.96	-7.86	74.00	-34.90	400	56	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4884.00	29.26	37.12	-7.86	54.00	-24.74	100	360	Average	Vertical		
2	4884.00	41.10	48.96	-7.86	74.00	-32.90	100	360	Peak	Vertical		


BLE_2M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	45.55	51.11	-5.56	54.00	-8.45	300	198	Average	Horizontal		
2	7320.00	52.71	58.27	-5.56	74.00	-21.29	300	198	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	45.59	51.15	-5.56	54.00	-8.41	100	87	Average	Vertical		
2	7320.00	52.73	58.29	-5.56	74.00	-21.27	100	87	Peak	Vertical		


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	41.10	46.75	-5.65	54.00	-12.90	387	299	Average	Horizontal		
2	7440.00	50.46	56.11	-5.65	74.00	-23.54	387	299	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	43.39	49.04	-5.65	54.00	-10.61	400	258	Average	Vertical		
2	7440.00	49.58	55.23	-5.65	74.00	-24.42	400	258	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	31.52	21.90	9.62	56.00	-24.48 Average	line1	
2	0.15	51.44	41.82	9.62	66.00	-14.56 QP	line1	
3	0.18	28.53	18.91	9.62	54.59	-26.06 Average	line1	
4	0.18	46.35	36.73	9.62	64.59	-18.24 QP	line1	
5	0.51	30.66	21.03	9.63	46.00	-15.34 Average	line1	
6	0.51	39.19	29.56	9.63	56.00	-16.81 QP	line1	
7	1.17	19.73	18.09	9.64	46.00	-26.27 Average	line1	
8	1.17	25.95	16.31	9.64	56.00	-30.05 QP	line1	
9	2.91	21.55	11.87	9.68	46.00	-24.45 Average	line1	
10	2.91	28.88	19.20	9.68	56.00	-27.12 QP	line1	
11	18.97	23.25	13.48	9.77	50.00	-26.75 Average	line1	
12	18.97	30.33	20.56	9.77	60.00	-29.67 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	33.40	23.78	9.62	55.79	-22.39 Average	neutral	
2	0.15	53.18	43.56	9.62	65.79	-12.61 QP	neutral	
3	0.19	29.19	19.57	9.62	54.10	-24.91 Average	neutral	
4	0.19	42.40	32.78	9.62	64.10	-21.70 QP	neutral	
5	0.51	30.63	21.00	9.63	46.00	-15.37 Average	neutral	
6	0.51	38.27	28.64	9.63	56.00	-17.73 QP	neutral	
7	2.46	24.75	15.08	9.67	46.00	-21.25 Average	neutral	
8	2.46	30.10	20.43	9.67	56.00	-25.90 QP	neutral	
9	4.54	16.52	6.81	9.71	46.00	-29.48 Average	neutral	
10	4.54	25.28	15.57	9.71	56.00	-30.72 QP	neutral	
11	13.92	22.76	12.94	9.82	50.00	-27.24 Average	neutral	
12	13.92	32.31	22.49	9.82	60.00	-27.69 QP	neutral	