


8	7	6	5	4	3	2	1																																																																						
						<table><tr><td colspan="5">REVISIONS</td></tr><tr><td>REV</td><td>ECO NO.</td><td>DESCRIPTION</td><td>DRAWN BY</td><td>DATE APPR.</td></tr><tr><td>A</td><td>-</td><td>INITIAL RELEASE</td><td>DMD</td><td>10-Feb-05</td></tr></table>		REVISIONS					REV	ECO NO.	DESCRIPTION	DRAWN BY	DATE APPR.	A	-	INITIAL RELEASE	DMD	10-Feb-05																																																							
REVISIONS																																																																													
REV	ECO NO.	DESCRIPTION	DRAWN BY	DATE APPR.																																																																									
A	-	INITIAL RELEASE	DMD	10-Feb-05																																																																									
NOTES: UNLESS OTHERWISE SPECIFIED 1. MATERIAL: PERMANANT WHITE POLYESTER WITH PRESSURE SENSATIVE ADHESIVE. THT-17-422 BRADY LABEL STOCK (RFN P/N: 123-0680-01) OR APPROVED RFN EQUIVELENT. 2. PRINT BLACK PERMANENT INK, USING BRADY RIBBON STOCK #R6000 OR RFN APPROVED EQUIVELENT.																																																																													
(1.0) (2.0) Part #: XXX-XXXX-XX Serial #: XXXXXXXXXXXXX RadioBlade, GSM, NA Made In USA RadioFrame Networks FCC ID: PURBSERIESGSMNA10 MAC Address: XXXXXXXXXXXXX																																																																													
<table><tr><td colspan="4">THIS DOCUMENT AND THE PROPRIETARY, TRADE SECRET AND CONFIDENTIAL INFORMATION IT CONTAINS ARE THE PROPERTY OF RADIOFRAME NETWORKS. DO NOT COPY, DISTRIBUTE, DISCLOSE, OR USE IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF RADIOFRAME NETWORKS.</td></tr><tr><td colspan="2">UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: LINEAR ANGULAR .X ± 0.1 ± 0.5 .XX ± 0.02 .XXX ± 0.010</td><td colspan="2">JOB NO.</td><td colspan="2">RADIOFRAME NETWORKS,™ INC. 1120 112TH AVE NE SUITE 600 BELLEVUE, WA 98004</td></tr><tr><td colspan="2">MATERIAL</td><td colspan="2">APPROVALS</td><td colspan="2">DATE</td></tr><tr><td colspan="2">FINISH</td><td colspan="2">DRAWN</td><td colspan="2">10-Feb-05</td></tr><tr><td colspan="2">DO NOT SCALE DRAWING</td><td colspan="2">CHECKED</td><td colspan="2">TITLE</td></tr><tr><td colspan="2"></td><td colspan="2">ISSUED</td><td colspan="2">LABEL, RADIOBLADE, GSM</td></tr><tr><td colspan="2"></td><td colspan="2">APPROVED</td><td colspan="2">SIZE D</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">DWG NAME: 123-1032-00</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">REV. A</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SCALE 5.000</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SHEET 1 OF 1</td></tr></table>								THIS DOCUMENT AND THE PROPRIETARY, TRADE SECRET AND CONFIDENTIAL INFORMATION IT CONTAINS ARE THE PROPERTY OF RADIOFRAME NETWORKS. DO NOT COPY, DISTRIBUTE, DISCLOSE, OR USE IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF RADIOFRAME NETWORKS.				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: LINEAR ANGULAR .X ± 0.1 ± 0.5 .XX ± 0.02 .XXX ± 0.010		JOB NO.		RADIOFRAME NETWORKS,™ INC. 1120 112TH AVE NE SUITE 600 BELLEVUE, WA 98004		MATERIAL		APPROVALS		DATE		FINISH		DRAWN		10-Feb-05		DO NOT SCALE DRAWING		CHECKED		TITLE				ISSUED		LABEL, RADIOBLADE, GSM				APPROVED		SIZE D						THIRD ANGLE PROJECTION						DWG NAME: 123-1032-00						REV. A						SCALE 5.000						SHEET 1 OF 1	
THIS DOCUMENT AND THE PROPRIETARY, TRADE SECRET AND CONFIDENTIAL INFORMATION IT CONTAINS ARE THE PROPERTY OF RADIOFRAME NETWORKS. DO NOT COPY, DISTRIBUTE, DISCLOSE, OR USE IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF RADIOFRAME NETWORKS.																																																																													
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: LINEAR ANGULAR .X ± 0.1 ± 0.5 .XX ± 0.02 .XXX ± 0.010		JOB NO.		RADIOFRAME NETWORKS,™ INC. 1120 112TH AVE NE SUITE 600 BELLEVUE, WA 98004																																																																									
MATERIAL		APPROVALS		DATE																																																																									
FINISH		DRAWN		10-Feb-05																																																																									
DO NOT SCALE DRAWING		CHECKED		TITLE																																																																									
		ISSUED		LABEL, RADIOBLADE, GSM																																																																									
		APPROVED		SIZE D																																																																									
				THIRD ANGLE PROJECTION																																																																									
				DWG NAME: 123-1032-00																																																																									
				REV. A																																																																									
				SCALE 5.000																																																																									
				SHEET 1 OF 1																																																																									
8	7	6	5	4	3	2	1																																																																						



INDEX	QTY	RFN PART NUMBER	MEMBER TYPE	DESCRIPTION
1	1	101-0630-05	ASSEMBLY	GSM RADIOBLADE PCBA
2	1	PCB-0630-05	PART	GSM RADIOBLADE PCB
3	2	802-0100-02	PART	SMA, Jack, End Launch
4	1	510-1140-99	PART	SHIELD, INNER GSM RADIOBLADE TOP
5	1	510-0790-99	ASSEMBLY	RadioBlade, Shield, EU GSM, Bottom
6	1	510-0800-99	ASSEMBLY	RadioBlade, Shield, EU GSM, Top
7	1	123-0680-01	PART	LABEL, STOCK 1X2" WHITE POLYESTER




REVISIONS				
REV	ECO NO.	DESCRIPTION	DRAWN BY	DATE APPR.
A	-	INITIAL RELEASE	DMD	09-Jan-04

NOTES: UNLESS OTHERWISE SPECIFIED

- 1 PLACE PRODUCT LABEL APPROXIMATELY AS SHOWN. CENTERING ON SHIELD. REFER TO DEOCUMENT 931-0910-00, 931-0520-00, AND 931-0560-00 FOR LABEL CONTENT, REFER TO BOM FOR LABEL STOCK PART NUMBER.
2. MAXIMUM CONTINUOUS UNWETTED AREA ON ANY PROTION OF SHIELD TO PCB INTERFACE SHALL NOT EXCEED .10".
3. MAXIMUM TOTAL UNWETTED AREA OF SHIELD TO PCB INTERFACE SHALL NOT EXCEED 10% PER EDGE.
4. MAXIMUM SOLDER BALL DIAMETER SHALL NOT EXCEED .02"

THIS DOCUMENT AND THE PROPRIETARY, TRADE SECRET AND CONFIDENTIAL INFORMATION IT CONTAINS ARE THE PROPERTY OF RADIOFRAME NETWORKS. DO NOT COPY, DISTRIBUTE, DISCLOSE, OR USE IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF RADIOFRAME NETWORKS.				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: LINEAR .X ± 0.1 .XX ± 0.02 .XXX ± 0.015 ANGULAR ± 0.5		JOB NO. APPROVALS DATE DRAWN D. DUVALL 09-Jan-04 CHECKED ISSUED APPROVED		RADIOFRAME NETWORKS,™ INC. 1120 112TH AVE NE SUITE 600 BELLEVUE, WA 98004 TITLE ASY DRAWING, 101-0630-05, EU GSM BLADE v0.5 DWG NAME: 910-0630-01 SCALE 2.000 SHEET 1 OF 2 REV. A
FINISH DO NOT SCALE DRAWING		SIZE THIRD ANGLE PROJECTION D		


*BOM FOR REFERENCE ONLY



DETAIL A
SCALE 5.000

TYP. SOLDER TABS TO SMA CONNECTOR USING ANY APPROVED MOTHOD POSSIBLE, METHODS (NOT INCLUSIVE):
1. APPLY SOLDER PASTE PRIOR TO REFLOW.
2. SOLDER CONNECTION POST REFLOW.

A MINIMUM OF 80% OF THE LENGTH OF THE TAB SHALL BE WETTED TO THE SMA CONNECTOR.




DETAIL B
SCALE 5.000

TYP. SOLDER SHIELD TO LEGS OF SMA CONNECTOR USING ANY APPROVED METHOD POSSIBLE. METHODS (NOT INCLUSIVE):
1. APPLY SOLDER PASTE PRIOR TO REFLOW.
2. SOLDER CONNECTION POST REFLOW.

A MINIMUM OF 80% OF EACH SIDE OF LEGS OF SMA CONNECTOR SHALL BE WETTED TO THE SHIELD.

HOLES AT TOP OF LEG NEED NOT BE ENTIRELY FILLED.



DETAIL C
SCALE 5.000

TYP. SOLDER TABS TO SMA CONNECTOR USING ANY APPROVED MOTHOD POSSIBLE, METHODS (NOT INCLUSIVE):
1. APPLY SOLDER PASTE PRIOR TO REFLOW.
2. SOLDER CONNECTION POST REFLOW.

A MINIMUM OF 80% OF THE LENGTH OF THE TAB SHALL BE WETTED TO THE SMA CONNECTOR.