


Vertical



Date: 9.MAR.2026 11:04:22


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at low frequency
Test voltage	3.3Vdc
Antenna	1#

Results

Horizontal




Date: 9.MAR.2026 10:46:14

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at middle frequency
Test voltage	3.3Vdc
Antenna	1#

Results

Horizontal




Date: 9.MAR.2026 11:00:15

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at high frequency
Test voltage	3.3Vdc
Antenna	1#

Results

Horizontal




Date: 9.MAR.2026 11:09:01

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at low frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:17:03

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:18:23


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at middle frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:30:35

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:29:41


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at high frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:39:01

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:40:23


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 2 at low frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:22:13

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 2 at middle frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:32:03

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 2 at high frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:44:58

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:43:50


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at low frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:23:53

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:26:13


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at middle frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:36:51

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 9.MAR.2026 11:35:02


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 3 at high frequency
Test voltage	3.3Vdc
Antenna	2#

Results

Horizontal




Date: 9.MAR.2026 11:47:56

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at low frequency
Test voltage	3.3Vdc
Antenna	3#

Results

Horizontal




Date: 10.APR.2026 18:50:26

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical




Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at middle frequency
Test voltage	3.3Vdc
Antenna	3#

Results

Horizontal




Date: 10.APR.2026 18:55:58

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Vertical



Date: 10.APR.2026 18:56:47


Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.

Model	UAH022
Operation Mode	Mode 1 at high frequency
Test voltage	3.3Vdc
Antenna	3#

Results

Horizontal



Date: 10.APR.2026 19:04:13

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

No other significant emissions were measured at the frequency range of interest employing the PK and AV detectors.