Annex E

Noise Power
&
Uplink Noise Timing

Dedicated Ports

Noise power_ Uplink_1710-1755 MHz_donor port 1



Noise power_ Uplink_1850-1915 MHz_donor port 1



Noise power_ Uplink_776-787 MHz_donor port 3



Noise power_Uplink_ 698- 716 MHz_donor port 3



Noise power_Uplink_ 824-849 MHz_donor port 2



Noise power_ 1930-1995 MHz_Server Port



Noise power_ 2110-2155 MHz_Server Port



Noise power_ 728- 746 MHz_Server Port



Noise power_ 746- 757 MHz_Server Port



Noise power_869- 894 MHz_Server Port



Variable Noise Timing_ 1710-1755 MHz_donor port 1



Variable Noise Timing_ 698-716 MHz_donor port 3



Variable Noise Timing_ 776-787 MHz_donor port 3



Variable Noise Timing_ 1850 - 1915 MHz_donor port 1



Variable Noise Timing_ 824-849 MHz_donor port 2



Common Ports

Noise power_ Uplink_776-787 MHz_donor port 1



Noise power_ Uplink_824-849 MHz_donor port 1



Noise power_Uplink_ 698-716 MHz_donor port 1



Variable Noise Timing_ 698-716 MHz_donor port 1



Variable Noise Timing_ 776-787 MHz_donor port 1



Variable Noise Timing_ 824-849 MHz_donor port 1