







2024-09-03 17:15:49




2024-09-03 15:12:20




2024-09-03 15:12:21




2024-09-03 17:15:56




2024-09-03 17:16:05



2024-09-03 17:23:27




2024-09-03 14:46:39




2024-09-03 14:46:45


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3519.98     | 3530       | 1         | /      | 1          | 3522.920   | -45.67      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3530.481   | -45.58      | -25         | Pass   |
| 3540        | 3562.74    | 1         | /      | 3          | 3557.154   | -30.46      | -25         | Pass   |
| 3562.74     | 3572.74    | 1.474     | /      | 4          | 3566.394   | -30.57      | -13         | Pass   |
| 3572.74     | 3677.24    | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3677.24     | 3687.24    | 1         | /      | 5          | 3682.115   | -32.91      | -13         | Pass   |
| 3687.24     | 3720       | 1         | /      | 6          | 3693.877   | -32.65      | -25         | Pass   |
| 3720        | 3720       | 1         | /      | 7          | 3712.358   | -49.00      | -25         | Pass   |
| 3720        | 3730       | 1         | /      | 8          | 3729.790   | -47.46      | -40         | Pass   |




2024-09-03 17:07:44





2024-09-03 14:46:57





2024-09-03 14:46:58




2024-09-03 17:07:51







| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3519.98     | 3530       | 1         | /      | 1          | 3529.011   | -46.07      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3539.932   | -46.13      | -25         | Pass   |
| 3540        | 3562.689   | 1         | /      | 3          | 3561.564   | -31.25      | -25         | Pass   |
| 3562.689    | 3572.689   | 1.474     | /      | 4          | 3572.065   | -30.81      | -13         | Pass   |
| 3572.689    | 3677.291   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3677.291    | 3687.291   | 1         | /      | 5          | 3682.325   | -31.82      | -13         | Pass   |
| 3687.291    | 3720       | 1         | /      | 6          | 3687.576   | -32.33      | -25         | Pass   |
| 3720        | 3720       | 1         | /      | 7          | 3710.258   | -48.45      | -25         | Pass   |
| 3720        | 3730       | 1         | /      | 8          | 3728.320   | -49.96      | -40         | Pass   |




2024-09-03 17:11:52





2024-09-03 14:59:21




2024-09-03 14:59:22




2024-09-03 17:11:59






2024-09-03 15:07:01




2024-09-03 15:07:07


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3519.98     | 3530       | 1         | /      | 1          | 3529.851   | -45.64      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3539.512   | -45.02      | -25         | Pass   |
| 3540        | 3562.766   | 1         | /      | 3          | 3557.574   | -31.10      | -25         | Pass   |
| 3562.766    | 3572.766   | 1.474     | /      | 4          | 3566.394   | -30.12      | -13         | Pass   |
| 3572.766    | 3677.214   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3677.214    | 3687.214   | 1         | /      | 5          | 3686.526   | -30.88      | -13         | Pass   |
| 3687.214    | 3720       | 1         | /      | 6          | 3688.836   | -31.93      | -25         | Pass   |
| 3720        | 3720       | 1         | /      | 7          | 3719.289   | -48.16      | -25         | Pass   |
| 3720        | 3730       | 1         | /      | 8          | 3728.950   | -47.46      | -40         | Pass   |




2024-09-03 17:14:21




2024-09-03 15:07:19




2024-09-03 15:07:20




2024-09-03 17:14:28




2024-09-03 17:14:38



2024-09-03 17:23:00




2024-09-03 15:14:20




2024-09-03 15:14:26


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3519.98     | 3530       | 1         | /      | 1          | 3529.431   | -46.84      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3531.951   | -45.58      | -25         | Pass   |
| 3540        | 3562.732   | 1         | /      | 3          | 3561.354   | -30.45      | -25         | Pass   |
| 3562.732    | 3572.732   | 1.474     | /      | 4          | 3569.335   | -29.51      | -13         | Pass   |
| 3572.732    | 3677.248   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3677.248    | 3687.248   | 1         | /      | 5          | 3681.695   | -30.45      | -13         | Pass   |
| 3687.248    | 3720       | 1         | /      | 6          | 3691.566   | -31.13      | -25         | Pass   |
| 3720        | 3720       | 1         | /      | 7          | 3710.678   | -48.01      | -25         | Pass   |
| 3720        | 3730       | 1         | /      | 8          | 3727.690   | -48.03      | -40         | Pass   |




2024-09-03 17:16:54




2024-09-03 15:14:38




2024-09-03 15:14:39




2024-09-03 17:17:01




2024-09-03 17:17:11



2024-09-03 17:23:56




2024-09-03 14:46:39




2024-09-03 15:14:26


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3519.98     | 3530       | 1         | /      | 1          | 3522.290   | -41.09      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3539.722   | -40.65      | -25         | Pass   |
| 3540        | 3562.732   | 1         | /      | 3          | 3561.354   | -25.25      | -25         | Pass   |
| 3562.732    | 3572.732   | 1.474     | /      | 4          | 3566.394   | -24.49      | -13         | Pass   |
| 3572.732    | 3677.248   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3677.248    | 3687.248   | 1         | /      | 5          | 3677.285   | -26.08      | -13         | Pass   |
| 3687.248    | 3720       | 1         | /      | 6          | 3687.996   | -26.72      | -25         | Pass   |
| 3720        | 3720       | 1         | /      | 7          | 3710.468   | -43.57      | -25         | Pass   |
| 3720        | 3730       | 1         | /      | 8          | 3729.790   | -43.33      | -40         | Pass   |




2024-09-03 17:16:54




2024-09-03 15:14:38




2024-09-03 15:14:39




2024-09-03 17:17:01




2024-09-03 17:17:11



2024-09-03 17:23:56




2024-09-03 14:49:52




2024-09-03 15:24:20


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | /      | 1          | 3525.459   | -45.78      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3532.998   | -46.15      | -25         | Pass   |
| 3540        | 3587.837   | 1         | /      | 3          | 3584.470   | -30.68      | -25         | Pass   |
| 3587.837    | 3597.837   | 1.474     | /      | 4          | 3589.929   | -30.38      | -13         | Pass   |
| 3597.837    | 3702.124   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3702.124    | 3712.124   | 1         | /      | 5          | 3702.232   | -33.24      | -13         | Pass   |
| 3712.124    | 3720       | 1         | /      | 6          | 3710.031   | -47.97      | -25         | Pass   |
| 3720        | 3779.96    | 1         | /      | 7          | 3761.503   | -48.72      | -40         | Pass   |




2024-09-03 17:08:40





2024-09-03 14:50:10




2024-09-03 14:50:11




2024-09-03 17:08:47






2024-09-03 15:01:11




2024-09-03 15:23:12


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | /      | 1          | 3522.340   | -45.35      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3531.178   | -46.20      | -25         | Pass   |
| 3540        | 3587.769   | 1         | /      | 3          | 3570.952   | -30.92      | -25         | Pass   |
| 3587.769    | 3597.769   | 1.474     | /      | 4          | 3592.529   | -30.83      | -13         | Pass   |
| 3597.769    | 3702.191   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3702.191    | 3712.191   | 1         | /      | 5          | 3702.492   | -33.04      | -13         | Pass   |
| 3712.191    | 3720       | 1         | /      | 6          | 3710.031   | -48.56      | -25         | Pass   |
| 3720        | 3779.96    | 1         | /      | 7          | 3756.044   | -48.82      | -40         | Pass   |




2024-09-03 17:12:39




2024-09-03 15:01:28




2024-09-03 15:01:30




2024-09-03 17:12:46




2024-09-03 17:12:56



2024-09-03 17:22:29




2024-09-03 15:09:07




2024-09-03 15:09:13


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | /      | 1          | 3529.878   | -45.93      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3530.138   | -45.85      | -25         | Pass   |
| 3540        | 3587.876   | 1         | /      | 3          | 3583.430   | -30.49      | -25         | Pass   |
| 3587.876    | 3597.876   | 1.474     | /      | 4          | 3588.629   | -30.61      | -13         | Pass   |
| 3597.876    | 3702.084   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3702.084    | 3712.084   | 1         | /      | 5          | 3702.232   | -32.90      | -13         | Pass   |
| 3712.084    | 3720       | 1         | /      | 6          | 3710.811   | -47.00      | -25         | Pass   |
| 3720        | 3779.96    | 1         | /      | 7          | 3776.061   | -47.35      | -40         | Pass   |




2024-09-03 17:15:12




2024-09-03 15:09:25




2024-09-03 15:09:26





2024-09-03 17:15:19




2024-09-03 17:15:28




2024-09-03 17:23:12




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | /      | 1          | 3528.839   | -46.61      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3535.858   | -45.11      | -25         | Pass   |
| 3540        | 3587.887   | 1         | /      | 3          | 3584.990   | -30.30      | -25         | Pass   |
| 3587.887    | 3597.887   | 1.474     | /      | 4          | 3588.629   | -30.57      | -13         | Pass   |
| 3597.887    | 3702.073   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3702.073    | 3712.073   | 1         | /      | 5          | 3702.752   | -33.61      | -13         | Pass   |
| 3712.073    | 3720       | 1         | /      | 6          | 3711.850   | -46.66      | -25         | Pass   |
| 3720        | 3779.96    | 1         | /      | 7          | 3750.065   | -47.50      | -40         | Pass   |




2024-09-03 17:18:04




2024-09-03 15:16:57




2024-09-03 15:16:58




2024-09-03 17:18:11




2024-09-03 17:18:20



2024-09-03 17:24:12




2024-09-03 14:49:52




2024-09-03 15:16:45



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | /      | 1          | 3529.878   | -40.82      | -40         | Pass   |
| 3530        | 3540       | 1         | /      | 2          | 3535.858   | -40.58      | -25         | Pass   |
| 3540        | 3587.876   | 1         | /      | 3          | 3583.430   | -25.07      | -25         | Pass   |
| 3587.876    | 3597.876   | 1.474     | /      | 4          | 3590.969   | -24.91      | -13         | Pass   |
| 3597.876    | 3702.084   | 1.474     | CHP    | /          | /          | /           | /           | /      |
| 3702.084    | 3712.084   | 1         | /      | 5          | 3702.232   | -27.41      | -13         | Pass   |
| 3712.084    | 3720       | 1         | /      | 6          | 3710.031   | -42.16      | -25         | Pass   |
| 3720        | 3779.96    | 1         | /      | 7          | 3757.343   | -43.05      | -40         | Pass   |




2024-09-03 17:18:04




2024-09-03 15:16:57





2024-09-03 17:18:20



2024-09-03 17:24:12