



Emission Masks

DL_DMR_LCH_Pre-AGC




DL_DMR_LCH_3dB above AGC




Emission Masks

DL_DMR_MCH_Pre-AGC




DL_DMR_MCH_3dB above AGC




Emission Masks

DL_DMR_HCH_Pre-AGC




DL_DMR_HCH_3dB above AGC




Emission Masks

DL_C4FM_LCH_Pre-AGC




DL_C4FM_LCH_3dB above AGC




Emission Masks

DL_C4FM_MCH_Pre-AGC




DL_C4FM_MCH_3dB above AGC




Emission Masks

DL_C4FM_HCH_Pre-AGC




DL_C4FM_HCH_3dB above AGC




Emission Masks

DL_H-DQPSK_LCH_Pre-AGC




DL_H-DQPSK_LCH_3dB above AGC




Emission Masks

DL_H-DQPSK_MCH_Pre-AGC




DL_H-DQPSK_MCH_3dB above AGC




Emission Masks

DL_H-DQPSK_HCH_Pre-AGC




DL_H-DQPSK_HCH_3dB above AGC




Emission Masks

DL_TETRA_LCH_Pre-AGC




DL_TETRA_LCH_3dB above AGC




Emission Masks

DL_TETRA_MCH_Pre-AGC




DL_TETRA_MCH_3dB above AGC




Emission Masks

DL_TETRA_HCH_Pre-AGC




DL_TETRA_HCH_3dB above AGC




Emission Masks

UL_FM_LCH_Pre-AGC




UL_FM_LCH_3dB above AGC




Emission Masks

UL_FM_MCH_Pre-AGC




UL_FM_MCH_3dB above AGC




Emission Masks

UL_FM_HCH_Pre-AGC




UL_FM_HCH_3dB above AGC




Emission Masks

UL_DMR_LCH_Pre-AGC




UL_DMR_LCH_3dB above AGC




Emission Masks

UL_DMR_MCH_Pre-AGC




UL_DMR_MCH_3dB above AGC




Emission Masks

UL_DMR_HCH_Pre-AGC




UL_DMR_HCH_3dB above AGC




Emission Masks

UL_C4FM_LCH_Pre-AGC




UL_C4FM_LCH_3dB above AGC




Emission Masks

UL_C4FM_MCH_Pre-AGC



UL_C4FM_MCH_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Emission Masks

UL_C4FM_HCH_Pre-AGC




UL_C4FM_HCH_3dB above AGC




Emission Masks

UL_H-DQPSK_LCH_Pre-AGC




UL_H-DQPSK_LCH_3dB above AGC




Emission Masks

UL_H-DQPSK_MCH_Pre-AGC




UL_H-DQPSK_MCH_3dB above AGC




Emission Masks

UL_H-DQPSK_HCH_Pre-AGC




UL_H-DQPSK_HCH_3dB above AGC




Emission Masks

UL_TETRA_LCH_Pre-AGC




UL_TETRA_LCH_3dB above AGC




Emission Masks

UL_TETRA_MCH_Pre-AGC




UL_TETRA_MCH_3dB above AGC




Emission Masks

UL_TETRA_HCH_Pre-AGC



UL_TETRA_HCH_3dB above AGC



5 Noise Figure

Noise Figure			
Test path	Noise figure (dB)	Limit (dB)	Verdict
DL	7.42	≤9	PASS
UL	6.87		PASS

6 Intermodulation

Intermodulation					
Test path	Test frequency f0 (MHz)	CW signal spacing (kHz)	Signal level	Worst conducted test level (dBm)	
				300Hz measurement bandwidth	10kHz measurement bandwidth
DL	407.5	6.25	Pre-AGC	-15.61	-0.38
			3dB above AGC	-15.06	0.17
		12.5	Pre-AGC	-16.75	-1.52
			3dB above AGC	-15.50	-0.27
		25	Pre-AGC	-16.43	-1.20
			3dB above AGC	-15.27	-0.04
UL	409.5	6.25	Pre-AGC	-21.57	-6.34
			3dB above AGC	-21.91	-6.68
		12.5	Pre-AGC	-21.25	-6.02
			3dB above AGC	-21.33	-6.10
		25	Pre-AGC	-20.90	-5.67
			3dB above AGC	-21.26	-6.03

Remark:

- f0 is from Out-of-band Rejection test in the report.
- The level in 10kHz measurement bandwidth= the level in 300Hz measurement bandwidth+ 10lg(10000/300).
- ERP= conducted test level (dBm)+ antenna gain (dBi)- 2.15dB, the maximum antenna gain is 0dBi and declared by the manufacturer.
- The ERP of worst intermodulation products is 0.17/10kHz+ 0dBi- 2.15dB= -1.98dBm, the applicant must use good engineering practice to make sure that the ERP of intermodulation products should not exceed -30dBm in 10kHz measurement bandwidth.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Intermodulation

DL_6.25kHz_Pre-AGC



DL_6.25kHz_3dB above AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EMC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Intermodulation

DL_12.5kHz_Pre-AGC




DL_12.5kHz_3dB above AGC




Intermodulation

DL_25kHz_Pre-AGC



DL_25kHz_3dB above AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Test and Calibration Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Intermodulation

UL_6.25kHz_Pre-AGC



UL_6.25kHz_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Intermodulation

UL_12.5kHz_Pre-AGC



UL_12.5kHz_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Intermodulation

UL_25kHz_Pre-AGC



UL_25kHz_3dB above AGC



7 Conducted Spurious emissions

Conducted Spurious emissions						
Test path	Test signal	Test channel	Frequency range (MHz)	Worst test level (dBm)	Limit (dBm)	Verdict
DL	CW	MCH	0.09-30	-38.43	≤-13	PASS
			30-1000	-17.43	≤-13	PASS
			1000-4200	-24.13	≤-13	PASS
UL	CW	MCH	0.09-30	-41.10	≤-13	PASS
			30-1000	-27.32	≤-13	PASS
			1000-4200	-23.91	≤-13	PASS
Remark: The conducted spurious emissions 9kHz to 30MHz were very low and not displayed test plots in this report.						





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Conducted Spurious emissions

DL_CW_MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Conducted Spurious emissions

UL_CW_MCH



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663

中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

8 Noise

Noise within the passband		
Test path	Frequency range (MHz)	Worst conducted test level (dBm)
DL	406.1-420	-20.33
UL	406.1-420	-20.47
Noise outside of the passband		
Test path	Frequency range (MHz)	Worst conducted test level (dBm)
DL	0.009-30	-48.51
	30-405.1	-39.42
	421-4200	-34.05
UL	0.009-30	-50.42
	30-405.1	-25.33
	421-4200	-21.13

Remark:

- ERP= conducted test level (dBm)+ antenna gain (dBi)- 2.15dB, the antenna gain is 0dBi declared by the manufacturer.
- The ERP of worst noise within the passband is -20.33/10kHz+ 0dBi- 2.15dB= -22.48dBm, the applicant must use good engineering practice to make sure that the ERP of noise within the passband should not exceed -43dBm in 10kHz measurement bandwidth.
- The ERP of worst noise outside of the passband is -21.13/10kHz+ 0dBi- 2.15dB= -23.28dBm, the applicant must use good engineering practice to make sure that the ERP of noise outside the passband should not exceed -70dBm in 10kHz measurement bandwidth.
- The noise 9kHz to 30MHz were very low and not displayed test plots in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Noise within the passband

DL





UL




Noise outside the passband

DL



Noise outside the passband

UL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

9 Frequency Stability

Frequency stability vs voltage							
Test path	Test Signal	Test Channel	Temperature	Voltage	Freq. error (Hz)	Tolerance (ppm)	Verdict
DL	FM	MCH	TN	VL	3.2	0.0077	PASS
			TN	VH	3.7	0.0090	PASS
	DMR	MCH	TN	VL	1.8	0.0044	PASS
			TN	VH	2.7	0.0065	PASS
	C4FM	MCH	TN	VL	2.9	0.0070	PASS
			TN	VH	3.2	0.0077	PASS
	H-DQPSK	MCH	TN	VL	2.5	0.0061	PASS
			TN	VH	3.2	0.0077	PASS
	TETRA	MCH	TN	VL	1.2	0.0029	PASS
			TN	VH	2.0	0.0048	PASS
UL	FM	MCH	TN	VL	3.1	0.0075	PASS
			TN	VH	1.3	0.0031	PASS
	DMR	MCH	TN	VL	2.4	0.0058	PASS
			TN	VH	3.8	0.0092	PASS
	C4FM	MCH	TN	VL	3.6	0.0087	PASS
			TN	VH	2.5	0.0061	PASS
	H-DQPSK	MCH	TN	VL	3.8	0.0092	PASS
			TN	VH	3.7	0.0090	PASS
	TETRA	MCH	TN	VL	1.2	0.0029	PASS
			TN	VH	1.6	0.0039	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Frequency stability vs temperature							
Test Path	Test Signal	Test Channel	Voltage	Temperature (°C)	Freq. error (Hz)	Tolerance (ppm)	Verdict
DL	FM	MCH	VN	+50	2.0	0.0048	PASS
			VN	+40	2.2	0.0053	PASS
			VN	+30	3.3	0.0080	PASS
			VN	+20	2.6	0.0063	PASS
			VN	+10	2.1	0.0051	PASS
			VN	0	1.2	0.0029	PASS
			VN	-10	2.6	0.0063	PASS
			VN	-20	3.7	0.0090	PASS
			VN	-30	2.6	0.0063	PASS
	DMR	MCH	VN	+50	2.5	0.0061	PASS
			VN	+40	2.2	0.0053	PASS
			VN	+30	2.7	0.0065	PASS
			VN	+20	2.4	0.0058	PASS
			VN	+10	1.6	0.0039	PASS
			VN	0	1.5	0.0036	PASS
			VN	-10	2.8	0.0068	PASS
			VN	-20	1.4	0.0034	PASS
			VN	-30	2.7	0.0065	PASS
	C4FM	MCH	VN	+50	2.4	0.0058	PASS
			VN	+40	1.4	0.0034	PASS
			VN	+30	1.1	0.0027	PASS
			VN	+20	1.4	0.0034	PASS
			VN	+10	2.2	0.0053	PASS
			VN	0	2.4	0.0058	PASS
			VN	-10	1.4	0.0034	PASS
			VN	-20	1.1	0.0027	PASS
			VN	-30	1.4	0.0034	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Frequency stability vs temperature							
Test Path	Test Signal	Test Channel	Voltage	Temperature (°C)	Freq. error (Hz)	Tolerance (ppm)	Verdict
DL	D-HQPSK	MCH	VN	+50	2.7	0.0065	PASS
			VN	+40	2.9	0.0070	PASS
			VN	+30	1.9	0.0046	PASS
			VN	+20	3.5	0.0085	PASS
			VN	+10	1.7	0.0041	PASS
			VN	0	3.5	0.0085	PASS
			VN	-10	2.9	0.0070	PASS
			VN	-20	2.9	0.0070	PASS
			VN	-30	3.5	0.0085	PASS
	TRTRA	MCH	VN	+50	3.9	0.0094	PASS
			VN	+40	1.8	0.0044	PASS
			VN	+30	3.5	0.0085	PASS
			VN	+20	1.2	0.0029	PASS
			VN	+10	3.5	0.0085	PASS
			VN	0	2.8	0.0068	PASS
			VN	-10	3.9	0.0094	PASS
			VN	-20	2.4	0.0058	PASS
			VN	-30	1.1	0.0027	PASS
UL	FM	MCH	VN	+50	3.5	0.0085	PASS
			VN	+40	2.8	0.0068	PASS
			VN	+30	1.6	0.0039	PASS
			VN	+20	2.8	0.0068	PASS
			VN	+10	1.4	0.0034	PASS
			VN	0	2.5	0.0061	PASS
			VN	-10	2.8	0.0068	PASS
			VN	-20	2.7	0.0065	PASS
			VN	-30	2.9	0.0070	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing & Calibration Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Frequency stability vs temperature							
Test Path	Test Signal	Test Channel	Voltage	Temperature (°C)	Freq. error (Hz)	Tolerance (ppm)	Verdict
UL	DMR	MCH	VN	+50	2.0	0.0048	PASS
			VN	+40	3.8	0.0092	PASS
			VN	+30	2.0	0.0048	PASS
			VN	+20	1.4	0.0034	PASS
			VN	+10	2.2	0.0053	PASS
			VN	0	3.6	0.0087	PASS
			VN	-10	2.3	0.0056	PASS
			VN	-20	2.1	0.0051	PASS
			VN	-30	1.1	0.0027	PASS
	C4FM	MCH	VN	+50	2.8	0.0068	PASS
			VN	+40	2.7	0.0065	PASS
			VN	+30	1.3	0.0031	PASS
			VN	+20	2.5	0.0061	PASS
			VN	+10	2.0	0.0048	PASS
			VN	0	2.6	0.0063	PASS
			VN	-10	1.4	0.0034	PASS
			VN	-20	3.4	0.0082	PASS
			VN	-30	1.8	0.0044	PASS
	D-HQPSK	MCH	VN	+50	3.3	0.0080	PASS
			VN	+40	1.4	0.0034	PASS
			VN	+30	2.8	0.0068	PASS
			VN	+20	3.2	0.0077	PASS
			VN	+10	3.3	0.0080	PASS
			VN	0	1.6	0.0039	PASS
			VN	-10	2.8	0.0068	PASS
			VN	-20	2.0	0.0048	PASS
			VN	-30	3.8	0.0092	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Frequency stability vs temperature							
Test Path	Test Signal	Test Channel	Voltage	Temperature (°C)	Freq. error (Hz)	Tolerance (ppm)	Verdict
UL	TETRA	MCH	VN	+50	2.8	0.0068	PASS
			VN	+40	3.5	0.0085	PASS
			VN	+30	3.6	0.0087	PASS
			VN	+20	2.8	0.0068	PASS
			VN	+10	2.4	0.0058	PASS
			VN	0	2.8	0.0068	PASS
			VN	-10	3.5	0.0085	PASS
			VN	-20	3.6	0.0087	PASS
			VN	-30	2.8	0.0068	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testimony EMC Laboratory


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

10 Radiated Spurious emissions

Radiated Spurious emissions

DL_CW_MCH_30MHz-1GHz_Horizontal



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	36.77	-80.03	2.56	-77.47	-13.00	-64.47	HORIZONTAL
2	60.49	-78.69	-2.63	-81.32	-13.00	-68.32	HORIZONTAL
3	248.55	-78.68	-5.56	-84.24	-13.00	-71.24	HORIZONTAL
4	431.03	-78.63	0.20	-78.43	-13.00	-65.43	HORIZONTAL
5	647.39	-76.73	3.77	-72.96	-13.00	-59.96	HORIZONTAL
6	900.15	-79.44	9.45	-69.99	-13.00	-56.99	HORIZONTAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

DL_CW_MCH_30MHz-1GHz_Vertical



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	50.06	-79.85	-6.81	-86.66	-13.00	-73.66	VERTICAL
2	63.09	-79.41	-3.68	-83.09	-13.00	-70.09	VERTICAL
3	148.96	-79.03	-3.94	-82.97	-13.00	-69.97	VERTICAL
4	428.02	-79.14	1.22	-77.92	-13.00	-64.92	VERTICAL
5	647.39	-76.97	4.70	-72.27	-13.00	-59.27	VERTICAL
6	893.86	-77.98	10.26	-67.72	-13.00	-54.72	VERTICAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

DL_CW_MCH_above 1GHz_Horizontal



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1483.18	-62.05	4.70	-57.35	-13.00	-44.35	HORIZONTAL
2	1736.48	-61.71	6.17	-55.54	-13.00	-42.54	HORIZONTAL
3	2674.27	-60.14	4.84	-55.30	-13.00	-42.30	HORIZONTAL
4	3153.52	-62.02	2.28	-59.74	-13.00	-46.74	HORIZONTAL
5	4089.09	-63.26	3.29	-59.97	-13.00	-46.97	HORIZONTAL
6	5024.75	-64.03	11.40	-52.63	-13.00	-39.63	HORIZONTAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

DL_CW_MCH_above 1GHz_Vertical



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1222.23	-59.57	3.44	-56.13	-13.00	-43.13	VERTICAL
2	1537.29	-61.62	6.25	-55.37	-13.00	-42.37	VERTICAL
3	2080.96	-63.15	8.94	-54.21	-13.00	-41.21	VERTICAL
4	2650.42	-60.13	5.42	-54.71	-13.00	-41.71	VERTICAL
5	3738.69	-62.96	3.34	-59.62	-13.00	-46.62	VERTICAL
6	4988.86	-63.53	9.98	-53.55	-13.00	-40.55	VERTICAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

UL_CW_MCH_30MHz-1GHz_Horizontal



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	39.71	-79.44	1.90	-77.54	-13.00	-64.54	HORIZONTAL
2	58.41	-79.69	-2.40	-82.09	-13.00	-69.09	HORIZONTAL
3	172.60	-78.81	-6.14	-84.95	-13.00	-71.95	HORIZONTAL
4	434.07	-78.30	0.21	-78.09	-13.00	-65.09	HORIZONTAL
5	649.66	-77.11	3.79	-73.32	-13.00	-60.32	HORIZONTAL
6	900.15	-78.36	9.45	-68.91	-13.00	-55.91	HORIZONTAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Testing EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Radiated Spurious emissions

UL_CW_MCH_30MHz-1GHz_Vertical



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	35.75	-79.23	-7.82	-87.05	-13.00	-74.05	VERTICAL
2	59.65	-80.66	-2.21	-82.87	-13.00	-69.87	VERTICAL
3	162.04	-78.96	-3.94	-82.90	-13.00	-69.90	VERTICAL
4	431.03	-78.65	1.29	-77.36	-13.00	-64.36	VERTICAL
5	616.37	-76.97	4.34	-72.63	-13.00	-59.63	VERTICAL
6	893.86	-78.22	10.26	-67.96	-13.00	-54.96	VERTICAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

UL_CW_MCH_above 1GHz_Horizontal



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1032.71	-61.75	2.83	-58.92	-13.00	-45.92	HORIZONTAL
2	1110.28	-60.43	2.34	-58.09	-13.00	-45.09	HORIZONTAL
3	1226.79	-60.87	3.64	-57.23	-13.00	-44.23	HORIZONTAL
4	1381.95	-60.89	4.51	-56.38	-13.00	-43.38	HORIZONTAL
5	1473.85	-61.62	4.70	-56.92	-13.00	-43.92	HORIZONTAL
6	1858.25	-62.25	6.14	-56.11	-13.00	-43.11	HORIZONTAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious emissions

UL_CW_MCH_above 1GHz_Vertical



	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1184.11	-60.79	3.38	-57.41	-13.00	-44.41	VERTICAL
2	1289.55	-60.90	4.36	-56.54	-13.00	-43.54	VERTICAL
3	1485.75	-62.47	6.70	-55.77	-13.00	-42.77	VERTICAL
4	1610.26	-61.57	4.88	-56.69	-13.00	-43.69	VERTICAL
5	1779.23	-61.62	5.74	-55.88	-13.00	-42.88	VERTICAL
6	1962.77	-60.47	8.00	-52.47	-13.00	-39.47	VERTICAL

Remark:

The spurious emissions 9kHz to 30MHz and above 18GHz were very low and not displayed in this report.

--End of Appendix--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com