



NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 30 MHz

CH 502200 (2511 MHz) QPSK




CH 534996 (2674.98 MHz) QPSK




NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 35 MHz

CH 502704 (2513.52 MHz) QPSK



CH 534498 (2672.49 MHz) QPSK




[RBW = 100 kHz / Reference RBW = 750 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(750/100)


To compensate for this integration before comparison to the limit, 8.75 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 8.75 dB integration compensation factor = 26.76 dB Ref Lvl Offset


NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 40 MHz



CH 503202 (2516.01 MHz)



CH 518598 (2592.99 MHz)




CH 534000 (2670 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 40 MHz

CH 503202 (2516.01 MHz) QPSK



CH 534000 (2670 MHz) QPSK



[RBW = 100 kHz / Reference RBW = 820 kHz]


Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(820/100)

To compensate for this integration before comparison to the limit, 9.14 dB was added to Ref Lvl Offset.


i.e. 18.01 dB CF + 9.14 dB integration compensation factor = 27.15 dB Ref Lvl Offset

NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 45 MHz

CH 503700 (2518.5 MHz) QPSK



CH 533496 (2667.48 MHz) QPSK




[RBW = 100 kHz / Reference RBW = 910 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(910/100)

To compensate for this integration before comparison to the limit, 9.59 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 9.59 dB integration compensation factor = 27.6 dB Ref Lvl Offset


NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 50 MHz




Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 50 MHz

CH 504204 (2521.02 MHz) QPSK



CH 532998 (2664.99 MHz) QPSK




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 10 dB integration compensation factor = 28.01 dB Ref Lvl Offset


NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 60 MHz



CH 505200 (2526 MHz)




CH 518598 (2592.99 MHz)



CH 531996 (2659.98 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 60 MHz




[RBW = 100 kHz / Reference RBW = 620 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(620/100)

To compensate for this integration before comparison to the limit, 7.92 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 7.92 dB integration compensation factor = 25.93 dB Ref Lvl Offset

CH 531996 (2659.98 MHz) QPSK




[RBW = 100 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(1000/100)


To compensate for this integration before comparison to the limit, 10 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 10 dB integration compensation factor = 28.01 dB Ref Lvl Offset


NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 70 MHz



CH 506202 (2531.01 MHz)



CH 518598 (2592.99 MHz)




CH 531000 (2655 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n41 SCS 30 kHz, PC1.5_MIMO-Ant 3, Channel Bandwidth: 70 MHz

CH 506202 (2531.01 MHz) QPSK

1 RB



FULL RB



[RBW = 100 kHz / Reference RBW = 750 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW=100kHz] + 10log(750/100)

To compensate for this integration before comparison to the limit, 8.75 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 8.75 dB integration compensation factor = 26.76 dB Ref Lvl Offset