

Intertek Testing Services

RF VOLTAGE


EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at low channel
Date: 28. Feb 03 11:20



Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at low channel
Date: 28. Feb 03 11:31

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at middle channel
Date: 28. Feb 03 11:46

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at middle channel
Date: 28. Feb 03 11:38

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at high channel
Date: 28. Feb 03 11:55

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 23'C 55%RH tx at high channel
Date: 28. Feb 03 12:01

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at low channel
Date: 28. Feb 03 13:33

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at low channel
Date: 28. Feb 03 13:13

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at middle channel
Date: 28. Feb 03 13:00

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at middle channel
Date: 28. Feb 03 13:06

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at high channel
Date: 28. Feb 03 12:53

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services
RF VOLTAGE

EUT: ME101
Manuf: Netgear
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014 for UL110-0520 adapter
120V 60Hz 23'C 55%RH tx at high channel
Date: 28. Feb 03 12:44

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s

