Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	39.24	0.98	40.22	54.00	13.78	Horizontal	PASS
2	12102.99	36.16	5.17	41.33	54.00	12.67	Horizontal	PASS
3	17989.27	32.96	13.64	46.60	54.00	7.40	Horizontal	PASS
4	6357.00	35.33	17.18	52.51	68.20	15.69	Horizontal	PASS
5	13697.71	41.19	9.41	50.60	68.20	17.60	Horizontal	PASS
6	17868.90	39.22	13.75	52.97	74.00	21.03	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.53	41.45	0.98	42.43	54.00	11.57	Vertical	PASS
2	12259.39	35.63	5.29	40.92	54.00	13.08	Vertical	PASS
3	17983.90	33.02	13.56	46.58	54.00	7.42	Vertical	PASS
4	6306.94	36.06	16.87	52.93	68.20	15.27	Vertical	PASS
5	8384.15	45.11	0.98	46.09	74.00	27.91	Vertical	PASS
6	17983.52	39.45	13.55	53.00	74.00	21.00	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9029.70	36.55	2.41	38.96	54.00	15.04	Horizontal	PASS
2	12663.06	34.83	6.11	40.94	54.00	13.06	Horizontal	PASS
3	17886.91	32.61	13.51	46.12	54.00	7.88	Horizontal	PASS
4	6482.22	35.35	17.28	52.63	68.20	15.57	Horizontal	PASS
5	14424.15	41.79	8.13	49.92	68.20	18.28	Horizontal	PASS
6	17988.12	38.96	13.62	52.58	74.00	21.42	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9032.38	36.72	2.39	39.11	54.00	14.89	Vertical	PASS
2	12383.98	35.24	5.93	41.17	54.00	12.83	Vertical	PASS
3	17985.43	32.84	13.58	46.42	54.00	7.58	Vertical	PASS
4	6279.26	36.44	16.45	52.89	68.20	15.31	Vertical	PASS
5	14655.31	40.53	9.77	50.30	68.20	17.90	Vertical	PASS
6	17986.58	40.19	13.60	53.79	74.00	20.21	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	38.14	14.55	52.69	-	-	Horizontal	NA
2	8353.10	36.89	1.09	37.98	54.00	16.02	Horizontal	PASS
3	12650.02	35.29	6.18	41.47	54.00	12.53	Horizontal	PASS
4	17880.40	32.84	13.59	46.43	54.00	7.57	Horizontal	PASS
5	5322.23	43.90	14.55	58.45	68.11	9.66	Horizontal	PASS
6	6276.88	35.53	16.40	51.93	68.20	16.27	Horizontal	PASS
7	14329.08	41.30	8.86	50.16	68.20	18.04	Horizontal	PASS
8	17968.95	39.89	13.35	53.24	74.00	20.76	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5322.59	37.31	14.55	51.86	-	-	Vertical	NA
2	9483.58	36.63	2.52	39.15	54.00	14.85	Vertical	PASS
3	12053.92	35.32	5.41	40.73	54.00	13.27	Vertical	PASS
4	17846.28	31.85	13.83	45.68	54.00	8.32	Vertical	PASS
5	5322.59	43.44	14.55	57.99	-	-	Vertical	NA
6	6494.87	34.77	17.44	52.21	68.20	15.99	Vertical	PASS
7	14080.29	42.01	8.15	50.16	68.20	18.04	Vertical	PASS
8	17364.41	40.56	12.19	52.75	68.20	15.45	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	34.57	14.68	49.25	-	-	Horizontal	NA
2	8250.36	39.45	0.53	39.98	54.00	14.02	Horizontal	PASS
3	11381.53	35.35	5.26	40.61	54.00	13.39	Horizontal	PASS
4	17993.87	32.42	13.71	46.13	54.00	7.87	Horizontal	PASS
5	5500.80	39.94	14.68	54.62	-	-	Horizontal	NA
6	6488.08	35.01	17.12	52.13	68.20	16.07	Horizontal	PASS
7	13683.91	40.75	9.30	50.05	68.20	18.15	Horizontal	PASS
8	17349.46	40.44	12.22	52.66	68.20	15.54	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	32.98	14.68	47.66	-	-	Vertical	NA
2	8250.36	41.44	0.53	41.97	54.00	12.03	Vertical	PASS
3	12687.97	35.15	5.99	41.14	54.00	12.86	Vertical	PASS
4	17981.98	32.26	13.53	45.79	54.00	8.21	Vertical	PASS
5	5500.80	39.53	14.68	54.21	-	-	Vertical	NA
6	8249.97	44.94	0.53	45.47	74.00	28.53	Vertical	PASS
7	15075.45	41.75	9.12	50.87	68.20	17.33	Vertical	PASS
8	17998.85	39.70	13.78	53.48	74.00	20.52	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5596.69	33.15	14.73	47.88	-	-	Horizontal	NA
2	7467.18	46.70	-1.49	45.21	54.00	8.79	Horizontal	PASS
3	12072.32	36.17	5.32	41.49	54.00	12.51	Horizontal	PASS
4	17832.09	32.92	13.22	46.14	54.00	7.86	Horizontal	PASS
5	5596.50	39.38	14.73	54.11	-	-	Horizontal	NA
6	7466.80	49.49	-1.49	48.00	74.00	26.00	Horizontal	PASS
7	15255.24	41.04	9.77	50.81	68.20	17.39	Horizontal	PASS
8	17372.85	40.85	12.16	53.01	68.20	15.19	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5595.59	31.15	14.73	45.88	-	-	Vertical	NA
2	7466.80	46.17	-1.49	44.68	54.00	9.32	Vertical	PASS
3	12382.83	35.00	5.91	40.91	54.00	13.09	Vertical	PASS
4	17984.28	32.12	13.57	45.69	54.00	8.31	Vertical	PASS
5	5594.85	37.68	14.72	52.40	-	-	Vertical	NA
6	7466.80	48.99	-1.49	47.50	74.00	26.50	Vertical	PASS
7	15083.50	41.82	9.09	50.91	68.20	17.29	Vertical	PASS
8	17852.80	38.50	13.96	52.46	74.00	21.54	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5701.56	32.64	14.89	47.53	-	-	Horizontal	NA
2	7600.20	48.50	-0.92	47.58	54.00	6.42	Horizontal	PASS
3	12409.28	34.99	6.07	41.06	54.00	12.94	Horizontal	PASS
4	17982.37	33.02	13.54	46.56	54.00	7.44	Horizontal	PASS
5	5705.77	38.75	14.90	53.65	-	-	Horizontal	NA
6	7599.82	50.83	-0.92	49.91	74.00	24.09	Horizontal	PASS
7	13678.16	41.05	9.26	50.31	68.20	17.89	Horizontal	PASS
8	17850.88	39.88	13.98	53.86	74.00	20.14	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5701.92	32.42	14.89	47.31	-	-	Vertical	NA
2	7600.20	48.65	-0.92	47.73	54.00	6.27	Vertical	PASS
3	11436.73	35.36	5.15	40.51	54.00	13.49	Vertical	PASS
4	17857.40	32.56	13.89	46.45	54.00	7.55	Vertical	PASS
5	5701.37	38.41	14.89	53.30	-	-	Vertical	NA
6	7599.82	50.59	-0.92	49.67	74.00	24.33	Vertical	PASS
7	13698.09	40.63	9.41	50.04	68.20	18.16	Vertical	PASS
8	17974.70	39.33	13.43	52.76	74.00	21.24	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	65.77	14.91	80.68	-	-	Horizontal	NA
2	7627.04	45.95	-0.94	45.01	54.00	8.99	Horizontal	PASS
3	12086.89	35.28	5.26	40.54	54.00	13.46	Horizontal	PASS
4	17996.93	31.75	13.75	45.50	54.00	8.50	Horizontal	PASS
5	5727.77	70.84	14.91	85.75	-	-	Horizontal	NA
6	7626.27	48.16	-0.94	47.22	74.00	26.78	Horizontal	PASS
7	13703.84	40.35	9.22	49.57	68.20	18.63	Horizontal	PASS
8	17845.51	38.67	13.80	52.47	74.00	21.53	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	67.09	14.91	82.00	-	-	Vertical	NA
2	7627.04	45.68	-0.94	44.74	54.00	9.26	Vertical	PASS
3	11423.31	35.38	5.24	40.62	54.00	13.38	Vertical	PASS
4	17969.33	32.03	13.35	45.38	54.00	8.62	Vertical	PASS
5	5727.59	71.31	14.91	86.22	-	-	Vertical	NA
6	7626.65	48.06	-0.94	47.12	74.00	26.88	Vertical	PASS
7	14346.71	40.79	8.98	49.77	68.20	18.43	Vertical	PASS
8	17962.43	39.63	13.25	52.88	74.00	21.12	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	47.69	-0.88	46.81	54.00	7.19	Horizontal	PASS
2	12050.09	34.94	5.43	40.37	54.00	13.63	Horizontal	PASS
3	17860.85	31.61	13.85	45.46	54.00	8.54	Horizontal	PASS
4	7660.01	49.03	-0.88	48.15	74.00	25.85	Horizontal	PASS
5	13688.12	39.94	9.34	49.28	68.20	18.92	Horizontal	PASS
6	17913.36	39.42	13.26	52.68	74.00	21.32	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	47.09	-0.88	46.21	54.00	7.79	Vertical	PASS
2	12100.69	35.34	5.18	40.52	54.00	13.48	Vertical	PASS
3	17982.37	31.90	13.54	45.44	54.00	8.56	Vertical	PASS
4	7660.01	48.67	-0.88	47.79	74.00	26.21	Vertical	PASS
5	13688.51	40.17	9.34	49.51	68.20	18.69	Vertical	PASS
6	17928.31	39.08	13.18	52.26	74.00	21.74	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	46.55	-0.70	45.85	54.00	8.15	Horizontal	PASS
2	11445.93	35.21	5.09	40.30	54.00	13.70	Horizontal	PASS
3	17858.55	31.72	13.88	45.60	54.00	8.40	Horizontal	PASS
4	7713.29	48.25	-0.69	47.56	74.00	26.44	Horizontal	PASS
5	13680.84	40.12	9.28	49.40	68.20	18.80	Horizontal	PASS
6	17861.23	38.60	13.84	52.44	74.00	21.56	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	46.19	-0.70	45.49	54.00	8.51	Vertical	PASS
2	12063.89	34.76	5.36	40.12	54.00	13.88	Vertical	PASS
3	17850.50	31.25	13.98	45.23	54.00	8.77	Vertical	PASS
4	7713.29	48.50	-0.69	47.81	74.00	26.19	Vertical	PASS
5	13695.41	40.42	9.39	49.81	68.20	18.39	Vertical	PASS
6	17851.65	38.44	13.97	52.41	74.00	21.59	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7387.45	36.64	-0.50	36.14	54.00	17.86	Horizontal	PASS
2	11382.68	34.45	5.27	39.72	54.00	14.28	Horizontal	PASS
3	17889.98	32.36	13.47	45.83	54.00	8.17	Horizontal	PASS
4	7766.58	48.05	-0.82	47.23	68.20	20.97	Horizontal	PASS
5	13698.09	40.08	9.41	49.49	68.20	18.71	Horizontal	PASS
6	17884.61	39.09	13.54	52.63	74.00	21.37	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7394.35	36.08	-0.38	35.70	54.00	18.30	Vertical	PASS
2	11429.45	34.70	5.20	39.90	54.00	14.10	Vertical	PASS
3	17979.30	32.06	13.49	45.55	54.00	8.45	Vertical	PASS
4	7766.58	47.55	-0.82	46.73	68.20	21.47	Vertical	PASS
5	14082.97	42.34	8.16	50.50	68.20	17.70	Vertical	PASS
6	17980.07	38.95	13.50	52.45	74.00	21.55	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	38.43	0.98	39.41	54.00	14.59	Horizontal	PASS
2	12043.95	35.17	5.40	40.57	54.00	13.43	Horizontal	PASS
3	17978.53	32.32	13.48	45.80	54.00	8.20	Horizontal	PASS
4	6314.64	35.31	16.94	52.25	68.20	15.95	Horizontal	PASS
5	13694.64	40.77	9.38	50.15	68.20	18.05	Horizontal	PASS
6	17971.63	39.26	13.38	52.64	74.00	21.36	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	38.99	0.98	39.97	54.00	14.03	Vertical	PASS
2	12651.94	34.59	6.17	40.76	54.00	13.24	Vertical	PASS
3	17980.45	32.11	13.51	45.62	54.00	8.38	Vertical	PASS
4	6337.38	34.60	17.16	51.76	68.20	16.44	Vertical	PASS
5	14062.27	41.84	8.12	49.96	68.20	18.24	Vertical	PASS
6	17886.91	38.71	13.51	52.22	74.00	21.78	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8070.95	36.23	0.44	36.67	54.00	17.33	Horizontal	PASS
2	11366.96	35.90	5.15	41.05	54.00	12.95	Horizontal	PASS
3	17881.16	31.82	13.58	45.40	54.00	8.60	Horizontal	PASS
4	6305.84	35.20	16.85	52.05	68.20	16.15	Horizontal	PASS
5	7013.30	47.70	-1.65	46.05	68.20	22.15	Horizontal	PASS
6	17845.51	38.66	13.80	52.46	74.00	21.54	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9499.30	35.94	2.74	38.68	54.00	15.32	Vertical	PASS
2	11987.22	34.89	5.17	40.06	54.00	13.94	Vertical	PASS
3	17855.86	31.48	13.91	45.39	54.00	8.61	Vertical	PASS
4	6430.51	34.68	16.75	51.43	68.20	16.77	Vertical	PASS
5	7013.30	46.48	-1.65	44.83	68.20	23.37	Vertical	PASS
6	17991.95	38.68	13.68	52.36	74.00	21.64	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7467.18	45.68	-1.49	44.19	54.00	9.81	Horizontal	PASS
2	11375.01	34.95	5.21	40.16	54.00	13.84	Horizontal	PASS
3	17985.82	32.25	13.58	45.83	54.00	8.17	Horizontal	PASS
4	7466.80	47.68	-1.49	46.19	74.00	27.81	Horizontal	PASS
5	13676.24	40.14	9.25	49.39	68.20	18.81	Horizontal	PASS
6	17850.88	38.28	13.98	52.26	74.00	21.74	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7467.18	45.37	-1.49	43.88	54.00	10.12	Vertical	PASS
2	11430.60	35.05	5.19	40.24	54.00	13.76	Vertical	PASS
3	17851.26	31.42	13.97	45.39	54.00	8.61	Vertical	PASS
4	7466.80	47.73	-1.49	46.24	74.00	27.76	Vertical	PASS
5	13412.88	42.47	6.84	49.31	68.20	18.89	Vertical	PASS
6	17880.40	40.01	13.59	53.60	74.00	20.40	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.32	63.79	14.91	78.70	-	-	Horizontal	NA
2	7627.04	46.58	-0.94	45.64	54.00	8.36	Horizontal	PASS
3	12040.88	35.11	5.39	40.50	54.00	13.50	Horizontal	PASS
4	17977.00	32.04	13.46	45.50	54.00	8.50	Horizontal	PASS
5	5728.32	69.57	14.91	84.48	-	-	Horizontal	NA
6	7626.65	48.55	-0.94	47.61	74.00	26.39	Horizontal	PASS
7	13685.06	39.99	9.32	49.31	68.20	18.89	Horizontal	PASS
8	17988.12	38.64	13.62	52.26	74.00	21.74	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	64.94	14.91	79.85	-	-	Vertical	NA
2	7627.04	45.80	-0.94	44.86	54.00	9.14	Vertical	PASS
3	12114.87	34.84	5.06	39.90	54.00	14.10	Vertical	PASS
4	17965.88	32.01	13.30	45.31	54.00	8.69	Vertical	PASS
5	5728.14	70.55	14.91	85.46	-	-	Vertical	NA
6	7626.65	47.72	-0.94	46.78	74.00	27.22	Vertical	PASS
7	13465.40	42.32	7.27	49.59	68.20	18.61	Vertical	PASS
8	17847.04	38.47	13.86	52.33	74.00	21.67	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	46.40	-0.88	45.52	54.00	8.48	Horizontal	PASS
2	11465.48	34.97	4.98	39.95	54.00	14.05	Horizontal	PASS
3	17987.73	32.03	13.61	45.64	54.00	8.36	Horizontal	PASS
4	7660.01	48.28	-0.88	47.40	74.00	26.60	Horizontal	PASS
5	13680.84	40.72	9.28	50.00	68.20	18.20	Horizontal	PASS
6	17838.23	39.15	13.49	52.64	74.00	21.36	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	45.07	-0.88	44.19	54.00	9.81	Vertical	PASS
2	12059.29	34.86	5.39	40.25	54.00	13.75	Vertical	PASS
3	17980.83	31.61	13.51	45.12	54.00	8.88	Vertical	PASS
4	7660.01	46.98	-0.88	46.10	74.00	27.90	Vertical	PASS
5	15085.42	40.95	9.08	50.03	68.20	18.17	Vertical	PASS
6	17996.17	38.62	13.73	52.35	74.00	21.65	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5177.39	38.36	13.91	52.27	-	-	Horizontal	NA
2	8342.36	37.50	1.00	38.50	54.00	15.50	Horizontal	PASS
3	12369.41	35.79	5.63	41.42	54.00	12.58	Horizontal	PASS
4	17849.34	32.20	13.96	46.16	54.00	7.84	Horizontal	PASS
5	5178.31	45.16	13.90	59.06	-	-	Horizontal	NA
6	6362.13	35.39	17.11	52.50	68.20	15.70	Horizontal	PASS
7	14348.24	41.48	9.00	50.48	68.20	17.72	Horizontal	PASS
8	17845.89	39.64	13.81	53.45	74.00	20.55	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	38.47	13.90	52.37	-	-	Vertical	NA
2	9038.90	37.24	2.35	39.59	54.00	14.41	Vertical	PASS
3	12399.31	35.11	6.25	41.36	54.00	12.64	Vertical	PASS
4	17990.03	32.53	13.65	46.18	54.00	7.82	Vertical	PASS
5	5176.66	45.06	13.91	58.97	-	-	Vertical	NA
6	6332.61	35.36	17.11	52.47	68.20	15.73	Vertical	PASS
7	6906.73	47.42	-1.76	45.66	68.20	22.54	Vertical	PASS
8	17977.00	39.44	13.46	52.90	74.00	21.10	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8324.34	37.51	0.78	38.29	54.00	15.71	Horizontal	PASS
2	11372.33	36.15	5.19	41.34	54.00	12.66	Horizontal	PASS
3	17863.53	32.19	13.82	46.01	54.00	7.99	Horizontal	PASS
4	7013.30	49.89	-1.65	48.24	68.20	19.96	Horizontal	PASS
5	13653.24	41.95	9.08	51.03	68.20	17.17	Horizontal	PASS
6	17337.19	41.40	11.84	53.24	68.20	14.96	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8349.64	37.10	1.10	38.20	54.00	15.80	Vertical	PASS
2	12018.27	35.97	5.30	41.27	54.00	12.73	Vertical	PASS
3	17986.20	32.83	13.59	46.42	54.00	7.58	Vertical	PASS
4	6279.26	36.26	16.45	52.71	68.20	15.49	Vertical	PASS
5	7013.30	49.23	-1.65	47.58	68.20	20.62	Vertical	PASS
6	17851.65	39.27	13.97	53.24	74.00	20.76	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	48.44	-0.92	47.52	54.00	6.48	Horizontal	PASS
2	11376.16	34.92	5.21	40.13	54.00	13.87	Horizontal	PASS
3	17878.48	31.80	13.62	45.42	54.00	8.58	Horizontal	PASS
4	7599.82	50.67	-0.92	49.75	74.00	24.25	Horizontal	PASS
5	14170.76	41.86	8.17	50.03	68.20	18.17	Horizontal	PASS
6	17840.91	39.30	13.60	52.90	74.00	21.10	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	48.20	-0.92	47.28	54.00	6.72	Vertical	PASS
2	11425.61	34.59	5.22	39.81	54.00	14.19	Vertical	PASS
3	17861.23	32.46	13.84	46.30	54.00	7.70	Vertical	PASS
4	7599.82	50.31	-0.92	49.39	74.00	24.61	Vertical	PASS
5	13667.42	40.87	9.19	50.06	68.20	18.14	Vertical	PASS
6	17970.10	40.12	13.36	53.48	74.00	20.52	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5729.24	66.05	14.91	80.96	-	-	Horizontal	NA
2	7627.04	48.45	-0.94	47.51	54.00	6.49	Horizontal	PASS
3	12215.31	34.88	5.30	40.18	54.00	13.82	Horizontal	PASS
4	17890.75	32.13	13.46	45.59	54.00	8.41	Horizontal	PASS
5	5729.24	72.32	14.91	87.23	-	-	Horizontal	NA
6	7626.65	50.82	-0.94	49.88	74.00	24.12	Horizontal	PASS
7	14356.30	40.47	8.93	49.40	68.20	18.80	Horizontal	PASS
8	17995.78	38.92	13.73	52.65	74.00	21.35	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	67.68	14.91	82.59	-	-	Vertical	NA
2	7627.04	47.61	-0.94	46.67	54.00	7.33	Vertical	PASS
3	12094.94	35.19	5.21	40.40	54.00	13.60	Vertical	PASS
4	17888.83	31.82	13.49	45.31	54.00	8.69	Vertical	PASS
5	5728.51	74.15	14.91	89.06	-	-	Vertical	NA
6	7626.65	49.35	-0.94	48.41	74.00	25.59	Vertical	PASS
7	13698.09	40.56	9.41	49.97	68.20	18.23	Vertical	PASS
8	17855.10	38.54	13.92	52.46	74.00	21.54	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	44.84	-0.70	44.14	54.00	9.86	Horizontal	PASS
2	12656.16	34.38	6.15	40.53	54.00	13.47	Horizontal	PASS
3	17863.15	31.46	13.82	45.28	54.00	8.72	Horizontal	PASS
4	7713.29	46.79	-0.69	46.10	74.00	27.90	Horizontal	PASS
5	15072.77	41.01	9.13	50.14	68.20	18.06	Horizontal	PASS
6	17894.96	39.05	13.41	52.46	74.00	21.54	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	45.24	-0.70	44.54	54.00	9.46	Vertical	PASS
2	11432.51	34.92	5.18	40.10	54.00	13.90	Vertical	PASS
3	17983.90	31.69	13.56	45.25	54.00	8.75	Vertical	PASS
4	7713.29	47.72	-0.69	47.03	74.00	26.97	Vertical	PASS
5	14317.58	41.08	8.78	49.86	68.20	18.34	Vertical	PASS
6	17999.62	38.46	13.79	52.25	74.00	21.75	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.