Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	43.04	2.33	45.37	-	-	Horizontal	NA
2	7385.50	45.11	-1.17	43.94	54.00	10.06	Horizontal	PASS
3	15066.50	34.43	8.95	43.38	54.00	10.62	Horizontal	PASS
4	17346.50	33.34	12.70	46.04	54.00	7.96	Horizontal	PASS
5	2462.40	47.37	2.33	49.70	-	-	Horizontal	NA
6	7383.50	48.66	-1.19	47.47	74.00	26.53	Horizontal	PASS
7	14349.50	41.03	9.34	50.37	74.00	23.63	Horizontal	PASS
8	17348.50	41.15	12.79	53.94	74.00	20.06	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	42.61	2.34	44.95	-	-	Vertical	NA
2	7387.00	43.95	-1.15	42.80	54.00	11.20	Vertical	PASS
3	14678.00	34.27	9.15	43.42	54.00	10.58	Vertical	PASS
4	17340.00	33.29	12.40	45.69	54.00	8.31	Vertical	PASS
5	2461.20	46.81	2.33	49.14	-	-	Vertical	NA
6	7387.00	47.68	-1.15	46.53	74.00	27.47	Vertical	PASS
7	14410.50	42.27	8.12	50.39	74.00	23.61	Vertical	PASS
8	17991.50	39.70	12.72	52.42	74.00	21.58	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7230.00	39.04	-1.47	37.57	54.00	16.43	Horizontal	PASS
2	13825.00	35.62	8.33	43.95	54.00	10.05	Horizontal	PASS
3	17351.50	33.25	12.80	46.05	54.00	7.95	Horizontal	PASS
4	7229.50	46.01	-1.46	44.55	74.00	29.45	Horizontal	PASS
5	14666.50	40.94	9.46	50.40	74.00	23.60	Horizontal	PASS
6	17351.50	40.19	12.80	52.99	74.00	21.01	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2408.40	41.05	2.23	43.28	-	-	Vertical	NA
2	8869.50	37.54	2.36	39.90	54.00	14.10	Vertical	PASS
3	13846.50	35.20	8.67	43.87	54.00	10.13	Vertical	PASS
4	17351.50	33.42	12.80	46.22	54.00	7.78	Vertical	PASS
5	2408.60	48.56	2.23	50.79	-	-	Vertical	NA
6	8797.00	44.12	2.16	46.28	74.00	27.72	Vertical	PASS
7	14356.50	41.01	9.21	50.22	74.00	23.78	Vertical	PASS
8	17967.00	40.52	12.39	52.91	74.00	21.09	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2463.00	39.83	2.33	42.16	-	-	Horizontal	NA
2	7391.00	43.14	-1.11	42.03	54.00	11.97	Horizontal	PASS
3	15129.00	34.17	8.65	42.82	54.00	11.18	Horizontal	PASS
4	17356.50	32.68	12.61	45.29	54.00	8.71	Horizontal	PASS
5	2460.40	47.16	2.33	49.49	-	-	Horizontal	NA
6	7385.50	49.11	-1.17	47.94	74.00	26.06	Horizontal	PASS
7	14654.00	40.24	9.81	50.05	74.00	23.95	Horizontal	PASS
8	17341.00	40.74	12.45	53.19	74.00	20.81	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	41.34	2.34	43.68	-	-	Vertical	NA
2	7388.00	41.10	-1.14	39.96	54.00	14.04	Vertical	PASS
3	15081.00	33.71	9.00	42.71	54.00	11.29	Vertical	PASS
4	17347.00	33.52	12.73	46.25	54.00	7.75	Vertical	PASS
5	2460.20	48.78	2.33	51.11	-	-	Vertical	NA
6	7387.50	48.75	-1.15	47.60	74.00	26.40	Vertical	PASS
7	15251.00	40.57	9.33	49.90	74.00	24.10	Vertical	PASS
8	17344.00	40.41	12.58	52.99	74.00	21.01	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2389.00	46.67	2.22	48.89	-	-	Horizontal	NA
2	7236.50	46.19	-1.50	44.69	54.00	9.31	Horizontal	PASS
3	15071.00	34.38	8.96	43.34	54.00	10.66	Horizontal	PASS
4	17352.00	33.49	12.78	46.27	54.00	7.73	Horizontal	PASS
5	2388.80	54.59	2.22	56.81	-	-	Horizontal	NA
6	7237.00	51.63	-1.50	50.13	74.00	23.87	Horizontal	PASS
7	15235.00	41.42	9.00	50.42	74.00	23.58	Horizontal	PASS
8	17364.50	40.53	12.29	52.82	74.00	21.18	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.80	45.63	2.22	47.85	-	-	Vertical	NA
2	7239.00	44.59	-1.50	43.09	54.00	10.91	Vertical	PASS
3	14640.50	33.89	9.70	43.59	54.00	10.41	Vertical	PASS
4	17350.50	32.91	12.84	45.75	54.00	8.25	Vertical	PASS
5	2389.60	53.60	2.22	55.82	-	-	Vertical	NA
6	7232.00	51.11	-1.48	49.63	74.00	24.37	Vertical	PASS
7	14369.50	42.09	8.94	51.03	74.00	22.97	Vertical	PASS
8	17349.00	39.51	12.82	52.33	74.00	21.67	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7362.50	38.31	-1.42	36.89	54.00	17.11	Horizontal	PASS
2	11470.00	35.99	4.95	40.94	54.00	13.06	Horizontal	PASS
3	17355.50	33.64	12.65	46.29	54.00	7.71	Horizontal	PASS
4	2452.80	49.06	2.31	51.37	-	-	Horizontal	NA
5	2452.80	49.06	2.31	51.37	-	-	Horizontal	NA
6	7359.50	47.08	-1.45	45.63	74.00	28.37	Horizontal	PASS
7	10938.50	43.58	4.72	48.30	74.00	25.70	Horizontal	PASS
8	17882.50	40.79	12.42	53.21	74.00	20.79	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.20	47.46	2.32	49.78	-	-	Vertical	NA
2	7360.00	39.37	-1.44	37.93	54.00	16.07	Vertical	PASS
3	14409.00	35.25	8.15	43.40	54.00	10.60	Vertical	PASS
4	17343.50	33.43	12.56	45.99	54.00	8.01	Vertical	PASS
5	2453.80	55.35	2.32	57.67	-	-	Vertical	NA
6	7361.00	47.64	-1.43	46.21	74.00	27.79	Vertical	PASS
7	14357.00	41.02	9.20	50.22	74.00	23.78	Vertical	PASS
8	17845.00	39.99	12.73	52.72	74.00	21.28	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.20	41.95	2.22	44.17	-	-	Horizontal	NA
2	7215.00	42.03	-1.40	40.63	54.00	13.37	Horizontal	PASS
3	13823.00	35.18	8.30	43.48	54.00	10.52	Horizontal	PASS
4	17348.50	32.74	12.79	45.53	54.00	8.47	Horizontal	PASS
5	2406.40	49.49	2.23	51.72	-	-	Horizontal	NA
6	7214.50	50.04	-1.40	48.64	74.00	25.36	Horizontal	PASS
7	15083.50	40.99	9.00	49.99	74.00	24.01	Horizontal	PASS
8	17359.00	40.02	12.51	52.53	74.00	21.47	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.20	45.06	2.22	47.28	-	-	Vertical	NA
2	7215.00	42.15	-1.40	40.75	54.00	13.25	Vertical	PASS
3	15069.50	34.32	8.96	43.28	54.00	10.72	Vertical	PASS
4	17360.00	34.05	12.47	46.52	54.00	7.48	Vertical	PASS
5	2405.60	52.74	2.22	54.96	-	-	Vertical	NA
6	7216.00	49.92	-1.41	48.51	74.00	25.49	Vertical	PASS
7	15069.00	41.44	8.95	50.39	74.00	23.61	Vertical	PASS
8	17350.00	39.93	12.86	52.79	74.00	21.21	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2408.60	42.15	2.23	44.38	-	-	Horizontal	NA
2	7221.00	41.23	-1.43	39.80	54.00	14.20	Horizontal	PASS
3	15067.00	35.24	8.95	44.19	54.00	9.81	Horizontal	PASS
4	17366.50	33.55	12.22	45.77	54.00	8.23	Horizontal	PASS
5	2407.40	51.01	2.23	53.24	-	-	Horizontal	NA
6	7221.00	47.48	-1.43	46.05	74.00	27.95	Horizontal	PASS
7	15073.50	42.41	8.97	51.38	74.00	22.62	Horizontal	PASS
8	17342.00	41.05	12.49	53.54	74.00	20.46	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.60	42.60	2.23	44.83	-	-	Vertical	NA
2	7225.00	40.73	-1.45	39.28	54.00	14.72	Vertical	PASS
3	14636.50	33.76	9.60	43.36	54.00	10.64	Vertical	PASS
4	17370.00	34.19	12.08	46.27	54.00	7.73	Vertical	PASS
5	2407.40	50.23	2.23	52.46	-	-	Vertical	NA
6	7218.50	48.49	-1.41	47.08	74.00	26.92	Vertical	PASS
7	14609.00	41.73	8.95	50.68	74.00	23.32	Vertical	PASS
8	17350.50	39.76	12.84	52.60	74.00	21.40	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test for spot check:

FCC ID: PY7-35087R (This Model)

Test Result

Project Information			
Mode:	802.11 ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ654A02C0	Engineer:	Ou Shuyan
Remark:	Z;ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.40	44.08	2.23	46.31	-	-	Horizontal	NA
2	7196.00	38.24	-1.48	36.76	54.00	17.24	Horizontal	PASS
3	14655.50	33.40	9.77	43.17	54.00	10.83	Horizontal	PASS
4	17345.50	33.07	12.66	45.73	54.00	8.27	Horizontal	PASS
5	2406.20	52.27	2.22	54.49	-	-	Horizontal	NA
6	7215.50	44.87	-1.41	43.46	74.00	30.54	Horizontal	PASS
7	14318.00	41.25	8.56	49.81	74.00	24.19	Horizontal	PASS
8	17348.00	40.03	12.77	52.80	74.00	21.20	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11 ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ654A02C0	Engineer:	Ou Shuyan
Remark:	Z;ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.00	45.54	2.22	47.76	-	-	Vertical	NA
2	4799.50	39.84	-7.53	32.31	54.00	21.69	Vertical	PASS
3	14219.00	35.79	7.40	43.19	54.00	10.81	Vertical	PASS
4	17978.00	33.50	12.53	46.03	54.00	7.97	Vertical	PASS
5	2405.80	51.54	2.22	53.76	-	-	Vertical	NA
6	4793.00	47.57	-7.59	39.98	74.00	34.02	Vertical	PASS
7	14730.50	42.02	8.30	50.32	74.00	23.68	Vertical	PASS
8	17345.00	40.09	12.64	52.73	74.00	21.27	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Radiated Band Edge

FCC ID: PY7-63277Y (Lead Model)

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2364.26	37.03	1.44	38.47	54.00	15.53	Horizontal	PASS
2	2383.68	38.39	1.43	39.82	54.00	14.18	Horizontal	PASS
3	2389.17	38.02	1.43	39.45	54.00	14.55	Horizontal	PASS
4	2365.27	47.34	1.44	48.78	74.00	25.22	Horizontal	PASS
5	2383.83	47.83	1.43	49.26	74.00	24.74	Horizontal	PASS
6	2389.62	48.36	1.43	49.79	74.00	24.21	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.04	37.30	1.44	38.74	54.00	15.26	Vertical	PASS
2	2383.87	40.46	1.43	41.89	54.00	12.11	Vertical	PASS
3	2389.10	39.72	1.43	41.15	54.00	12.85	Vertical	PASS
4	2378.19	47.59	1.44	49.03	74.00	24.97	Vertical	PASS
5	2384.06	48.57	1.43	50.00	74.00	24.00	Vertical	PASS
6	2388.99	48.67	1.43	50.10	74.00	23.90	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.32	37.60	1.87	39.47	54.00	14.53	Horizontal	PASS
2	2487.15	37.99	1.90	39.89	54.00	14.11	Horizontal	PASS
3	2493.49	37.49	1.96	39.45	54.00	14.55	Horizontal	PASS
4	2484.70	48.19	1.87	50.06	74.00	23.94	Horizontal	PASS
5	2487.32	48.30	1.90	50.20	74.00	23.80	Horizontal	PASS
6	2494.07	48.67	1.97	50.64	74.00	23.36	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.18	37.60	1.87	39.47	54.00	14.53	Vertical	PASS
2	2489.07	37.52	1.92	39.44	54.00	14.56	Vertical	PASS
3	2495.15	37.38	1.98	39.36	54.00	14.64	Vertical	PASS
4	2484.08	48.30	1.87	50.17	74.00	23.83	Vertical	PASS
5	2487.87	48.88	1.90	50.78	74.00	23.22	Vertical	PASS
6	2494.79	48.47	1.98	50.45	74.00	23.55	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2356.16	37.10	1.44	38.54	54.00	15.46	Horizontal	PASS
2	2368.45	37.05	1.44	38.49	54.00	15.51	Horizontal	PASS
3	2387.75	37.57	1.43	39.00	54.00	15.00	Horizontal	PASS
4	2355.38	47.75	1.45	49.20	74.00	24.80	Horizontal	PASS
5	2368.56	47.81	1.44	49.25	74.00	24.75	Horizontal	PASS
6	2387.38	48.30	1.42	49.72	74.00	24.28	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2367.03	37.04	1.44	38.48	54.00	15.52	Vertical	PASS
2	2382.19	37.86	1.43	39.29	54.00	14.71	Vertical	PASS
3	2389.92	37.88	1.43	39.31	54.00	14.69	Vertical	PASS
4	2368.04	48.03	1.44	49.47	74.00	24.53	Vertical	PASS
5	2381.89	48.86	1.43	50.29	74.00	23.71	Vertical	PASS
6	2389.77	48.52	1.43	49.95	74.00	24.05	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	37.76	1.87	39.63	54.00	14.37	Horizontal	PASS
2	2489.36	37.52	1.92	39.44	54.00	14.56	Horizontal	PASS
3	2496.33	37.34	2.00	39.34	54.00	14.66	Horizontal	PASS
4	2483.62	48.20	1.86	50.06	74.00	23.94	Horizontal	PASS
5	2490.16	48.45	1.93	50.38	74.00	23.62	Horizontal	PASS
6	2496.25	48.08	2.00	50.08	74.00	23.92	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.01	38.50	1.87	40.37	54.00	13.63	Vertical	PASS
2	2487.99	37.64	1.90	39.54	54.00	14.46	Vertical	PASS
3	2491.04	37.67	1.93	39.60	54.00	14.40	Vertical	PASS
4	2483.55	48.55	1.85	50.40	74.00	23.60	Vertical	PASS
5	2488.16	48.46	1.90	50.36	74.00	23.64	Vertical	PASS
6	2490.90	48.04	1.93	49.97	74.00	24.03	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2347.50	36.91	1.43	38.34	54.00	15.66	Horizontal	PASS
2	2374.68	36.93	1.44	38.37	54.00	15.63	Horizontal	PASS
3	2386.75	37.43	1.42	38.85	54.00	15.15	Horizontal	PASS
4	2350.07	47.58	1.45	49.03	74.00	24.97	Horizontal	PASS
5	2373.82	47.96	1.44	49.40	74.00	24.60	Horizontal	PASS
6	2387.87	47.86	1.43	49.29	74.00	24.71	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2360.57	37.45	1.44	38.89	54.00	15.11	Vertical	PASS
2	2374.65	37.16	1.44	38.60	54.00	15.40	Vertical	PASS
3	2389.73	38.36	1.43	39.79	54.00	14.21	Vertical	PASS
4	2361.35	47.82	1.44	49.26	74.00	24.74	Vertical	PASS
5	2376.62	48.16	1.43	49.59	74.00	24.41	Vertical	PASS
6	2389.10	48.64	1.43	50.07	74.00	23.93	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	37.32	1.87	39.19	54.00	14.81	Horizontal	PASS
2	2492.58	36.90	1.95	38.85	54.00	15.15	Horizontal	PASS
3	2496.81	36.92	2.00	38.92	54.00	15.08	Horizontal	PASS
4	2484.92	47.68	1.87	49.55	74.00	24.45	Horizontal	PASS
5	2492.29	47.65	1.95	49.60	74.00	24.40	Horizontal	PASS
6	2496.47	47.61	2.00	49.61	74.00	24.39	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	37.30	1.87	39.17	54.00	14.83	Vertical	PASS
2	2491.81	37.03	1.95	38.98	54.00	15.02	Vertical	PASS
3	2495.29	36.87	1.98	38.85	54.00	15.15	Vertical	PASS
4	2484.13	47.89	1.87	49.76	74.00	24.24	Vertical	PASS
5	2491.40	47.76	1.94	49.70	74.00	24.30	Vertical	PASS
6	2495.34	47.65	1.98	49.63	74.00	24.37	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2347.16	36.47	1.43	37.90	54.00	16.10	Horizontal	PASS
2	2370.80	36.57	1.44	38.01	54.00	15.99	Horizontal	PASS
3	2388.99	37.50	1.43	38.93	54.00	15.07	Horizontal	PASS
4	2349.96	47.55	1.45	49.00	74.00	25.00	Horizontal	PASS
5	2372.55	47.42	1.44	48.86	74.00	25.14	Horizontal	PASS
6	2384.24	47.73	1.43	49.16	74.00	24.84	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2346.45	36.73	1.42	38.15	54.00	15.85	Vertical	PASS
2	2381.85	37.15	1.43	38.58	54.00	15.42	Vertical	PASS
3	2389.88	37.61	1.43	39.04	54.00	14.96	Vertical	PASS
4	2346.64	46.94	1.42	48.36	74.00	25.64	Vertical	PASS
5	2379.76	47.48	1.43	48.91	74.00	25.09	Vertical	PASS
6	2389.17	47.88	1.43	49.31	74.00	24.69	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	38.20	1.86	40.06	54.00	13.94	Horizontal	PASS
2	2484.61	38.43	1.87	40.30	54.00	13.70	Horizontal	PASS
3	2488.47	37.12	1.91	39.03	54.00	14.97	Horizontal	PASS
4	2483.65	49.24	1.86	51.10	74.00	22.90	Horizontal	PASS
5	2484.27	50.28	1.87	52.15	74.00	21.85	Horizontal	PASS
6	2488.59	47.81	1.91	49.72	74.00	24.28	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.03	37.97	1.87	39.84	54.00	14.16	Vertical	PASS
2	2489.51	37.06	1.92	38.98	54.00	15.02	Vertical	PASS
3	2491.91	36.97	1.95	38.92	54.00	15.08	Vertical	PASS
4	2483.55	48.58	1.85	50.43	74.00	23.57	Vertical	PASS
5	2489.17	47.59	1.92	49.51	74.00	24.49	Vertical	PASS
6	2492.08	47.92	1.95	49.87	74.00	24.13	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2341.59	37.12	1.38	38.50	54.00	15.50	Horizontal	PASS
2	2373.97	37.41	1.44	38.85	54.00	15.15	Horizontal	PASS
3	2389.21	37.45	1.43	38.88	54.00	15.12	Horizontal	PASS
4	2344.47	47.32	1.40	48.72	74.00	25.28	Horizontal	PASS
5	2370.76	48.14	1.44	49.58	74.00	24.42	Horizontal	PASS
6	2389.81	47.78	1.43	49.21	74.00	24.79	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2352.54	37.10	1.45	38.55	54.00	15.45	Vertical	PASS
2	2375.32	37.54	1.43	38.97	54.00	15.03	Vertical	PASS
3	2384.13	37.49	1.43	38.92	54.00	15.08	Vertical	PASS
4	2349.85	47.68	1.45	49.13	74.00	24.87	Vertical	PASS
5	2373.15	48.11	1.44	49.55	74.00	24.45	Vertical	PASS
6	2386.26	47.72	1.43	49.15	74.00	24.85	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU8	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2485.74	37.46	1.88	39.34	54.00	14.66	Horizontal	PASS
2	2490.88	37.44	1.93	39.37	54.00	14.63	Horizontal	PASS
3	2495.10	37.41	1.98	39.39	54.00	14.61	Horizontal	PASS
4	2485.71	48.49	1.88	50.37	74.00	23.63	Horizontal	PASS
5	2492.05	48.78	1.95	50.73	74.00	23.27	Horizontal	PASS
6	2496.76	48.05	2.00	50.05	74.00	23.95	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 26RU8	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.20	37.45	1.87	39.32	54.00	14.68	Vertical	PASS
2	2487.68	37.41	1.90	39.31	54.00	14.69	Vertical	PASS
3	2496.42	37.53	2.00	39.53	54.00	14.47	Vertical	PASS
4	2484.27	48.77	1.87	50.64	74.00	23.36	Vertical	PASS
5	2487.95	49.29	1.90	51.19	74.00	22.81	Vertical	PASS
6	2496.78	47.93	2.00	49.93	74.00	24.07	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2356.72	36.95	1.44	38.39	54.00	15.61	Horizontal	PASS
2	2377.22	37.24	1.43	38.67	54.00	15.33	Horizontal	PASS
3	2389.17	41.63	1.43	43.06	54.00	10.94	Horizontal	PASS
4	2360.38	47.28	1.44	48.72	74.00	25.28	Horizontal	PASS
5	2377.89	47.63	1.44	49.07	74.00	24.93	Horizontal	PASS
6	2389.14	58.87	1.43	60.30	74.00	13.70	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2363.03	36.99	1.45	38.44	54.00	15.56	Vertical	PASS
2	2376.03	37.19	1.43	38.62	54.00	15.38	Vertical	PASS
3	2389.02	42.50	1.43	43.93	54.00	10.07	Vertical	PASS
4	2361.24	47.54	1.44	48.98	74.00	25.02	Vertical	PASS
5	2375.02	47.95	1.43	49.38	74.00	24.62	Vertical	PASS
6	2388.99	60.27	1.43	61.70	74.00	12.30	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	43.23	1.87	45.10	54.00	8.90	Horizontal	PASS
2	2486.70	42.65	1.89	44.54	54.00	9.46	Horizontal	PASS
3	2488.21	41.40	1.90	43.30	54.00	10.70	Horizontal	PASS
4	2484.22	62.23	1.87	64.10	74.00	9.90	Horizontal	PASS
5	2485.33	60.98	1.88	62.86	74.00	11.14	Horizontal	PASS
6	2487.68	61.35	1.90	63.25	74.00	10.75	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	44.09	1.86	45.95	54.00	8.05	Vertical	PASS
2	2484.46	44.10	1.87	45.97	54.00	8.03	Vertical	PASS
3	2487.95	42.52	1.90	44.42	54.00	9.58	Vertical	PASS
4	2483.62	61.80	1.86	63.66	74.00	10.34	Vertical	PASS
5	2484.44	63.36	1.87	65.23	74.00	8.77	Vertical	PASS
6	2488.52	61.14	1.91	63.05	74.00	10.95	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU53	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.90	40.75	1.43	42.18	54.00	11.82	Horizontal	PASS
2	2383.42	41.99	1.43	43.42	54.00	10.58	Horizontal	PASS
3	2387.23	41.31	1.42	42.73	54.00	11.27	Horizontal	PASS
4	2381.59	58.74	1.43	60.17	74.00	13.83	Horizontal	PASS
5	2383.38	59.81	1.43	61.24	74.00	12.76	Horizontal	PASS
6	2387.19	58.92	1.42	60.34	74.00	13.66	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU53	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2380.21	40.78	1.43	42.21	54.00	11.79	Vertical	PASS
2	2384.92	41.93	1.43	43.36	54.00	10.64	Vertical	PASS
3	2389.21	42.94	1.43	44.37	54.00	9.63	Vertical	PASS
4	2379.50	58.87	1.43	60.30	74.00	13.70	Vertical	PASS
5	2384.84	60.65	1.43	62.08	74.00	11.92	Vertical	PASS
6	2388.99	62.14	1.43	63.57	74.00	10.43	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.27	43.30	1.87	45.17	54.00	8.83	Horizontal	PASS
2	2486.10	43.23	1.88	45.11	54.00	8.89	Horizontal	PASS
3	2491.93	43.14	1.95	45.09	54.00	8.91	Horizontal	PASS
4	2484.68	62.28	1.87	64.15	74.00	9.85	Horizontal	PASS
5	2486.41	62.53	1.89	64.42	74.00	9.58	Horizontal	PASS
6	2491.91	62.60	1.95	64.55	74.00	9.45	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	42.98	1.86	44.84	54.00	9.16	Vertical	PASS
2	2488.69	41.56	1.91	43.47	54.00	10.53	Vertical	PASS
3	2492.84	41.47	1.95	43.42	54.00	10.58	Vertical	PASS
4	2483.58	62.35	1.85	64.20	74.00	9.80	Vertical	PASS
5	2488.67	60.80	1.91	62.71	74.00	11.29	Vertical	PASS
6	2492.82	60.29	1.95	62.24	74.00	11.76	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test for spot check:

FCC ID: PY7-35087R (This Model)

Test Result

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ654A02C0	Engineer:	Ou shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	42.17	1.86	44.03	54.00	9.97	Horizontal	PASS
2	2487.08	39.51	1.90	41.41	54.00	12.59	Horizontal	PASS
3	2490.37	38.84	1.93	40.77	54.00	13.23	Horizontal	PASS
4	2483.91	59.98	1.87	61.85	74.00	12.15	Horizontal	PASS
5	2488.07	56.53	1.90	58.43	74.00	15.57	Horizontal	PASS
6	2490.35	56.13	1.93	58.06	74.00	15.94	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ654A02C0	Engineer:	Ou shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	41.86	1.86	43.72	54.00	10.28	Vertical	PASS
2	2488.09	40.86	1.90	42.76	54.00	11.24	Vertical	PASS
3	2492.05	38.39	1.95	40.34	54.00	13.66	Vertical	PASS
4	2483.98	59.58	1.87	61.45	74.00	12.55	Vertical	PASS
5	2487.61	58.71	1.90	60.61	74.00	13.39	Vertical	PASS
6	2492.36	54.80	1.95	56.75	74.00	17.25	Vertical	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.