NTNV-QHS P5-Ant8-2440

NTNV-QHS P6-Ant8-2440

NTNV-QHS P2-Ant5-2478

NTNV-QHS P3-Ant5-2478

NTNV-QHS P4-Ant5-2478

NTNV-QHS P5-Ant5-2478


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

NTNV-QHS P6-Ant5-2478

NTNV-QHS P6-Ant8-2478

NTNV-QHS P2-Ant8-2478

NTNV-QHS P3-Ant8-2478




NTNV-QHS P4-Ant8-2478




NTNV-QHS P5-Ant8-2478


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

# Radiated Spurious Emissions

## Test Result (Worst Case)

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2404.80 | 37.07 | 2.22 | 39.29 | - | - | Horizontal | NA |
| 2 | 11426.50 | 34.88 | 5.15 | 40.03 | 54.00 | 13.97 | Horizontal | PASS |
| 3 | 14380.00 | 33.97 | 8.71 | 42.68 | 54.00 | 11.32 | Horizontal | PASS |
| 4 | 17349.00 | 32.66 | 12.82 | 45.48 | 54.00 | 8.52 | Horizontal | PASS |
| 5 | 2404.60 | 42.76 | 2.23 | 44.99 | - | - | Horizontal | NA |
| 6 | 11426.00 | 43.58 | 5.15 | 48.73 | 74.00 | 25.27 | Horizontal | PASS |
| 7 | 15245.50 | 39.98 | 9.24 | 49.22 | 74.00 | 24.78 | Horizontal | PASS |
| 8 | 17858.00 | 39.55 | 12.71 | 52.26 | 74.00 | 21.74 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 10752.00 | 34.85 | 4.32 | 39.17 | 54.00 | 14.83 | Vertical | PASS |
| 2 | 13836.50 | 33.37 | 8.51 | 41.88 | 54.00 | 12.12 | Vertical | PASS |
| 3 | 17800.00 | 32.89 | 12.07 | 44.96 | 54.00 | 9.04 | Vertical | PASS |
| 4 | 10776.50 | 42.99 | 4.32 | 47.31 | 74.00 | 26.69 | Vertical | PASS |
| 5 | 13407.50 | 42.21 | 7.08 | 49.29 | 74.00 | 24.71 | Vertical | PASS |
| 6 | 17352.50 | 38.79 | 12.76 | 51.55 | 74.00 | 22.45 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 19 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2440.20 | 47.18 | 2.29 | 49.47 | - | - | Horizontal | NA |
| 2 | 10037.00 | 35.64 | 3.70 | 39.34 | 54.00 | 14.66 | Horizontal | PASS |
| 3 | 14358.50 | 33.40 | 9.17 | 42.57 | 54.00 | 11.43 | Horizontal | PASS |
| 4 | 17352.00 | 32.92 | 12.78 | 45.70 | 54.00 | 8.30 | Horizontal | PASS |
| 5 | 2440.00 | 50.13 | 2.29 | 52.42 | - | - | Horizontal | NA |
| 6 | 9486.50 | 43.50 | 2.42 | 45.92 | 74.00 | 28.08 | Horizontal | PASS |
| 7 | 14334.00 | 40.33 | 8.96 | 49.29 | 74.00 | 24.71 | Horizontal | PASS |
| 8 | 17351.50 | 39.20 | 12.80 | 52.00 | 74.00 | 22.00 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 19 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2440.40 | 36.44 | 2.29 | 38.73 | - | - | Vertical | NA |
| 2 | 9519.00 | 36.40 | 2.62 | 39.02 | 54.00 | 14.98 | Vertical | PASS |
| 3 | 15247.50 | 33.34 | 9.29 | 42.63 | 54.00 | 11.37 | Vertical | PASS |
| 4 | 17863.00 | 32.52 | 12.65 | 45.17 | 54.00 | 8.83 | Vertical | PASS |
| 5 | 2439.40 | 42.34 | 2.29 | 44.63 | - | - | Vertical | NA |
| 6 | 9690.00 | 42.74 | 3.33 | 46.07 | 74.00 | 27.93 | Vertical | PASS |
| 7 | 15085.00 | 40.61 | 9.01 | 49.62 | 74.00 | 24.38 | Vertical | PASS |
| 8 | 17343.50 | 39.30 | 12.56 | 51.86 | 74.00 | 22.14 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2478.80 | 42.64 | 2.37 | 45.01 | - | - | Horizontal | NA |
| 2 | 9487.50 | 36.52 | 2.43 | 38.95 | 54.00 | 15.05 | Horizontal | PASS |
| 3 | 13821.00 | 33.76 | 8.27 | 42.03 | 54.00 | 11.97 | Horizontal | PASS |
| 4 | 17338.50 | 32.66 | 12.33 | 44.99 | 54.00 | 9.01 | Horizontal | PASS |
| 5 | 2478.80 | 47.88 | 2.37 | 50.25 | - | - | Horizontal | NA |
| 6 | 9581.00 | 43.99 | 2.72 | 46.71 | 74.00 | 27.29 | Horizontal | PASS |
| 7 | 14432.50 | 41.66 | 7.78 | 49.44 | 74.00 | 24.56 | Horizontal | PASS |
| 8 | 17354.00 | 39.15 | 12.70 | 51.85 | 74.00 | 22.15 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2479.00 | 34.32 | 2.37 | 36.69 | - | - | Vertical | NA |
| 2 | 9603.00 | 36.42 | 2.84 | 39.26 | 54.00 | 14.74 | Vertical | PASS |
| 3 | 14360.50 | 32.94 | 9.13 | 42.07 | 54.00 | 11.93 | Vertical | PASS |
| 4 | 17348.50 | 32.67 | 12.79 | 45.46 | 54.00 | 8.54 | Vertical | PASS |
| 5 | 2479.00 | 39.99 | 2.37 | 42.36 | - | - | Vertical | NA |
| 6 | 9489.50 | 43.21 | 2.47 | 45.68 | 74.00 | 28.32 | Vertical | PASS |
| 7 | 15080.00 | 40.64 | 8.99 | 49.63 | 74.00 | 24.37 | Vertical | PASS |
| 8 | 17348.00 | 39.40 | 12.77 | 52.17 | 74.00 | 21.83 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2405.00 | 38.60 | 2.22 | 40.82 | - | - | Horizontal | NA |
| 2 | 10081.50 | 35.69 | 3.40 | 39.09 | 54.00 | 14.91 | Horizontal | PASS |
| 3 | 13819.50 | 34.23 | 8.24 | 42.47 | 54.00 | 11.53 | Horizontal | PASS |
| 4 | 17353.00 | 32.22 | 12.74 | 44.96 | 54.00 | 9.04 | Horizontal | PASS |
| 5 | 2405.00 | 43.74 | 2.22 | 45.96 | - | - | Horizontal | NA |
| 6 | 9685.00 | 42.81 | 3.27 | 46.08 | 74.00 | 27.92 | Horizontal | PASS |
| 7 | 14600.00 | 40.31 | 8.74 | 49.05 | 74.00 | 24.95 | Horizontal | PASS |
| 8 | 17835.00 | 38.91 | 12.58 | 51.49 | 74.00 | 22.51 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 10086.00 | 35.79 | 3.35 | 39.14 | 54.00 | 14.86 | Vertical | PASS |
| 2 | 15081.50 | 33.89 | 9.00 | 42.89 | 54.00 | 11.11 | Vertical | PASS |
| 3 | 17350.50 | 32.16 | 12.84 | 45.00 | 54.00 | 9.00 | Vertical | PASS |
| 4 | 10193.50 | 42.94 | 3.51 | 46.45 | 74.00 | 27.55 | Vertical | PASS |
| 5 | 15061.50 | 40.24 | 8.93 | 49.17 | 74.00 | 24.83 | Vertical | PASS |
| 6 | 17359.00 | 39.89 | 12.51 | 52.40 | 74.00 | 21.60 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 19 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2439.80 | 44.95 | 2.29 | 47.24 | - | - | Horizontal | NA |
| 2 | 9491.00 | 37.21 | 2.50 | 39.71 | 54.00 | 14.29 | Horizontal | PASS |
| 3 | 15069.50 | 34.52 | 8.96 | 43.48 | 54.00 | 10.52 | Horizontal | PASS |
| 4 | 17351.50 | 32.98 | 12.80 | 45.78 | 54.00 | 8.22 | Horizontal | PASS |
| 5 | 2439.40 | 49.35 | 2.29 | 51.64 | - | - | Horizontal | NA |
| 6 | 9524.00 | 43.74 | 2.60 | 46.34 | 74.00 | 27.66 | Horizontal | PASS |
| 7 | 15059.50 | 41.00 | 8.92 | 49.92 | 74.00 | 24.08 | Horizontal | PASS |
| 8 | 17336.50 | 39.08 | 12.25 | 51.33 | 74.00 | 22.67 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 19 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2440.00 | 36.22 | 2.29 | 38.51 | - | - | Vertical | NA |
| 2 | 9582.00 | 36.83 | 2.73 | 39.56 | 54.00 | 14.44 | Vertical | PASS |
| 3 | 14665.00 | 32.37 | 9.51 | 41.88 | 54.00 | 12.12 | Vertical | PASS |
| 4 | 17351.00 | 32.50 | 12.82 | 45.32 | 54.00 | 8.68 | Vertical | PASS |
| 5 | 2439.80 | 40.91 | 2.29 | 43.20 | - | - | Vertical | NA |
| 6 | 10779.00 | 42.72 | 4.32 | 47.04 | 74.00 | 26.96 | Vertical | PASS |
| 7 | 14391.50 | 40.66 | 8.47 | 49.13 | 74.00 | 24.87 | Vertical | PASS |
| 8 | 17352.50 | 39.42 | 12.76 | 52.18 | 74.00 | 21.82 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2478.80 | 42.95 | 2.37 | 45.32 | - | - | Horizontal | NA |
| 2 | 9501.50 | 36.21 | 2.66 | 38.87 | 54.00 | 15.13 | Horizontal | PASS |
| 3 | 14355.50 | 33.06 | 9.23 | 42.29 | 54.00 | 11.71 | Horizontal | PASS |
| 4 | 17345.50 | 32.42 | 12.66 | 45.08 | 54.00 | 8.92 | Horizontal | PASS |
| 5 | 2478.60 | 47.10 | 2.36 | 49.46 | - | - | Horizontal | NA |
| 6 | 9594.50 | 43.42 | 2.81 | 46.23 | 74.00 | 27.77 | Horizontal | PASS |
| 7 | 13862.00 | 41.03 | 8.52 | 49.55 | 74.00 | 24.45 | Horizontal | PASS |
| 8 | 17351.50 | 39.78 | 12.80 | 52.58 | 74.00 | 21.42 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2478.80 | 34.02 | 2.37 | 36.39 | - | - | Vertical | NA |
| 2 | 10780.00 | 35.16 | 4.32 | 39.48 | 54.00 | 14.52 | Vertical | PASS |
| 3 | 15129.50 | 33.66 | 8.65 | 42.31 | 54.00 | 11.69 | Vertical | PASS |
| 4 | 17348.50 | 32.70 | 12.79 | 45.49 | 54.00 | 8.51 | Vertical | PASS |
| 5 | 2478.40 | 40.40 | 2.36 | 42.76 | - | - | Vertical | NA |
| 6 | 10023.00 | 42.83 | 3.64 | 46.47 | 74.00 | 27.53 | Vertical | PASS |
| 7 | 15084.50 | 40.89 | 9.01 | 49.90 | 74.00 | 24.10 | Vertical | PASS |
| 8 | 17345.00 | 38.57 | 12.64 | 51.21 | 74.00 | 22.79 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

# Radiated Band Edge

## Test Result (Worst Case)

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2344.09 | 33.06 | 1.40 | 34.46 | 54.00 | 19.54 | Horizontal | PASS |
| 2 | 2381.06 | 32.61 | 1.43 | 34.04 | 54.00 | 19.96 | Horizontal | PASS |
| 3 | 2388.81 | 33.58 | 1.43 | 35.01 | 54.00 | 18.99 | Horizontal | PASS |
| 4 | 2344.16 | 44.44 | 1.40 | 45.84 | 74.00 | 28.16 | Horizontal | PASS |
| 5 | 2380.94 | 44.56 | 1.43 | 45.99 | 74.00 | 28.01 | Horizontal | PASS |
| 6 | 2388.33 | 43.95 | 1.43 | 45.38 | 74.00 | 28.62 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2343.42 | 33.21 | 1.39 | 34.60 | 54.00 | 19.40 | Vertical | PASS |
| 2 | 2379.11 | 33.55 | 1.43 | 34.98 | 54.00 | 19.02 | Vertical | PASS |
| 3 | 2390.28 | 39.81 | 1.43 | 41.24 | - | - | Vertical | NA |
| 4 | 2343.39 | 44.04 | 1.39 | 45.43 | 74.00 | 28.57 | Vertical | PASS |
| 5 | 2379.40 | 44.01 | 1.43 | 45.44 | 74.00 | 28.56 | Vertical | PASS |
| 6 | 2389.80 | 51.62 | 1.43 | 53.05 | 74.00 | 20.95 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2483.82 | 34.86 | 1.87 | 36.73 | 54.00 | 17.27 | Horizontal | PASS |
| 2 | 2488.13 | 33.91 | 1.90 | 35.81 | 54.00 | 18.19 | Horizontal | PASS |
| 3 | 2496.11 | 32.83 | 1.99 | 34.82 | 54.00 | 19.18 | Horizontal | PASS |
| 4 | 2483.88 | 45.05 | 1.87 | 46.92 | 74.00 | 27.08 | Horizontal | PASS |
| 5 | 2488.08 | 44.99 | 1.90 | 46.89 | 74.00 | 27.11 | Horizontal | PASS |
| 6 | 2496.13 | 44.05 | 1.99 | 46.04 | 74.00 | 27.96 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT5 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2484.18 | 33.04 | 1.87 | 34.91 | 54.00 | 19.09 | Vertical | PASS |
| 2 | 2491.38 | 33.21 | 1.94 | 35.15 | 54.00 | 18.85 | Vertical | PASS |
| 3 | 2494.07 | 32.99 | 1.97 | 34.96 | 54.00 | 19.04 | Vertical | PASS |
| 4 | 2484.16 | 43.72 | 1.87 | 45.59 | 74.00 | 28.41 | Vertical | PASS |
| 5 | 2491.37 | 44.44 | 1.94 | 46.38 | 74.00 | 27.62 | Vertical | PASS |
| 6 | 2494.05 | 44.21 | 1.97 | 46.18 | 74.00 | 27.82 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2336.28 | 32.76 | 1.33 | 34.09 | 54.00 | 19.91 | Horizontal | PASS |
| 2 | 2363.91 | 32.77 | 1.44 | 34.21 | 54.00 | 19.79 | Horizontal | PASS |
| 3 | 2389.23 | 33.24 | 1.43 | 34.67 | 54.00 | 19.33 | Horizontal | PASS |
| 4 | 2336.38 | 43.06 | 1.33 | 44.39 | 74.00 | 29.61 | Horizontal | PASS |
| 5 | 2363.94 | 43.83 | 1.44 | 45.27 | 74.00 | 28.73 | Horizontal | PASS |
| 6 | 2389.07 | 43.19 | 1.43 | 44.62 | 74.00 | 29.38 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 1 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2336.89 | 33.25 | 1.34 | 34.59 | 54.00 | 19.41 | Vertical | PASS |
| 2 | 2369.38 | 32.82 | 1.44 | 34.26 | 54.00 | 19.74 | Vertical | PASS |
| 3 | 2389.55 | 39.63 | 1.43 | 41.06 | 54.00 | 12.94 | Vertical | PASS |
| 4 | 2337.02 | 43.48 | 1.34 | 44.82 | 74.00 | 29.18 | Vertical | PASS |
| 5 | 2369.16 | 44.12 | 1.44 | 45.56 | 74.00 | 28.44 | Vertical | PASS |
| 6 | 2389.58 | 50.68 | 1.43 | 52.11 | 74.00 | 21.89 | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2483.52 | 33.42 | 1.85 | 35.27 | 54.00 | 18.73 | Horizontal | PASS |
| 2 | 2486.27 | 33.06 | 1.89 | 34.95 | 54.00 | 19.05 | Horizontal | PASS |
| 3 | 2493.77 | 33.01 | 1.97 | 34.98 | 54.00 | 19.02 | Horizontal | PASS |
| 4 | 2483.53 | 43.73 | 1.85 | 45.58 | 74.00 | 28.42 | Horizontal | PASS |
| 5 | 2486.30 | 43.94 | 1.89 | 45.83 | 74.00 | 28.17 | Horizontal | PASS |
| 6 | 2493.72 | 43.53 | 1.96 | 45.49 | 74.00 | 28.51 | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | BT(QHS_ P5) | Band: | - |
| Bandwidth | - | Channel | 38 |
| SN: | HQ64CC08F7 | Engineer: | Shen Zhuang |
| Remark: | X; ANT8 | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|
| 1 | 2483.62 | 33.16 | 1.86 | 35.02 | 54.00 | 18.98 | Vertical | PASS |
| 2 | 2488.32 | 33.17 | 1.91 | 35.08 | 54.00 | 18.92 | Vertical | PASS |
| 3 | 2489.73 | 33.21 | 1.92 | 35.13 | 54.00 | 18.87 | Vertical | PASS |
| 4 | 2483.59 | 43.55 | 1.85 | 45.40 | 74.00 | 28.60 | Vertical | PASS |
| 5 | 2488.23 | 44.40 | 1.90 | 46.30 | 74.00 | 27.70 | Vertical | PASS |
| 6 | 2489.67 | 44.96 | 1.92 | 46.88 | 74.00 | 27.12 | Vertical | PASS |

~The End~


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.