



Mode	30																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4880.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>52.30</td><td>34.44</td><td>12.41</td><td>58.25</td><td>0.99</td><td>-- Peak</td></tr><tr><td>2 7320.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>48.12</td><td>36.00</td><td>14.94</td><td>57.70</td><td>1.16</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4880.00	41.89	74.00	-32.11	52.30	34.44	12.41	58.25	0.99	-- Peak	2 7320.00	42.52	74.00	-31.48	48.12	36.00	14.94	57.70	1.16	-- Peak	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4880.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>52.92</td><td>34.44</td><td>12.41</td><td>58.25</td><td>0.99</td><td>-- Peak</td></tr><tr><td>2 7320.00</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>48.40</td><td>36.00</td><td>14.94</td><td>57.70</td><td>1.16</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4880.00	42.51	74.00	-31.49	52.92	34.44	12.41	58.25	0.99	-- Peak	2 7320.00	42.80	74.00	-31.20	48.40	36.00	14.94	57.70	1.16	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4880.00	41.89	74.00	-32.11	52.30	34.44	12.41	58.25	0.99	-- Peak																																																																																													
2 7320.00	42.52	74.00	-31.48	48.12	36.00	14.94	57.70	1.16	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4880.00	42.51	74.00	-31.49	52.92	34.44	12.41	58.25	0.99	-- Peak																																																																																													
2 7320.00	42.80	74.00	-31.20	48.40	36.00	14.94	57.70	1.16	-- Peak																																																																																													



Mode	30	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL





	31																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-04-08 PEAK_BE_74 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2498.46</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>40.37</td><td>32.88</td><td>8.87</td><td>34.66</td><td>9.96</td><td>100</td><td>100</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2498.46	57.42	74.00	-16.58	40.37	32.88	8.87	34.66	9.96	100	100	Peak	Level (dBuV/m) Date: 2026-04-08 PEAK_74 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>103.95</td><td>-----</td><td>-----</td><td>87.00</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>100</td><td>100</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	103.95	-----	-----	87.00	32.70	8.84	34.65	9.98	100	100	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2498.46	57.42	74.00	-16.58	40.37	32.88	8.87	34.66	9.96	100	100	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	103.95	-----	-----	87.00	32.70	8.84	34.65	9.98	100	100	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-04-08 AVG_BE_54 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2495.36</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>29.66</td><td>32.85</td><td>8.87</td><td>34.66</td><td>9.96</td><td>100</td><td>100</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2495.36	46.68	54.00	-7.32	29.66	32.85	8.87	34.66	9.96	100	100	Average	Level (dBuV/m) Date: 2026-04-08 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>103.39</td><td>-----</td><td>-----</td><td>86.52</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>100</td><td>100</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	103.39	-----	-----	86.52	32.70	8.84	34.65	9.98	100	100	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2495.36	46.68	54.00	-7.32	29.66	32.85	8.87	34.66	9.96	100	100	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	103.39	-----	-----	86.52	32.70	8.84	34.65	9.98	100	100	Average																																																																									







	31																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2495.10</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>40.37</td><td>32.85</td><td>8.87</td><td>34.66</td><td>9.96</td><td>298</td><td>38</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2495.10	57.39	74.00	-16.61	40.37	32.85	8.87	34.66	9.96	298	38	Peak	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>98.95</td><td>-----</td><td>-----</td><td>82.00</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>298</td><td>38</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	98.95	-----	-----	82.00	32.70	8.84	34.65	9.98	298	38	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2495.10	57.39	74.00	-16.61	40.37	32.85	8.87	34.66	9.96	298	38	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	98.95	-----	-----	82.00	32.70	8.84	34.65	9.98	298	38	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2491.68</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>29.75</td><td>32.82</td><td>8.86</td><td>34.65</td><td>9.97</td><td>298</td><td>38</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2491.68	46.75	54.00	-7.25	29.75	32.82	8.86	34.65	9.97	298	38	Average	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>98.34</td><td>-----</td><td>-----</td><td>81.47</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>298</td><td>38</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	98.34	-----	-----	81.47	32.70	8.84	34.65	9.98	298	38	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2491.68	46.75	54.00	-7.25	29.75	32.82	8.86	34.65	9.97	298	38	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	98.34	-----	-----	81.47	32.70	8.84	34.65	9.98	298	38	Average																																																																									



	31																																																																																																																									
Mode	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.41</td><td>74.00</td><td>-32.59</td><td>51.53</td><td>34.54</td><td>12.50</td><td>58.08</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.75</td><td>74.00</td><td>-32.25</td><td>47.52</td><td>36.00</td><td>15.03</td><td>57.91</td><td>1.11</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.41	74.00	-32.59	51.53	34.54	12.50	58.08	0.92	--	Peak	2	7440.00	41.75	74.00	-32.25	47.52	36.00	15.03	57.91	1.11	--	Peak	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>51.72</td><td>34.54</td><td>12.50</td><td>58.08</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.94</td><td>74.00</td><td>-32.06</td><td>47.71</td><td>36.00</td><td>15.03</td><td>57.91</td><td>1.11</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.60	74.00	-32.40	51.72	34.54	12.50	58.08	0.92	--	Peak	2	7440.00	41.94	74.00	-32.06	47.71	36.00	15.03	57.91	1.11	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.41	74.00	-32.59	51.53	34.54	12.50	58.08	0.92	--	Peak																																																																																																															
2	7440.00	41.75	74.00	-32.25	47.52	36.00	15.03	57.91	1.11	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.60	74.00	-32.40	51.72	34.54	12.50	58.08	0.92	--	Peak																																																																																																															
2	7440.00	41.94	74.00	-32.06	47.71	36.00	15.03	57.91	1.11	--	Peak																																																																																																															



Mode	31	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



	32																																																																																										
Mode	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE GSKF_CH00_2402MHz																																																																																										
ANT	6																																																																																										
Pol.	Horizontal												Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2311.20</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>40.43</td><td>32.10</td><td>8.53</td><td>34.54</td><td>10.00</td><td>127</td><td>110</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>101.54</td><td>-----</td><td>-----</td><td>85.29</td><td>32.12</td><td>8.69</td><td>34.60</td><td>10.04</td><td>127</td><td>110</td><td>Peak</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2311.20	56.52	74.00	-17.48	40.43	32.10	8.53	34.54	10.00	127	110	Peak		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	101.54	-----	-----	85.29	32.12	8.69	34.60	10.04	127	110	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2311.20	56.52	74.00	-17.48	40.43	32.10	8.53	34.54	10.00	127	110	Peak																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2402.00	101.54	-----	-----	85.29	32.12	8.69	34.60	10.04	127	110	Peak																																																																															
Avg	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2372.65</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>30.66</td><td>32.10</td><td>8.64</td><td>34.58</td><td>10.03</td><td>127</td><td>110</td><td>Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.08</td><td>-----</td><td>-----</td><td>83.83</td><td>32.12</td><td>8.69</td><td>34.60</td><td>10.04</td><td>127</td><td>110</td><td>Average</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2372.65	46.85	54.00	-7.15	30.66	32.10	8.64	34.58	10.03	127	110	Average		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	100.08	-----	-----	83.83	32.12	8.69	34.60	10.04	127	110	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2372.65	46.85	54.00	-7.15	30.66	32.10	8.64	34.58	10.03	127	110	Average																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2402.00	100.08	-----	-----	83.83	32.12	8.69	34.60	10.04	127	110	Average																																																																															



	32																																																																																									
Mode	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH00_2402MHz																																																																																									
ANT	6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.21</td><td>57.19</td><td>74.00</td><td>-16.81</td><td>40.96</td><td>32.14</td><td>8.63</td><td>34.57</td><td>10.03 352 123 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2366.21	57.19	74.00	-16.81	40.96	32.14	8.63	34.57	10.03 352 123 Peak	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.09</td><td>-----</td><td>-----</td><td>80.84</td><td>32.12</td><td>8.69</td><td>34.60</td><td>10.04 352 123 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	97.09	-----	-----	80.84	32.12	8.69	34.60	10.04 352 123 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1	2366.21	57.19	74.00	-16.81	40.96	32.14	8.63	34.57	10.03 352 123 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1	2402.00	97.09	-----	-----	80.84	32.12	8.69	34.60	10.04 352 123 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2359.11</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>30.46</td><td>32.10</td><td>8.60</td><td>34.56</td><td>10.02 352 123 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2359.11	46.62	54.00	-7.38	30.46	32.10	8.60	34.56	10.02 352 123 Average	Level (dBuV/m) Date: 2026-04-08 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.61</td><td>-----</td><td>-----</td><td>79.36</td><td>32.12</td><td>8.69</td><td>34.60</td><td>10.04 352 123 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	95.61	-----	-----	79.36	32.12	8.69	34.60	10.04 352 123 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1	2359.11	46.62	54.00	-7.38	30.46	32.10	8.60	34.56	10.02 352 123 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1	2402.00	95.61	-----	-----	79.36	32.12	8.69	34.60	10.04 352 123 Average																																																																																	







Mode	32																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE GSKF_CH00_2402MHz																																																																																														
ANT	6																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-04-16 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>53.07</td><td>34.50</td><td>12.31</td><td>58.41</td><td>1.06</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	42.53	74.00	-31.47	53.07	34.50	12.31	58.41	1.06	-- Peak	Level (dBuV/m) Date: 2026-04-16 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>54.18</td><td>34.50</td><td>12.31</td><td>58.41</td><td>1.06</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	43.64	74.00	-30.36	54.18	34.50	12.31	58.41	1.06	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4804.00	42.53	74.00	-31.47	53.07	34.50	12.31	58.41	1.06	-- Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4804.00	43.64	74.00	-30.36	54.18	34.50	12.31	58.41	1.06	-- Peak																																																																																					



Mode	32	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH00_2402MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



		33																																																																																									
Mode	Band Edge - L																																																																																										
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz																																																																																										
ANT	6																																																																																										
Pol.	Horizontal												Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2026-04-08  Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2331.06</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>40.26</td><td>32.10</td><td>8.57</td><td>34.55</td><td>10.01</td><td>100</td><td>59</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-04-08  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>104.05</td><td>-----</td><td>-----</td><td>87.50</td><td>32.40</td><td>8.76</td><td>34.62</td><td>10.01</td><td>100</td><td>59</td><td>Peak</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2331.06	56.39	74.00	-17.61	40.26	32.10	8.57	34.55	10.01	100	59	Peak		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	104.05	-----	-----	87.50	32.40	8.76	34.62	10.01	100	59	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2331.06	56.39	74.00	-17.61	40.26	32.10	8.57	34.55	10.01	100	59	Peak																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2440.00	104.05	-----	-----	87.50	32.40	8.76	34.62	10.01	100	59	Peak																																																																															
Avg	Level (dBuV/m) Date: 2026-04-08  Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2312.73</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>30.43</td><td>32.10</td><td>8.54</td><td>34.54</td><td>10.01</td><td>100</td><td>59</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2026-04-08  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>102.66</td><td>-----</td><td>-----</td><td>86.11</td><td>32.40</td><td>8.76</td><td>34.62</td><td>10.01</td><td>100</td><td>59</td><td>Average</td></tr></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2312.73	46.54	54.00	-7.46	30.43	32.10	8.54	34.54	10.01	100	59	Average		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	102.66	-----	-----	86.11	32.40	8.76	34.62	10.01	100	59	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2312.73	46.54	54.00	-7.46	30.43	32.10	8.54	34.54	10.01	100	59	Average																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2440.00	102.66	-----	-----	86.11	32.40	8.76	34.62	10.01	100	59	Average																																																																															



Mode	33											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz											
ANT	6											
Pol.	Horizontal						Fundamental					
Peak												



Mode	33											
	Band Edge - L											
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz											
ANT	6											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2026-04-08											







Mode	33											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE GSFK_CH19_2440MHz											
ANT	6											
Pol.	Vertical						Fundamental					
Peak												



Mode	33																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>53.37</td><td>34.44</td><td>12.41</td><td>58.25</td><td>0.99</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>48.62</td><td>36.00</td><td>14.94</td><td>57.70</td><td>1.16</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.96	74.00	-31.04	53.37	34.44	12.41	58.25	0.99	--	Peak	2	7320.00	43.02	74.00	-30.98	48.62	36.00	14.94	57.70	1.16	--	Peak	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>52.71</td><td>34.44</td><td>12.41</td><td>58.25</td><td>0.99</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.82</td><td>74.00</td><td>-31.18</td><td>48.42</td><td>36.00</td><td>14.94</td><td>57.70</td><td>1.16</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.30	74.00	-31.70	52.71	34.44	12.41	58.25	0.99	--	Peak	2	7320.00	42.82	74.00	-31.18	48.42	36.00	14.94	57.70	1.16	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4880.00	42.96	74.00	-31.04	53.37	34.44	12.41	58.25	0.99	--	Peak																																																																																																															
2	7320.00	43.02	74.00	-30.98	48.62	36.00	14.94	57.70	1.16	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4880.00	42.30	74.00	-31.70	52.71	34.44	12.41	58.25	0.99	--	Peak																																																																																																															
2	7320.00	42.82	74.00	-31.18	48.42	36.00	14.94	57.70	1.16	--	Peak																																																																																																															



Mode	33	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



	34																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-04-08 PEAK_BE_74 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2485.02</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>40.60</td><td>32.76</td><td>8.85</td><td>34.65</td><td>9.97</td><td>101</td><td>102</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2485.02	57.53	74.00	-16.47	40.60	32.76	8.85	34.65	9.97	101	102	Peak	Level (dBuV/m) Date: 2026-04-08 PEAK_74 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>103.09</td><td>-----</td><td>-----</td><td>87.02</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>101</td><td>102</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	103.09	-----	-----	87.02	32.70	8.84	34.65	9.98	101	102	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2485.02	57.53	74.00	-16.47	40.60	32.76	8.85	34.65	9.97	101	102	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	103.09	-----	-----	87.02	32.70	8.84	34.65	9.98	101	102	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-04-08 AVG_BE_54 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2493.90</td><td>47.09</td><td>54.00</td><td>-6.11</td><td>30.89</td><td>32.84</td><td>8.86</td><td>34.66</td><td>9.96</td><td>101</td><td>102</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2493.90	47.09	54.00	-6.11	30.89	32.84	8.86	34.66	9.96	101	102	Average	Level (dBuV/m) Date: 2026-04-08 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>102.73</td><td>-----</td><td>-----</td><td>85.86</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>101</td><td>102</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	102.73	-----	-----	85.86	32.70	8.84	34.65	9.98	101	102	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2493.90	47.09	54.00	-6.11	30.89	32.84	8.86	34.66	9.96	101	102	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2480.00	102.73	-----	-----	85.86	32.70	8.84	34.65	9.98	101	102	Average																																																																									







Mode	34									
	Band Edge									
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz									
ANT	6									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m)									



Mode	34																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4960.00</td><td>42.20</td><td>74.00</td><td>-31.80</td><td>52.32</td><td>34.54</td><td>12.50</td><td>58.08</td><td>0.92</td><td>-- Peak</td></tr><tr><td>2 7440.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>47.86</td><td>36.00</td><td>15.03</td><td>57.91</td><td>1.11</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00	42.20	74.00	-31.80	52.32	34.54	12.50	58.08	0.92	-- Peak	2 7440.00	42.09	74.00	-31.91	47.86	36.00	15.03	57.91	1.11	-- Peak	Level (dBuV/m) Date: 2026-04-16 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4960.00</td><td>41.88</td><td>74.00</td><td>-32.12</td><td>52.00</td><td>34.54</td><td>12.50</td><td>58.08</td><td>0.92</td><td>-- Peak</td></tr><tr><td>2 7440.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>48.01</td><td>36.00</td><td>15.03</td><td>57.91</td><td>1.11</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00	41.88	74.00	-32.12	52.00	34.54	12.50	58.08	0.92	-- Peak	2 7440.00	42.24	74.00	-31.76	48.01	36.00	15.03	57.91	1.11	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4960.00	42.20	74.00	-31.80	52.32	34.54	12.50	58.08	0.92	-- Peak																																																																																													
2 7440.00	42.09	74.00	-31.91	47.86	36.00	15.03	57.91	1.11	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4960.00	41.88	74.00	-32.12	52.00	34.54	12.50	58.08	0.92	-- Peak																																																																																													
2 7440.00	42.24	74.00	-31.76	48.01	36.00	15.03	57.91	1.11	-- Peak																																																																																													



Mode	34	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-04-16  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	35																																																																																																																																																																																																																																													
	LF																																																																																																																																																																																																																																													
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																																																																																																																																																																													
ANT	6																																																																																																																																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																						
QP/ Peak	Level (dBuV/m) Date: 2026-04-17 Site : 03CH07-HY Condition: QP 3m Bilog_35419 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>42.61</td><td>23.62</td><td>40.00</td><td>-16.38</td><td>34.30</td><td>18.21</td><td>1.14</td><td>30.03</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>100.81</td><td>23.01</td><td>43.50</td><td>-20.49</td><td>34.90</td><td>16.19</td><td>1.77</td><td>29.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>162.89</td><td>27.12</td><td>43.50</td><td>-16.38</td><td>38.58</td><td>16.13</td><td>2.23</td><td>29.82</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>561.56</td><td>23.85</td><td>46.00</td><td>-22.15</td><td>23.28</td><td>26.19</td><td>4.16</td><td>29.78</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>746.83</td><td>26.68</td><td>46.00</td><td>-19.32</td><td>23.19</td><td>28.28</td><td>4.84</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.53</td><td>28.02</td><td>46.00</td><td>-17.98</td><td>20.74</td><td>30.61</td><td>5.43</td><td>28.76</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	42.61	23.62	40.00	-16.38	34.30	18.21	1.14	30.03	0.00	--	--	--	Peak	2	100.81	23.01	43.50	-20.49	34.90	16.19	1.77	29.93	0.00	--	--	--	Peak	3	162.89	27.12	43.50	-16.38	38.58	16.13	2.23	29.82	0.00	--	--	--	Peak	4	561.56	23.85	46.00	-22.15	23.28	26.19	4.16	29.78	0.00	--	--	--	Peak	5	746.83	26.68	46.00	-19.32	23.19	28.28	4.84	29.63	0.00	--	--	--	Peak	6	958.53	28.02	46.00	-17.98	20.74	30.61	5.43	28.76	0.00	--	--	--	Peak	Level (dBuV/m) Date: 2026-04-17 Site : 03CH07-HY Condition: QP 3m Bilog_35419 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>27.63</td><td>40.00</td><td>-12.37</td><td>32.98</td><td>23.68</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>41.64</td><td>30.78</td><td>40.00</td><td>-9.22</td><td>40.98</td><td>18.70</td><td>1.12</td><td>30.02</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>18.02</td><td>43.50</td><td>-25.48</td><td>31.33</td><td>14.94</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>505.30</td><td>22.23</td><td>46.00</td><td>-23.77</td><td>24.36</td><td>23.84</td><td>3.95</td><td>29.92</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>736.16</td><td>25.96</td><td>46.00</td><td>-20.04</td><td>22.90</td><td>27.89</td><td>4.79</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>944.71</td><td>28.44</td><td>46.00</td><td>-17.56</td><td>21.71</td><td>30.11</td><td>5.42</td><td>28.80</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	30.00	27.63	40.00	-12.37	32.98	23.68	0.96	29.99	0.00	--	--	--	Peak	2	41.64	30.78	40.00	-9.22	40.98	18.70	1.12	30.02	0.00	--	--	--	Peak	3	91.11	18.02	43.50	-25.48	31.33	14.94	1.69	29.94	0.00	--	--	--	Peak	4	505.30	22.23	46.00	-23.77	24.36	23.84	3.95	29.92	0.00	--	--	--	Peak	5	736.16	25.96	46.00	-20.04	22.90	27.89	4.79	29.62	0.00	--	--	--	Peak	6	944.71	28.44	46.00	-17.56	21.71	30.11	5.42	28.80	0.00	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1	42.61	23.62	40.00	-16.38	34.30	18.21	1.14	30.03	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
2	100.81	23.01	43.50	-20.49	34.90	16.19	1.77	29.93	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
3	162.89	27.12	43.50	-16.38	38.58	16.13	2.23	29.82	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
4	561.56	23.85	46.00	-22.15	23.28	26.19	4.16	29.78	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
5	746.83	26.68	46.00	-19.32	23.19	28.28	4.84	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
6	958.53	28.02	46.00	-17.98	20.74	30.61	5.43	28.76	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																		
1	30.00	27.63	40.00	-12.37	32.98	23.68	0.96	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
2	41.64	30.78	40.00	-9.22	40.98	18.70	1.12	30.02	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
3	91.11	18.02	43.50	-25.48	31.33	14.94	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
4	505.30	22.23	46.00	-23.77	24.36	23.84	3.95	29.92	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
5	736.16	25.96	46.00	-20.04	22.90	27.89	4.79	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																	
6	944.71	28.44	46.00	-17.56	21.71	30.11	5.42	28.80	0.00	--	--	--	Peak																																																																																																																																																																																																																																	




Mode	36																																																																																																	
	SHF																																																																																																	
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak	Level (dBuV/m) Date: 2026-04-16 PEAK_74 AVG_54 1 Site : 03CH07-HY Condition: PEAK_74 1m SHF-EHF_9170251 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24860.44</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>47.07</td><td>39.22</td><td>18.88</td><td>57.41</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24860.44	38.22	74.00	-35.78	47.07	39.22	18.88	57.41	-9.54	--	PEAK	Level (dBuV/m) Date: 2026-04-16 PEAK_74 AVG_54 1 Site : 03CH07-HY Condition: PEAK_74 1m SHF-EHF_9170251 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>23989.62</td><td>37.58</td><td>74.00</td><td>-36.42</td><td>47.52</td><td>38.88</td><td>18.63</td><td>57.91</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	23989.62	37.58	74.00	-36.42	47.52	38.88	18.63	57.91	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	24860.44	38.22	74.00	-35.78	47.07	39.22	18.88	57.41	-9.54	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	23989.62	37.58	74.00	-36.42	47.52	38.88	18.63	57.91	-9.54	--	PEAK																																																																																							



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
6	Bluetooth - LE for 125kbps	75.67	3110	0.32	1kHz
6	Bluetooth - LE for 500kbps	59.12	1070	0.93	1kHz
6	Bluetooth - LE for 1Mbps	51.66	390	2.56	3kHz
6	Bluetooth - LE for 2Mbps	38.32	205	4.88	5.1kHz
7	Bluetooth - LE for 125kbps	75.43	3100	0.32	1kHz
7	Bluetooth - LE for 500kbps	59.12	1070	0.93	1kHz
7	Bluetooth - LE for 1Mbps	52.32	395	2.53	3kHz
7	Bluetooth - LE for 2Mbps	38.89	210	4.76	5.1kHz

<Ant. 6>






Bluetooth - LE for 1Mbps




Bluetooth - LE for 2Mbps



<Ant. 7>

Bluetooth - LE for 125kbps



Bluetooth - LE for 500kbps

