Appendix-E Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	59.93	-114.09	-54.16	-13.00	41.16	Horizontal	PASS
2	2472.40	72.52	-111.24	-38.72	-13.00	25.72	Horizontal	PASS
3	4121.20	55.48	-105.75	-50.27	-13.00	37.27	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	57.29	-114.09	-56.80	-13.00	43.80	Vertical	PASS
2	2472.40	71.56	-111.24	-39.68	-13.00	26.68	Vertical	PASS
3	4120.80	50.05	-105.76	-55.71	-13.00	42.71	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:		Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	61.36	-114.14	-52.78	-13.00	39.78	Horizontal	PASS
2	2509.60	73.93	-111.36	-37.43	-13.00	24.43	Horizontal	PASS
3	4183.20	46.73	-105.46	-58.73	-13.00	45.73	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:		Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	59.76	-114.14	-54.38	-13.00	41.38	Vertical	PASS
2	2509.60	67.31	-111.36	-44.05	-13.00	31.05	Vertical	PASS
3	4182.80	42.71	-105.46	-62.75	-13.00	49.75	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	58.03	-114.21	-56.18	-13.00	43.18	Horizontal	PASS
2	2546.40	70.88	-111.22	-40.34	-13.00	27.34	Horizontal	PASS
3	4244.00	49.81	-105.13	-55.32	-13.00	42.32	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	60.17	-114.21	-54.04	-13.00	41.04	Vertical	PASS
2	2546.40	68.03	-111.22	-43.19	-13.00	30.19	Vertical	PASS
3	4244.00	47.67	-105.13	-57.46	-13.00	44.46	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	110.75	-84.97	25.78	-	-	Horizontal	NA
2	2989.20	35.55	-80.14	-44.59	-13.00	31.59	Horizontal	PASS
3	3700.50	42.52	-107.51	-64.99	-13.00	51.99	Horizontal	PASS
4	5550.50	58.20	-101.32	-43.12	-13.00	30.12	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	112.94	-84.97	27.97	-	-	Vertical	NA
2	2985.80	35.41	-80.08	-44.67	-13.00	31.67	Vertical	PASS
3	3700.50	48.04	-107.51	-59.47	-13.00	46.47	Vertical	PASS
4	5550.50	47.40	-101.32	-53.92	-13.00	40.92	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	110.74	-84.95	25.79	-	-	Horizontal	NA
2	2989.80	35.53	-80.15	-44.62	-13.00	31.62	Horizontal	PASS
3	3760.00	45.76	-107.25	-61.49	-13.00	48.49	Horizontal	PASS
4	5640.00	52.00	-100.83	-48.83	-13.00	35.83	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	111.28	-84.95	26.33	-	-	Vertical	NA
2	2957.60	35.53	-79.98	-44.45	-13.00	31.45	Vertical	PASS
3	3760.00	46.45	-107.25	-60.80	-13.00	47.80	Vertical	PASS
4	5640.00	44.60	-100.83	-56.23	-13.00	43.23	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	109.59	-84.86	24.73	-	-	Horizontal	NA
2	2985.00	35.29	-80.07	-44.78	-13.00	31.78	Horizontal	PASS
3	3819.50	44.25	-106.57	-62.32	-13.00	49.32	Horizontal	PASS
4	5729.50	52.62	-100.75	-48.13	-13.00	35.13	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	111.14	-84.86	26.28	-	-	Vertical	NA
2	2991.00	35.75	-80.17	-44.42	-13.00	31.42	Vertical	PASS
3	3819.50	42.84	-106.57	-63.73	-13.00	50.73	Vertical	PASS
4	5729.50	45.25	-100.75	-55.50	-13.00	42.50	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	102.80	-85.36	17.44	-	-	Horizontal	NA
2	2111.00	36.74	-84.32	-47.58	-	-	Horizontal	NA
3	2954.80	35.58	-79.99	-44.41	-13.00	31.41	Horizontal	PASS
4	5140.50	41.82	-102.10	-60.28	-13.00	47.28	Horizontal	PASS
5	17845.50	38.44	-82.53	-44.09	-13.00	31.09	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.80	101.07	-85.34	15.73	-	-	Vertical	NA
2	2111.80	43.53	-84.32	-40.79	-	-	Vertical	NA
3	2980.60	36.05	-79.99	-43.94	-13.00	30.94	Vertical	PASS
4	9528.00	37.72	-92.66	-54.94	-13.00	41.94	Vertical	PASS
5	17800.00	38.25	-83.19	-44.94	-13.00	31.94	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1731.80	102.51	-85.22	17.29	-	-	Horizontal	NA
2	2133.40	37.71	-84.52	-46.81	-	-	Horizontal	NA
3	2963.60	35.53	-79.95	-44.42	-13.00	31.42	Horizontal	PASS
4	5195.50	40.64	-102.18	-61.54	-13.00	48.54	Horizontal	PASS
5	17856.50	38.12	-82.54	-44.42	-13.00	31.42	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.20	100.57	-85.20	15.37	-	-	Vertical	NA
2	2134.20	44.44	-84.53	-40.09	-	-	Vertical	NA
3	2967.80	35.38	-79.93	-44.55	-13.00	31.55	Vertical	PASS
4	9498.50	37.27	-92.62	-55.35	-13.00	42.35	Vertical	PASS
5	17850.00	37.62	-82.46	-44.84	-13.00	31.84	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1752.20	103.16	-85.05	18.11	-	-	Horizontal	NA
2	2979.80	35.28	-79.98	-44.70	-13.00	31.70	Horizontal	PASS
3	15098.00	37.43	-86.21	-48.78	-13.00	35.78	Horizontal	PASS
4	17847.50	38.09	-82.49	-44.40	-13.00	31.40	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.60	103.11	-85.04	18.07	-	-	Vertical	NA
2	2154.20	44.09	-84.62	-40.53	-	-	Vertical	NA
3	2974.20	35.48	-79.90	-44.42	-13.00	31.42	Vertical	PASS
4	14355.50	36.10	-86.03	-49.93	-13.00	36.93	Vertical	PASS
5	17941.00	38.28	-83.10	-44.82	-13.00	31.82	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1655.20	55.25	-114.09	-58.84	-13.00	45.84	Horizontal	PASS
2	2482.40	58.66	-111.30	-52.64	-13.00	39.64	Horizontal	PASS
3	8038.80	36.55	-95.47	-58.92	-13.00	45.92	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1651.20	51.38	-114.08	-62.70	-13.00	49.70	Vertical	PASS
2	2481.60	56.37	-111.29	-54.92	-13.00	41.92	Vertical	PASS
3	8138.40	36.33	-94.96	-58.63	-13.00	45.63	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.40	55.52	-114.14	-58.62	-13.00	45.62	Horizontal	PASS
2	2512.40	61.82	-111.36	-49.54	-13.00	36.54	Horizontal	PASS
3	7953.60	37.48	-95.47	-57.99	-13.00	44.99	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1671.60	51.35	-114.13	-62.78	-13.00	49.78	Vertical	PASS
2	2512.80	58.00	-111.34	-53.34	-13.00	40.34	Vertical	PASS
3	8035.60	36.90	-95.48	-58.58	-13.00	45.58	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.80	54.74	-114.20	-59.46	-13.00	46.46	Horizontal	PASS
2	2536.40	62.71	-111.26	-48.55	-13.00	35.55	Horizontal	PASS
3	7951.60	37.06	-95.47	-58.41	-13.00	45.41	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.20	51.32	-114.20	-62.88	-13.00	49.88	Vertical	PASS
2	2542.80	59.29	-111.22	-51.93	-13.00	38.93	Vertical	PASS
3	8126.00	36.55	-95.06	-58.51	-13.00	45.51	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

For LTE:

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	108.82	-85.36	23.46	-	-	Horizontal	NA
2	3422.00	45.97	-107.53	-61.56	-13.00	48.56	Horizontal	PASS
3	5133.50	47.35	-102.21	-54.86	-13.00	41.86	Horizontal	PASS
4	17346.50	37.77	-82.56	-44.79	-13.00	31.79	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	108.47	-85.36	23.11	-	-	Vertical	NA
2	2127.40	39.99	-84.46	-44.47	-	-	Vertical	NA
3	3422.00	45.80	-107.53	-61.73	-13.00	48.73	Vertical	PASS
4	5133.00	45.76	-102.22	-56.46	-13.00	43.46	Vertical	PASS
5	17850.50	37.98	-82.47	-44.49	-13.00	31.49	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.38	-85.28	23.10	-	-	Horizontal	NA
2	3447.00	44.94	-107.30	-62.36	-13.00	49.36	Horizontal	PASS
3	5171.00	47.77	-102.05	-54.28	-13.00	41.28	Horizontal	PASS
4	17818.00	38.60	-82.92	-44.32	-13.00	31.32	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.63	-85.28	23.35	-	-	Vertical	NA
2	2127.40	39.72	-84.46	-44.74	-	-	Vertical	NA
3	3447.00	45.46	-107.30	-61.84	-13.00	48.84	Vertical	PASS
4	5170.50	44.36	-102.05	-57.69	-13.00	44.69	Vertical	PASS
5	17869.00	38.32	-82.68	-44.36	-13.00	31.36	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	109.18	-85.18	24.00	-	-	Horizontal	NA
2	3472.00	45.13	-107.15	-62.02	-13.00	49.02	Horizontal	PASS
3	5208.00	50.81	-102.19	-51.38	-13.00	38.38	Horizontal	PASS
4	17493.50	38.91	-83.57	-44.66	-13.00	31.66	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	108.14	-85.18	22.96	-	-	Vertical	NA
2	2137.60	38.85	-84.56	-45.71	-	-	Vertical	NA
3	3472.00	44.50	-107.15	-62.65	-13.00	49.65	Vertical	PASS
4	5208.00	48.72	-102.19	-53.47	-13.00	40.47	Vertical	PASS
5	17815.50	38.51	-82.96	-44.45	-13.00	31.45	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	57.98	-114.08	-56.10	-13.00	43.10	Horizontal	PASS
2	2473.60	58.40	-111.25	-52.85	-13.00	39.85	Horizontal	PASS
3	8044.80	36.92	-95.45	-58.53	-13.00	45.53	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	54.41	-114.08	-59.67	-13.00	46.67	Vertical	PASS
2	2473.60	57.91	-111.25	-53.34	-13.00	40.34	Vertical	PASS
3	8390.40	37.15	-95.01	-57.86	-13.00	44.86	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	55.55	-114.12	-58.57	-13.00	45.57	Horizontal	PASS
2	2496.40	65.53	-111.37	-45.84	-13.00	32.84	Horizontal	PASS
3	7989.60	37.13	-95.55	-58.42	-13.00	45.42	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	55.86	-114.12	-58.26	-13.00	45.26	Vertical	PASS
2	2496.40	62.42	-111.37	-48.95	-13.00	35.95	Vertical	PASS
3	3328.40	43.37	-108.29	-64.92	-13.00	51.92	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	60.81	-114.16	-53.35	-13.00	40.35	Horizontal	PASS
2	2518.80	64.29	-111.32	-47.03	-13.00	34.03	Horizontal	PASS
3	7899.20	37.09	-95.69	-58.60	-13.00	45.60	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	56.10	-114.16	-58.06	-13.00	45.06	Vertical	PASS
2	2518.80	62.35	-111.32	-48.97	-13.00	35.97	Vertical	PASS
3	3358.40	42.58	-108.24	-65.66	-13.00	52.66	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.20	100.90	-83.13	17.77	-	-	Horizontal	NA
2	4994.00	42.72	-102.85	-60.13	-25.00	35.13	Horizontal	PASS
3	7491.50	40.51	-96.79	-56.28	-25.00	31.28	Horizontal	PASS
4	17846.50	38.00	-82.51	-44.51	-25.00	19.51	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.10	104.49	-83.13	21.36	-	-	Vertical	NA
2	2920.40	40.35	-80.36	-40.01	-25.00	15.01	Vertical	PASS
3	7491.00	50.79	-96.79	-46.00	-25.00	21.00	Vertical	PASS
4	17341.50	38.98	-82.79	-43.81	-25.00	18.81	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	102.42	-82.40	20.02	-	-	Horizontal	NA
2	2972.80	40.25	-79.91	-39.66	-25.00	14.66	Horizontal	PASS
3	7752.50	48.58	-96.49	-47.91	-25.00	22.91	Horizontal	PASS
4	17890.00	38.60	-82.93	-44.33	-25.00	19.33	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	102.00	-82.40	19.60	-	-	Vertical	NA
2	5167.50	46.75	-102.03	-55.28	-25.00	30.28	Vertical	PASS
3	7752.50	54.57	-96.49	-41.92	-25.00	16.92	Vertical	PASS
4	17978.50	38.28	-82.72	-44.44	-25.00	19.44	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.20	102.11	-81.56	20.55	-	-	Horizontal	NA
2	5342.00	44.91	-101.95	-57.04	-25.00	32.04	Horizontal	PASS
3	8013.00	48.81	-95.39	-46.58	-25.00	21.58	Horizontal	PASS
4	17977.00	37.92	-82.74	-44.82	-25.00	19.82	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.00	101.42	-81.57	19.85	-	-	Vertical	NA
2	5342.00	53.15	-101.95	-48.80	-25.00	23.80	Vertical	PASS
3	8013.50	47.72	-95.39	-47.67	-25.00	22.67	Vertical	PASS
4	17352.00	38.23	-82.48	-44.25	-25.00	19.25	Vertical	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.